



Technical Specification Document

WhatsApp Business API

PT Dam Korporindo Digital



Version	Date	Author	Description
1.0	29 July 2024	Arfan Zuhdi	Initial

Table of Contents

Table of Contents	3
Login for get Token API	7
Template	8
Create Template	8
Limitation	8
Request	8
Post Body	8
Body Properties	8
Template Components	9
Header	10
Header Text	10
Header Media	11
Body	12
Footer	13
Buttons	13
Phone Number Buttons	13
URL Buttons	14
Quick Reply Buttons	16
Response	17
Get Template	17
Template Messages	18
Text-Based Message Templates	18
Sample Request	18
Response	19
Media-Based Message Templates	19
Sample Request	19
Response	21
Interactive Message Templates	21
Sample Request	21
Response	23
Authentication Templates	23
Post Body	23
Response	25
Catalog Template Messages	26
Post Body	26

Properties	27
Sample Response	28
Carousel Templates	28
Post Body	28
Body Properties	31
Sample Response	33
Limited-Time Offer Templates	33
Post Body	33
Body Properties	35
Sample Response	37
Flow Template	38
Post Body	38
Sample Response	39
Send Text Message (non-template)	39
Text	39
Request	39
Post Body Parameters	40
Sample Response	40
Document	41
Post Body	41
Post Body Parameters	41
Sample Response	42
Image	42
Post Body	42
Post Body Parameters	43
Sample Response	44
Video	44
Post Body	44
Post Body Parameters	45
Sample Response	45
Interactive Call-to-Action URL Button Messages	46
Post Body	46
Post Body Parameters	47
Sample Response	48
Flow Messages	48
Sample Request	49
Sample Response	50
Interactive List Messages	51

Post Body	51
Post Body Parameters	52
Sample Response	53
Webhooks	54
Interactive Reply Buttons Messages	55
Post Body	55
Post Body Parameters	56
Sample Response	57
Webhooks	57
Sample Webhook	58
Location Messages	59
Post Body	59
Post Body Parameters	59
Sample Response	60
Upload Media	61
Curl Request for Image - PNG (MAX: 5 MB)	61
Curl Request for Image - JPEG (MAX: 5 MB)	61
Curl Request for Videos - MP4 (MAX: 16 MB)	61
Curl Request for Videos - 3GP (MAX: 16 MB)	61
Curl Request for Documents - TEXT (MAX: 100 MB)	62
Curl Request for Documents - XLSX (MAX: 100 MB)	62
Curl Request for Documents - DOC (MAX: 100 MB)	62
Curl Request for Documents - DOCX (MAX: 100 MB)	62
Curl Request for Documents - PPTX (MAX: 100 MB)	63
Curl Request for Documents - PDF (MAX: 100 MB)	63
Curl Request for Audio - AAC (MAX: 16 MB)	63
Curl Request for Audio - AMR (MAX: 16 MB)	63
Curl Request for Audio - MP3 (MAX: 16 MB)	64
Curl Request for Audio - MP4 (MAX: 16 MB)	64
Curl Request for Audio - OGG (MAX: 16 MB)	64
Curl Request for Sticker - Animated (MAX: 500 KB)	64
Curl Request for Sticker - Static (MAX: 100 KB)	65
Response	65
Download Media	66
Request	66
Sample Request	66
Response	66
Error Codes	67



Error response syntax	67
Error Response Contents	67
Error Codes	68
Authorization Errors	68
Throttling Errors	69
Integrity Errors	70
Other Errors	70

Login for get Token API

HTTP Request: POST <https://waba.damcorp.id/v2/users/login>

Authorization Type: Basic Auth

CURL Request: `curl --location --request POST 'https://waba.damcorp.id/v2/users/login' \`
`--header 'Authorization: Basic ebbbbbQ=='`

Response Success (200)

Body Cookies Headers (8) Test Results (1/1) 200 OK 252 ms 547 B Save as example

Pretty Raw Preview Visualize JSON

```
1 {
2   "users": [
3     {
4       "token": "eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzI1NiJ9.eyJjbG1bnRjZCI6IkpUUE4gU3lhcm1haCI6ImV4oifQ.rbCCx190gqjSVyG00KhDF-k3QqWMJUqJkc3iG6cK4",
5       "expires_after": "2023-11-15T03:28:25.696Z"
6     }
7   ],
8   "meta": {
9     "version": "1.5.06"
10  }
11 }
```

Response Failed (401)

Body Cookies Headers (6) Test Results 401 Unauthorized 3.21 s 195 B Save as example

Pretty Raw Preview Visualize Text

```
1
```

Template

Create Template

Limitation

- The message template name field is limited to 512 characters.
- The message template content field is limited to 1024 characters.

Request

POST https://graph.damcorp.id/message_templates

Post Body

```
{
  "name": "<NAME>",
  "category": "<CATEGORY>",
  "language": "<LANGUAGE>",
  "components": [<COMPONENTS>]
}
```

Body Properties

Placeholder	Description	Sample Value
<code><NAME></code> <i>String</i>	Required. Template name. Maximum 512 characters.	<code>order_confirmation</code>
<code><CATEGORY></code> <i>Enum</i>	Required. Template category. (Marketing / Utility / Authorization	<code>UTILITY</code>

<code><LANGUAGE></code> <i>Enum</i>	Required. Template language and locale code .	<code>en_US</code>
<code><COMPONENTS></code> <i>Array of objects</i>	Required. Components that make up the template. See Template Components below.	See Template Components below.

Template Components

Templates are composed of various text, media, and interactive components, based on your business needs. Refer to the [Template Components](#) document for a list of all possible components and their requirements as well as samples and example queries.

When creating a template, define its components by assigning an array of component objects to the `components` property in the body of the request.

For example, here's an array containing a text body component with two variables and sample values, a phone number button component, and a URL button component:

```
[
  {
    "type": "BODY",
    "text": "Thank you for your order, {{1}}! Your confirmation number is {{2}}. If you have any questions, please use the buttons below to contact support. Thank you for being a customer!",
    "example": {
      "body_text": [
        [
          "Pablo", "860198-230332"
        ]
      ]
    }
  },
  {
    "type": "BUTTONS",
    "buttons": [
      {
```

```

    "type": "PHONE_NUMBER",
    "text": "Call",
    "phone_number": "15550051310"
  },
  {
    "type": "URL",
    "text": "Contact Support",
    "url": "https://www.luckyshrub.com/support"
  }
]
}
]

```

Refer to the [Template Components](#) document for a list of all possible components and their requirements as well as samples and example queries.

Note that templates categorized as [AUTHENTICATION](#) have unique component requirements. See [Authentication Templates](#).

Header

Headers are optional components that appear at the top of template messages. Headers support text, media (images, videos, documents), and locations. Templates are limited to one header component.

Header Text

```

{
  "type": "HEADER",
  "format": "TEXT",
  "text": "<TEXT>",

  # Required if <TEXT> string contains variables
  "example": {
    "header_text": [
      "<HEADER_TEXT>"
    ]
  }
}

```

Properties

Placeholder	Description	Example Value
<HEADER_TEXT>	Sample header text.	Summer Sale
<TEXT>	Text to appear in template header when sent. Supports 1 variable. If the string contains a variable, you must include the <code>example</code> property and a sample variable value. 60 characters maximum.	Our {{1}} is on!

Header Media

Media headers can be an image, video, or a document such as a PDF.

```
{
  "type": "HEADER",
  "format": "<FORMAT>",
  "example": {
    "header_handle": [
      "<HEADER_HANDLE>"
    ]
  }
}
```

Properties

Placeholder	Description	Example Value
<FORMAT>	Indicates media asset type. Set to IMAGE , VIDEO , or DOCUMENT .	IMAGE
<HEADER_HANDLE>	Uploaded media asset handle. Use the Resumable Upload API to generate an asset handle.	4::aW...

Body

Body components are text-only components and are required by all templates. Templates are limited to one body component.

```
{
  "type": "BODY",
  "text": "<TEXT>",

  # Required if <TEXT> string contains variables
  "example": {
    "body_text": [
      [
        <BODY_TEXT>
      ]
    ]
  }
}
```

Properties

Placeholder	Description	Example Value
<BODY_TEXT>	Array of sample strings. Number of strings must match the number of variables included in the string.	"the end of August", "25OFF", "25%"

<TEXT>	Text string. Supports multiple variables. If the string contains variables, you must include the example property and sample variable values. 1024 characters maximum.	Shop now through {{1}} and use code {{2}} to get {{3}} off of all merchandise.
--------	---	---

Footer

Footers are optional text-only components that appear immediately after the body component. Templates are limited to one footer component.

```
{
  "type": "FOOTER",
  "text": "<TEXT>"
}
```

Properties

Placeholder	Description	Example Value
<TEXT>	Text to appear in template footer when sent. 60 characters maximum.	Use the buttons below to manage your marketing subscriptions

Buttons

Buttons are optional interactive components that perform specific actions when tapped. Templates can have a mixture of up to 10 button components total, although there are limits to individual buttons of the same type as well as combination limits.

Phone Number Buttons

Phone number buttons call the specified business phone number when tapped by the app user. Templates are limited to one phone number button.

```
{
  "type": "PHONE_NUMBER",
  "text": "<TEXT>",
  "phone_number": "<PHONE_NUMBER>"
}
```

Properties

Placeholder	Description	Example Value
<PHONE_NUMBER>	Alphanumeric string. Business phone number to be (display phone number) called when the user taps the button. 20 characters maximum.	15550051310
<TEXT>	Button label text. 25 characters maximum.	Call

URL Buttons

URL buttons load the specified URL in the device's default web browser when tapped by the app user. Templates are limited to two URL buttons.

```
{
  "type": "URL",
  "text": "<TEXT>",
  "url": "<URL>",

  # Required if <URL> contains a variable
  "example": [
    "<EXAMPLE>"
  ]
}
```

Properties

Placeholder	Description	Example Value
<EXAMPLE>	URL of website. Supports 1 variable. If using a variable, add sample variable property to the end of the URL string. The URL loads in the device's default mobile web browser when the customer taps the button. 2000 characters maximum.	https://www.luckyshrub.com/shop?promo=summer2023
<TEXT>	Button label text. Supports 1 variable. If using a variable, must include the example property and a sample value. 25 characters maximum.	Shop Now
<URL>	URL of website that loads in the device's default mobile web browser when the button is tapped by the app user. Supports 1 variable, appended to the end of the URL string. 2000 characters maximum.	https://www.luckyshrub.com/shop?promo={{1}}

Quick Reply Buttons

Quick reply buttons are custom text-only buttons that immediately message you with the specified text string when tapped by the app user. A common use case is a button that allows your customer to easily opt-out of any marketing messages.

Templates are limited to 10 quick reply buttons. If using quick reply buttons with other buttons, buttons must be organized into two groups: quick reply buttons and non-quick reply buttons. If grouped incorrectly, the API will return an error indicating an invalid combination.

Examples of valid groupings:

- Quick Reply, Quick Reply
- Quick Reply, Quick Reply, URL, Phone
- URL, Phone, Quick Reply, Quick Reply

Examples of invalid groupings:

- Quick Reply, URL, Quick Reply
- URL, Quick Reply, URL

When using the Cloud API or On-Premises API to send a template that has multiple quick reply buttons, you can use the index property to designate the order in which buttons appear in the template message.

```
{
  "type": "QUICK_REPLY",
  "text": "<TEXT>"
}
```

Properties

Placeholder	Description	Example Value
<TEXT>	Button label text. 25 characters maximum.	Unsubscribe

Response

Upon success, the API responds with the newly created template's ID, status, and category. There are three possible outcomes:

1. We agreed with the category you designated and the template is now undergoing template review (status is PENDING).
2. We disagreed with the category you designated (status is REJECTED)
3. We automatically approved the template (status is APPROVED). This is only possible for authentication templates with one-time password buttons.

```
{
  "id": "<ID>",
  "status": "<STATUS>",
  "category": "<CATEGORY>"
}
```

Response Properties

Placeholder	Description	Sample Value
<ID>	Template ID.	572279198452421
<STATUS>	Template status.	PENDING
<CATEGORY>	The template category that you designated, or that we assigned .	MARKETING

Get Template

```
curl --location
'https://graph.damcorp.id/message_templates?name=dkd_marketing_svw002' \
--header 'Authorization: •••••'
```

Template Messages

Currently, you can send the following template types:

1. Text-based message templates
2. Media-based message templates
3. Interactive message templates
4. Location-based message templates
5. Authentication templates with one-time password buttons
6. Multi-Product Message templates

Text-Based Message Templates

Sample Request

```
curl -X POST \
  'https://waba.damcorp.id/v2/messages' \
  -H 'Authorization: Bearer ACCESS_TOKEN' \
  -H 'Content-Type: application/json' \
  -d '{
    "messaging_product": "whatsapp",
    "recipient_type": "individual",
    "to": "PHONE_NUMBER",
    "type": "template",
    "template": {
      "name": "TEMPLATE_NAME",
      "language": {
        "code": "LANGUAGE_AND_LOCALE_CODE"
      },
      "components": [
        {
          "type": "body",
          "parameters": [
            {
              "type": "text",
              "text": "text-string"
            },
            {
              "type": "currency",
              "currency": {
                "fallback_value": "VALUE",
                "code": "USD",
```

```

        "amount_1000": NUMBER
      }
    },
    {
      "type": "date_time",
      "date_time": {
        "fallback_value": "DATE"
      }
    }
  ]
}
]
}
}'

```

Response

Use the ID listed to track your message status.

```

{
  "messaging_product": "whatsapp",
  "contacts": [{
    "input": "PHONE_NUMBER",
    "wa_id": "WHATSAPP_ID",
  }]
  "messages": [{
    "id": "ID",
  }]
}

```

Media-Based Message Templates

To reduce the likelihood of errors and avoid unnecessary requests to your public server, we recommend that you upload your media assets and use their IDs when sending messages.

Sample Request

```

curl -X POST \
  'https://waba.damcorp.id/v2/messages' \
  -H 'Authorization: Bearer ACCESS_TOKEN' \
  -H 'Content-Type: application/json' \
  -d '{
    "messaging_product": "whatsapp",
    "recipient_type": "individual",
    "to": "PHONE_NUMBER",
    "type": "template",
    "template": {

```

```

"template": {
  "name": "TEMPLATE_NAME",
  "language": {
    "code": "LANGUAGE_AND_LOCALE_CODE"
  },
  "components": [
    {
      "type": "header",
      "parameters": [
        {
          "type": "image",
          "image": {
            "link": "https://URL"
          }
        }
      ]
    },
    {
      "type": "body",
      "parameters": [
        {
          "type": "text",
          "text": "TEXT-STRING"
        },
        {
          "type": "currency",
          "currency": {
            "fallback_value": "VALUE",
            "code": "USD",
            "amount_1000": NUMBER
          }
        },
        {
          "type": "date_time",
          "date_time": {
            "fallback_value": "MONTH DAY, YEAR"
          }
        }
      ]
    }
  ]
}
}

```

Response

Use the ID listed to track your message status.

```
{
  "messaging_product": "whatsapp",
  "contacts": [{
    "input": "PHONE_NUMBER",
    "wa_id": "WHATSAPP_ID",
  }]
  "messages": [{
    "id": "ID",
  }]
}
```

Interactive Message Templates

Interactive message templates expand the content you can send recipients beyond the standard message template and media messages template types to include interactive buttons using the components object. There are two types of predefined buttons:

Call-to-Action — Allows your customer to call a phone number and visit a website.

Quick Reply — Allows your customer to return a simple text message.

Sample Request

```
curl -X POST \
  'https://waba.damcorp.id/v2/messages' \
  -H 'Authorization: Bearer ACCESS_TOKEN' \
  -H 'Content-Type: application/json' \
  -d '{
    "messaging_product": "whatsapp",
    "recipient_type": "individual",
    "to": "PHONE_NUMBER",
    "type": "template",
    "template": {
      "name": "TEMPLATE_NAME",
      "language": {
        "code": "LANGUAGE_AND_LOCALE_CODE"
      },
      "components": [
        {
          "type": "header",
          "parameters": [
            {
              "type": "image",
              "image": {
                "link": "http(s)://URL"
              }
            }
          ]
        }
      ]
    }
  }'
```

```

    }
  ]
},
{
  "type": "body",
  "parameters": [
    {
      "type": "text",
      "text": "TEXT_STRING"
    },
    {
      "type": "currency",
      "currency": {
        "fallback_value": "VALUE",
        "code": "USD",
        "amount_1000": NUMBER
      }
    },
    {
      "type": "date_time",
      "date_time": {
        "fallback_value": "MONTH DAY, YEAR"
      }
    }
  ]
},
{
  "type": "button",
  "sub_type": "quick_reply",
  "index": "0",
  "parameters": [
    {
      "type": "payload",
      "payload": "PAYLOAD"
    }
  ]
},
{
  "type": "button",
  "sub_type": "quick_reply",
  "index": "1",
  "parameters": [
    {
      "type": "payload",

```

```

        "payload": "PAYLOAD"
      }
    ]
  }
]
}
}'

```

Response

Use the ID listed to track your message status.

```

{
  "messaging_product": "whatsapp",
  "contacts": [{
    "input": "PHONE_NUMBER",
    "wa_id": "WHATSAPP_ID",
  }]
  "messages": [{
    "id": "ID",
  }]
}

```

Authentication Templates

Post Body

```

{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<CUSTOMER_PHONE_NUMBER>",
  "type": "template",
  "template": {
    "name": "<TEMPLATE_NAME>",
    "language": {
      "code": "<TEMPLATE_LANGUAGE_CODE>"
    },
    "components": [
      {
        "type": "body",
        "parameters": [
          {
            "type": "text",
            "text": "<ONE-TIME PASSWORD>"
          }
        ]
      }
    ]
  },
  {

```

```

    "type": "button",
    "sub_type": "url",
    "index": "0",
    "parameters": [
      {
        "type": "text",
        "text": "<ONE-TIME PASSWORD>"
      }
    ]
  }
]
}
}

```

Body Properties

Placeholder	Description	Sample Value
<CUSTOMER_PHONE_NUMBER>	The customer's WhatsApp phone number.	12015553931
<ONE-TIME PASSWORD>	The one-time password or verification code to be delivered to the customer. Note that this value must appear twice in the payload. Maximum 15 characters.	J\$FpnYnP
<TEMPLATE_LANGUAGE_CODE>	The template's language and locale code .	en_US
<TEMPLATE_NAME>	The template's name.	verification_code

Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "<INPUT>",
      "wa_id": "<WA_ID>"
    }
  ],
  "messages": [
    {
      "id": "<ID>"
    }
  ]
}
```

Response Content

Placeholder	Description	Sample Value
<code><INPUT></code> <i>String</i>	The customer phone number that the message was sent to. This may not match <code>wa_id</code> .	+16315551234
<code><WA_ID></code> <i>String</i>	WhatsApp ID of the customer who the message was sent to. This may not match <code>input</code> .	+16315551234
<code><ID></code> <i>String</i>	WhatsApp message ID. You can use the ID listed to track your message status.	HBgLMTY1MDM4Nzk0MzkVAgARGB I3N0EyQUJDMjFEQzZCQUMzODMA

Catalog Template Messages

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<TO>",
  "type": "template",
  "template": {
    "name": "<NAME>",
    "language": {
      "code": "<CODE>"
    },
    "components": [

      /* Body component required if template uses variables,
      otherwise omit */
      {
        "type": "body",
        "parameters": [
          {
            "type": "<TYPE>",
            "text": "<TEXT>"
          }
        ]
      },
      {
        "type": "button",
        "sub_type": "CATALOG",
        "index": 0,
        "parameters": [
          {
            "type": "action",
            "action": {
              "thumbnail_product_retailer_id":
"<THUMBNAIL_PRODUCT_RETAILER_ID>"
            }
          }
        ]
      }
    ]
  }
}
```

Properties

Placeholder	Description	Sample Value
<code><CODE></code> <i>String</i>	Required. Template language and locale code .	<code>en_US</code>
<code><NAME></code> <i>String</i>	Required. Template name.	<code>intro_catalog_offer</code>
<code><THUMBNAIL_PRODUCT _RETAILER_ID></code> <i>String</i>	Optional. Item SKU number. Labeled as Content ID in the Commerce Manager. The thumbnail of this item will be used as the message's header image. If the <code>parameters</code> object is omitted, the product image of the first item in your catalog will be used.	<code>21c20305pt</code>
<code><TEXT></code> <i>String</i>	Required if template uses variables. Template variable.	<code>100</code>
<code><TO></code> <i>String</i>	Required. Customer phone number.	<code>+16505551234</code>

<code><TYPE></code> <i>String</i>	Required if template uses variables. Template variable type.	<code>text</code>
--	---	-------------------

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTYlMDM4Nzk0MzkVAgARGBI5RkEwM0EyODFEQzQ2NDYzQTMA"
    }
  ]
}
```

Carousel Templates

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<TO>",
  "type": "template",
  "template": {
    "name": "<TEMPLATE_NAME>",
    "language": {
      "code": "<TEMPLATE_LANGUAGE_CODE>"
    },
    "components": [

      /* Message bubble; can omit if template message bubble has no
      variables */
      {
        "type": "BODY",
        "parameters": [
          {
```

```

        "type": "TEXT",
        "text": "<BUBBLE_TEXT_VARIABLE>"
    }
]
},

/* Carousel cards */
{
    "type": "CAROUSEL",
    "cards": [

        /* Card one */
        {
            "card_index": <CARD_INDEX>,
            "components": [
                {
                    "type": "HEADER",
                    "parameters": [
                        {
                            /* Required if template uses image header,
otherwise omit */
                            "type": "IMAGE",
                            "image": {
                                "id": "<HEADER_ASSET_ID>"
                            }

                            /* Required if template uses video header,
otherwise omit */
                            "type": "VIDEO",
                            "video": {
                                "id": "<HEADER_ASSET_ID>"
                            }
                        }
                    ]
                },
                {
                    /* Can be omitted if card body text in template has no
variables */
                    "type": "BODY",
                    "parameters": [
                        {
                            "type": "text",

```

```

        "text": "<CARD_BODY_VARIABLE>"
    }
]
},
{
    "type": "BUTTON",
    "sub_type": "QUICK_REPLY",
    "index": "<BUTTON_INDEX>",
    "parameters": [
        {
            "type": "PAYLOAD",
            "payload": "<QUICK_REPLY_BUTTON_PAYLOAD>"
        }
    ]
},
{
    "type": "BUTTON",
    "sub_type": "URL",
    "index": "BUTTON_INDEX",
    "parameters": [
        {
            "type": "PAYLOAD",
            "payload": "<URL_BUTTON_PAYLOAD>"
        }
    ]
}
]
}
]
},
    /* Addt'l cards would follow, using same structure as card
above. Must
    define a card for every card that the template uses. */

]
}
}

```

Body Properties

Placeholder	Description	Example Value
<code><BUBBLE_TEXT_VARIABLE></code> <i>String</i>	Required if the message bubble uses variables. Message bubble text variable. There is no maximum character limit on this value, but counts against the message bubble limit of 1024 characters.	<code>200FF</code>
<code><BUTTON_INDEX></code> <i>Integer</i>	Required. Zero-indexed order in which button appears at the bottom of the template message. <code>0</code> indicates the first button, <code>1</code> indicates second button, etc.	<code>0</code>
<code><CARD_INDEX></code> <i>Integer</i>	Required. Zero-indexed order in which card appears within the card carousel. <code>0</code> indicates first card, <code>1</code> indicates second card, etc.	<code>0</code>
<code><CARD_BODY_VARIABLE></code> <i>String</i>	Required if card body text uses a variable. Card body text variable. There is no maximum character limit on this value, but counts against the card body text limit of 160 characters.	<code>200FF</code>

<code><HEADER_ASSET_ID></code> <i>Media asset handle</i>	Required. Uploaded media asset ID. Use the /PHONE_NUMBER_ID/media endpoint to generate an ID.	24230790383178626
<code><QUICK_REPLY_BUTTON_PAYLOAD></code> <i>String</i>	Optional. Value to be included in messages webhooks (<code>messages.button.payload</code>) when the button is tapped.	59NqSd
<code><TEMPLATE_LANGUAGE_CODE></code> <i>Enum</i>	Required. Language and locale code of the template to be sent in the template message.	en_US
<code><TEMPLATE_NAME></code> <i>String</i>	Required. Name of the template to be sent in the template message.	summer_carousel_promo_2023
<code><TO></code> <i>String</i>	Required. Phone number of customer who the template message should be sent to.	1650555555

<URL_BUTTON_PAYLOAD>
String

Required if the URL button
uses a variable.

URL button variable value.

last_chance_2023

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "16505555555",
      "wa_id": "16505555555"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTYlMDUwNzYlMjAVAgARGBI5QTNDQTVCM0Q0Q0Q2RTY3RTcA"
    }
  ]
}
```

Limited-Time Offer Templates

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<CUSTOMER_PHONE_NUMBER>",
  "type": "template",
  "template": {
    "name": "<TEMPLATE_NAME>",
    "language": {
      "code": "<TEMPLATE_LANGUAGE_CODE>"
    },
    "components": [

      /* Required if template uses header, otherwise omit */
      {
        "type": "header",
        "parameters": [
          {
```

```

        "type": "<HEADER_TYPE>",
        "<HEADER_TYPE>": {
            "id": "<HEADER_ASSET_ID>"
        }
    }
]
},

/* Body and params required if templates uses body params,
otherwise omit */
{
    "type": "body",
    "parameters": [
        <BODY_VARIABLES>
    ]
},

/* Required if template uses offer expiration details,
otherwise omit */
{
    "type": "limited_time_offer",
    "parameters": [
        {
            "type": "limited_time_offer",
            "limited_time_offer": {
                "expiration_time_ms": <EXPIRATION_TIME>
            }
        }
    ]
},

/* Copy code button optional */
{
    "type": "button",
    "sub_type": "copy_code",
    "index": 0,
    "parameters": [
        {
            "type": "coupon_code",
            "coupon_code": "<OFFER_CODE>"
        }
    ]
},

```

```

/* Required */
{
  "type": "button",
  "sub_type": "url",
  "index": <URL_BUTTON_INDEX>,
  "parameters": [
    {
      "type": "text",
      "text": "<URL_VARIABLE>"
    }
  ]
}
]
}
}'

```

Body Properties

Placeholder	Description	Example Value
<BODY_VARIABLES> <i>Array of objects</i>	Required if template body text uses variables. Body text variable values. Define each variable as an individual object.	<pre>{ "type": "text", "text": "Pablo" }, { "type": "text", "text": "CARIBE25" }</pre>
<CUSTOMER_PHONE_NUMBER> <i>String</i>	Required. Phone number of customer who the template message should be sent to.	+16505555555
<EXPIRATION_TIME> <i>Unix timestamp</i>	Required. Offer code expiration time as a UNIX timestamp in milliseconds.	1698562800000

<code><HEADER_ASSET_ID></code> <i>Media asset ID</i>	Required. Uploaded media asset ID. Use the <code>/PHONE_NUMBER_ID/media</code> endpoint to generate an ID.	<code>1602186516975000</code>
<code><HEADER_TYPE></code> <i>String</i>	Required. Header type used by the template. Values can be <code>image</code> or <code>video</code>.	<code>image</code>
<code><OFFER_CODE></code> <i>String</i>	Required if template uses a copy code button. Offer code. Maximum 15 characters.	<code>CARIBE25</code>
<code><TEMPLATE_LANGUAGE_CODE></code> <i>Enum</i>	Required. The template's <code>language and locale code</code>.	<code>en_US</code>
<code><TEMPLATE_NAME></code> <i>String</i>	Required. The template's name.	<code>limited_time_offer_caribbean_pkg_2023</code>

<code><URL_BUTTON_INDEX></code> <i>Integer</i>	Required. URL button index. If the template uses a copy code button, value must be <code>1</code>. If the template does not use a copy code button, the value must be <code>0</code>.	<code>1</code>
<code><URL_VARIABLE></code> <i>String</i>	Required if URL uses a variable. URL variable value. No maximum but value counts against URL string maximum of 2000 characters.	<code>n3mtql</code>

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "16505555555",
      "wa_id": "16505555555"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTYlMDUwNzYlMjAVAgARGBI5QTNDQTVCM0Q0Q0Q2RTY3RTcA"
    }
  ]
}
```

Flow Template

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "PHONE_NUMBER",
  "type": "template",
  "template": {
    "name": "TEMPLATE_NAME",
    "language": {
      "code": "LANGUAGE_AND_LOCALE_CODE"
    },
    "components": [
      {
        "type": "button",
        "sub_type": "flow",
        "index": "0",
        "parameters": [
          {
            "type": "action",
            "action": {
              "flow_token": "FLOW_TOKEN",    //optional, default is
"unused"
              "flow_action_data": {
                ...
              }    // optional, json object with the data payload for
the first screen
            }
          }
        ]
      }
    ]
  }
}
```

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "<phone-number>",
      "wa_id": "<phone-number>"
    }
  ],
  "messages": [
    {
      "id": "<message-id>"
    }
  ]
}
```

Send Text Message (non-template)

Text

A text message can be a max of 4096 characters long.

Request

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<WHATSAPP_USER_PHONE_NUMBER>",
  "type": "text",
  "text": {
    "preview_url": <ENABLE_LINK_PREVIEW>,
    "body": "<BODY_TEXT>"
  }
}
```

Post Body Parameters

Placeholder	Description	Example Value
<code><BODY_TEXT></code> <i>String</i>	Required. Message body text. Supports URLs. Maximum 4096 characters.	As requested, here's the link to our latest product: https://www.meta.com/quest/quest-3/
<code><ENABLE_LINK_PREVIEW></code> <i>Boolean</i>	Optional. Set to <code>true</code> to have the WhatsApp client attempt to render a link preview of any URL in the body text string. See Link Preview below.	<code>true</code>
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	+16505551234

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
  ]
}
```


Document

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<WHATSAPP_USER_PHONE_NUMBER>",
  "type": "document",
  "document": {
    "id" : "<MEDIA_ID>", /* Only if using uploaded media */
    "link": "<MEDIA_URL>", /* Only if linking to your media */
    "caption": "<DOCUMENT_CAPTION>",
    "filename": "<DOCUMENT_FILENAME>"
  }
}
```

Post Body Parameters

Placeholder	Description	Example Value
<code><DOCUMENT_CAPTION></code> <i>String</i>	Optional. Document caption text.	Lucky Shrub Invoice
<code><DOCUMENT_FILENAME></code> <i>String</i>	Optional. Document filename, with extension. The WhatsApp client will use an appropriate file type icon based on the extension.	lucky-shrub-invoice.pdf
<code><MEDIA_ID></code> <i>String</i>	Required if using an uploaded media asset (recommended). Uploaded media asset ID.	430519053060512
<code><DOCUMENT_FILENAME></code> <i>String</i>	Optional. Document filename, with extension. The WhatsApp client will use an appropriate file type icon based on the extension.	lucky-shrub-invoice.pdf

<code><MEDIA_URL></code> <i>String</i>	Required if linking to your media asset (not recommended). URL of image asset on your public server. For better performance, we recommend that you upload your media asset instead.	https://www.luckyshrub.com/invoices/FmOzfd9cKf/lucky-shrub-invoice.pdf.png
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	+16505551234

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
  ]
}
```

Image

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<WHATSAPP_USER_PHONE_NUMBER>",
  "type": "image",
  "image": {
    "id": "<MEDIA_ID>", /* Only if using uploaded media */
    "link": "<MEDIA_URL>", /* Only if linking to your media */
    "caption": "<IMAGE_CAPTION_TEXT>"
  }
}
```

Post Body Parameters

Placeholder	Description	Example Value
<code><IMAGE_CAPTION_TEXT></code> <i>String</i>	Optional. Image caption text. Maximum 1024 characters.	The best succulent ever?
<code><MEDIA_ID></code> <i>String</i>	Required if using an uploaded media asset (recommended). Uploaded media asset ID.	1479537139650973
<code><MEDIA_URL></code> <i>String</i>	Required if linking to your media asset (not recommended) URL of image asset on your public server. For better performance, we recommend that you upload your media asset instead.	https://www.luckyshrub.com/assets/succulents/aloe.png
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	+16505551234

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
  ]
}
```

Video

Video messages display a thumbnail preview of a video image with an optional caption. When the WhatsApp user taps the preview, it loads the video and displays it to the user.

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "{{wa-user-phone-number}}",
  "type": "video",
  "video": {
    "id" : "<MEDIA_ID>", /* Only if using uploaded media */
    "link": "<MEDIA_URL>", /* Only if linking to your media */
    "caption": "<VIDEO_CAPTION_TEXT>"
  }
}
```

Post Body Parameters

Placeholder	Description	Example Value
<code><VIDEO_CAPTION_TEXT></code> <i>String</i>	Optional. Video caption text. Maximum 1024 characters.	A succulent eclipse!
<code><MEDIA_ID></code> <i>String</i>	Required if using an uploaded media asset (recommended). Uploaded media asset ID.	1166846181421424
<code><MEDIA_URL></code> <i>String</i>	Required if linking to your media asset (not recommended) URL of video asset on your public server. For better performance, we recommend that you upload your media asset instead.	https://www.luckyshrub.com/assets/lucky-shrub-eclipse-viewing.mp4
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	+16505551234

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
```

```

        "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
]
}

```

Interactive Call-to-Action URL Button Messages

Post Body

```

{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<CUSTOMER_PHONE_NUMBER>",
  "type": "interactive",
  "interactive": {
    "type": "cta_url",

    /* Header optional */
    "header": {
      "type": "text",
      "text": "<HEADER_TEXT>"
    },

    /* Body optional */
    "body": {
      "text": "<BODY_TEXT>"
    },

    /* Footer optional */
    "footer": {
      "text": "<FOOTER_TEXT>"
    },
    "action": {
      "name": "cta_url",
      "parameters": {
        "display_text": "<BUTTON_TEXT>",
        "url": "<BUTTON_URL>"
      }
    }
  }
}

```

Post Body Parameters

Placeholder	Description	Sample Value
<code><CUSTOMER_PHONE_NUMBER></code> <i>String</i>	Required. The WhatsApp ID or phone number of the customer the message is being sent to. See Phone Number Formats .	+15558543153
<code><HEADER_TEXT></code> <i>String</i>	Optional. Header text.	Available Dates
<code><BODY_TEXT></code> <i>String</i>	Required. Message body text.	Tap the button below to see available dates.
<code><FOOTER_TEXT></code> <i>String</i>	Optional. Message footer text.	Dates subject to change.
<code><BUTTON_TEXT></code> <i>String</i>	Required. Button text.	See Dates
<code><BUTTON_URL></code> <i>String</i>	Required. URL to load in the device's default web browser when tapped by the WhatsApp user.	https://www.luckyshrub.com?clickID=kqDGWd24Q5TRwoEQTICY7W1JKoXvaZOXWAS7h1P76s0R7Paec4

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
  ]
}
```

Flow Messages

After you create a WhatsApp Flow, you can send it. To send a message with a flow, we have introduced a new type of the Interactive Object called flow. These are the following properties of the Interactive Object specific to flows:

Property	Type	Description
<code>interactive.type</code>	String	Value must be <code>flow</code>
<code>interactive.action.name</code>	String	Value must be <code>flow</code>
<code>interactive.action.parameters.mode</code>	String	The Flow can be in either <code>draft</code> or <code>published</code> mode. <code>published</code> is the default value for this field.
<code>interactive.action.parameters.flow_message_version</code>	String	Value must be <code>3</code> .
<code>interactive.action.parameters.flow_token</code>	String	Flow token that is generated by the business to serve as an identifier.

<code>interactive.action.parameters.flow_id</code>	String	Unique ID of the Flow provided by WhatsApp.
<code>interactive.action.parameters.flow_cta</code>	String	Text on the CTA button. For example: "Signup" Character limit - 20 characters (no emoji).
<code>interactive.action.parameters.flow_action</code>	String	<code>navigate</code> or <code>data_exchange</code> . Default value is <code>navigate</code>
<code>interactive.action.parameters.flow_action_payload</code>	String	Required if <code>flow_action</code> is <code>navigate</code> . Should be omitted otherwise.
<code>interactive.action.parameters.flow_action_payload.screen</code>	String	The <code>id</code> of the first screen.
<code>interactive.action.parameters.flow_action_payload.data</code>	String	Optional. The input data for the first screen of the Flow. Must be a non-empty object.

Sample Request

```
{
  "recipient_type": "individual",
  "messaging_product": "whatsapp",
  "to": "PHONE_NUMBER",
  "type": "interactive",
  "interactive": {
    "type": "flow",
    "header": {
      "type": "text",
      "text": "Flow message header"
    },
    "body": {
      "text": "Flow message body"
    },
    "footer": {
      "text": "Flow message footer"
    },
    "action": {
```

```

    "name": "flow",
    "parameters": {
      "flow_message_version": "3",
      "flow_token": "AQAAAAACS5FpgQ_cAAAAAD0QI3s.",
      "flow_id": "1",
      "flow_cta": "Book!",
      "flow_action": "navigate",
      "flow_action_payload": {
        "screen": "<SCREEN_NAME>",
        "data": {
          "product_name": "name",
          "product_description": "description",
          "product_price": 100
        }
      }
    }
  }
}

```

Sample Response

```

{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "Input": "PHONE_NUMBER",
      "wa_id": "WHATSAPP_ID"
    }
  ],
  "messages": [
    {
      "id": "ID"
    }
  ]
}

```

Interactive List Messages

Interactive list messages support up to 10 sections, with up to 10 rows per section, and can include an optional header and footer.

Post Body

```
{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<WHATSAPP_USER_PHONE_NUMBER>",
  "type": "interactive",
  "interactive": {
    "type": "list",
    "header": {
      "type": "text",
      "text": "<MESSAGE_HEADER_TEXT>"
    },
    "body": {
      "text": "<MESSAGE_BODY_TEXT>"
    },
    "footer": {
      "text": "<MESSAGE_FOOTER_TEXT>"
    },
    "action": {
      "sections": [
        {
          "title": "<SECTION_TITLE_TEXT>",
          "rows": [
            {
              "id": "<ROW_ID>",
              "title": "<ROW_TITLE_TEXT>",
              "description": "<ROW_DESCRIPTION_TEXT>"
            }
            /* Additional rows would go here*/
          ]
        }
        /* Additional sections would go here */
      ],
      "button": "<BUTTON_TEXT>",
    }
  }
}
```

Post Body Parameters

Placeholder	Description	Sample Value
<code><BUTTON_TEXT></code> <i>String</i>	Required. Button label text. When tapped, reveals rows (options the WhatsApp user can tap). Supports a single button. Maximum 20 characters.	Shipping Options
<code><MESSAGE_BODY_TEXT></code> <i>String</i>	Required. Message body text. Supports URLs. Maximum 4096 characters.	Which shipping option do you prefer?
<code><MESSAGE_FOOTER_TEXT></code> <i>String</i>	Optional. Message footer text. Maximum 60 characters.	Lucky Shrub: Your gateway to succulents™
<code><MESSAGE_HEADER_TEXT></code> <i>String</i>	Optional. The <code>header</code> object is optional. Supports <code>text</code> header type only. Maximum 60 characters.	Choose Shipping Option
<code><ROW_DESCRIPTION_TEXT></code> <i>String</i>	Optional. Row description. Maximum 72 characters.	Next Day to 2 Days

<code><ROW_ID></code> <i>String</i>	Required. Arbitrary string identifying the row. This ID will be included in the webhook payload if the user submits the selection. At least one row is required. Supports up to 10 rows. Maximum 200 characters.	<code>priority_express</code>
<code><ROW_TITLE_TEXT></code> <i>String</i>	Required. Row title. At least 1 row is required. Supports up to 10 rows. Maximum 24 characters.	<code>Priority Mail Express</code>
<code><SECTION_TITLE_TEXT></code> <i>String</i>	Required. Section title text. At least 1 section is required. Supports up to 10 sections. Maximum 24 characters.	<code>I want it ASAP!</code>
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	<code>+16505551234</code>

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
}
```

```

    "messages": [
      {
        "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
      }
    ]
  }
}

```

Webhooks

When a WhatsApp user selects an option and sends their message, a messages webhook is triggered identifying the ID (id) of the option they chose.

```

{
  "object": "whatsapp_business_account",
  "entry": [
    {
      "id": "102290129340398",
      "changes": [
        {
          "value": {
            "messaging_product": "whatsapp",
            "metadata": {
              "display_phone_number": "15550783881",
              "phone_number_id": "106540352242922"
            },
            "contacts": [
              {
                "profile": {
                  "name": "Pablo Morales"
                },
                "wa_id": "16505551234"
              }
            ],
            "messages": [
              {
                "context": {
                  "from": "15550783881",
                  "id": "HBgLMTY0NjcwNDMlOTUVAgARGBIwMjg0RkMxOEMyMkNEQUFFRDgA"
                },
                "from": "16505551234",
                "id": "HBgLMTY0NjcwNDMlOTUVAgASGBQzQTZDMzFGRUFBQjlDMzIzMz1EQwA=",
                "timestamp": "1712595443",
                "type": "interactive",
                "interactive": {

```

```

        "type": "list_reply",
        "list_reply": {
            "id": "priority_express",
            "title": "Priority Mail Express",
            "description": "Next Day to 2 Days"
        }
    }
}
],
},
"field": "messages"
}
]
}
]
}
}

```

Interactive Reply Buttons Messages

Interactive reply buttons messages allow you to send up to three predefined replies for users to choose from. Users can respond to a message by selecting one of the predefined buttons, which triggers a messages webhook describing their selection.

Post Body

```

{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<WHATSAPP_USER_PHONE_NUMBER>",
  "type": "interactive",
  "interactive": {
    "type": "button",
    "header": {<MESSAGE_HEADER>},
    "body": {
      "text": "<BODY_TEXT>"
    },
    "footer": {
      "text": "<FOOTER_TEXT>"
    },
    "action": {
      "buttons": [
        {
          "type": "reply",
          "reply": {
            "id": "<BUTTON_ID>",
            "title": "<BUTTON_LABEL_TEXT>"
          }
        }
      ]
    }
  }
}

```

```

    }
  }
]
}
}
}

```

Post Body Parameters

Placeholder	Description	Sample Value
<code><BODY_TEXT></code> <i>String</i>	Required. Message body text. Emojis, markdown, and links are supported. Maximum 1024 characters.	Hi Pablo! Your gardening workshop is scheduled for 9am tomorrow. Use the buttons if you need to reschedule. Thank you!
<code><BUTTON_ID></code> <i>String</i>	Required. A unique identifier for each button. Supports up to 3 buttons. Maximum 256 characters.	change-button
<code><BUTTON_LABEL_TEXT></code> <i>String</i>	Required. Button label text. Maximum 20 characters.	Change
<code><FOOTER_TEXT></code> <i>String</i>	Optional. Message footer text. Emojis, markdown, and links are supported. Maximum 60 characters.	Lucky Shrub: Your gateway to succulents!™

<code><MESSAGE_HEADER></code> <i>JSON Object</i>	Optional. Header content. Supports the following types: • <code>document</code> • <code>image</code> • <code>text</code> • <code>video</code> Media assets can be sent using their <code>uploaded media id</code> (recommended) or URL <code>link</code> (not recommended).	Image header example: <pre>{ "type": "image", "image": { "id": "2762702990552401" } }</pre> Text header example: <pre>{ "type": "text", "text": "Workshop Details" }</pre>
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	<code>+16505551234</code>

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
  ]
}
```

Webhooks

When a WhatsApp user taps on a reply button, a messages webhook is triggered that describes their selection in a `button_reply` object:

```
"button_reply": {
  "id": "<BUTTON_ID>",
```

```
"title": "<BUTTON_LABEL_TEXT>"
}
```

- <BUTTON_ID> — The button ID of the button tapped by the user.
- <BUTTON_LABEL_TEXT> — The button label text of the button tapped by the user.

Sample Webhook

```
{
  "object": "whatsapp_business_account",
  "entry": [
    {
      "id": "102290129340398",
      "changes": [
        {
          "value": {
            "messaging_product": "whatsapp",
            "metadata": {
              "display_phone_number": "15550783881",
              "phone_number_id": "106540352242922"
            },
            "contacts": [
              {
                "profile": {
                  "name": "Pablo Morales"
                },
                "wa_id": "16505551234"
              }
            ],
            "messages": [
              {
                "context": {
                  "from": "15550783881",
                  "id":
"HBgLMTY0NjcwNDMlOTUVAgARGBJBM0Y4RUU0RUNFQkFDMjYzQUMA"
                },
                "from": "16505551234",
                "id":
"HBgLMTY0NjcwNDMlOTUVAgASGBQzQThBREYwNzc2RDc2QjA1QTlwMgA=",
                "timestamp": "1714510003",
                "type": "interactive",
                "interactive": {
                  "type": "button_reply",
                  "button_reply": {
                    "id": "change-button",
```

```

        "title": "Change"
      }
    }
  ],
  },
  "field": "messages"
}
]
}
]
}

```

Location Messages

Location messages allow you to send a location's latitude and longitude coordinates to a WhatsApp user.

Post Body

```

{
  "messaging_product": "whatsapp",
  "recipient_type": "individual",
  "to": "<WHATSAPP_USER_PHONE_NUMBER>",
  "type": "location",
  "location": {
    "latitude": "<LOCATION_LATITUDE>",
    "longitude": "<LOCATION_LONGITUDE>",
    "name": "<LOCATION_NAME>",
    "address": "<LOCATION_ADDRESS>"
  }
}

```

Post Body Parameters

Placeholder	Description	Example Value
<LOCATION_ADDRESS> <i>String</i>	Optional. Location address.	101 Forest Ave, Palo Alto, CA 94301

<code><LOCATION_LATITUDE></code> <i>String</i>	Required. Location latitude in decimal degrees.	<code>37.44216251868683</code>
<code><LOCATION_LONGITUDE></code> <i>String</i>	Required. Location longitude in decimal degrees.	<code>-122.16153582049394</code>
<code><LOCATION_NAME></code> <i>String</i>	Optional. Location name.	<code>Philz Coffee</code>
<code><WHATSAPP_USER_PHONE_NUMBER></code> <i>String</i>	Required. WhatsApp user phone number.	<code>+16505551234</code>

Sample Response

```
{
  "messaging_product": "whatsapp",
  "contacts": [
    {
      "input": "+16505551234",
      "wa_id": "16505551234"
    }
  ],
  "messages": [
    {
      "id": "HBgLMTY0NjcwNDMlOTUVAgARGBI1RjQyNUE3NEYxMzAzMzQ5MkEA"
    }
  ]
}
```

Upload Media

Upload Media to get Media ID

Curl Request for Image - PNG (MAX: 5 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: image/jpeg' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Pictures/Image - Icon/profile.jpeg'
```

Curl Request for Image - JPEG (MAX: 5 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: image/png' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Pictures/Image - Icon/external-link.png'
```

Curl Request for Videos - MP4 (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: video/mp4' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Downloads/SampleVideo_1280x720_10mb.mp4'
```

Curl Request for Videos - 3GP (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: video/3gpp' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Downloads/sample_960x540.3gp'
```

Curl Request for Documents - TEXT (MAX: 100 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: text/plain' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Downloads/Test.txt'
```

Curl Request for Documents - XLSX (MAX: 100 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: application/vnd.openxmlformats-officedocument.spreadsheetml.sheet' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Downloads/sample2.xlsx'
```

Curl Request for Documents - DOC (MAX: 100 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: application/msword' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Downloads/sample1.doc'
```

Curl Request for Documents - DOCX (MAX: 100 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Content-Type: application/vnd.openxmlformats-officedocument.wordprocessingml.document' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--data '@/Users/ariefpratama/Downloads/sample3.docx'
```

Curl Request for Documents - PPTX (MAX: 100 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \
--header 'Content-Type: application/vnd.openxmlformats-officedocument.presentationml.presentation' \
--header 'Authorization: Bearer {{TOKEN}}' \
--data '@/Users/ariefpratama/Downloads/samplepptx.pptx'
```

Curl Request for Documents - PDF (MAX: 100 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \
--header 'Content-Type: application/pdf' \
--header 'Authorization: Bearer {{TOKEN}}' \
--data '@/Users/ariefpratama/Downloads/sample1.pdf'
```

Curl Request for Audio - AAC (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \
--header 'Authorization: Bearer {{TOKEN}}' \
--header 'Content-Type: audio/aac' \
--data '@/Users/ariefpratama/Downloads/sample3.aac'
```

Curl Request for Audio - AMR (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \
--header 'Authorization: Bearer {{TOKEN}}' \
--header 'Content-Type: audio/amr' \
--data '@/Users/ariefpratama/Downloads/example.amr'
```

Curl Request for Audio - MP3 (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--header 'Content-Type: audio/mpeg' \  
--data '@/Users/ariefpratama/Downloads/SampleAudio_0.7mb.mp3'
```

Curl Request for Audio - MP4 (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--header 'Content-Type: audio/mp4' \  
--data '@/Users/ariefpratama/Downloads/SampleVideo_1280x720_10mb.mp4'
```

Curl Request for Audio - OGG (MAX: 16 MB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--header 'Content-Type: audio/ogg' \  
--data '@/Users/ariefpratama/Downloads/sample3.ogg'
```

Curl Request for Sticker - Animated (MAX: 500 KB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--header 'Content-Type: image/webp' \  
--data '@/Users/ariefpratama/Downloads/animated-webp-supported.webp'
```


Curl Request for Sticker - Static (MAX: 100 KB)

```
curl --location 'https://waba.damcorp.id/v2/media' \  
--header 'Authorization: Bearer {{TOKEN}}' \  
--header 'Content-Type: image/webp' \  
--data '@/Users/ariefpratama/Downloads/file_example_WEBP_50kB.webp'
```

Response

```
{  
  "media": [  
    {  
      "id": "1016777836662184"  
    }  
  ],  
  "meta": {  
    "version": "1.5.12"  
  }  
}
```

Download Media

Request

POST <https://waba.damcorp.id/v2/media>

Sample Request

```
curl --location 'https://waba.damcorp.id/v2/media/1707162086690029' \
--header 'Content-Type: application/json' \
--header 'Authorization: Bearer {{TOKEN}}'
```

Response

Body Cookies Headers (22) Test Results Status: 200 OK Time: 2.77 s Size: 568.57 KB Save as example

Instructions for Adding Your Logo & Address to AAO-HNSF Patient Handouts

CO-BRANDING AAO-HNSF PATIENT HANDOUTS IS AS EASY AS 1-2-3!

1 Download & Save Patient Handout

- Download the patient handout
You will need Adobe Acrobat Reader. You can install it for free here: get.adobe.com/reader
- Save it to your computer
Remember where you save it; you will need to access it in the following steps.

2 Upload Your Logo & Address

Your image **must** be saved as a .pdf file!

For additional information on how to save your logo/address as a .pdf file, please see the instructions below.

You will not be able to upload your personal information to the patient handout if the file is not saved in the .pdf format.

- Open the saved patient handout document
- Click in the white space at the bottom of the page.
- Within the **Select** icon window, **Browse** to the .pdf file you would like to **Insert** and then click, **OK**.
The logo and/or address file will resize appropriately for the box.
- Type your web address in the blue rectangle below the white image field.

Click in this white space to upload your logo
Click in this blue area to type your web address

3 You're Ready to Print!

- Save your file.
Make sure to save your file before you close the document to ensure your logo and/or address will be there the next time you open up the document.
- You are now ready to print!

Example of a co-branded Patient Handout:

CONVERT YOUR LOGO TO .PDF

Open a new Microsoft Word document.
Remember where you save it; you will need to access it when uploading your logo/address to the Patient Handout.

Insert Your Image

- Click the location in your Word document where you want to insert your image.
- Click the **Insert** tab, click **Pictures**.
- Browse to the image you want to insert, select it, and then click **Insert**.

Resize Your Image

To include contact information next to your logo, you may need to resize your image.

- Click on the image you want to resize.
- To increase or decrease the size of the

Add Text Next to Your Image

Following these instructions will allow you to add multiple lines of text to the right of your image. Please see the example below.

- Click on the image.

Error Codes

Error response syntax

```
{
  "error": {
    "message": "<MESSAGE>",
    "type": "<TYPE>",
    "code": <CODE>,
    "error_data": {
      "messaging_product": "whatsapp",
      "details": "<DETAILS>"
    },
    "error_subcode": <ERROR_SUBCODE>
    "fbtrace_id": "<FBTRACE_ID>"
  }
}
```

Error Response Contents

Property	Value Type	Description
<code>code</code>	Integer	Error code . We recommend that you build your app's error handling around error codes instead of subcodes or HTTP response status codes.
<code>details</code>	String	Error description and a description of the most likely reason for the error. May also contain information on how to address the error, such as which parameter is invalid or what values are acceptable.
<code>error_subcode</code>	Integer	Deprecated. Will not be returned in v16.0+ responses. Graph API subcode. Not all responses will include a subcode, so we recommend that you build your error handling logic around <code>code</code> and <code>details</code> properties instead.
<code>fbtrace_id</code>	String	Trace ID you can include when contacting Direct Support . The ID may help us debug the error.

<code>message</code>	String	Combination of the error code and its title. For example: <code>(#130429) Rate limit hit.</code>
<code>messaging_product</code>	String	Messaging product. This will always be the string <code>whatsapp</code> for Cloud API responses.
<code>type</code>	String	Error type.

Error Codes

Authorization Errors

Code	Description	Possible Solutions	HTTP Status Code
<code>0</code> AuthException	We were unable to authenticate the app user.	Typically this means the included access token has expired, been invalidated, or the app user has changed a setting to prevent all apps from accessing their data. We recommend that you get a new access token .	<code>401</code> Unauthorized
<code>3</code> API Method	Capability or permissions issue.	Use the access token debugger to verify that your app has been granted the permissions required by the endpoint. See Troubleshooting .	<code>500</code> Internal Server Error
<code>10</code> Permission Denied	Permission is either not granted or has been removed.	Use the access token debugger to verify that your app has been granted the permissions required by the endpoint. See Troubleshooting . Ensure that the phone number used to set the business public key is allowlisted.	<code>403</code> Forbidden
<code>190</code> Access token has expired	Your access token has expired.	Get a new access token .	<code>401</code> Unauthorized
<code>200-299</code> API Permission	Permission is either not granted or has been removed.	Use the access token debugger to verify that your app has been granted the permissions required by the endpoint. See Troubleshooting .	<code>403</code> Forbidden

Throttling Errors

Code	Description	Possible Solutions	HTTP Status Code
4 API Too Many Calls	The app has reached its API call rate limit.	Load the app in the App Dashboard and view the Application Rate Limit section to verify that the app has reached its rate limit . If it has, try again later or reduce the frequency or amount of API queries the app is making.	400 Bad Request
80007 Rate limit issues	The WhatsApp Business Account has reached its rate limit.	See WhatsApp Business Account Rate Limits . Try again later or reduce the frequency or amount of API queries the app is making.	400 Bad Request
130429 Rate limit hit	Cloud API message throughput has been reached.	The app has reached the API's throughput limit. See Throughput . Try again later or reduce the frequency with which the app sends messages.	400 Bad Request
131048 Spam rate limit hit	Message failed to send because there are restrictions on how many messages can be sent from this phone number. This may be because too many previous messages were blocked or flagged as spam.	Check your quality status in the WhatsApp Manager and see the Quality-Based Rate Limits documentation for more information.	400 Bad Request
131056 (Business Account, Consumer Account) pair rate limit hit	Too many messages sent from the sender phone number to the same recipient phone number in a short period of time.	Wait and retry the operation, if you intend to send messages to the same phone number. You can still send messages to a different phone number without waiting	400 Bad Request
133016 Account register deregister rate limit exceeded	Registration or Deregistration failed because there were too many attempts for this phone number in a short period of time	The business phone number is being blocked because it has reached its registration/deregistration attempt limit. Try again once the number is unblocked. See "Limitations" in the Registration document.	400 Bad Request

Integrity Errors

Code	Description	Possible Solutions	HTTP Status Code
368 Temporarily blocked for policies violations	The WhatsApp Business Account associated with the app has been restricted or disabled for violating a platform policy.	See the Policy Enforcement document to learn about policy violations and how to resolve them.	403 Forbidden
131031 Account has been locked	The WhatsApp Business Account associated with the app has been restricted or disabled for violating a platform policy, or we were unable to verify data included in the request against data set on the WhatsApp Business Account (e.g, the two-step pin included in the request is incorrect).	See the Policy Enforcement document to learn about policy violations and how to resolve them. You can also use the Health Status API , which may provide additional insight into the reason or reasons for the account lock.	403 Forbidden

Other Errors

Code	Description	Possible Solutions	HTTP Status Code
1 API Unknown	Invalid request or possible server error.	Check the WhatsApp Business Platform Status page to see API status information. If there are no server outages, check the endpoint reference and verify that your request is formatted correctly and meets all endpoint requirements.	400 Bad Request
2 API Service	Temporary due to downtime or due to being overloaded.	Check the WhatsApp Business Platform Status page to see API status information before trying again.	503 Service Unavailable

33 Parameter value is not valid	The business phone number has been deleted.	Verify that the business phone number is correct.	400 Bad Request
100 Invalid parameter	The request included one or more unsupported or misspelled parameters.	See the endpoint's reference to determine which parameters are supported and how they are spelled. Ensure when setting the business public key, it is a valid 2048-bit RSA public key in PEM format . Ensure there is no mismatch between the phone number id you are registering and a previously stored phone number id. Ensure your parameter is under any length restriction for the type.	400 Bad Request
130472 User's number is part of an experiment	Message was not sent as part of an experiment .	See Marketing Message Experiment .	400 Bad Request
131000 Something went wrong	Message failed to send due to an unknown error. When setting a business public key , it either failed to calculate the signature, call the GraphQL endpoint, or the GraphQL endpoint returned an error.	Try again. If the error persists, open a Direct Support ticket.	500 Internal Server Error
131005 Access denied	Permission is either not granted or has been removed.	Use the access token debugger to verify that your app has been granted the permissions required by the endpoint. See Troubleshooting .	403 Forbidden
131008 Required parameter is missing	The request is missing a required parameter.	See the endpoint's reference to determine which parameters are required.	400 Bad Request
131009 Parameter value is not valid	One or more parameter values are invalid.	See the endpoint's reference to determine which values are supported for each parameter, and see Phone Numbers to learn how to add a phone number to a WhatsApp Business Account.	400 Bad Request

131016 Service unavailable	A service is temporarily unavailable.	Check the WhatsApp Business Platform Status page to see API status information before trying again.	500 Internal Server Error
131021 Recipient cannot be sender	Sender and recipient phone number is the same.	Send a message to a phone number different from the sender.	400 Bad Request
131026 Message Undeliverable	Unable to deliver message. Reasons can include: • The recipient phone number is not a WhatsApp phone number. • Sending an authentication template to a WhatsApp user who has a +91 country calling code (India). Authentication templates currently cannot be sent to WhatsApp users in India. • Recipient has not accepted our new Terms of Service and Privacy Policy. • Recipient using an old WhatsApp version; must use the following WhatsApp version or greater: • Android: 2.21.15.15 • SMBA: 2.21.15.15 • iOS: 2.21.170.4 • SMI: 2.21.170.4 • KaiOS: 2.2130.10 • Web: 2.2132.6 • The message was not delivered to create a high quality user experience. See Per-User Marketing Template Message Limits.	Using a non-WhatsApp communication method, ask the WhatsApp user to: • Confirm that they can actually send a message to your WhatsApp business phone number. • Confirm that they have accepted our latest Terms of Service (Settings > Help, or Settings > Application information will prompt them to accept the latest terms/policies if they haven't done so already) • Update to the latest version of the WhatsApp client.	400 Bad Request

131042 Business eligibility payment issue	There was an error related to your payment method.	See About Billing For Your WhatsApp Business Account and verify that you have set up billing correctly. Common problems: • Payment account is not attached to a WhatsApp Business Account • Credit line is over the limit • Credit line (Payment Account) not set or active • WhatsApp Business Account is deleted • WhatsApp Business Account is suspended • Timezone not set • Currency not set • MessagingFor request (On Behalf Of) is pending or declined • Exceeded conversation free tier threshold without a valid payment method	400 Bad Request
131045 Incorrect certificate	Message failed to send due to a phone number registration error.	Register the phone number before trying again.	500 Internal Server Error
131047 Re-engagement message	More than 24 hours have passed since the recipient last replied to the sender number.	Send the recipient a business-initiated message using a message template instead.	400 Bad Request
131051 Unsupported message type	Unsupported message type.	See Messages for supported message types before trying again with a supported message type.	400 Bad Request
131052 Media download error	Unable to download the media sent by the user.	We were unable to download the media for one or more reasons, such as an unsupported media type . Refer to the <code>error.error_data.details</code> value for more information about why we were unable to download the media.	400 Bad Request

		Ask the WhatsApp user to send you the media file using a non-WhatsApp method.	
131053 Media upload error	Unable to upload the media used in the message.	We were unable to upload the media for one or more reasons, such as an unsupported media type. Refer to the <code>error.error_data.details</code> value for more information about why we were unable to upload the media. We recommend that you inspect any media files that are causing errors and confirm that they are in fact supported. For example, in UNIX you can use file inspection via the command line to determine its MIME type: <pre>file -I rejected-file.mov</pre> You can then confirm if its MIME type is listed in our list of supported media types. For more reliable performance when sending media, refer to Media HTTP Caching and uploading the media.	400 Bad Request
131057 Account in maintenance mode	Business Account is in maintenance mode	The WhatsApp Business Account is in maintenance mode. One reason for this could be that the account is undergoing a throughput upgrade.	500 Bad Request
132000 Template Param Count Mismatch	The number of variable parameter values included in the request did not match the number of variable parameters defined in the template.	See Message Template Guidelines and make sure the request includes all of the variable parameter values that have been defined in the template.	400 Bad Request
132001 Template does not exist	The template does not exist in the specified language or the template has not been approved.	Make sure your template has been approved and the template name and language locale are correct. Please ensure you follow message template guidelines .	404 Not Found

132005 Template Hydrated Text Too Long	Translated text is too long.	Check the WhatsApp Manager to verify that your template has been translated. See Quality Rating and Template Status .	400 Bad Request
132007 Template Format Character Policy Violated	Template content violates a WhatsApp policy.	See Rejection Reasons to determine possible reasons for violation.	400 Bad Request
132012 Template Parameter Format Mismatch	Variable parameter values formatted incorrectly.	The variable parameter values included in the request are not using the format specified in the template. See Message Template Guidelines .	400 Bad Request
132015 Template is Paused	Template is paused due to low quality so it cannot be sent in a template message.	Edit the template to improve its quality and try again once it is approved.	400 Bad Request
132016 Template is Disabled	Template has been paused too many times due to low quality and is now permanently disabled.	Create a new template with different content.	400 Bad Request
132068 Flow is blocked	Flow is in blocked state.	Correct the Flow	400 Bad Request
132069 Flow is throttled	Flow is in throttled state and 10 messages using this flow were already sent in the last hour.	Correct the Flow	400 Bad Request
133000 Incomplete Deregistration	A previous deregistration attempt failed.	Deregister the number again before registering .	500 Internal Server Error
133004 Server Temporarily Unavailable	Server is temporarily unavailable.	Check the WhatsApp Business Platform Status page to see API status information and check the response details value before trying again.	503 Service Unavailable
133005 Two step verification PIN Mismatch	Two-step verification PIN incorrect.	Verify that the two-step verification PIN included in the request is correct.	400 Bad Request

		To reset the two-step verification PIN: 1. Disable two-step verification. 2. Send a POST request that includes the new PIN to the Phone Number endpoint.	
133006 Phone number re-verification needed	Phone number needs to be verified before registering.	Verify the phone number before registering it.	400 Bad Request
133008 Too Many two step verification PIN Guesses	Too many two-step verification PIN guesses for this phone number.	Try again after the amount of time specified in the details response value.	400 Bad Request
133009 Two step verification PIN Guessed Too Fast	Two-step verification PIN was entered too quickly.	Check the details response value before trying again.	400 Bad Request
133010 Phone number Not Registered	Phone number not registered on the WhatsApp Business Platform.	Register the phone number before trying again.	400 Bad Request
133015 Please wait a few minutes before attempting to register this phone number	The phone number you are attempting to register was recently deleted, and deletion has not yet completed.	Wait 5 minutes before re-trying the request.	400 Bad Request
135000 Generic user error	Message failed to send because of an unknown error with your request parameters.	See the endpoint's reference to determine if you are querying the endpoint using the correct syntax. Contact customer support if you continue receiving this error code in response.	400 Bad Request