

FPT UNIVERSITY

Capstone Project Document

Lightweight Deep Learning for Robust Shrimp Disease
Detection on Mobile Devices under Diverse Environmental
Conditions

CVio	
Group Members	Tran Huu Nhan (Leader) - CE181655 Le Thi Huynh Nhu - CA182007 Nguyen Van Phong - CE192081
Supervisor	Nguyen Dinh Vinh
Ext Supervisor	N/A
Capstone Project code	AIP491_01

Table of Contents

Acknowledgement	iii
Definition and Acronyms	iv
List of tables	vi
List of figures	viii
I. Project Introduction	1
1. Overview	1
2. Project Background	4
3. Project Objective	5
4. Problem Statement	6
5. Significance of the Project	6
6. Project Scope & Limitations	6
II. Project Management Plan	10
1. Team Work	10
2. Project Management Approach	15
III. Existing Systems/State of the Art	38
1. Overview of the Field	38
2. Historical Context	38
3. Key Studies and Theories	40
4. Technological Advancements	44
5. Comparison of Existing Systems	45
6. Gaps in the Literature/Technology	52
7. Justification for the Project	53
IV. Methodology	55
1. Methodological Framework and Experimental Scope	55
2. Classification Methodology	55
3. Instance-Segmentation Methodology	62
4. Fourier-Domain Segmentation Methodology	71
5. Evaluation Metrics and Decision Rules	76
6. Mobile Runtime and Real-World Acquisition Protocol	78
7. Experimental Environment and Reproducibility	80
8. Methodological Validity and Scope Boundaries	81
V. System Design and Implementation	82
1. AI Model Integration	82
2. Data Flow and Processing	86
3. Deployment Strategy	92
4. Maintenance and Scalability	97
VI. Experimental Evaluation, Results, and Discussion	102
1. Experimental Evidence Overview	102
2. Dataset Composition and Evaluation Partitions	102
3. Classification Baseline Screening	104
4. Main Classification Performance	108
5. Classification Component Analysis	110
6. Classification Error Analysis	110
7. Classification Robustness under Controlled Synthetic Corruptions	111
8. Additional-Source and Partition-Wise Integrated Classification Evaluation	118

9. Explainability Analysis	120
10. Instance-Segmentation Baselines and Leakage Analysis	121
11. Attention-Based Instance-Segmentation Results	126
12. Fourier-Domain Instance-Segmentation Results	129
13. Segmentation Robustness and Failure Analysis	133
14. Mobile Deployment Observations	137
15. Integrated Discussion	140
16. Threats to Validity and Limitations	144
17. Recommendations	144
18. Personal Reflection	145
VII. Conclusion	146
1. Summary of Findings	146
2. Contributions and Reflections on the Project	149
3. Limitations and Future Work	150
VIII. References	153
IX. Appendices	157
Appendix A - Classification Class Mapping and Split Manifest Summary	157
Appendix B - Classification Experimental Configuration	158
Appendix C - Classification Candidate Inventory	159
Appendix D - Segmentation Annotation and Split Rules	162
Appendix E - Attention Configuration Ledger	163
Appendix F - Fourier Configuration and Spectrum Ledger	165
Appendix G - Evaluation Metric Definitions	169
Appendix H - Corruption Protocol Inventory	170
Appendix I - Mobile Interface and Deployment Configuration	171
Appendix J - Reproducibility and Artifact Checklist	173
Appendix K - Supplementary Submission Evidence	176
Appendix L - Public Classification Repository	178

Acknowledgement

The team sincerely thanks Nguyen Dinh Vinh, Lecturer and Supervisor, for his academic guidance, milestone reviews, and detailed feedback throughout the capstone project. We acknowledge FPT University Can Tho for the academic environment and project framework. We also acknowledge the authors and maintainers of the public shrimp-image datasets, open-source frameworks, and research tools used in the classification, instance-segmentation, robustness, explainability, and mobile application work. Finally, the team thanks the lecturers, colleagues, friends, and families who supported experimentation, application development, documentation, presentation, and defense preparation.

Definition and Acronyms

The following terms are used throughout the project reports. The same vocabulary is retained to avoid inconsistent terminology across independent submissions.

Acronym	Definition
AI	Artificial Intelligence
AMP	Automatic Mixed Precision
AP	Average Precision
API	Application Programming Interface
ASL	Asymmetric Loss
ASL-LDAM	Custom single-label objective combining ASL-style asymmetric focusing with Label-Distribution-Aware Margin
BCE	Binary Cross-Entropy
BG	Black Gill disease
CA	Coordinate Attention
CAM	Class Activation Mapping
CBAM	Convolutional Block Attention Module
CNN	Convolutional Neural Network
CoTEGate	Project-created consensus-based residual feature-recalibration gate
CPU	Central Processing Unit
CRISP-DM	Cross-Industry Standard Process for Data Mining
CUDA	Compute Unified Device Architecture
DCFR	Project-created texture feature-recalibration component used with SimAM
DFT	Discrete Fourier Transform
DPCA	Dual-Polarity Contrast Attention
ECA	Efficient Channel Attention
EigenCAM	Principal-component-based class activation mapping method
FCN	Fully Convolutional Network
FDDEM	Frequency-Domain Detail Enhancement Module
FFT	Fast Fourier Transform
FGSM	Fast Gradient Sign Method
FPS	Frames Per Second
GAP	Global Average Pooling
GPU	Graphics Processing Unit
Grad-CAM	Gradient-weighted Class Activation Mapping
Grad-CAM++	Generalized gradient-based class activation mapping
GRU	Gated Recurrent Unit
HiResCAM	High-Resolution Class Activation Mapping
HScore	Project-defined healthy-aware instance-segmentation decision score
HSV	Hue, Saturation, and Value color representation
IFFT	Inverse Fast Fourier Transform
IHHNV	Infectious Hypodermal and Hematopoietic Necrosis Virus
IoT	Internet of Things
IoU	Intersection over Union
JPEG	Joint Photographic Experts Group image format
KNN	K-Nearest Neighbors
LDAM	Label-Distribution-Aware Margin
LKA	Large Kernel Attention

mAP50	Mean Average Precision at an IoU threshold of 0.50
mAP50:95	Mean Average Precision over IoU thresholds 0.50 to 0.95
NMS	Non-Maximum Suppression
PAN-FPN	Path Aggregation Network and Feature Pyramid Network
RAM	Random Access Memory
ReLU	Rectified Linear Unit
RGB	Red, Green, and Blue color representation
ROI	Region of Interest
SimAM	Simple, parameter-free attention module based on neuron energy
TFLite	TensorFlow Lite
TIMM	PyTorch Image Models library
UAT	User Acceptance Testing
UI/UX	User Interface and User Experience
WBS	Work Breakdown Structure
WSSV	White Spot Syndrome Virus
WSSV_BG	Four-class image-level co-infection category containing BG and WSSV evidence
XAI	Explainable Artificial Intelligence
YHV	Yellow Head Virus
YOLO	You Only Look Once model family

List of tables

Table 1.1. Project information	1
Table 1.2. Supervisor information	2
Table 1.3. Team member information	2
Table 1.4. Final project scope and explicit limitations	7
Table 2.1. Team structure and roles	10
Table 2.2. Roles and responsibilities	12
Table 2.3. Project communication plan	13
Table 2.4. Application of CRISP-DM phases to the project	16
Table 2.5. Detailed Work Breakdown Structure and estimated effort	18
Table 2.6. Responsibility assignments	22
Table 2.7. Project risks and response plans	24
Table 2.8. Quality management plan	27
Table 2.9. Project resources and funding status	31
Table 2.10. Change categories and control requirements	33
Table 2.11. Project closure and Definition of Done	35
Table 3.1. Chronological evolution of related work	45
Table 3.2. Representative shrimp disease classification systems	48
Table 3.3. Localization, instance segmentation, and evaluation methods	49
Table 3.4. Public datasets relevant to shrimp and aquatic-disease vision	50
Table 3.5. Research coverage of representative shrimp vision systems	51
Table 4.1. Classification preprocessing and fixed experimental controls	55
Table 4.2. ASL-LDAM and SimAM-DCFR implementation constants	59
Table 4.3. Classification training configuration	61
Table 4.4. Segmentation annotation rules and label semantics	63
Table 4.4A. Recognized specimen-group subset under nominal 80/10/10 grouped protocol	64
Table 4.4B. Expanded instance-segmentation image inventory	64
Table 4.5. Segmentation split-policy definitions	65
Table 4.6. Segmentation augmentation and control policies	66
Table 4.7. Recorded attention configuration protocols	69
Table 4.8. Attention implementation and efficiency metadata	70
Table 4.9. Fourier-augmentation processing-order protocols	71
Table 4.10. Evaluation thresholds and checkpoint rules	75
Table 4.11. Experimental environment and reproducibility artifacts	77
Table 4.12. Common on-device application and model configuration	78
Table 4.13. Android runtime device configuration	79
Table 4.14. Training, analysis, and reproducibility configuration	80
Table 5.1. Model-application interface contract	85
Table 5.2. End-to-end data flow	92
Table 5.3. Deployment interface and verification purpose	96
Table 5.4. Model-release metadata required for traceable deployment	98
Table 5.5. Maintenance and regression verification matrix	99
Table 6.1. Classification dataset regimes and fixed partition counts	102
Table 6.2A. Recognized specimen-group subset under the 80/10/10 protocol	103
Table 6.2B. Expanded instance-segmentation image inventory	103
Table 6.3. Verified representative Ultralytics selection summary	107
Table 6.3A. Complete TIMM predictive and complexity screening results	105
Table 6.3B. Complete TIMM training and inference timing ledger	106

Table 6.4. Main clean-test classification comparison	108
Table 6.5. Verified classification component configurations	110
Table 6.6. Classification robustness under selected synthetic corruptions	111
Table 6.7. Classification results on EXT-3-Original and SDI-4 + EXT-3-Original	118
Table 6.8. Classwise performance on SDI-4 + EXT-3-Original	119
Table 6.9. Segmentation baseline comparison under grouped split	122
Table 6.9B. Additional instance-segmentation comparators	122
Table 6.10. Leakage comparison across segmentation split policies	125
Table 6.11. Recorded attention configuration protocols	126
Table 6.12. Attention localization results	127
Table 6.12B. CA-to-SimAM placement study on YOLO11n-seg	127
Table 6.13. Healthy-negative and mask-count diagnostics	128
Table 6.14. Attention results on combined segmentation dataset	128
Table 6.15. Fourier candidate screening	129
Table 6.16. Interaction between W1 and augmentation regimes	130
Table 6.17. Offline augmentation-Fourier order study	131
Table 6.18. Recorded Fourier and augmentation inference timing	133
Table 6.19. Selected attention-based segmentation corruption results	134
Table 6.20. Final conditional Android inference contract	137
Table 6.21. Final selected instance-segmentation model summary	138
Table 6.22. Android devices used for cross-device runtime profiling	138
Table 6.23. Observed runtime of the conditional Android pipeline	139
Table A.1. Primary four-class mapping and fixed seed-42 split	157
Table A.2. Additional-source class mapping and evaluation status	157
Table B.1. Primary classification training and checkpoint configuration	158
Table B.2. ASL-LDAM and SimAM-DCFR implementation constants	159
Table C.1. TIMM candidate inventory	159
Table C.2. Ultralytics classification candidate inventory	161
Table D.1. Segmentation annotation semantics and validity boundaries	162
Table D.2. Original filename-compatible grouped split statistics	162
Table D.3. Expanded instance-segmentation image inventory	163
Table D.4. Leakage comparison across retained split policies	163
Table E.1. Recorded attention configuration protocols	164
Table E.2. Attention localization-efficiency ledger	164
Table E.3. CA-to-SimAM placement study on YOLO11n-seg	164
Table F.1. Retained Fourier candidate screen under strict control	165
Table F.2. Offline augmentation-Fourier order ledger	165
Table F.3. Recorded Fourier timing scope	166
Table F.4. Direct paired spectrum-study design	166
Table F.5. Retained spectrum-effect summary under strong augmentation	168
Table H.1. Classification corruption inventory	170
Table H.2. Segmentation corruption inventory and naming boundary	170
Table I.1. Final mobile model-bundle contract	171
Table I.2. Android device configuration ledger	172
Table I.3. Runtime logging and branch semantics	172
Table I.4. Observational branch-runtime summary	173
Table J.1. Re-audited reproducibility and artifact checklist	173

List of figures

Figure 1.1. Evolution of the project scope	3
Figure 1.2. Project technology stack	4
Figure 2.1. Team structure and research responsibilities	11
Figure 2.2. CRISP-DM applied to the project	16
Figure 2.3. Weekly research execution cycle	17
Figure 2.4. Project Gantt chart	21
Figure 2.5. Change management workflow	32
Figure 2.6. Document and experiment artifact flow	29
Figure 4.1. Classification experimental workflow	56
Figure 4.2. YOLO26m-cls architecture with SimAM-DCFR and ASL-LDAM	57
Figure 4.3. Module-level SimAM-DCFR computation	59
Figure 4.4. Training-time ASL-LDAM computation graph	61
Figure 4.5. Representative BG and WSSV annotations	62
Figure 4.6. Comparison of segmentation split policies	65
Figure 4.7. YOLO11n-seg attention integration	67
Figure 4.8. Dual-Polarity Contrast Attention workflow	68
Figure 4.9. CoTEGate and BoundaryLite integration	69
Figure 4.10. Representative W1 spatial- and frequency-domain effect	72
Figure 4.11. Exact W1 decomposition in spatial and frequency domains	73
Figure 4.12. Matched five-path W1-augmentation spectrum-study construction	74
Figure 5.1. Mobile AI pipeline	83
Figure 5.2. Main entry screens of the mobile application	87
Figure 5.3. Result interpretation screens	89
Figure 5.4. History and runtime settings screens	91
Figure 5.5. Model information and processing-summary screens	94
Figure 6.1. Classification split distribution	103
Figure 6.1A. YOLO26m-cls versus YOLO26x-cls validation diagnostics under the same seed-42 CE protocol	108
Figure 6.2. Clean baseline and proposed classification metrics	109
Figure 6.3. Macro-F1 under retained classification corruptions	112

Figure 6.4. Visualization-strength impulse-noise examples	113
Figure 6.5. Visualization-strength Gaussian-noise examples	114
Figure 6.6. Visualization-strength contrast-reduction examples	115
Figure 6.7. Visualization-strength defocus-blur examples	116
Figure 6.8. Visualization-strength low-light examples	117
Figure 6.9. Multi-source Macro-F1	119
Figure 6.10. SDI-4 + EXT-3-Original confusion matrix	120
Figure 6.11. Grad-CAM++, HiResCAM, and EigenCAM comparison	121
Figure 6.11A. RTMDet-Ins-S training-loss trajectories over 100 epochs	123
Figure 6.11B. RTMDet-Ins-S validation COCO trajectories	124
Figure 6.12. Leakage-aware segmentation comparison	125
Figure 6.13. Training and validation curves	126
Figure 6.14. Attention trade-off analysis	128
Figure 6.15. W1 across augmentation regimes	130
Figure 6.15A. Labeled-only mask mAP50 with and without W1 across the retained augmentation/hook regimes	131
Figure 6.15B. Representative spatial/Fourier comparison of W1 and strong-augmentation order	132
Figure 6.15C. W1 high-frequency effect before and after strong augmentation	132
Figure 6.16. Color-cast segmentation examples	134
Figure 6.17. Turbidity-style segmentation examples	135
Figure 6.18. JPEG-artifact segmentation examples	135
Figure 6.19. Overexposure segmentation examples	136
Figure 6.20. Gaussian-blur segmentation examples	136
Figure 6.20A. Representative real-world shrimp photographs for operational testing	140
Figure 6.21. Retained instance-segmentation ground-truth and prediction panels	142
Figure F.1. High-resolution audit view of W1 spatial/frequency behavior	167
Figure F.2. Supplementary W1 spatial/frequency decomposition	168
Figure K.1. Turnitin originality report summary for the capstone report	176
Figure K.2. ISBM 2026 acceptance notification for Paper 301	177