

References

1. T. W. Flegel, "Major viral diseases of the black tiger prawn (*Penaeus monodon*) in Thailand," *World Journal of Microbiology and Biotechnology*, vol. 13, pp. 433–442, 1997, doi: 10.1023/A:1018580301578.
2. D. V. Lightner, "Strategies for the control of viral diseases of shrimp in the Americas," *Fish Pathology*, vol. 33, no. 4, pp. 165–180, 1998, doi: 10.3147/jsfp.33.165.
3. P. J. Walker and C. V. Mohan, "Viral disease emergence in shrimp aquaculture: Origins, impact and the effectiveness of health management strategies," *Reviews in Aquaculture*, vol. 1, no. 2, pp. 125–154, 2009, doi: 10.1111/j.1753-5131.2009.01007.x.
4. D. V. Lightner, "Virus diseases of farmed shrimp in the Western Hemisphere (the Americas): A review," *Journal of Invertebrate Pathology*, vol. 106, no. 1, pp. 110–130, 2011, doi: 10.1016/j.jip.2010.09.012.
5. G. D. Stentiford et al., "Disease will limit future food supply from the global crustacean fishery and aquaculture sectors," *Journal of Invertebrate Pathology*, vol. 110, no. 2, pp. 141–157, 2012, doi: 10.1016/j.jip.2012.03.013.
6. T. W. Flegel, "Historic emergence, impact and current status of shrimp pathogens in Asia," *Journal of Invertebrate Pathology*, vol. 110, no. 2, pp. 166–173, 2012, doi: 10.1016/j.jip.2012.03.004.
7. C. H. Seibert and A. R. Pinto, "Challenges in shrimp aquaculture due to viral diseases: Distribution and biology of the five major penaeid viruses and interventions to avoid viral incidence and dispersion," *Brazilian Journal of Microbiology*, vol. 43, no. 3, pp. 857–864, 2012, doi: 10.1590/S1517-83822012000300002.
8. S. Thitamadee et al., "Review of current disease threats for cultivated penaeid shrimp in Asia," *Aquaculture*, vol. 452, pp. 69–87, 2016, doi: 10.1016/j.aquaculture.2015.10.028.
9. A. P. Shinn et al., "Asian shrimp production and the economic costs of disease," *Asian Fisheries Science*, vol. 31, suppl. 1, pp. 29–58, 2018, doi: 10.33997/j.afs.2018.31.S1.003.
10. X. Yang, S. Zhang, J. Liu, Q. Gao, S. Dong, and C. Zhou, "Deep learning for smart fish farming: Applications, opportunities and challenges," *Reviews in Aquaculture*, vol. 13, no. 1, pp. 66–90, 2021, doi: 10.1111/raq.12464.
11. N. Duong-Trung, L. D. Quach, and C. N. Nguyen, "Towards classification of shrimp diseases using transferred convolutional neural networks," *Advances in Science, Technology and Engineering Systems Journal*, vol. 5, no. 4, pp. 724–732, 2020, doi: 10.25046/aj050486.
12. Q. Wang, C. Qian, P. Nie, and M. Ye, "Rapid detection of *Penaeus vannamei* diseases via an improved LeNet," *Aquacultural Engineering*, vol. 100, art. 102296, 2023, doi: 10.1016/j.aquaeng.2022.102296.
13. L. S. Querol, M. O. Cordel II, D. J. A. Rustia, and M. N. M. Santos, "Application for White Spot Syndrome Virus (WSSV) monitoring using edge machine learning," arXiv:2308.04151, 2023, doi: 10.48550/arXiv.2308.04151. [Preprint].
14. M. M. Islam et al., "ShrimpDiseaseBD: An image dataset for detecting shrimp diseases in the aquaculture sector of Bangladesh," *Data in Brief*, vol. 60, art. 111553, 2025, doi: 10.1016/j.dib.2025.111553.
15. M. M. Islam, A. Sarker, A. Choudhury, N. Ahmed, and A. A. S. R. Rasel, "ShrimpDiseaseImageBD: An image dataset for computer vision-based detection of shrimp diseases in Bangladesh," *Mendeley Data*, Version 3, 2025, doi: 10.17632/jhrtdj9txm.3.
16. S. I. Ahmed and D. M. Farid, "TigerShrimpBD: A tiger shrimp image dataset," *Mendeley Data*, Version 1, 2025, doi: 10.17632/9dj4sk5d55.1.
17. S. Sharma et al., "A lightweight deep learning architecture for automatic shrimp disease classification," *Scientific Reports*, vol. 16, art. 13837, 2026, doi: 10.1038/s41598-026-44195-z.
18. M. S. Ahmed and S. M. Jeba, "SalmonScan: A novel image dataset for machine learning and deep learning analysis in fish disease detection in aquaculture," *Data in Brief*, vol. 54, art. 110388, 2024, doi: 10.1016/j.dib.2024.110388.
19. M. S. Eder, K. C. Ampolitod, N. H. Bolao, R. J. A. Pajal, and E. M. D. Racho, "SHRIMPai: A mobile application for the early detection of white spot syndrome virus in shrimp using convolutional

neural network," *Mindanao Journal of Science and Technology*, vol. 22, no. 2, pp. 196–220, 2024, doi: 10.61310/mjst.v22i2.2189.

20. C. Xu et al., "Shrimp diseases detection method based on improved YOLOv8 and multiple features," *Smart Agriculture*, vol. 6, no. 2, pp. 62–71, 2024, doi: 10.12133/j.smartag.SA201311014.
21. Y. Fei, G. Wang, F. Liu, R. Zang, X. Sun, and H. Chang, "Lightweight shrimp disease detection research based on YOLOv8n," *arXiv:2507.02354*, 2025, doi: 10.48550/arXiv.2507.02354. [Preprint].
22. L. Ramachandran, S. P. Mangaiyarkarasi, A. Subramanian, and S. Senthilkumar, "Shrimp classification for white spot syndrome detection through enhanced gated recurrent unit-based wild geese migration optimization algorithm," *Virus Genes*, vol. 60, no. 2, pp. 134–147, 2024, doi: 10.1007/s11262-023-02049-0.
23. B. Büyükarıkan, "Robust shrimp disease detection using multi-model convolutional neural networks-based ensemble strategies," *Aquacultural Engineering*, vol. 111, art. 102616, 2025, doi: 10.1016/j.aquaeng.2025.102616.
24. T. Aung, R. Vanichviriyakit, K. Chayantrakom, S. Amornsamankul, and P. Huabsomboon, "CNN-based identification of pathogens of concern in shrimp," *Animals*, vol. 15, no. 21, art. 3194, 2025, doi: 10.3390/ani15213194.
25. A. S. Raj et al., "Enhanced recurrent capsule network with hybrid optimization model for shrimp disease detection," *Scientific Reports*, vol. 15, art. 10400, 2025, doi: 10.1038/s41598-025-94413-3.
26. P. Kanakamedala, V. M. Sunkara, J. R. Kumar, M. B. Reddy, and D. D. Prasad, "Shrimp disease classification and medicine recommendation using deep learning techniques," in *Proc. International Conference on Innovations in Intelligent Systems: Advancements in Computing, Communication, and Cybersecurity (ISAC3)*, 2025, pp. 1–6, doi: 10.1109/ISAC364032.2025.11156739.
27. T. D. Le, N. M. Tu, H. K. Tu, and N. H. Quan, "An integrated IoT and AI monitoring system for early shrimp disease detection in Vietnam," *VNUHCM Journal of Science and Technology Development*, vol. 29, no. 1, pp. 3982–3993, 2026, doi: 10.32508/stdj.v29i1.4459.
28. P. Lou, Y. Zhao, S. Ma, J. Zhao, Y. Zheng, and J. Li, "An assessment method for the severity of shrimp red-leg disease based on E-DarkNet53 and multichannel feature fusion deep learning network," *Smart Agricultural Technology*, vol. 14, art. 101855, 2026, doi: 10.1016/j.atech.2026.101855.
29. I. H. Jone, D. M. R. B. Masud, P. Sarker, S. F. A. Labib, N. Islam, and F. Billah, "ShrimpXNet: A transfer learning framework for shrimp disease classification with augmented regularization, adversarial training, and explainable AI," *arXiv:2601.00832*, 2026, doi: 10.48550/arXiv.2601.00832. [Preprint].
30. F. Azhar, M. Syahrir, S. Alim, and Rismayanti, "Innovation of early detection system for Vannamei shrimp disease using integration of MobileNet-V3 architecture and K-nearest neighbors algorithm," *Ingénierie des Systèmes d'Information*, vol. 31, no. 4, pp. 1117–1126, 2026, doi: 10.18280/isi.310409.
31. N. M. Khiem, H. T. Kiet, and L. H. Q. Bao, "An explainable ensemble CNN approach for automated shrimp disease diagnosis using enhanced aquaculture image data," in *Advances and Trends in Artificial Intelligence: IEA/AIE 2026, Lecture Notes in Computer Science*, vol. 16615, Singapore: Springer, 2026, pp. 82–87, doi: 10.1007/978-981-92-2891-1_7.
32. T. E. George and E. Mathakari, "Shrimp disease detection using deep learning techniques," *AIP Conference Proceedings*, vol. 3344, no. 1, art. 020003, 2026, doi: 10.1063/5.0317063.
33. J. Long, E. Shelhamer, and T. Darrell, "Fully convolutional networks for semantic segmentation," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2015, pp. 3431–3440.
34. O. Ronneberger, P. Fischer, and T. Brox, "U-Net: Convolutional networks for biomedical image segmentation," in *Medical Image Computing and Computer-Assisted Intervention, Lecture Notes in Computer Science*, vol. 9351, 2015, pp. 234–241, doi: 10.1007/978-3319-24574-4_28.
35. K. He, G. Gkioxari, P. Dollár, and R. Girshick, "Mask R-CNN," in *Proc. IEEE Int. Conf. Computer Vision*, 2017, pp. 2961–2969, doi: 10.1109/ICCV.2017.322.
36. D. Bolya, C. Zhou, F. Xiao, and Y. J. Lee, "YOLACT: Real-time instance segmentation," in *Proc. IEEE/CVF Int. Conf. Computer Vision*, 2019, pp. 9157–9166, doi: 10.1109/ICCV.2019.00925.
37. A. Kirillov, Y. Wu, K. He, and R. Girshick, "PointRend: Image segmentation as rendering," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition*, 2020, pp. 9799–9808.
38. Z. Tian, C. Shen, and H. Chen, "Conditional convolutions for instance segmentation," in *Proc. European Conf. Computer Vision*, 2020, pp. 282–298.

39. X. Wang et al., "SOLOv2: Dynamic and fast instance segmentation," in *Advances in Neural Information Processing Systems* 33, 2020.
40. B. Cheng, I. Misra, A. G. Schwing, A. Kirillov, and R. Girdhar, "Masked-attention mask transformer for universal image segmentation," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition*, 2022, pp. 1290–1299.
41. H. Liu et al., "YolactEdge: Real-time instance segmentation on the edge," in *Proc. IEEE Int. Conf. Robotics and Automation*, 2021, pp. 9579–9585, doi: 10.1109/ICRA48506.2021.9561858.
42. J. He et al., "FastInst: A simple query-based model for real-time instance segmentation," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition*, 2023, pp. 23663–23672.
43. R. Zhang et al., "MobileInst: Video instance segmentation on the mobile," in *Proc. AAAI Conf. Artificial Intelligence*, vol. 38, no. 7, 2024, pp. 7155–7163.
44. A. Krizhevsky, I. Sutskever, and G. E. Hinton, "ImageNet classification with deep convolutional neural networks," in *Advances in Neural Information Processing Systems* 25, 2012, pp. 1097–1105.
45. K. Simonyan and A. Zisserman, "Very deep convolutional networks for large-scale image recognition," in *Proc. ICLR*, 2015.
46. C. Szegedy et al., "Going deeper with convolutions," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2015, pp. 1–9, doi: 10.1109/CVPR.2015.7298594.
47. K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2016, pp. 770–778, doi: 10.1109/CVPR.2016.90.
48. G. Huang, Z. Liu, L. Van Der Maaten, and K. Q. Weinberger, "Densely connected convolutional networks," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2017, pp. 4700–4708, doi: 10.1109/CVPR.2017.243.
49. F. Chollet, "Xception: Deep learning with depthwise separable convolutions," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2017, pp. 1251–1258, doi: 10.1109/CVPR.2017.195.
50. F. N. Iandola et al., "SqueezeNet: AlexNet-level accuracy with 50x fewer parameters and <0.5 MB model size," in *Proc. ICLR*, 2017.
51. A. G. Howard et al., "MobileNets: Efficient convolutional neural networks for mobile vision applications," arXiv:1704.04861, 2017.
52. X. Zhang, X. Zhou, M. Lin, and J. Sun, "ShuffleNet: An extremely efficient convolutional neural network for mobile devices," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2018, pp. 6848–6856, doi: 10.1109/CVPR.2018.00716.
53. M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L. C. Chen, "MobileNetV2: Inverted residuals and linear bottlenecks," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2018, pp. 4510–4520, doi: 10.1109/CVPR.2018.00474.
54. M. Tan et al., "MnasNet: Platform-aware neural architecture search for mobile," in *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 2019, pp. 2820–2828.
55. A. Howard et al., "Searching for MobileNetV3," in *Proc. IEEE/CVF Int. Conf. Computer Vision*, 2019, pp. 1314–1324, doi: 10.1109/ICCV.2019.00140.
56. M. Tan and Q. V. Le, "EfficientNet: Rethinking model scaling for convolutional neural networks," in *Proc. 36th Int. Conf. Machine Learning*, 2019, pp. 6105–6114.
57. K. Han et al., "GhostNet: More features from cheap operations," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition*, 2020, pp. 1580–1589.
58. X. Ding et al., "RepVGG: Making VGG-style ConvNets great again," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition*, 2021, pp. 13733–13742.
59. M. Tan and Q. Le, "EfficientNetV2: Smaller models and faster training," in *Proc. 38th Int. Conf. Machine Learning*, 2021, pp. 10096–10106.
60. S. Mehta and M. Rastegari, "MobileViT: Light-weight, general-purpose, and mobile-friendly vision transformer," in *Proc. ICLR*, 2022.
61. Z. Liu et al., "A ConvNet for the 2020s," in *Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition*, 2022, pp. 11976–11986.
62. M. Maaz et al., "EdgeNeXt: Efficiently amalgamated CNN-transformer architecture for mobile vision applications," in *ECCV Workshops, Lecture Notes in Computer Science*, vol. 13802, 2022, pp. 3–20.

63. P. Vasu et al., "MobileOne: An improved one millisecond mobile backbone," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition, 2023, pp. 7907–7917.
64. P. Vasu et al., "FastViT: A fast hybrid vision transformer using structural reparameterization," in Proc. IEEE/CVF Int. Conf. Computer Vision, 2023, pp. 5785–5795.
65. D. Qin et al., "MobileNetV4: Universal models for the mobile ecosystem," in Proc. European Conf. Computer Vision, 2024.
66. T.-Y. Lin, P. Goyal, R. Girshick, K. He, and P. Dollár, "Focal loss for dense object detection," in Proc. IEEE Int. Conf. Computer Vision, 2017, pp. 2980–2988.
67. Y. Cui, M. Jia, T.-Y. Lin, Y. Song, and S. Belongie, "Class-balanced loss based on effective number of samples," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition, 2019, pp. 9268–9277.
68. K. Cao, C. Wei, A. Gaidon, N. Aréchiga, and T. Ma, "Learning imbalanced datasets with label-distribution-aware margin loss," in Advances in Neural Information Processing Systems 32, 2019.
69. E. Ben-Baruch, T. Ridnik, N. Zamir, A. Noy, I. Friedman, M. Protter, and L. Zelnik-Manor, "Asymmetric loss for multi-label classification," in Proc. IEEE/CVF Int. Conf. Computer Vision, 2021, pp. 82–91.
70. J. Hu, L. Shen, and G. Sun, "Squeeze-and-excitation networks," in Proc. IEEE Conf. Computer Vision and Pattern Recognition, 2018, pp. 7132–7141.
71. S. Woo, J. Park, J.-Y. Lee, and I. S. Kweon, "CBAM: Convolutional block attention module," in Proc. European Conf. Computer Vision, 2018, pp. 3–19.
72. Q. Wang et al., "ECA-Net: Efficient channel attention for deep convolutional neural networks," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition, 2020, pp. 11534–11542.
73. Q. Hou, D. Zhou, and J. Feng, "Coordinate attention for efficient mobile network design," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition, 2021, pp. 13713–13722.
74. L. Yang, R.-Y. Zhang, L. Li, and X. Xie, "SimAM: A simple, parameter-free attention module for convolutional neural networks," in Proc. 38th Int. Conf. Machine Learning, 2021, pp. 11863–11874.
75. D. Misra, T. Nalamada, A. U. Arasanipalai, and Q. Hou, "Rotate to attend: Convolutional triplet attention module," in Proc. IEEE Winter Conf. Applications of Computer Vision, 2021, pp. 3139–3148.
76. D. Yin, R. G. Lopes, J. Shlens, E. D. Cubuk, and J. Gilmer, "A Fourier perspective on model robustness in computer vision," in Advances in Neural Information Processing Systems 32, 2019, pp. 13255–13265.
77. Y. Yang and S. Soatto, "FDA: Fourier domain adaptation for semantic segmentation," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition, 2020, pp. 4085–4095.
78. Q. Xu, R. Zhang, Y. Zhang, Y. Wang, and Q. Tian, "A Fourier-based framework for domain generalization," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition, 2021, pp. 14383–14392.
79. I. J. Goodfellow, J. Shlens, and C. Szegedy, "Explaining and harnessing adversarial examples," in Proc. ICLR, 2015.
80. H. Zhang, M. Cissé, Y. N. Dauphin, and D. Lopez-Paz, "mixup: Beyond empirical risk minimization," in Proc. ICLR, 2018.
81. D. Hendrycks and T. Dietterich, "Benchmarking neural network robustness to common corruptions and perturbations," in Proc. ICLR, 2019.
82. S. Yun et al., "CutMix: Regularization strategy to train strong classifiers with localizable features," in Proc. IEEE/CVF Int. Conf. Computer Vision, 2019, pp. 6023–6032.
83. D. Hendrycks et al., "AugMix: A simple data processing method to improve robustness and uncertainty," in Proc. ICLR, 2020.
84. B. Zhou, A. Khosla, A. Lapedriza, A. Oliva, and A. Torralba, "Learning deep features for discriminative localization," in Proc. IEEE Conf. Computer Vision and Pattern Recognition, 2016, pp. 2921–2929.
85. R. R. Selvaraju et al., "Grad-CAM: Visual explanations from deep networks via gradient-based localization," in Proc. IEEE Int. Conf. Computer Vision, 2017, pp. 618–626.
86. A. Chattopadhyay, A. Sarkar, P. Howlader, and V. N. Balasubramanian, "Grad-CAM++: Generalized gradient-based visual explanations for deep convolutional networks," in Proc. IEEE Winter Conf. Applications of Computer Vision, 2018, pp. 839–847.

87. H. Wang et al., "Score-CAM: Score-weighted visual explanations for convolutional neural networks," in Proc. IEEE/CVF Conf. Computer Vision and Pattern Recognition Workshops, 2020, pp. 24–25.
88. M. B. Muhammad and M. Yeasin, "Eigen-CAM: Class activation map using principal components," in Proc. Int. Joint Conf. Neural Networks, 2020, pp. 1–7, doi: 10.1109/IJCNN48605.2020.9206626.
89. S. Kaufman, S. Rosset, C. Perlich, and O. Stitelman, "Leakage in data mining: Formulation, detection, and avoidance," ACM Transactions on Knowledge Discovery from Data, vol. 6, no. 4, art. 15, 2012, doi: 10.1145/2382577.2382579.
90. J. R. Zech et al., "Variable generalization performance of a deep learning model to detect pneumonia in chest radiographs: A cross-sectional study," PLoS Medicine, vol. 15, no. 11, e1002683, 2018, doi: 10.1371/journal.pmed.1002683.
91. M. Roberts et al., "Common pitfalls and recommendations for using machine learning to detect and prognosticate for COVID-19 using chest radiographs and CT scans," Nature Machine Intelligence, vol. 3, pp. 199–217, 2021, doi: 10.1038/s42256-021-00307-0.
92. I. E. Tampu, A. Eklund, and N. Haj-Hosseini, "Inflation of test accuracy due to data leakage in deep learning-based classification of OCT images," Scientific Data, vol. 9, art. 580, 2022, doi: 10.1038/s41597-022-01618-6.
93. J. Redmon, S. Divvala, R. Girshick, and A. Farhadi, "You only look once: Unified, real-time object detection," in Proc. IEEE Conf. Computer Vision and Pattern Recognition, 2016, pp. 779–788.
94. A. Wang, H. Chen, L. Liu, K. Chen, Z. Lin, J. Han, and G. Ding, "YOLOv10: Real-time end-to-end object detection," in Advances in Neural Information Processing Systems 37, 2024.
95. G. Jocher, J. Qiu, M. Liu, S. Lyu, F. C. Akyon, and M. E. Kalfaoglu, "Ultralytics YOLOv26: Unified real-time end-to-end vision models," arXiv:2606.03748, 2026, doi: 10.48550/arXiv.2606.03748. [Preprint].
96. R. L. Draelos and L. Carin, "Use HiResCAM instead of Grad-CAM for faithful explanations of convolutional neural networks," Applied AI Letters, vol. 2, no. 3, art. e31, 2021, doi: 10.1002/ail.2.31.