HUS-Beamer Template

Hoàng Anh Đức

email@address.com
Long Institute

15/07/2022

Outline

Test some common Beamer elements

Another Section
- This is a subsection
- Another subsection

Bibliography

Test some common Beamer elements

Math

Inline Math $E = mc^2$.
Numbered Equation

$$E = mc^2 \tag{1}$$

Listing

- One
- Two
- Three

1. One
2. Two
3. Three

Theorem, Lemma, etc.

Định lý 1: Handshaking Theorem

$$\sum_{v \in V(G)} \deg_G(v) = 2|E(G)|$$

Định lý 1 (Handshaking Theorem)

$$\sum_{v \in V(G)} \deg_G(v) = 2|E(G)|$$

The first one is defined with `thm` environment, and the second one with `theorem`. Those two have different styles and counters.

Mệnh đề 2

A proposition.

Theorem, Lemma, etc.

Bài tập 3

An exercise

Ví dụ 1

An example

Other environments supported by Beamer are: `corollary`, `fact`, `lemma`, `solution`, `definition`, `definitions`, `examples`.

Blocks

This is an example of a block

When using `verbatim` in Beamer for inserting codes, it is better to put them between `\begin{frame}[fragile]` and `\end{frame}`, other than `\frame[fragile]{` and `}`.

Citation

See [Rosen 2011] (using `\cite` command), which is also Kenneth H. Rosen (2011). *Discrete mathematics and its applications*. New York: McGraw-Hill (using `\fullcite` command).

Another Section

A frame inside a subsection

More ways to enumerate:

a blabla
b abdasdoad
c clwemcoerfe
d wefewgregre

i blabla
ii abdasdoad
iii clwemcoerfe
iv wefewgregre

I.1 blabla
I.2 abdasdoad
I.3 clwemcoerfe
I.4 wefewgregre

Bibliography

Bibliography

Rosen, Kenneth H. (2011). *Discrete mathematics and its applications*. New York: McGraw-Hill.