

C

ServerConnection

static ServerConnection instance

ResponseHandler responseHandler

JBayLogger logger

Thread listenerThread

Thread heartbeatThread

ScheduledExecutorService scheduler

volatile boolean listenerRunning

Socket socket

ObjectOutputStream out

ObjectInputStream in

ServerConnection()

static synchronized getInstance(): ServerConnection

connect(String host, int port)

send(Request request)

startListener()

startPing()

disconnect()

C

ResponseHandler

static ResponseHandler instance

ClientSession clientSession

ControllerProvider controllerProvider

ViewManager viewManager

JBayLogger logger

ResponseHandler()

static getInstance(): ResponseHandler

handle(Response response)

handlePong(Response response)

handleDefault(Response response)

handleLoginSuccess(Response response)

handleLoginFail(Response response)

handleRegisterSuccess(Response response)

handleRegisterFail(Response response)

handleLogoutSuccess(Response response)

handleActiveAuctionList(Response response)

handleSellerAuctionList(Response response)

handleBidderAuctionList(Response response)

handleAuctionUpdate(Response response)

handleBanUser(Response response)

handleAuctionUpdateNotify(Response response)

handleAdminAuctionList(Response response)

handleAdminUserList(Response response)

C

ClientSession

static ClientSession instance

SellerItemCardController controller

JBayLogger logger

User user

ObservableMap<Integer, Auction> sellerAuctions

ObservableMap<Integer, Auction> bidderAuctions

ObservableMap<Integer, User> adminUsers

ObservableMap<Integer, Auction> adminAuctions

ClientSession()

static getInstance(): ClientSession

setUser(User user)

getUser(): User

getSellerAuctions(): ObservableMap<Integer, Auction>

getBidderAuctions(): ObservableMap<Integer, Auction>

getAdminUsers(): ObservableMap<Integer, User>

getAdminAuctions(): ObservableMap<Integer, Auction>

resetSession()

C

Request

C

ControllerProvider

C

ViewManager

C

Response

C

User

C

Auction