How to add new line in Markdown presentation?

Asked 4 years, 6 months ago   Active 2 months ago   Viewed 220k times

▲

104

▼

★

16

🕓

How to add new line in Markdown presentation?
I mean, something like

```
\newline
```

in **tex**.

markdown   r-markdown   presentation

edited May 24 '19 at 13:34   asked Oct 17 '15 at 21:24

   tarleb   max04
   9,089   4   30   55   **1,225**   2   8   16

8 Answers

Active | Oldest | Votes

▲

141

▼

✓

🕓

See [the original markdown specification](#) (bold mine):

The implication of the "one or more consecutive lines of text" rule is that Markdown supports "hard-wrapped" text paragraphs. This differs significantly from most other text-to-HTML formatters (including Movable Type's "Convert Line Breaks" option) which translate every line break character in a paragraph into a `<br />` tag.

When you do want to insert a `<br />` break tag using Markdown, you end a line with two or more spaces, then type return.

answered Oct 17 '15 at 21:32

   Chris
   74.8k   21   161   150

Unfortunately, It doesnt work with headers... I would like to add break line (or just set bigger space) between the header and the rest of the slide. – max04   Oct 18 '15 at 10:25

2   @Mariusz, I don't know what presentation tool you are using, but assuming it's HTML-based I urge you to adjust the spacing with CSS. Markdown isn't concerned with design at all; it's all about content, and adding a blank line for spacing isn't a good semantic fit. – Chris   Oct 18 '15 at 12:56

▲   How to add new line in Markdown presentation?

To force a line return, place two empty spaces at the end of a line.

answered Oct 17 '15 at 21:35

Romulo
3,657   1   14   23

I does not seem to work in collapsible sections – SebMa Feb 25 at 17:05

You could use ` ` in R markdown to create a new blank line.

For example, in your .Rmd file:

```
I want 3 new lines:

 
 
 

End of file.
```

34

edited Feb 26 '18 at 23:49   answered Jan 15 '18 at 0:28

Summer Jinyu Xia
510   4   5

Can you explain why you think it's wrong? @user3441843 – Summer Jinyu Xia Sep 26 '18 at 17:04 ✏️

1   I think it's correct. The other answers are wrong (including the accepted answer) – user3441843 Sep 28 '18 at 5:45

if you are using marked as the mardown render you should add breaks:true as option github.com/markedjs/marked/issues/835 – John Balvin Arias Mar 14 '19 at 1:26

@user3441843, what's wrong with the accepted answer? – Chris Sep 7 '19 at 20:00

Why does ` ` create a newline in R Markdown when it is the HTML code for inserting a non-breaking space? – HelloGoodbye Dec 18 '19 at 19:30

Just add `\` at the end of line. For example

```
one\
two
```

24

Will become

```
one
two
```

answered Oct 19 '19 at 16:09

racoon_lord
341   1   5

1   I prefer this solution over the others because I have my IDE set to automatically trim extra whitespace at the end of a line. I don't want to turn that setting off just for this purpose, since it helps keep my code clean. – Calaway Oct 25 '19 at 2:19

2   Easily the best solution for this quetsion! – Sourabh Sriom Dec 6 '19 at 7:25

1   Jep, trailing whitespace as semantic meaning is just the biggest antipattern in code or docs :) – mark Mar 5 at 13:17

4

It depends on what kind of markdown parser you're using. For example in underlined{showdownjs} there is an option `{simpleLineBreaks: true}` which gives corresponding html for the following md input:

```
a line
wrapped in two
```

```
<p>a line<br>
wrapped in two</p>
```

answered Oct 30 '19 at 6:58

daGo
1,005   12   17

3

MarkDown file in three way to Break a Line

`<br />` Tag Using

```
paragraph First Line <br /> Second Line
```

\ Using

```
First Line sentence \
Second Line sentence
```

space keypress two times Using

```
First Line sentence SP SP
Second Line sentence
```

Multiple sentences in using `\` or two times press `space key` then `Enter` and write a new sentence.

answered Feb 28 at 11:46

Vishal Vaghasiya
236 1 7

I was using [Markwon](#) for markdown parsing in Android. The following worked great:

```
"My first line  \nMy second line  \nMy third line  \nMy last line"
```

0

...two spaces followed by `\n` at the end of each line.

answered Feb 5 at 20:40

Tom Howard
3,310 1 30 40

The newline character (\n) can be used to add a newline into a markdown file programmatically. For example, it is possible to do like this in python:

```
with open("file_name.md", "w") as file:
    file.write("Some text")
    file.write("\n")
    file.write("Some other text")
```

-3

edited Jun 14 '19 at 13:05   answered Jun 14 '19 at 12:58

Mebrahtom Guesh
31 3

This is a good answer since it gives the hint that \n\r does not work (esp. in C# UWP Markdown component). Only \n does the job. – E.S. Dec 31 '19 at 0:31