

Dart quiz

Tổng điểm 19/20 ?

Participate in a dart programming quiz and check your dart knowledge.

Your Name *

Hoàng Thị Thùy Linh

Email ID [Optional]: We will send dart/flutter books in future.

linh87828@st.vimaru.edu.vn

✓ 1.What is Dart? *

1/1

- ☐ Dart is a object-oriented programming language
- ☐ Dart is used to create a frontend user interfaces
- ☒ Both of the above
- ☐ None of the above



✓ 2.What will be the output of this program :
num; print(num); }

void main() { int *1/1

- ☒ Error
- ☐ Null
- ☐ Num
- ☐ None of these



✓ 3.Which of these is not a keyword in dart? *

1/1

- ☐ factory
- ☐ yield
- ☐ export
- ☒ scan



✓ 4.Which framework uses dart? *

1/1

- ☐ Python
- ☐ Java
- ☒ Flutter
- ☐ React



✓ 5.Dart is an? *

1/1

- ☐ Open-source
- ☐ Asynchronous
- ☐ Programming language
- ☒ All of the above



✓ 6.Dart is originally developed by? *

1/1

- ☐ Microsoft
- ☒ Google
- ☐ IBM
- ☐ Facebook



✓ 7.The _____ function is a predefined method in Dart. *

1/1

- ☐ declare()
- ☐ list()
- ☒ main()
- ☐ return()



✓ 8. Dart is an Object-Oriented language. *

1/1

☒ Yes



☐ No

✓ 9. _____ is a real-time representation of any entity. *

1/1

☐ Class

☐ Method

☒ Object



☐ None of the above

✓ 10. What is the extension of Dart file? *

1/1

☒ .dart



☐ .py

☐ .java

☐ .drt



✓ 11. Which of the following statements does not use string interpolation correctly? *1/1

- ☒ print('Your name in upper case is \$"me".toUpperCase');
- ☐ print("Your name in upper case is \${'me'.toUpperCase()}");
- ☐ print('Your name in upper case is \${"me".toUpperCase()}');



✗ 12. Which keyword in Dart is used to create a subclass *

0/1

- ☐ extends
- ☐ subclass
- ☒ super
- ☐ none of these



Câu trả lời đúng

- ☒ extends

✓ 13. Instance variables in Dart cannot be *

1/1

- ☐ final
- ☒ const
- ☐ Both of these
- ☐ None of these



✓ 14.The print() method in Dart takes *

1/1

- ☒ a single argument
- ☐ two argument
- ☐ multiple argument
- ☐ user defined multiple arguments



✓ 15.Which command is used to run dart file "technologychannel.dart"? *

1/1

- ☐ run technologychannel.dart
- ☐ d technologychannel.dart
- ☒ dart technologychannel.dart
- ☐ start technologychannel.dart



✓ 16.What is commonly known as a dictionary or hash *

1/1

- ☐ set
- ☐ list
- ☒ map
- ☐ none of these



✓ 17. Is Dart Case Sensitive Programming Language? *

1/1

☐ No

☒ Yes



✓ 18. --version command is used to ? *

1/1

☐ Enables assertions

☒ Displays version information

☐ Specifies the path

☐ Specifies where to find imported libraries



✓ 19. The await keyword works in *

1/1

☒ async function only

☐ sync function only

☐ both async and sync function

☐ none



✓ 20.The package import pub commands is *

1/1

- ☐ pub post
- ☐ pub set
- ☒ pub get
- ☐ pub delete



Biểu mẫu này được tạo ra bên ngoài miền của bạn. - [Điều khoản Dịch vụ](#) - [Chính sách quyền riêng tư](#)

Google Biểu mẫu



