Fpt University

TRƯỜNG ĐẠI HỌC FPT

CAPSTONE PROJECT REPORT

Report 4 – Software Design Document

– Ho Chi Minh City, October 2026 –

Table of Contents

I. Record of Changes 4
II. Software Design Document 5
1. System Design 5
1.1 System Architecture 5
1.2 Package Diagram 6
1.3 Technology Declaration 9
2. Database Design 10
3. Detailed Design 17
3.1 MF-01 Create, Approve and Publish Job 17
3.2 MF-02 Candidate Submission, Consent, Duplicate Check and Attribution 19
3.3 MF-03 AI Matching and Screening 21
3.4 MF-04 Interview, Offer and Start Work 23
3.5 MF-05 Fee, Warranty, Commission and Payout 25
4. State Machine Diagrams 27
4.1 Job 28
4.2 ServiceAgreement 28
4.3 Company verification 29
4.4 Submission 29
4.5 SubmissionConsent 29
4.6 Application 30
4.7 AiMatchResult 30
4.8 SourcingDelivery 31
4.9 Interview 31
4.10 Offer 31
4.11 Placement 32
4.12 Warranty 32
4.13 ServiceFee 32
4.14 Commission 33
4.15 Payout 33
4.16 ReplacementSlot 34
4.17 Dispute 34
5. Activity Diagrams 34

5.1 WF-01 Create, approve and publish a job (owner: Lê Thị Trà Mi) 35
5.2 WF-02 Refer a candidate, consent and attribution (owner: Cao Hữu Trí) 36
5.3 WF-03 AI matching and screening (owner: Trương Hoàng Quí) 38
5.4 WF-04 Interview, offer and start work (owner: Khúc Ngọc Sơn) 40
5.5 WF-05 Warranty, service fee, commission and payout (owner: Nguyễn Văn Sang) 42

I. Record of Changes

Date	A* M, D	In charge	Change Description
22/10/2026	A	Trương Hoàng Quí	First version: system architecture, package diagram, database design (3 ERDs, table descriptions) and detailed design of MF-01 to MF-05 (class and sequence diagrams) based on the implemented code; planned MF-01 Service Agreement marked as.
23/10/2026	A, M	Trương Hoàng Quí	Added 1.3 Technology Declaration, 4. State Machine Diagrams (17 entities) and 5. Activity Diagrams (WF-01 to WF-05) for Review 2; MF-01 Service Agreement now implemented (no longer planned). Diagram sources (.mmd) are in docs/diagrams.

*A - Added M - Modified D - Deleted

II. Software Design Document

1. System Design

1.1 System Architecture

HR Connect is a recruitment platform that links Client companies, Candidates and Affiliates (independent headhunters) through three service types: CV_APPLICATION (job posting where candidates apply), HEADHUNT_COD (headhunting paid on success, with a 30-day warranty) and CV_SOURCING (Client buys a target number of CVs, gated by a deposit). The system is split into three sub-systems and four external systems, as shown in Figure 1.




Figure 1. HR Connect system architecture

Components of the architecture:

- **Users:** Guest, Candidate, Affiliate, Client Company User, Internal HR and Platform Admin. Every request is made from a browser; each role has its own portal and permissions.
- **Sub-system 1 – Web Application:** Single-page application built with React, TypeScript, Ant Design and Tailwind CSS (Vite), deployed on Vercel. It contains six portals (public, candidate, affiliate, client, internal HR, admin), calls the backend through HTTPS REST /api/v1 with a JWT access token, and receives real-time notifications through a SignalR connection.
- **Sub-system 2 – Backend API:** ASP.NET Core 8 application deployed on Render and organised with Clean Architecture: Presentation (minimal API endpoints, authorization policies, SignalR hub, rate limiting), Application (MediatR commands and queries per feature, validators, business policies), Domain (entities and constants) and Infrastructure (EF Core persistence, external service adapters and background workers).

• **Sub-system 3 – AI Matching Service v2:** Python FastAPI service reached through a Cloudflare tunnel. It extracts CV and job description text, computes Sentence-BERT cosine similarity, asks the LLM to assess every job requirement with evidence quotes, verifies that quotes exist in the CV, calculates the match score and tier, and posts the result back to the backend (/internal/ai-results). Scoring is asynchronous and queued.
• **PostgreSQL database:** Single relational database accessed only by the backend through EF Core with versioned migrations (about 60 tables).
• **Cloudflare R2 (external): Private object storage for CV files, generated CV PDFs, masked CVs, avatars and, signed service agreement PDFs (MF-01). Files are served through short-lived signed URLs.**
• **Resend Email API (external):** Sends OTP, password reset, candidate consent requests and notification e-mails; e-mails are written to an outbox table first and retried by a worker.
• **Google Gemini API (external):** Large language model used only by the AI service to assess requirements. The provider is configurable (OpenAI and Anthropic are also supported).

Money transfers (posting fees, service fees, deposits and payouts) happen outside the system; Platform Admin records the payment reference in HR Connect.

1.2 Package Diagram

Figure 2 shows the packages of the three sub-systems. The backend follows the Clean Architecture dependency rule: Presentation depends on Application, Application depends on Domain, and Infrastructure implements the interfaces declared in Application. Features are grouped by business area (vertical slices), each with Commands, Queries, validators and DTOs.




Figure 2. HR Connect package diagram

Package Descriptions

No	Package	Description
01	HRConnect-FE / pages, routes, app	React pages for each portal (public, candidate, affiliate, client, internal-hr, admin), route guards by role and the application shell.
02	HRConnect-FE / features, components	Reusable feature modules (application workbench, job forms, finance tables, notification bell) and shared UI components.
03	HRConnect-FE / services, stores, hooks	Axios API clients per backend resource, Zustand stores (auth session, notifications), SignalR client and React hooks.
04	HRConnect-FE / i18n, types, constants	Vietnamese/English texts, TypeScript types mirroring API DTOs, status labels and colours.
05	HRConnect.Presentation / Endpoints	Minimal API endpoint groups under /api/v1 (Auth, Companies, Jobs, Candidates, Affiliates, Recruitment, Finance, Disputes, Admin, Reports, ...) and /internal for the AI callback.
06	HRConnect.Presentation / Hubs, Authorization, Middleware	SignalR NotificationHub, permission-based authorization policies, request context, rate limiting, global error handling (ProblemDetails, 409 conflict responses), health checks and Swagger.
07	HRConnect.Application / Features/Auth, Users, Admin	Registration, login, OTP, refresh token, password reset; user, role, permission and approval management (SF-01, SF-02).
08	HRConnect.Application / Features/Companies, Jobs	MF-01: company profile and verification, job templates, job create/update/submit/approve/reject/pause/resume/close, posting packages and posting fees, job access policy per service type.
09	HRConnect.Application / Features/Candidates, Affiliates, SubmissionConsents,	MF-02: candidate profile, CVs and CV builder, job application, affiliate referral, candidate consent, duplicate identification and attribution.

	CandidateDuplicates	
10	HRConnect.Application / Features/InternalHr, Recruitment	MF-03: AI scoring retry, screening status changes (SHORTLISTED, BACKUP, REJECTED), CV Sourcing deliveries, masked CV and application timeline.
11	HRConnect.Application / Features/Interviews, Offers, Placements	MF-04: interview scheduling and results, offer drafts, sending, responses and withdrawal, planned and actual start dates, placements.
12	HRConnect.Application / Features/Finance, CommissionRules, Disputes	MF-05: service fees, warranty, resignation claims, replacement slots, commission approval/adjustment/hold, payouts, Sourcing settlement; source disputes (SF-04).
13	HRConnect.Application / Features/Notifications, Reports, Contact, Settings	In-app notifications, reports for admin and affiliates, contact form and configurable business settings.
14	HRConnect.Application / Common	Interfaces (IUnitOfWork, IEmailService, IFileStorageService, IMf03ScoringTrigger, INotificationPublisher, ...), shared models, exceptions and e-mail templates.
15	HRConnect.Domain	Entity classes (Job, Application, Submission, Placement, Commission, ...) and constants for statuses, reason codes and service types. No dependency on other projects.
16	HRConnect.Infrastructure / Persistence, Repositories	EF Core DbContext, entity configurations, migrations, seed data and repository implementations.
17	HRConnect.Infrastructure / Services	Adapters and workers: JWT, password hashing, Resend e-mail and outbox worker, Cloudflare R2 storage, CV PDF rendering and masking, AI integration client and dispatcher, offer expiry, consent expiry, Sourcing auto-accept, warranty progress, commission hold and affiliate performance workers.

18	ai-service-v2 / app	main (FastAPI routes), pipeline and scoring_jobs (queue), documents (text extraction), semantic (Sentence-BERT), llm (provider client), verification (evidence checks), hrconnect_client (callback).

1.3 Technology Declaration

Third-party services

No	Service and purpose	Data sent
01	Resend - transactional e-mail (OTP, password reset, consent request, agreement signing OTP, notifications)	Recipient e-mail, display name, message content with one-time links or codes
02	Cloudflare R2 (S3 API) - private object storage	CV files, generated and masked CV PDFs, signed agreement PDFs, avatars; served by short-lived signed URLs
03	Google Gemini API (gemini-3.8-flash; OpenAI/Anthropic configurable fallback) - AI requirement assessment	CV text and job requirements; no passwords or payment data
04	Cloudflare Tunnel - exposes the AI service to the backend	Scoring requests and callbacks over HTTPS

Development technologies

No	Layer	Technology and version
01	Front-end	React 18.3, TypeScript 5.4, Vite 5.3, Ant Design 5.18, Tailwind CSS 3.4, Axios 1.7, Zustand 4.5, @microsoft/signalr 10
02	Back-end	.NET 8 (ASP.NET Core minimal API), MediatR 14.2, FluentValidation 12.1, EF Core 8 with Npgsql 8.0.11, JWT Bearer 8.0.11, SignalR, AWSSDK.S3 4.0

03	AI service	Python 3.11, FastAPI 0.115+, Pydantic 2.9+, sentence-transformers 3.1+, google-genai 2.30+
04	Database	PostgreSQL with EF Core versioned migrations and seed data
05	Mobile	Not in scope (responsive web only)
06	Testing	xUnit 2.5, Moq 4.20, FluentAssertions 8.11 (backend); Vitest 2.1 (frontend); pytest (AI service); Playwright 1.64 (end-to-end)

Source code, DevOps and deployment

No	Item	Description
01	Source code platform	GitHub repository hr-connect (backend, frontend, AI service, docs and diagram sources)
02	Branch rules	Feature branches → dev (integration) → main (release); merge through pull requests; main is promoted from dev
03	CI/CD	GitHub Actions ci.yml: restore, build and test the .NET solution, lint and test the frontend; deploy-render.yml deploys the backend to Render
04	Environments	Development: local machine (backend, frontend, AI service). Staging/demo: Render (backend, Singapore) + Vercel (frontend) + AI service through Cloudflare Tunnel. Production: same hosting as staging for the capstone
05	Deployment and rollback	Backend Docker image built and deployed by Render on push to main (migrations run at start-up); frontend built by Vercel; rollback by redeploying the previous Render/Vercel deployment

AI tools

No	Tool and model	Stage used
01	Claude Code (Anthropic Claude)	Specification and report drafting, design diagrams, coding assistance, test writing, code review, SRS/SDD self-review
02	Google Gemini (in product)	Runtime CV-to-job requirement assessment inside the AI Matching Service
03	[Team to complete: other AI tools used by members]	–

2. Database Design

HR Connect stores all business data in one PostgreSQL database managed by EF Core migrations. Primary keys are UUIDs; tables that can be changed by two users at the same time carry a ConcurrencyToken so that the second writer receives HTTP 409. Status changes are kept in history

tables and every important action is written to AuditLog. CV and document files are not stored in the database: the database keeps only the R2 object key, file hash and metadata. The relationships are shown in three ERDs (Figures 3–5) grouped by business area.




Figure 3. ERD – identity, company, candidate and affiliate




Figure 4. ERD – job, submission, screening and recruitment




Figure 5. ERD – placement, warranty, fees, commission and payout

Table Descriptions

No	Table	Description
01	*AppUser*	*Account of every user (all roles).* *- Primary keys: UserId* *- Foreign keys: -*
02	*Role, Permission, UserRole, RolePermission*	*Role-based access control; permissions are granted to roles and roles to users.* *- Primary keys: RoleId; PermissionId; (UserId, RoleId); (RoleId, PermissionId)* *- Foreign keys: UserRole.UserId → AppUser, UserRole.RoleId → Role, RolePermission.PermissionId → Permission*
03	*RefreshToken, UserToken*	*Refresh tokens and one-time tokens (OTP, password reset), stored as hashes.* *- Primary keys: RefreshTokenId; TokenId* *- Foreign keys: UserId → AppUser*
04	*Company*	*Client company profile and verification status.* *- Primary keys: CompanyId* *- Foreign keys: IndustryId → Industry, CompanySizeId → CompanySize*
05	*CompanyUser*	*Membership of a user in a company, including the primary contact.* *- Primary keys: CompanyUserId* *- Foreign keys: CompanyId → Company, UserId → AppUser*

06	*CompanyVerificationRequest*	*Verification request reviewed by Platform Admin (SF-01).* *- Primary keys: CompanyVerificationRequestId* *- Foreign keys: CompanyId → Company*
07	*Candidate*	*Candidate profile; also created by an affiliate referral before the candidate has an account.* *- Primary keys: CandidateId* *- Foreign keys: UserId → AppUser (nullable), MergedIntoCandidateId → Candidate*
08	*CandidateCv*	*Uploaded or builder-generated CV with file hash and text fingerprint.* *- Primary keys: CvId* *- Foreign keys: CandidateId → Candidate, CvTemplateId → CvTemplate*
09	*AffiliateProfile, AffiliateApplication*	*Approved affiliate profile with bank account; application reviewed by Admin (SF-02).* *- Primary keys: AffiliateId; AffiliateApplicationId* *- Foreign keys: UserId → AppUser*
10	*ServiceType, ServiceTypeAllowedRole*	*Service types and which roles can view or submit to them (can_view / can_submit).* *- Primary keys: ServiceTypeId; (ServiceTypeId, RoleId)* *- Foreign keys: RoleId → Role*
11	*Job*	*Job posting with service type, quantity, status, commercial terms (fee multiplier, warranty days, Sourcing target and price per CV).* *- Primary keys: JobId* *- Foreign keys: CompanyId → Company, ServiceTypeId → ServiceType, CreatedBy → AppUser*
12	*JobRequirement*	*MUST_HAVE / SHOULD_HAVE requirements used by AI matching.* *- Primary keys: RequirementId* *- Foreign keys: JobId → Job*
13	*JobTemplate, JobTemplateRequirement*	*Job description templates managed by Internal HR.* *- Primary keys: TemplateId; TemplateRequirementId* *- Foreign keys: TemplateId → JobTemplate*
14	*JobStatusHistory*	*History of job status changes with reason codes.* *- Primary keys: JobStatusHistoryId* *- Foreign keys: JobId → Job, ChangedBy → AppUser*
15	*JobPostingPackage, JobPostingFee*	*Posting packages and the fee recorded for a job.* *- Primary keys: PackageId; PostingFeeId* *- Foreign keys: JobId → Job, PackageId → JobPostingPackage, CompanyId → Company*
16	*Submission*	*One attempt to submit a candidate to a job by the candidate or an affiliate.* *- Primary keys: SubmissionId* *- Foreign keys: CandidateId → Candidate, CvId → CandidateCv, JobId → Job, DuplicateOfSubmissionId → Submission*
17	*SubmissionConsent*	*Consent request sent to the candidate for an affiliate referral (hashed token, expiry).* *- Primary keys: ConsentId* *- Foreign keys: SubmissionId → Submission*

18	*SubmissionIdentitySnapshot, CandidateDuplicateCase, CandidateDuplicateSignal*	*Hashed identity evidence and duplicate cases used for duplicate identification.* *- Primary keys: SubmissionId; DuplicateCaseId; DuplicateSignalId* *- Foreign keys: SubmissionId → Submission, CandidateAId/CandidateBId → Candidate*
19	*Application*	*The accepted candidate–job pair that moves through the recruitment pipeline.* *- Primary keys: ApplicationId* *- Foreign keys: JobId → Job, CandidateId → Candidate, AcceptedSubmissionId → Submission, ReplacementSlotId → ReplacementSlot*
20	*ApplicationStatusHistory*	*History of application status changes with reason codes.* *- Primary keys: ApplicationStatusHistoryId* *- Foreign keys: ApplicationId → Application*
21	*Attribution*	*Which affiliate owns the application (first valid source).* *- Primary keys: AttributionId* *- Foreign keys: ApplicationId → Application, AffiliateId → AffiliateProfile, WinningSubmissionId → Submission*
22	*AiMatchResult*	*Each AI scoring attempt with score, tier, per-requirement results and failure code.* *- Primary keys: MatchResultId* *- Foreign keys: ApplicationId → Application*
23	*MatchTierConfig*	*Score ranges and colours of match tiers.* *- Primary keys: TierCode* *- Foreign keys: –*
24	*SourcingDelivery*	*CV delivered to the Client of a CV_SOURCING job and the Client decision.* *- Primary keys: DeliveryId* *- Foreign keys: JobId → Job, ApplicationId → Application, ReplacedByDeliveryId → SourcingDelivery*
25	*Interview, InterviewParticipant, InterviewStatusHistory*	*Interview rounds, participants and schedule changes.* *- Primary keys: InterviewId; InterviewParticipantId; InterviewStatusHistoryId* *- Foreign keys: ApplicationId → Application, InterviewId → Interview*
26	*Offer*	*Versioned job offer with salary basis and period, expiry and response.* *- Primary keys: OfferId* *- Foreign keys: ApplicationId → Application, CreatedBy → AppUser*
27	*Placement*	*Confirmed start of work.* *- Primary keys: PlacementId* *- Foreign keys: ApplicationId → Application, OfferId → Offer, ReplacementSlotId → ReplacementSlot*
28	*Warranty*	*Warranty period of a Headhunt placement.* *- Primary keys: WarrantyId* *- Foreign keys: PlacementId → Placement*

29	*ServiceFee*	*Fee charged to the Client (placement fee, Sourcing deposit or settlement) with due date and payment reference.* *- Primary keys: ServiceFeeId* *- Foreign keys: PlacementId → Placement, JobId → Job, CompanyId → Company*
30	*ReplacementSlot*	*Free replacement opened after a confirmed resignation during warranty.* *- Primary keys: ReplacementSlotId* *- Foreign keys: JobId → Job, OriginalPlacementId → Placement, ServiceFeeId → ServiceFee, FilledByPlacementId → Placement*
31	*CommissionRule, CommissionMilestone*	*Configurable commission rates per service type and milestone.* *- Primary keys: CommissionRuleId; MilestoneCode* *- Foreign keys: ServiceTypeId → ServiceType*
32	*Commission*	*Affiliate commission with rule and calculation snapshots and status.* *- Primary keys: CommissionId* *- Foreign keys: AttributionId → Attribution, PlacementId → Placement, SourcingDeliveryId → SourcingDelivery, CommissionRuleId → CommissionRule*
33	*CommissionAdjustment*	*Audit of manual commission amount changes.* *- Primary keys: CommissionAdjustmentId* *- Foreign keys: CommissionId → Commission*
34	*Payout*	*Payout attempt to an affiliate with transaction reference.* *- Primary keys: PayoutId* *- Foreign keys: CommissionId → Commission*
35	*Dispute*	*Source or commission dispute raised by an affiliate and resolved by Admin.* *- Primary keys: DisputeId* *- Foreign keys: SubmissionId → Submission, AttributionId → Attribution, CommissionId → Commission*
36	*AffiliatePerformance*	*Calculated affiliate quality metrics per period.* *- Primary keys: AffiliatePerformanceId* *- Foreign keys: AffiliateId → AffiliateProfile*
37	*Notification*	*In-app notification pushed through SignalR.* *- Primary keys: NotificationId* *- Foreign keys: UserId → AppUser*
38	*EmailOutbox*	*E-mails waiting to be sent or retried.* *- Primary keys: EmailOutboxId* *- Foreign keys: UserId → AppUser*
39	*AuditLog*	*Who did what to which entity, with old and new values.* *- Primary keys: AuditLogId* *- Foreign keys: ActorUserId → AppUser*
40	*SystemSetting, ContactRequest, Industry, Skill, CvTemplate*	*Configurable business settings, contact form requests and reference data.* *- Primary keys: SettingKey; ContactRequestId; IndustryId; SkillId; CvTemplateId* *- Foreign keys: -*
41	*ServiceAgreement,*	*MF-01: versioned agreement between HR Connect and the Client and its OTP signing challenge.*

	ServiceAgreementSignatureChallenge	*- Primary keys: AgreementId; ChallengeId* *- Foreign keys: JobId → Job, CompanyId → Company*


3. Detailed Design

This section describes the five main flows. All features use the same request pipeline: the web application calls an endpoint, the endpoint sends a MediatR command or query, a validator checks the input, the handler applies the business policy, saves the changes through EF Core in one transaction and writes the audit log; notifications are published to SignalR only after the transaction commits.

3.1 MF-01 Create, Approve and Publish Job

Client Company Users create jobs for one of the three service types; Internal HR reviews them; the job becomes ACTIVE after the posting fee or the Sourcing deposit is recorded. Commercial terms (fee multiplier, warranty days, Sourcing target and price per CV) are proposed by the Client and confirmed by HR. For HEADHUNT_COD and CV_SOURCING, a Service Agreement step follows approval (PENDING_AGREEMENT): HR sends a versioned agreement, the Client's primary contact accepts and signs it with an e-mail OTP, the signed PDF is stored in R2, then a Headhunt job becomes ACTIVE and a Sourcing job creates its deposit (PENDING_PAYMENT).

3.1.1 Class Diagram




Class diagram – MF-01 Create, Approve and Publish Job

Class specifications:


- **JobEndpoints:** Maps the job routes and checks the permission policy of the caller.
- **CreateJobCommandHandler / UpdateJobCommandHandler:** Validate that the company is verified and the service type allows the caller to submit, save the Job and its JobRequirements; updates check the ConcurrencyToken.
- **Submit/Approve/Reject/Pause/Resume/CloseJob handlers:** Apply the allowed status transition, require reason codes for reject/close, write JobStatusHistory and AuditLog, notify the Client.
- **JobAccessPolicy:** Decides who can view or submit to a job by service type (ServiceTypeAllowedRole).
- **RecordJobPostingFeePaymentCommand:** Admin records the posting fee reference; the job becomes ACTIVE.

3.1.2 Sequence Diagram – Client creates and submits a job



Sequence diagram – Client creates and submits a job

3.1.3 Sequence Diagram – Internal HR approves and the job is published




Sequence diagram – Internal HR approves and the job is published

3.2 MF-02 Candidate Submission, Consent, Duplicate Check and Attribution

Candidates apply to CV_APPLICATION jobs; Affiliates refer candidates to HEADHUNT_COD and CV_SOURCING jobs. An affiliate referral needs the candidate's consent by e-mail. The system normalises e-mail and phone, blocks duplicate submissions for the same job (BLOCKED_DUPLICATE) and keeps the first valid source as the Attribution.

3.2.1 Class Diagram




Class diagram – MF-02 Candidate Submission, Consent, Duplicate Check and Attribution

Class specifications:


- **ApplyJobCommandHandler:** Candidate applies with an uploaded or existing CV; creates the Submission and Application and triggers AI scoring.
- **SubmitCandidateCommandHandler:** Finds or creates the Candidate, checks duplicates and pending consents, creates the Submission and SubmissionConsent and queues the consent e-mail.
- **RespondSubmissionConsentCommandHandler:** Verifies the hashed token and expiry, accepts or rejects the submission and notifies the affiliate.
- **SubmissionAcceptancePolicy:** Creates the Application and Attribution or marks the submission as duplicate.
- **ResendSubmissionConsentCommand:** Resends the consent e-mail with a cool-down and a maximum count.

3.2.2 Sequence Diagram – Affiliate refers a candidate



Sequence diagram – Affiliate refers a candidate

3.2.3 Sequence Diagram – Candidate accepts consent




Sequence diagram – Candidate accepts consent

3.3 MF-03 AI Matching and Screening

Every new application is scored asynchronously by the AI Matching Service. Internal HR screens Headhunt and Sourcing applications using the score, tier and evidence; Clients screen CV_APPLICATION jobs themselves. For CV_SOURCING, HR delivers CVs to the Client, who accepts or rejects them within the review period (auto-accepted after the deadline).

3.3.1 Class Diagram




Class diagram – MF-03 AI Matching and Screening

Class specifications:


- **Mf03ScoringTrigger / Mf03ScoringDispatcher:** Create a PENDING AiMatchResult and dispatch it to the AI service with retry and back-off.
- **AiIntegrationEndpoints:** Internal callback that stores the score, tier and per-requirement results, or the failure code.
- **RetryAiScoringCommand:** Internal HR starts a new scoring attempt for a FAILED result.
- **UpdateApplicationScreeningStatusCommandHandler:** Moves an application to SHORTLISTED, BACKUP or REJECTED with a reason code, using the ConcurrencyToken.
- **Sourcing delivery handlers:** Deliver, decide, replace and review rejections of Sourcing CVs; SourcingAutoAcceptWorker accepts overdue deliveries.

3.3.2 Sequence Diagram – Asynchronous AI scoring



Sequence diagram – Asynchronous AI scoring

3.3.3 Sequence Diagram – Internal HR screens an application




Sequence diagram – Internal HR screens an application

3.4 MF-04 Interview, Offer and Start Work

The Client schedules interviews, records results, sends offers and confirms the start of work. Headhunt offers must use gross monthly salary. When the candidate starts work, a Placement is created and the finance records of MF-05 are initialised.

3.4.1 Class Diagram




Class diagram – MF-04 Interview, Offer and Start Work

Class specifications:


- **ScheduleInterviewCommandHandler, Update/Reschedule/Cancel handlers:** Manage interview rounds, participants and schedule history; notify the candidate in real time.
- **RecordInterviewResult / RecordInterviewNoShow handlers:** Record PASS, FAIL, BACKUP or NO_SHOW and move the application.
- **Create/Update/Send/Respond/WithdrawOffer handlers:** Manage offer versions; OfferSalaryPolicy checks the salary basis; withdrawal needs a reason; OfferExpiryWorker expires old offers.
- **ConfirmStartWorkCommandHandler:** Validates the actual start date, creates the Placement and calls PlacementFinanceService.
- **MarkNotStartedCommandHandler:** Closes an accepted offer when the candidate does not start; no fee is created.

3.4.2 Sequence Diagram – Client schedules an interview



Sequence diagram – Client schedules an interview

3.4.3 Sequence Diagram – Offer, acceptance and start work




Sequence diagram – Offer, acceptance and start work

3.5 MF-05 Fee, Warranty, Commission and Payout

After placement the Client owes the service fee (fee multiplier × gross monthly salary). A Headhunt placement has a 30-day warranty; the affiliate commission is earned at the end of the warranty and becomes payable after the Client pays. A confirmed resignation during the warranty cancels the commission and opens a free replacement slot. Sourcing jobs pay a commission per accepted CV and are settled against the deposit.

3.5.1 Class Diagram




Class diagram – MF-05 Fee, Warranty, Commission and Payout

Class specifications:


- **PlacementFinanceService:** Creates ServiceFee, Warranty and Commission for a placement; completes warranties and marks fees DUE/OVERDUE (called by WarrantyProgressWorker).
- **Report/ResolveResignation handlers:** Client reports a resignation (warranty CLAIMED, commission ON_HOLD); Internal HR confirms or rejects it.
- **Finance commands:** RecordServiceFeePayment, ApproveCommission, AdjustCommission, CancelCommission, RecordPayout and SettleSourcingJob, used by Platform Admin.
- **AffiliateCommissionHoldService:** Puts unearned commissions of a locked affiliate ON_HOLD.
- **SourcingFinanceService:** Creates the Sourcing deposit, counts accepted CVs and settles the job.

3.5.2 Sequence Diagram – Warranty completion, fee payment and payout



Sequence diagram – Warranty completion, fee payment and payout

3.5.3 Sequence Diagram – Resignation during warranty




Sequence diagram – Resignation during warranty

4. State Machine Diagrams


Each main entity with a lifecycle is shown below. State names are the exact values stored in the database; transitions are labelled with the triggering action and actor. Sources: docs/diagrams/state-machines/source/*.mmd.

4.1 Job




State machine – Job

4.2 ServiceAgreement




State machine – ServiceAgreement

4.3 Company verification




State machine – Company verification

4.4 Submission




State machine – Submission

4.5 SubmissionConsent




State machine – SubmissionConsent

4.6 Application




State machine – Application

4.7 AiMatchResult




State machine – AiMatchResult

4.8 SourcingDelivery




State machine – SourcingDelivery

4.9 Interview




State machine – Interview

4.10 Offer




State machine – Offer

4.11 Placement




State machine – Placement

4.12 Warranty




State machine – Warranty

4.13 ServiceFee




State machine – ServiceFee

4.14 Commission




State machine – Commission

4.15 Payout




State machine – Payout

4.16 ReplacementSlot



State machine – ReplacementSlot

4.17 Dispute




State machine – Dispute

5. Activity Diagrams


One activity diagram per main workflow, with a swimlane for each participating actor. Sources: docs/diagrams/workflows/source/*.mmd.

5.1 WF-01 Create, approve and publish a job (owner: Lê Thị Trà Mi)



Activity diagram – WF-01 Create, approve and publish a job


5.2 WF-02 Refer a candidate, consent and attribution (owner: Cao Hữu Trí)



Activity diagram – WF-02 Refer a candidate, consent and attribution


5.3 WF-03 AI matching and screening (owner: Trương Hoàng Quí)

WF-03 AI matching and screening



Activity diagram – WF-03 AI matching and screening


5.4 WF-04 Interview, offer and start work (owner: Khúc Ngọc Sơn)



Activity diagram – WF-04 Interview, offer and start work

5.5 WF-05 Warranty, service fee, commission and payout (owner: Nguyễn Văn Sang)

WF-05 Warranty, service fee, commission and payout



Activity diagram – WF-05 Warranty, service fee, commission and payout