



PROJECT DOCUMENTATION

SWIFTSHIP TRACKER PARCEL TRACKING AND DELIVERY MANAGEMENT SYSTEM

USING SALESFORCE AND AGENTFORCE

Salesforce | Auto-Launched Flow | Prompt Builder | Agentforce

TEAM DETAILS

TEAM ID	SWTID-2026-5349
TEAM SIZE	4
TEAM LEADER	Hobika MN NMID: 89F5F40E81CE63E884A4DB81C938D3B3 Register No: 821923243020
TEAM MEMBER	Gowmidha C NMID: 688286753926f6e9617403cd0b902680 Register No: 821923243020
TEAM MEMBER	Kanimozhi M NMID: 4AAA164C0B9DE728DD2472E65FD42986 Register No: 821923243024
TEAM MEMBER	Abinaya M NMID: 6f9d6750fa91b79b26d451dc2ec83578 Register No: 821923243002

ST. JOSEPH'S COLLEGE OF ENGINEERING AND TECHNOLOGY
THANJAVUR
COLLEGE CODE: 8219

Contents

1. Introduction

- Project Overview
- Purpose

2. Ideation Phase

- Problem Statements
- Empathy Map
- Brainstorming and Idea Prioritization

3. Requirement Analysis

- Customer Journey Map
- Solution Requirements
- Data Flow
- Technology Stack

4. Project Design

- Problem-Solution Fit
- Proposed Solution
- Solution Architecture

5. Project Planning and Scheduling

- Planning Approach
- Product Backlog and Sprint Schedule
- Sprint Tracker and Velocity

6. Project Development

- Milestone 1: Salesforce Developer Org
- Milestone 2: Custom Objects
- Milestone 3: Custom Tabs
- Milestone 4: Fields and Relationships
- Milestone 5: Prompt Builder Template
- Milestone 6: Auto-Launched Flow
- Milestone 7: Agentforce Agent and Permission Set

7. Functional and Performance Testing

8. Advantages and Disadvantages

9. Conclusion

10. Future Scope

11. Appendix

12. Demo Link

1. Introduction

Project Overview

Booking, tracking and managing parcels often needs a phone call to support or more than one app. This causes delays, repeated queries and confusion about where a parcel is. SwiftShip Tracker moves all of this into one Salesforce org, so that a parcel and its sender, receiver and delivery details are tracked in a single connected data model and can be looked up in plain conversation.

The application is built in a Salesforce Developer Edition org. Four custom objects hold the parcel, delivery, sender and receiver details. An Auto-Launched Flow fetches a parcel by its Parcel ID, a Prompt Builder template formats the answer, and an Agentforce agent lets a user get the full status just by typing the Parcel ID. Access to the objects and the flow is controlled by a permission set.

Purpose

- Store parcel, sender, receiver and delivery details in connected custom objects.
- Fetch the details of a parcel from its Parcel ID.
- Show status, weight and estimated delivery date in a fixed, readable format.
- Let users ask in plain conversation through Agentforce.
- Reduce repeated “where is my parcel” queries to the support team.
- Control access to the data with a permission set.

2. Ideation Phase

Problem Statements

The table below records the problems that motivated the project, written from the point of view of each person affected.

#	I am	I am trying to	But	Because	Which makes me feel
PS-1	A customer / sender	Know where my parcel is	I have to call support or use several apps	Parcel status is not available in one place	Frustrated
PS-2	A delivery agent	Keep parcel and delivery details together	The details are scattered	Parcel, sender, receiver and delivery are not linked	Confused
PS-3	A support team member	Answer parcel queries quickly	Many repeated 'where is my parcel' queries come in	Every query is answered by hand	Overloaded
PS-4	An admin	Control who can see and change data	Access and record visibility are not controlled	There is no permission setup for the data	Concerned

Summary of needs. Phone calls, scattered records, repeated queries and uncontrolled access all point to one need: a single connected system that links parcel, sender, receiver and delivery records, answers status questions automatically and limits access with a permission set.

Empathy Map

Persona: Customer / Sender. The map captures what the customer experiences while waiting for a parcel.

THINKS & FEELS Wants to know where the parcel is without extra effort and to feel sure it will arrive.	HEARS Delivery updates from support staff and delivery agents, and questions from the receiver.
SEES Parcel ID, parcel status, weight and the estimated delivery date.	SAYS & DOES Calls support, switches between apps and keeps asking where the parcel is.
PAINS Delays, repeated queries and confusion about the parcel location.	GAINS Instant status from a Parcel ID, a clear fixed-format message and fewer support calls.

Brainstorming and Idea Prioritization

Four approaches were considered: phone calls to support, switching between several apps, a standalone tracking tool, and a Salesforce solution with Agentforce. Ideas were then placed on an impact-versus-feasibility grid.

	LOW FEASIBILITY	HIGH FEASIBILITY
HIGH IMPACT	High impact, low feasibility - Customer self-service portal - Agent that books parcels and updates status - Email alerts at every status change	High impact, high feasibility - Fetch a parcel by its Parcel ID with a Flow - Fixed-format Prompt Template - Agentforce agent with a Parcel Tracker subagent - Permission set for access control
LOW IMPACT	Low impact, low feasibility Dashboards for delivery performance	Low impact, high feasibility - Custom tabs for each object - Field history tracking on all objects

Top prioritized ideas: parcel lookup by Parcel ID, a fixed-format answer, a conversational Agentforce agent and permission-set based access.

Final Selection

Salesforce with Agentforce was chosen because it offers:

- Data, automation and the AI assistant on one platform
- Flow Builder for automation that can be changed without code
- Prompt Builder for a fixed, readable response format
- Agentforce for a conversational layer on top of the Flow
- Built-in access control through a permission set

3. Requirement Analysis

Customer Journey Map

A parcel moves through six stages, from booking to delivery. The Ask and Retrieve stages are the steps this solution automates.

Stage	Customer action	System action	Outcome
1. Book	Gives parcel, sender and receiver details	Parcel record is created with a Parcel ID	Parcel recorded
2. Link	Waits for confirmation	Parcel is linked to Sender, Receiver and Delivery records	Records connected
3. Update	Receives status updates	Status is updated: Booked, In Transit, Out for Delivery, Delivered	Status current
4. Ask	Types the Parcel ID to the agent	Agent routes the request to the Parcel Tracker subagent	Request routed
5. Retrieve	No customer action	Flow finds the parcel and the prompt template formats the details	Details returned
6. Deliver	Receives the parcel	Status becomes Delivered	Parcel delivered

Solution Requirements

Functional requirements


FR No	Requirement
FR-1	Create and manage parcel records
FR-2	Link parcels with sender, receiver and delivery details
FR-3	Track status (Booked, In Transit, Out for Delivery, Delivered)
FR-4	Retrieve parcel details using the Parcel ID
FR-5	Show the details in a fixed format using a Prompt Template
FR-6	Offer conversational tracking through Agentforce

Non-functional requirements

Attribute	Description
Usability	Clear conversation and an easy-to-read tracking message
Reliability	The same Parcel ID always returns the details stored in the record
Security	Access to the objects and the flow is controlled by a permission set
Maintainability	The flow and the prompt template can be edited without writing code
Scalability	Grows with parcel volume on the Salesforce platform

Data Flow

From the Parcel ID typed by the user to the final reply, data moves through the following stages:



Input and output. The flow takes one input, the Parcel ID (variable *Ids*), and returns one output, the formatted parcel details (variable *Output*), which the agent shows to the user.

Technology Stack

Layer	Technology
Platform	Salesforce Developer Edition org
Data	Custom objects parcel, Delivery, sender and Receiver; Lookup relationships; Auto Number, Picklist, Number, Date, Geolocation, Phone and Email fields
Logic	Auto-Launched Flow (Get Records, Action, Assignment)
AI	Prompt Builder template and Agentforce agent with a subagent and a Flow action
UI	Custom object tabs
Security	Permission set Swift Ship (Einstein Agent license) and flow access

4. Project Design

Problem-Solution Fit

Problem	Solution	Benefit
Customers call support to find a parcel	Agentforce agent answers from a Parcel ID	Instant status
Parcel details are scattered	Four linked custom objects: parcel, Delivery, sender, Receiver	One connected data model
Answers are not in a fixed format	Retrieve Parcel Details prompt template	Clear, readable reply
Repeated 'where is my parcel' queries	Parcel Tracker subagent with the Parcel Details action	Fewer support calls
No control over who sees the data	Swift Ship permission set with flow access	Controlled access
No record of changes	Allow Reports and Track Field History on all objects	Visibility of records

Proposed Solution

Parameter	Description
Problem	Booking, tracking and managing parcels needs phone calls or several apps, which causes delays, repeated queries and confusion about where a parcel is.
Solution	A Salesforce solution that stores parcel, sender, receiver and delivery details and lets an Agentforce agent return the status from a Parcel ID.
Innovation	The agent routes the request to a Parcel Tracker subagent, which calls an Auto-Launched Flow; a Prompt Template formats the answer, so no manual search is needed.
Impact	Less manual searching, fewer support calls and clearer communication with the customer.
Business model	Parcel and courier businesses working with senders, receivers, delivery agents, support teams and admins.
Scalability	Grows with parcel volume on Salesforce, with room for email alerts, an Experience Cloud portal, booking actions and dashboards.

Solution Architecture

The solution is organized in layers. Requests enter through Agentforce, the Flow does the work, and Salesforce records hold both the inputs and the results.

Users	Customers and senders Delivery agents Support team
AI layer	SwiftShip Tracker agent (Agentforce) Parcel Tracker subagent Parcel Details action
Automation layer	Flow: Parcel Updates (Get Parcel Records, Assignment Outputs) Prompt Template: Retrieve Parcel Details
Data layer	parcel__c Delivery__c sender__c Receiver__c
Security layer	Permission Set: Swift Ship (Einstein Agent license, flow access)

5. Project Planning and Scheduling

Planning Approach

- Agile methodology with six short sprints
- Work is split into user stories and sized in story points
- Velocity is calculated from the planned story points and used for estimation

Product Backlog and Sprint Schedule

Sprint	Epic	USN	User story / task	Pts	Priority	Owner
1	Developer setup	USN-1	As an admin, I want to configure the Salesforce developer environment so the project can be built.	3	High	Hobika MN
2	Data modeling	USN-2	As an admin, I want to create the four custom objects and their tabs so parcel data has a place to live.	5	High	Gowmidha C
2	Data modeling	USN-3	As an admin, I want to create fields and relationships so parcel, sender, receiver and delivery are linked.	5	High	Kanimozhi M
3	Automation	USN-4	As a customer, I want the details in a fixed format, so a Retrieve Parcel Details prompt template is built.	5	High	Abinaya M
3	Automation	USN-5	As a customer, I want a parcel fetched by Parcel ID, so the Auto-Launched Flow Parcel Updates is built.	5	High	Hobika MN
4	Agentforce	USN-6	As a customer, I want to ask for my parcel in conversation, so the agent, subagent and action are created.	8	High	Gowmidha C
4	Security	USN-7	As an admin, I want a permission set and flow access for the agent user so access is controlled.	3	High	Kanimozhi M
5	Testing	USN-8	As a team, we want to test the flow and the agent with sample parcels.	5	Medium	Abinaya M
6	Documentation	USN-9	As a team, we want documentation and a final review of the project.	3	Medium	Hobika MN


Story-point total: 42 across six sprints (3 + 10 + 10 + 11 + 5 + 3).

Sprint Tracker and Velocity

Sprint	Story points	Start date	End date	Points completed	Release date
Sprint-1	3	02 Oct 2026	02 Oct 2026	3	02 Oct 2026
Sprint-2	10	02 Oct 2026	02 Oct 2026	10	02 Oct 2026
Sprint-3	10	02 Oct 2026	02 Oct 2026	10	02 Oct 2026
Sprint-4	11	02 Oct 2026	02 Oct 2026	11	02 Oct 2026
Sprint-5	5	02 Oct 2026	02 Oct 2026	5	02 Oct 2026
Sprint-6	3	02 Oct 2026	02 Oct 2026	3	02 Oct 2026

Average velocity = total story points / number of sprints = 42 / 6 = 7.0 points per sprint. Sprint 4 carried the most work (11 points) because the Agentforce agent, subagent and action, and the permission set were built in the same sprint.

Sprint Burndown (story points remaining)



Sprint burndown: ideal (dashed) versus actual (solid).

6. Project Development

The topics covered while building the solution were org setup, data modeling, a Prompt Builder template, an Auto-Launched Flow, the Agentforce agent and the permission set that controls access.

Milestone 1: Salesforce Developer Org

A Salesforce Developer Edition org was signed up for, verified from the email link and opened in Setup. All objects, automation and the agent in this project were built inside this org.




Figure 1. Developer Edition org home page after login.

Milestone 2: Custom Objects

Four custom objects were created from Setup > Object Manager: **parcel**, **Delivery**, **sender** and **Receiver**. Allow Reports, Allow Search and Track Field History were enabled, and all four are in Deployed status.

Object	API name	Plural label	Purpose
parcel	parcel__c	parcels	Core parcel details: ID, status, weight, delivery date
Delivery	Delivery__c	Deliveries	Delivery location and date, linked to a parcel and sender
sender	sender__c	senders	Sender address, contact and email
Receiver	Receiver__c	Receivers	Receiver address, contact and email




Figure 2. parcel object details.




Figure 3. Delivery object details.




Figure 4. sender object details.




Figure 5. Receiver object details.

Milestone 3: Custom Tabs

A custom object tab was created for each object so that users can reach records quickly: Deliveries, parcels, Receivers and senders.




Figure 6. Custom Object Tabs in Setup.

Milestone 4: Fields and Relationships

Each object holds the fields it needs. The tables and screenshots below show the final field set.

Object	Field	Type	Notes
parcel	Parcel ID	Auto Number	Unique ID, for example P-002
	Status	Picklist	Booked, In Transit, Out for Delivery, Delivered
	Weight	Number	Weight of the parcel
	Estimate Delivery	Date	Expected delivery date (Estimate_Delivery__c)
	sender	Lookup (sender)	Gets details from the sender
Delivery	Current Location	Geolocation	Where the parcel is now
	Estimate Delivery	Date	Expected delivery date
	parcel / sender	Lookup	Links the delivery to its parcel and sender
sender	Sender Address	Geolocation	Location in longitude and latitude
	Sender Contact	Phone	To contact the sender
	Sender Email	Email	To send email notifications
Receiver	Receiver Address	Geolocation	Location in longitude and latitude
	Receiver Contact	Phone	To contact the receiver
	Receiver Email	Email	To send email notifications
	sender / Receiver	Lookup	Links the receiver to the sender

Relationship	Type	Purpose
parcel to sender	Lookup	Each parcel belongs to a sender
Delivery to parcel	Lookup	Each delivery is for a parcel
Delivery to sender	Lookup	Each delivery is linked to a sender
Receiver to sender	Lookup	Links the receiver to the sender




Figure 7. Delivery object: Fields and Relationships list.




Figure 8. parcel: Status (Picklist).




Figure 9. parcel: Weight (Number).




Figure 10. parcel: Estimate Delivery (Date).









Figure 11. parcel: sender (Lookup).






Figure 20. Receiver: Receiver Email (Email).




Figure 21. Receiver: Receiver (Lookup).

Milestone 5: Prompt Builder Template

The template **Retrieve Parcel Details** was created in Prompt Builder. It uses the parcel record as input, inserts the parcel fields as resources and returns the Parcel Name, Parcel ID, Status, Weight and Estimated Delivery Date in a fixed format. The template was saved and activated.




Figure 22. Prompt Builder: Retrieve Parcel Details template with the parcel fields mapped.

Milestone 6: Auto-Launched Flow

The flow **Parcel Updates** has no trigger, so Agentforce can call it as an action. It takes a Parcel ID and returns the formatted parcel details. The flow was activated and given access through the permission set.

Variable	Type	Direction	Holds
Ids	Text	Input	Parcel ID passed by the agent, for example P-002
Output	Text	Output	Parcel tracking details returned to the agent

#	Element	What it does
1	Start (Autolaunched Flow)	No trigger; started by the Agentforce action.
2	Get Records: Get Parcel Records	Finds the parcel where Parcel_ID__c equals Ids.
3	Action: Parcel Updates	Runs the Retrieve Parcel Details prompt template on the parcel found.
4	Assignment: Assignment Outputs	Stores the prompt response in the Output variable.
5	End	Returns Output to the agent.




Figure 23. Flow debug run of Parcel Updates: Get Parcel Records, Parcel Updates action, Assignment Outputs. The run completed in 5.23 seconds.

Milestone 7: Agentforce Agent and Permission Set

The default agent and Einstein were enabled, the **SwiftShip Tracker** agent was created, the Parcel Tracker subagent and the Parcel Details action were added, the Swift Ship permission set was assigned to EinsteinAgentUser, and the agent was committed and activated.

Property	Value
Agent	SwiftShip Tracker (Agentforce Service agent, Version 1, Active)
Subagent	Parcel Tracker: tracks the parcel based on the Parcel ID
Action	Parcel Details (Reference Action Type: Flow, using Parcel Updates)
Action input / output	Input: Ids (Parcel ID). Output: Output (parcel details text)
Permission set	Swift Ship (Einstein Agent license), assigned to EinsteinAgentUser, with Read, Create and Edit on parcel, Delivery, sender and Receiver, and access to the Parcel Updates flow

Instruction for the subagent. When the user asks for parcel details and gives a Parcel ID, show all the parcel information returned by the action.




Figure 24. Agentforce Builder: SwiftShip Tracker agent with the Parcel Tracker subagent.

The screenshot displays the Salesforce Setup interface for a permission set named 'Swift Ship'. The left sidebar shows the navigation menu with 'Permission Sets' selected. The main content area is titled 'Permission Sets' and shows the 'Flow Access' section. The 'Flow Access' table lists the following flow:

Flow Name	Installed Package
Parcel Updates	

The table is on page 1 of 1. The interface also includes a search bar, a 'Find Settings...' button, and various action buttons like 'Clone', 'Delete', 'Edit Properties', 'Manage Assignments', and 'View Summary'.

Figure 25. Permission set Swift Ship: Flow Access lists the Parcel Updates flow.

7. Functional and Performance Testing

Tests were run in Flow Builder (debug) and in the Agentforce Builder preview with the sample parcel P-002.

ID	Feature	Test steps	Expected result	Actual result	Result
TC-01	Flow run	Debug run of flow Parcel Updates	Flow completes without error.	Run completed in 5.23 seconds.	Pass
TC-02	Parcel lookup	Ask: 'please provide parcel information about parcel id = P-002'	Agent returns the parcel details.	Sandwood, P-002, Out for Delivery, weight 5, estimated delivery 09/26/2026.	Pass
TC-03	Agent routing	Same request, trace view	Request routed to the Parcel Tracker subagent and Parcel Details action.	Transition to Parcel Tracker, action Parcel Details with Ids = P-002, output grounded.	Pass




Figure 26. Agent preview: parcel request, subagent transition and action trace.




Figure 27. Agent preview: parcel details returned for P-002.

8. Advantages and Disadvantages

Advantages

- Parcel details are fetched from just a Parcel ID.
- Answers come in a fixed, readable format.
- Parcel, sender, receiver and delivery records are linked.
- The flow and the prompt can be changed without code.
- Access is controlled through a permission set.
- The solution grows with parcel volume on Salesforce.

Disadvantages

- The agent currently looks up status only; booking and updates are done in Salesforce.
- Email notifications, an Experience Cloud portal and dashboards are planned, not built.
- Weight is shown without a unit.
- Tested only in a Developer Edition org, with no sandbox or UAT stage.
- A wrong or missing Parcel ID has no custom fault message yet.

9. Conclusion

SwiftShip Tracker brings parcel records, a Flow, a Prompt Template and an Agentforce agent together on Salesforce. Given only a Parcel ID, the agent finds the parcel and replies in plain language with its status, weight and estimated delivery date. The outcome is less manual searching, fewer support calls and clearer communication with the customer.

10. Future Scope

- **Notifications:** send email alerts to the sender and receiver at every status change.
- **Customer portal:** give customers self-service tracking through Experience Cloud.
- **Agent actions:** let the agent book parcels and update delivery status.
- **Insight:** add reports and dashboards for parcel trends and delivery performance.
- **Richer answers:** show weight units and the current location from the Delivery record.
- **Reliability:** add a fault path with a clear message when a Parcel ID is not found.

11. Appendix

Ref	Item	Description
A	Custom objects	parcel__c, Delivery__c, sender__c, Receiver__c
B	Flow	Parcel Updates (Auto-Launched Flow)
C	Prompt template	Retrieve Parcel Details
D	Agent	SwiftShip Tracker, subagent Parcel Tracker, action Parcel Details
E	Permission set	Swift Ship

12. Demo Link

Demo video:

[Add demo video link here]

Project documentation:

[Add project documentation link here]