



Wholly owned by UTAR Education Foundation
(Co. No. 578227-M)
DU012(A)

LEE KONG CHIAN
FACULTY OF ENGINEERING AND SCIENCE
(LKC FES)

UECS2194
Web Application Development

GROUP BASED PROJECT ASSIGNMENT

NAME	STUDENT ID	COURSE
AW CHIEN YEN	2006124	SE
YIP KAR CHUN	1804042	SE
KWA JIN KIAT	1906534	SE
STEPHEN CHIN KEN VUN	1902645	SE
CHEAH HO CHING	1801494	SE

Table of Contents

1.	Introduction and Project background	1
2.	Flow chart diagram	2
3.	Story board	3-10
4.	Code and Program	
5.	Conclusion	
6.	Workload summary	

Student name 1: Aw Chien Yen

ID: 2006124

Student name 2: Yip Kar Chun

ID: 1804042

Student name 3: Kwa Jin Kiat

ID: 1906534

Student name 4: Stephen Chin Ken Vun

ID: 1902645

Student name 5: Cheah Ho Ching

ID: 1801494

Total marks:

_____/ 100

_____/ 20%

01

Category						Score
Content & accuracy 20%	0-7 There are several inaccuracies In content provided OR many requirements were not met.	8-9 Almost information provided but need many improvement in term of styles and design Minimum requirements have been met	10-12 Almost all of information provided on the website is accurate and almost 50% requirements have been met	13-14 Almost all the information provided on website is accurate and all requirements have been met 80%	15-20 All information provided on website accurate and all requirements fulfill	
Navigation 20%	0-7 Some links do not take the sites described. A user typically feels lost () not function. There is 2 or less links error.	8-9 Links for navigation take a reader where s/he expects to go, but some needed links seem to be missing(not function). A user sometimes gets lost. There are 1 links error	10-12 Links for navigation are not ALL clearly labeled but satisfied. Allow reader to easily move from a page to related pages and take the reader where s/he expects to go.	13-14 Links for navigation are clearly labeled, but some is inconsistently placed,allow the reader to easily move from page to related pages and take the reader where s/he expects to go.	15-20 Links for navigation are clearly labeled, consistently placed,allow the reader to easily move from page to related pages and take the reader where s/he expects to go.	
Work ethic 20%	0-7 Student does not uses project time well. Conversations are primarily focused on the project and things needed to get the work done OR typically not disrupt others. Less creativty creativity on design and idea	8-9 Student usual uses project time well but occasionally disrupt others. Average in creativity on design and idea	10-12 Good in use project time well. Conversation not too focus but the things needed to get the work is done and typically not disrupt others. Good in creativity and posed the idea.	13-14 Student always uses project time well. Conversations are primarily focused on the project and things needed to get the work done and typically not disrupt others. Well done in creativity on design and idea	15-20 Student always uses project time well. Conversations are primarily focused on the project and things needed to get the work done and typically not disrupt others. Well done in creativity on design and idea	
Overall of website quality 20%	0-7 Website is of poor qulity. Layout and design are dull. Mostly not	8-9 Website is of mediocre quality (serversite / client site). Layout	10-12 Website is of high quality (server-site / client site). Layout and	13-14 Website is of good quality (server-site / client site). Layout and	15-20 Website is of high quality (server-site / client site). Layout and design are	

	complete OR working.	and design are tolerable. Mostly complete working(50%60%).	design are average. Mostly complete working(up to 70%).	design are average. Complete working.	visually striking. Complete working.	
Documentation 10%	0-3 No documentation submitted Documentation merely contains the cover page and printout of the program code No referencing	4 Less than 50% of documentation on complete Poor layout / flow Missing some essential components within the documentation Basic documentation standards not adhered to No referencing	5 Evident of basic research carried out. Between 50% - 65% of the documentation complete Average layout / flow No missing components of the documentation Did some referencing but did not adhere to Harvard Name Referencing Sample outputs available without any explanation	6-7 Evident of good research carried out Between 65% - 75% of the documentation complete Good layout / flow No missing components of the documentation Good documentation standards Adhered to Harvard Name Referencing standards but with minor errors / omissions Sample outputs available with some explanation.	8-10 Evident of in depth research carried out More than 75% of the documentation complete Excellent layout / flow No missing components of the documentation Excellent documentation standards Adhered to Harvard Name Referencing standards with no obvious errors / omissions Sample outputs available with clear explanation.	
Presentation 10%	0-3 Unable to provide answers to any of the questions asked	4 Able to answer a few questions posed Mostly inaccurate / illogical answers / explanation provided	5 Able to answer some questions posed Some accurate / logical answers / explanation provided Reasonable answers given but with some hesitation	6-7 Able to answer most questions posed Mostly accurate / logical answers / explanation provided Reasonable answers given	8-10 Able to answer all questions posed Accurate/ logical answers / explanation provided Reasonable answers given with sound arguments and clear discussion	

Total: /100

Introduction and Project background

Our software development company has received a request from Urban Shoes to develop an online website for them to sell their new brands shoes for adults, kids, men and women. After receiving the request, the shoes selling websites development team has been created for the website's development. There are 5 members assigned to the development team. To create the websites, multiple of dynamic webpages using event- driven clients-sides scripts (HTML, CSS and Java script) should be developed and a MySQL database that for storing all the data is needed for the website.

The website should consist of different requirements. By first, the website should have 3 types of users: Admin, Member and guest. Then the website shall allow guest to sign up and login as a member and view the website data; allow member to view and buy interested shoes and the discounts; while admin should have full permission to o add, delete and edit the website data.


Then, another requirement is a main dashboard that can switch the style automatically or manually between Womanish and Manish styles. A set of input elements for the user to filter the database data and show only the shoes they needed, and a sorting function that can sort the database with different conditions. After selecting a pair of shoes, shoes detail webpage that contains Details of shoe, Size details, Reviews, Add to shopping lists function, Return policy and delivery information should be developed.

Moreover, a shop webpage that can view the shoes listed in shopping list, price, delivery fees, and total is also needed. The shop webpage also should have a function for user to select the quantity of each products. Then, 3 blog page containing 3 blogs also is needed for users to get information regarding footwear or footcare.


On the other hand, in order to let user to get information about Urban Shoes, ask about their enquiries the about us and frequently asked question webpage should be developed and a platform for communicating with staff also should be developed in contact us page.

In order to fulfil requirement above, different tools must be needed for our development team to develop the website. In this case, the Visual Code software will be used for html, php, css and js file coding. Then, phpMyadmin will be used for creating and manage MySQL database.


Flow chart diagram




Story board




1. User can login as user by entering their username and password in this sign in page.




2. User can create a new user account in this sign up page.




3. This is the main page for men after user had sign in as user. The top right corner will show the username of the user.




4. It will display the featuring products and latest products below the main page.




5. The system will display the main page for women after user click the WOMEN navigation button in the top centre.




6. The above is the main page for kids after user click the KIDS navigation button.




7. When user click the blog on the top right corner, the system will display blog page to user. User can read the blog page by clicking the Read button.




8. The system will bring user to blog page after user click the Read button.




9. This is the main dashboard where user can view all the product available. The user can reach this page by clicking the shop on the side navigation bar.



10. The user can filter the gender of the shoes by clicking the Women button and the system will show the filtered women shoes to user. User can also filter the categories of shoes, brands, products year, price low to high, price high to low and discount by clicking the respective dropdown button.



11. If user facing any problem, user can click the FAQ button in the side navigation bar and system will bring user to the FAQ page. In this page, user can view and search for the question about order&delivery, return&refunds and products&stock.



12. This is the contact us page.

Contact Us
Our customer care teams are available to help you, you can contact us:

By email:
Feel free to send us email to customerservice@urbanshoes.com for enquiries.
Please kindly give us the order reference number for order checking.

By phone:
Feel free to contact us via 03- 3147 5926 for quick enquiries.
Our customer service line are available for 1000 a.m. to 1:00 p.m. and 5:00 p.m. to 9:00p.m. (every Monday to Saturday).

Our twitter: @Urbanshoes
Our facebook: Urbanshoes

Full Name:

Email address:

Subject:

Description:

Order Number:

13. If user still have any more question and problem, they can go to the contact us page for further enquiry. User can seek for help through phone number or sending the problem by email the customer service.

Sliders & Flips Flops
ADIDAS Swim Sandals Infant
\$59.50
\$119.00-50%

Size:

Quantity:

Delivery Option
Standard Delivery
2 - 7 day(s)
Enjoy free shipping promotion with minimum spend of \$15.00

Return & Warranty
14 days return to seller
"Don't want item or it doesn't suit/fit me" return reason is not applicable.
Warranty not available

Product Details
-Ready Stock
-Simple & Classic Design
-Good Quality & Comfortable

Size Chart Table


Europe Size	Inches	Centimeters
35	9	22.86
36	9.35	23.75

14. The system will prompt user to product details page after user click any of the product in main dashboard page. In this page, user able to see the further details of the products, delivery option and return & warranty details. User also able to add the product to cart by choosing the shoes size and quantity. Then click the add button to add the product to cart.


CART

Product	Quantity	Subtotal
ADIDAS Swim Sandals Infant Price: RM59.50 Size: 36 Europe View more	<input type="text" value="1"/>	RM 59.5
Subtotal		RM59.50
Estimated Delivery & Handling		RM110.00
Total		RM69.50


15. After user add the product to cart, the system will prompt add to cart page. User can view the quantity added, subtotal, estimated delivery and handling fee and total price for the product. However, user can't add more quantity in this page. User able to remove the product from cart by clicking the remove button.










16. User can logout by clicking the logout on the top right corner and the system will display a logout notification.




17. This the main page where is show the username as admin after user has login as admin.



ID	Product Name	Size	Brand	Category	Gender	Year	Price	Discount	Availability	Image	Audit Log	Update	Delete
14	ADIDAS Swim Sandals Infant	(35)(36)(37)(38)(39)(40)(41)(42)(43)(44)(45)	Adidas	Slides & Flips Flops	K	2020	119.00	0.50	1		aw @ 2021-04-12 03:54:50	Update	Delete
8	Converse All Star Ox Leather Junior	(40)(41)	Converse	aw	M	2021	199.00	0.80	1		admin @ 2021-04-12 03:53:55	Update	Delete
12	CONVERSE Chuck Taylor All Star 70's High Women's	(35)(36)(37)(38)(39)(40)(41)(42)(43)(44)(45)	aw	aw	F	1234	12.54	0.99	1		aw @ 2021-04-12 03:55:14	Update	Delete
16	Nike Blazer Mid '77 Vintage	(35)(36)(37)(38)(39)(40)(41)(42)(43)(44)(45)	aw	aw	M	1333	12.54	0.99	1		aw @ 2021-04-12 03:55:50	Update	Delete
13	Nike Playshoe	(35)(36)(37)(38)(39)(40)(41)(42)(43)(44)(45)	test	Sport	F	1333	12.54	0.99	0		aw @ 2021-04-12 04:02:28	Update	Delete
18	product 1	(35)(36)(37)	Nike	Casual	F	2021	100.30	0.99	1		admin @ 2021-04-12 05:02:15	Update	Delete
15	Vans Sk8-Hi Junior	(35)(36)(37)(38)(39)(40)(41)(42)(43)(44)(45)	aw	aw	M	1333	12.54	0.99	1		aw @ 2021-04-12 03:55:42	Update	Delete

18. Admin is able to view all the product available and able to update and delete the product. Admin also able to add new product by clicking the Add a new product button at the top left.



Add product

Product Name
Enter product name here

Size	Yes	No
35:	<input type="radio"/>	<input type="radio"/>
36:	<input type="radio"/>	<input type="radio"/>
37:	<input type="radio"/>	<input type="radio"/>
38:	<input type="radio"/>	<input type="radio"/>
39:	<input type="radio"/>	<input type="radio"/>
40:	<input type="radio"/>	<input type="radio"/>
41:	<input type="radio"/>	<input type="radio"/>
42:	<input type="radio"/>	<input type="radio"/>
43:	<input type="radio"/>	<input type="radio"/>
44:	<input type="radio"/>	<input type="radio"/>
45:	<input type="radio"/>	<input type="radio"/>

Brand
Enter brand here

Category
Enter category here

Gender
Select gender

Year
Enter year here

Price
Enter price here

Discount
Enter discount here

Audit
admin

Availability
Select availability

Select Image File: No file chosen

19. After admin click the Add a new product button, the system will prompt admin the add product page. In this page, admin can enter the product name, choose the shoes size, brand, category, gender, year of model, price, availability of the shoes and the shoes image to be uploaded. After the admin click the Add product button, the system will display product added completion message and admin can go back to the main dashboard page to check whether the product added or not.

Code and program

File Structure

1.	Javascript	<u>scripts.js</u>
2.	<u>CSS</u>	<u>styles.css</u>
		womanishStyles.css
		blog.css
		blog1.css
		blog2.css
		blog3.css
3.	HTML/PHP files	aboutus.php
		addProductsScript.php
		addUserProductScript.php
		blog.php
		blog1.html
		blog2.html
		blog3.html
		cart.php
		contacus.php
		db_config.php
		debug.php
		deleteProductScript.php
		faq.php
		footer.php
		header.php
		home.php
		kids.php
		login.php
		loginscript.php
		logout.php
		maindashboard.php
		manageproduct.php
		men.php
		navbar.php
		product.php
		redirect.php
		removeProductFromCart.php
		session.php
		session2.php
		sidebar.php
		signup.php
		signUpScript.php
		style.css
		t&c.html
		updateProducts.php
		updateProductsScript.php
		women.php
4.	Images	images (folder)
		images1 (folder)
		images2 (folder)
		images3 (folder)

Conclusion

In conclusion, all the requirements and functions needed for the online shoes selling websites has been developed and implemented. Nowadays, web application had become the most common and widely used application. Thus, it is a great and useful experience for us in our future software engineering career.

Workload summary

No	Task List	Person in charge	
		Front End	Back End
1	Account signup, login, and log out webpage	Cheah Ho Ching	Aw Chien Yen
2	Frequently asked questions webpage	Yip Kar Chun	-
3	About us webpage	Yip Kar Chun	-
4	Contact us webpage	Yip Kar Chun	-
5	View Main dashboard	Kwa Jin Kiat, Stephen Chin Ken Vun	Aw Chien Yen
6	View product details	Stephen Chin Ken Vun	Aw Chien Yen
7	Website style (Womanish / Manish styles)	Kwa Jin Kiat	-
8	Create discount function	Kwa Jin Kiat	Aw Chien Yen
9	Sort and filter shoes function	Stephen Chin Ken Vun	-
10	Add items to cart	Kwa Jin Kiat	Aw Chien Yen
11	Add products function	Yip Kar Chun	Aw Chien Yen
12	Edit / update products function	Yip Kar Chun	Aw Chien Yen
13	Delete products function	Yip Kar Chun	Aw Chien Yen
14	View all products function	Yip Kar Chun	Aw Chien Yen
15	Blog pages	Cheah Ho Ching	-
16	Navigation	Kwa Jin Kiat	-

Appendix

aboutus.php

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,initial-scale=1.0">
  <link rel="shortcut icon" href="images/Logo.ico" />
  <title>Urban Shoes Online Shop | About Us</title>
  <style>
    <?php include 'styles.css'; ?>
  </style>
</head>

<body>
  <?php include('header.php'); ?>
  <div class="wrapper hovercollapse">
    <?php include('navbar.php'); ?>
    <?php include('sidebar.php'); ?>
    <div class="maincontainer">
      <div class="container">
        <div class="content">
          <!--CONTENT: About Us-->
          <h1>About Urban Shoes</h1>

          <p>Our company is established in the year 2002 by Mr James, Urban shoes are the well-known leading of the retailer of fashions, sports, and casual shoes for all walks of life in Malaysia country.
          </p>
          <p>Our very first outlet are located at Pavillion Mall in Kuala Lumpur in 10 October 2010. By now, Urban shoes has successfully expanded our businesses and opened a total of 30 outlets around Malaysia.
          </p>
          <p>In 2018, we has successfully expanded our business and opened the first outlet in East Malaysia located at Plaza Merdeka, Sarawak.
          </p>
          <p>Urban shoes now has planned to further expand the businesses across the world
          </p>
```

```

        </br>
        <h3>Mission Statement</h3>
        <p>Being the most famous and number one footwear and shoes
in the market and to be recognized as a prestigious company through focused
business development, differentiation through innovation, passion through
empowerment.</p>

        <br />
        <h3>Corporate Vision</h3>
        <p>To be the most innovative footwear, footcare and
accessories company obsessed by customer delight delivered by passionate
people.</p>

        <br />
        <h3>Corporate Values</h3>
        <ul class=CorVal type="circle" >
        <li>- Respect and Care for people</li>
        <li>- Intrapreneurship</li>
        <li>- Customer centric</li>
        <li>- Integrity</li>
        <li>- Quality</li>
        </ul>
        <h1>Our Goal as a best retailer</h1>
        <p>For our company and as a shoes retailer, our goal is
always try to deliver best the happiness and high quality service for our
valuble customers.

        All our colleagues are well-trained and acquired a sets of
skills for your assistance. In Urban Shoes, we have developed a work culture
that promotes

        inclusivity, ambition, opportunity, and growth for all of
our colleagues. As we known that talents, passion and dedication of our
employees are the key for success.</p>
        <h1>Best choice to search for your style</h1>
        <p>In Urban Shoes, you can find nearly any shoes all over
the country and through our outlets or the online web shopping site. In order
to fulfill everyone's needs,

        various of shoes are prepared for different age group and
gender. Furthermore, in order to make your shopping even more personal, in our
websites you can select your favourite shoes based on the style, price,
discount or brands and add the interest shoes in a favourite list.</p>
    </div>
</div>
</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

```

```
</html>
```

addProducts.php

```
<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
    require_once('debug.php');
    include('db_config.php');
    $conn = mysqli_connect($servername, $username, $password, $db);
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>(Admin) Manage Products</title>
    <style>
        <?php include 'styles.css'; ?>
        input[type=text],select{
            width: 100%;
            /* Full width */
            padding: 12px;
            /* Some padding */
            border: 1px solid #ccc;
            /* Gray border */
            border-radius: 4px;
            /* Rounded borders */
            box-sizing: border-box;
            /* Make sure that padding and width stays in place */
            margin-top: 6px;
            /* Add a top margin */
            margin-bottom: 16px;
            /* Bottom margin */
            resize: vertical
            /* Allow the user to vertically resize the textarea (not
            horizontally) */
        }
    </style>
</head>
```

```

table {
    border-collapse: collapse;
    width: 100%;
    /* Full width */
    padding: 12px;
    /* Some padding */
    border: 1px solid #ccc;
    /* Gray border */
    border-radius: 4px;
    /* Rounded borders */
    box-sizing: border-box;
    /* Make sure that padding and width stays in place */
    margin-top: 6px;
    /* Add a top margin */
    margin-bottom: 16px;
    /* Bottom margin */
    resize: vertical
        /* Allow the user to vertically resize the textarea (not
horizontally) */
}
td, th {
    border: 1px solid #ccc;
    padding: 10px;
}
th:empty {
    border: 0;
}

button[type=submit]:hover {
    background-color: lightgrey;
}

button[type=submit] {
    background-color: grey;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}
</style>
</head>

<body>
    <?php include('header.php'); ?>

```

```

<div class="wrapper hovercollapse">
    <?php include('navbar.php'); ?>
    <?php include('sidebar.php'); ?>
    <div class="maincontainer">
        <div class="container">
            <div class="content">

                <caption>Add product</caption> <br><br>
                <form action="addProductsScript.php" method="post"
enctype="multipart/form-data">
                    <label for="prod_name">Product Name</label>
                    <input type="text" placeholder="Enter product name here"
name="prod_name" required><br>

                    <table border="1px">
                        <tr>
                            <td>Size</td>
                            <td>Yes</td>
                            <td>No</td>
                        </tr>
                        <tr>
                            <td>35: </td>
                            <td><input type="radio" id="s35" name="prod_s35" value="1"
required></td>
                            <td><input type="radio" id="s35" name="prod_s35" value="0"
required></td>
                        </tr>
                        <tr>
                            <td>36: </td>
                            <td><input type="radio" id="s36" name="prod_s36" value="1"
required></td>
                            <td><input type="radio" id="s36" name="prod_s36" value="0"
required></td>
                        </tr>
                        <tr>
                            <td>37: </td>
                            <td><input type="radio" id="s37" name="prod_s37" value="1"
required></td>
                            <td><input type="radio" id="s37" name="prod_s37" value="0"
required></td>
                        </tr>
                        <tr>
                            <td>38: </td>
                            <td><input type="radio" id="s38" name="prod_s38" value="1"
required></td>

```

```
 <input type="radio" id="s38" name="prod_s38" value="0" required></td> </tr> <tr>  <td>39: </td>  <input type="radio" id="s39" name="prod_s39" value="1" required></td>  <input type="radio" id="s39" name="prod_s39" value="0" required></td> </tr> <tr>  <td>40: </td>  <input type="radio" id="s40" name="prod_s40" value="1" required></td>  <input type="radio" id="s40" name="prod_s40" value="0" required></td> </tr> <tr>  <td>41: </td>  <input type="radio" id="s41" name="prod_s41" value="1" required></td>  <input type="radio" id="s41" name="prod_s41" value="0" required></td> </tr> <tr>  <td>42: </td>  <input type="radio" id="s42" name="prod_s42" value="1" required></td>  <input type="radio" id="s42" name="prod_s42" value="0" required></td> </tr> <tr>  <td>43: </td>  <input type="radio" id="s43" name="prod_s43" value="1" required></td>  <input type="radio" id="s43" name="prod_s43" value="0" required></td> </tr> <tr>  <td>44: </td>  <input type="radio" id="s44" name="prod_s44" value="1" required></td>  <input type="radio" id="s44" name="prod_s44" value="0" required></td> </tr> <tr>  <td>45: </td> | | | | | | | | | | | | | | | | | | | |
```

```

                <td><input type="radio" id="s45" name="prod_s45" value="1"
required></td>
                <td><input type="radio" id="s45" name="prod_s45" value="0"
required></td>
            </tr>
        </table>

        <label for="prod_brand">Brand</label>
        <input type="text" placeholder="Enter brand here" name="prod_brand"
required><br>

        <label for="prod_category">Category</label>
        <input type="text" placeholder="Enter category here"
name="prod_category" required><br>

        <label for="prod_gender">Gender</label>
        <select name="prod_gender" required>
            <option value="" disabled selected>Select gender</option>
            <option value="M">Male</option>
            <option value="F">Female</option>
            <option value="K">Kids</option>
        </select><br>

        <label for="prod_year">Year</label>
        <input type="text" placeholder="Enter year here" name="prod_year"
required>
        <br>

        <label for="prod_price">Price</label>
        <input type="text" placeholder="Enter price here" name="prod_price"
required>
        <br>

        <label for="prod_discount">Discount</label>
        <input type="number" placeholder="Enter discount here"
name="prod_discount" required>
        <br>

        <label for="prod_audit">Audit</label>
        <input type="text" name="prod_audit" value="<?php echo
$retrieve_admin_audit; ?>" readonly>
        <br>

        <label for="prod_availability">Availability</label>

```

```

        <select name="prod_availability" required>
            <option value="" disabled selected>Select availability</option>
            <option value="1">Available</option>
            <option value="0">Unavailable</option>
        </select><br>

        <label for="prd_image">Select Image File:</label>
        <input type="file" name="prod_image" required>
        <br><br>

        <button type="submit" name="submit" >Add Product</button><br><br>
    </form>

    </div>
</div>
</div>
</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

</html>

```

addProductsScript.php

```

<?php
    include('db_config.php');
    include('debug.php');

    $conn = mysqli_connect($servername, $username, $password, $db);

    if (!$conn){ // Check connection
        die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
        contact admin for support.");
    }

    // Get file info
    $fileName = basename($_FILES["prod_image"]["name"]);
    $fileType = pathinfo($fileName, PATHINFO_EXTENSION);

    // Allow certain file formats
    $allowTypes = array('jpg','png','png','jpeg','gif');

```



```

        if(in_array($fileType, $allowTypes)){
            $image = $_FILES['prod_image']['tmp_name'];
            $imgContent = addslashes(file_get_contents($image));

            $sql = "INSERT INTO `prod_tb`(`prod_name`, `prod_s35`, `prod_s36`,
`prod_s37`, `prod_s38`,
            `prod_s39`, `prod_s40`, `prod_s41`, `prod_s42`, `prod_s43`,
`prod_s44`, `prod_s45`, `prod_brand`,
            `prod_category`, `prod_gender`, `prod_year`, `prod_price`,
`prod_discount`, `prod_availability`,
            `prod_audit`, `prod_image`)
            VALUES
('$_POST[prod_name]', '$_POST[prod_s35]', '$_POST[prod_s36]', '$_POST[prod_s37]', '
$_POST[prod_s38]',

'$_POST[prod_s39]', '$_POST[prod_s40]', '$_POST[prod_s41]', '$_POST[prod_s42]', '$_
POST[prod_s43]', '$_POST[prod_s44]', '$_POST[prod_s45]', '$_POST[prod_brand]',

'$_POST[prod_category]', '$_POST[prod_gender]', '$_POST[prod_year]', '$_POST[prod_
price]', '$_POST[prod_discount]', '$_POST[prod_availability]',
            '$_POST[prod_audit]', '$imgContent')";

            if($conn->query($sql)===TRUE){
                phpAlertRedirect("File uploaded successfully",
"manageProducts.php");
            }
            else{

                phpAlert("File upload failed! Try again!");
            }

        }
        else{
            $statusMsg = 'Sorry, only JPG, JPEG, PNG, & GIF files are allowed
to upload.';
            phpAlert($statusMsg);
        }
        $conn->close();
    }
}
?>

```

addUserProductsScript.php

```

<?php
    include('db_config.php');
    include('debug.php');

```

```

include('session.php');

$conn = mysqli_connect($servername, $username, $password, $db);

if (!$conn){ // Check connection
    die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
contact admin for support.");
}

$sql = "INSERT INTO `cart_tb`(`cart_user_pk`, `cart_prod_pk`,
`cart_quantity`, `cart_size`)
VALUES
('$ _POST[cart_user_pk]', '$ _POST[cart_prod_pk]', '$ _POST[cart_quantity]', '$ _POST[
cart_size]')";

if($conn->query($sql)===TRUE){
    phpAlertRedirect("Product Added to Cart", "cart.php");
}
else{
    phpAlert("Failed to add to cart! Try again!");
}

$conn->close();
?>

```

blog.css

```

*{
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

.blog{
    padding: 10px;
}

.blog h1{
    background-color: black;
    padding: 5px;
    width: 85px;
    color: white;
}

```

```

.blog .bimg{
    width: 300px;
}

.blog .list{
    float: left;
    padding-left: 5px;
    margin-top: 10px;
}

.blog .listw{
    font-size: 20px;
}

.blog .lista{
    font-size: 15px;
}

.blog .read{
    background-color: black;
    color: white;
    width: 40px;
    padding: 5px;
    margin-bottom: 15px;
}

.blog .containt{
    padding: 10px;
    background-color: black;
}

.blog .clearfix:after {
    content: "";
    display: table;
    clear: both;
}

```

blog.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }
    ?>

```

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <title>Urban Shoes Online Shop | Urban Shoes MY</title>
    <link rel="shortcut icon" href="images/Logo.ico" />
    <link rel="stylesheet" href="blog.css">
    <style>
        <?php include 'style.php'; ?>
    </style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">
                    <div class="blog">
                        <h1>Blogs</h1>
                        <hr class="latest">
                        <div class="contain">
                            <div class="list">
                                
                                <p class="listw"><b>The Woman Shoe Trend
2021</b></p>
                                <p class="lista">Johnathan Royce, January 5,
2021</p>
                                <p class="listd">Whats the latest women's shoes
trend right now? Learn it here!</p>
                                <a class="read" href="blog1.html">Read</a>
                            </div>
                            <div class="clearfix"></div>
                            <div class="list">
                                
                                <p class="listw"><b>How to take care of your
shoe</b></p>
                                <p class="lista">Joseph Davis, Feburary 15,
2021</p>

```

```

        <p class="listd">Get basic advices on taking
care of your favorite shoe.</p>
        <a class="read" href="blog2.html">Read</a>
    </div>
    <div class="clearfix"></div>
    <div class="list">
        
        <p class="listw"><b>Top Nike shoe 2021</b></p>
        <p class="lista">Jolyn William, March 25,
2021</p>
        <p class="listd">List of top Nike's shoes
avialable right now.</p>
        <a class="read" href="blog3.html">Read</a>
    </div>
    <div class="clearfix"></div>
</div>
<hr>
<br><br><h2>More comming soon!</h2>
</div>
</div>
</div>
</div>
<div>
    <?php include('footer.php'); ?>
    <script src="scripts.js"></script>
</body>

</html>

```

blog1.css

```

* {
    box-sizing: border-box;
}

body {
    font-family: "Lucida Console ";
    padding: 20px;
    background: #f1f1f1;
}

/* Header/Blog Title */
.header {
    padding: 10px;

```

```

    overflow: hidden;
    width: 350px;
    display: block;
    margin-left: auto;
    margin-right: auto;
}

.header img{
    display: block;
    margin-left: auto;
    margin-right: auto;
    width: 250px;
}

.header a {
    float: left;
    color: black;
    text-align: center;
    padding: 12px;
    text-decoration: none;
    font-size: 18px;
    line-height: 25px;
    border-radius: 4px;
}

.header a.logo {
    font-size: 25px;
    font-weight: bold;
}

.header a:hover {
    background-color: #ddd;
    color: black;
}

.header2{
    margin-left: auto;
}

/* Add a card effect for articles */
.card {
    background-color: white;

```

```

padding: 20px;
margin-top: 20px;
box-shadow: 5px 10px 8px 10px #888888;
}

/* Categoreis */
.cate {
padding: 10px;
}

.cate a{
padding: 5px;
text-decoration: none;
}

.main{
display: block;
margin-left: auto;
margin-right: auto;
}

/* images */
div.gallery {
border: 1px solid #ccc;
}

div.gallery:hover {
border: 1px solid #777;
}

div.gallery img {
width: 100%;
height: auto;
}

div.desc {
padding: 15px;
text-align: center;
}

```

```

.responsive {
  padding: 0 6px;
  float:left;
  width: 24.99999%;
}

.clearfix:after {
  content: "";
  display: table;
  clear: both;
}

/* Footer */
.footer {
  background: #ddd;
  margin-top: 20px;
  padding: 10px;
}

/* Social media icon */
.fa {
  padding: 20px;
  font-size: 30px;
  width: 30px;
  text-align: center;
  text-decoration: none;
  margin: 5px 2px;
  border-radius: 50%;
  box-sizing: unset;
}

.fa:hover {
  opacity: 0.7;
}

.fa-facebook {
  background: #3B5998;
  color: white;
}

.fa-twitter {
  background: #55ACEE;

```



```
    color: white;
}

.fa-google {
    background: #dd4b39;
    color: white;
}

.fa-instagram {
    background: #125688;
    color: white;
}

.fa-snapchat-ghost {
    background: #fffc00;
    color: white;
    text-shadow: -1px 0 black, 0 1px black, 1px 0 black, 0 -1px black;
}
```

blog1.html

```
* {
    box-sizing: border-box;
}

body {
    font-family: "Lucida Console ";
    padding: 20px;
    background: #f1f1f1;
}

/* Header/Blog Title */
.header {
    padding: 10px;
    overflow: hidden;
    width: 350px;
    display: block;
    margin-left: auto;
    margin-right: auto;
}
```

```

.header img{
    display:block;
    margin-left: auto;
    margin-right: auto;
    width:250px;
}

.header a {
    float: left;
    color: black;
    text-align: center;
    padding: 12px;
    text-decoration: none;
    font-size: 18px;
    line-height: 25px;
    border-radius: 4px;
}

.header a.logo {
    font-size: 25px;
    font-weight: bold;
}

.header a:hover {
    background-color: #ddd;
    color: black;
}

.header2{
    margin-left: auto;
}

/* Add a card effect for articles */
.card {
    background-color: white;
    padding: 20px;
    margin-top: 20px;
    box-shadow: 5px 10px 8px 10px #888888;
}

```

```

/* Cateгореis */
.cate {
  padding: 10px;
}

.cate a{
  padding: 5px;
  text-decoration: none;
}

.main{
  display:block;
  margin-left: auto;
  margin-right: auto;
}

/* images */
div.gallery {
  border: 1px solid #ccc;
}

div.gallery:hover {
  border: 1px solid #777;
}

div.gallery img {
  width: 100%;
  height: auto;
}

div.desc {
  padding: 15px;
  text-align: center;
}

.responsive {
  padding: 0 6px;
  float:left;
  width: 24.99999%;
}

```

```

.clearfix:after {
    content: "";
    display: table;
    clear: both;
}

/* Footer */
.footer {
    background: #ddd;
    margin-top: 20px;
    padding: 10px;
}

/* Social media icon */
.fa {
    padding: 20px;
    font-size: 30px;
    width: 30px;
    text-align: center;
    text-decoration: none;
    margin: 5px 2px;
    border-radius: 50%;
    box-sizing: unset;
}

.fa:hover {
    opacity: 0.7;
}

.fa-facebook {
    background: #3B5998;
    color: white;
}

.fa-twitter {
    background: #55ACEE;
    color: white;
}

.fa-google {

```

```

background: #dd4b39;
color: white;
}

.fa-instagram {
background: #125688;
color: white;
}

.fa-snapchat-ghost {
background: #fffc00;
color: white;
text-shadow: -1px 0 black, 0 1px black, 1px 0 black, 0 -1px black;
}

```

blog2.css

```

body {
font-family: "Monaco ";
background-color: lightgrey;
}

/* Header/Blog Title */

ul {
list-style-type: none;
margin: 0;
padding: 0;
overflow: hidden;
background-color: #333;
}

li {
float: right;
}

li a {
display: block;
color: white;
text-align: center;
}

```

```
padding: 14px 16px;
text-decoration: none;
background-color: green;
}
```

```
li a:hover:not(.active) {
  background-color: #111;
}
```

```
/*Body */
```

```
h1{
  font-size: px;
}
.body {
  background-color: white;
  padding: 20px;
  padding-left: 150px;
  padding-right: 150px;
  margin-top: 20px;
}
```

```
.body p{
  font-size: 20px;
}
```

```
/* Cateгореis */
```

```
.cate {
  padding: 10px;
}
```

```
.cate a{
  padding: 5px;
  text-decoration: none;
  background-color: #333;
  margin: 10px;
  color: white;
}
```

```
img{
  display: block;
  margin-left: auto;
```

```
margin-right: auto;
}

/* Footer */
.footer {
margin-top: 20px;
padding: 10px;
left: 0;
bottom: 0;
background-color: #333;
color: white;
text-align: center;
}

/* Social media icon */
.fa {
padding: 20px;
font-size: 30px;
width: 30px;
text-align: center;
text-decoration: none;
margin: 5px 2px;
border-radius: 50%;
box-sizing: unset;
}

.fa:hover {
opacity: 0.7;
}

.fa-facebook {
background: #3B5998;
color: white;
}

.fa-twitter {
background: #55ACEE;
color: white;
}

.fa-google {
background: #dd4b39;
```

```

    color: white;
}

.fa-instagram {
    background: #125688;
    color: white;
}

.fa-snapchat-ghost {
    background: #fffc00;
    color: white;
    text-shadow: -1px 0 black, 0 1px black, 1px 0 black, 0 -1px black;
}

```

blog2.html

```

<!DOCTYPE html>
<html>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="blog2.css">

<body>
    <div class="header">
        <ul>
            <li class="logo" style="float: left;"><a href="#"
style="background-color: black;">@ HOWTO.com</a></li>
            <li><a href="#">Home</a></li>
            <li><a href="#">News</a></li>
            <li><a href="#">Contact</a></li>
            <li><a href="#">About</a></li>
        </ul>
    </div>

    <div class="body">
        <p class="cate"><a href=#>Categories</a></a href=#>Shoe</a></p>
        <h1>How to take care of your shoe</h1>
        <h5>Joseph Davis, Feburary 15, 2021</h5>
        
        <p>There are many shoe for different kind of occation. We wear some shoe
more than the other. Sometime we will wear a shoe for a very

```


long time. We will get attach to our shoes. Its very important to take care of our beloved shoe and have a long loving relationships with our shoe.

</p>

<h3>1.Avoid direct Sunlight</h3>

<p>Direct sunlight and extreme heat will damage your shoe. Your shoe will stiffen up and dry rot.Instead, place your shoe in a dry and cool enviroment like a shoe rack. </p>

<h3>2. Avoid Moisture</h3>

<p>Shoes hate moisture! Moisture will cause the growth of bacteria and result in the shoe break down. After a rainy or wet day, you can use silica pouches or gels to keep the shoe dry and bacteria free. If you dont have silica, you can stuff your shoe with newspaper instead.</p>

<h3>3.Protect from dust</h3>

<p>Shoe the are worn regullary will easily collect dust. Dust will cause the shoe to loss its natural colour and make it look old. Shoe should be clean or polish reguallary. If you dont wear the shoe, you should always keep them in a shoe closet.</p>

<h3>4.Use Polish and Shiner</h3>

<p>Lether shoe are harder to maintain. If you like your leather shoe, you should reguallary polish and shiner them. Polish and shiner keep the shoe young.

</p>

<h3>5.Keep the shoe clean</h3>

<p>A very basic advice. But here are some tips on keeping shoe clean. </p>

<p>1. Tap you shoe after wearing them to keep the dust off.</p>

<p>2. Brush the sole of your shoe.</p>

<p>3. Use dry painbrush to get rib of dirt from the grooves of shoe soles.</p>

<h3>Conslusion</h3>

<p>Here are some tips on taking care the shoe. Remember these tips and you can keep you favorite shoe for a long long time.</p>

</div>

<div class="footer">


```
<a href="#" class="fa fa-snapchat-ghost"></a>
<p>@howto.com 2021</p>
</div>

</body>
</html>
```

blog3.css

```
/* header */
.header{
    text-align: center;
    padding-top: 5px;
}

.header h1{
    font-family: fantasy;
    background-color: lightgray;
    padding: 10px;
    width: 200px;
    text-align: center;
    display: block;
    margin-left: auto;
    margin-right: auto;
}

.header p{
    background-color: grey;
    padding: 10px;
    width: 200px;
    text-align: center;
    display: block;
    margin-left: auto;
    margin-right: auto;
    margin-top: -22px;
}

/* Body */
.body{
    padding-bottom: 10px;
    width: 1000px;
    box-shadow: 8px 8px 8px 8px #888888;
    display: block;
    margin-left: auto;
    margin-right: auto;
}
```

```

}

.cate {
    padding: 10px;
}

.cate a{
    padding: 5px;
    color: black;
}

.body p, h1, h5, h2{
    padding-left: 100px;
    padding-right: 100px;
}

.body p{
    font-size: 20px;
}

.title h1{
    text-align: center;
    color: white;
    position: absolute;
    top: 65%;
    left: 50%;
    transform: translate(-50%, -50%);
    font-size: 50px;
    text-shadow: -1px 0 black, 0 1px black, 1px 0 black, 0 -1px black;
}

.title img{
    padding-left: 0px;
    margin: auto;
    width: 100%;
}

.images{
    padding: 5px;
    display: block;
    margin-left: auto;
    margin-right: auto;
    width: 500px;
}

```

```
.price{
    margin-left: 100px;
    padding: 3px;
    background-color: yellow;
    width: 250px;
    font-size: 20px;
}
```

```
/* Footer */
.footer{
    text-align: center;
    padding: 10px;
}
```

```
/* Social media icon */
.icon{
    padding-left: 100px;
}
.fa {
    padding: 20px;
    font-size: 30px;
    width: 30px;
    text-align: center;
    text-decoration: none;
    margin: 5px 2px;
    border-radius: 50%;
    box-sizing: unset;
}
```

```
.fa:hover {
    opacity: 0.7;
}
```

```
.fa-facebook {
    background: #3B5998;
    color: white;
}
```

```
.fa-twitter {
    background: #55ACEE;
    color: white;
}
```

```

}

.fa-google {
  background: #dd4b39;
  color: white;
}

.fa-instagram {
  background: #125688;
  color: white;
}

.fa-snapchat-ghost {
  background: #fffc00;
  color: white;
  text-shadow: -1px 0 black, 0 1px black, 1px 0 black, 0 -1px black;
}

```

blog3.html

```

<html>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
<link rel="stylesheet" href="blog3.css">

<body>
<div class="header">
  <h1><b>GQ Blog</b></h1>
  <p>Your shopping guide</p>
</div>

<div class="body">
  <p class="cate"><a href="#">Categories</a></a href="#">Shoe</a></p>
  <div class="title">
    
    <h1>Top Nike shoe 2021</h1>
  </div>

  <h5>Joseph Davis, February 15, 2021</h5>
  <p>Nike, one of the favorite brand of sport shoes for peoples around the
world. Today, we will look at some of the latest available
  Nike shoe in early 2021.
  </p>

```

```


<h2>1.Nike Air Force 1 07</h2>
<p>The Nike's Air Force 1 series that got reintroduced in 2007, one of the
Nike's foavorite series by many. The latest iteration
    maintain the siries traits and identity - lightweight cushioning, a
padded collar and sturdy rubber soles.
</p>
<b class="price">Available for - RM369.00</b>


<h2>2.Nike Air Max Tailwind V SP    </h2>
<p>The latest and the fifth iteration of Tailwind series. This time, with
the original colourway of navy blue and white.
    The design Air bubbles in the sole provide extra cushioning while black
accents on the tongue, heel and sole.
</p>
<b class="price">Available for - RM479.00</b>


<h2>3.Nike Space Hippiie 04    </h2>
<p>Made with 25% recycled material. One of the Nike's effort to reduce
carbon emmision. The design shoe upper is
    characteristically stretchy and secure, while the Nike Grind is used to
for the Crater Foam sole.</p>
<b class="price">Available for - RM535.00</b>


<h2>4.Nike Air Max Plus    </h2>
<p>The morden version of the 1998 model. The the shoe's sole prominent arch
mimic a whale's tale,
    providing structure and stability, and the iconic plastic piping mimic
ocean waves.</p>
<b class="price">Available for - RM709.00</b>


<h2>5.Nike Air Zoom Vomero 15    </h2>
<p>One of Nike's plushest, most comfortable trainers. The design have a
heel clip, ZoomX foam in the heel and a
    larger Air Zoom unit at the front. </p>
<b class="price">Available for - RM429.00</b>


<h2>6.Nike SB Chron Solarsoft    </h2>

```

```

    <p>The design was originally intended for skateboarding. Now, wardrobe
    mainstay for many men around the world.
        The design have a soft suede with flexible canvas </p>
    <b class="price">Available for - RM329.00</b>

    
    <h2>7.Nike Air Max Tailwind V SP    </h2>
    <p>The design resemble military uniforms. The onion-stitched upper has the
    look of army jackets and a ripstop fabric
        for a heavy-duty design.</p>
    <b class="price">Available for - RM479.00</b>

    
    <h2>8.Nike Air Max 2090    </h2>
    <p>The new iteration of the Air Max 90 series feature a streamlined shape
    and an Air window. Thats 200 per cent larger
        than those traditional Air Max. The design still retain its
    traditional Air bubble-encasing cassette and traditional heel logo</p>
    <b class="price">Available for - RM349.00</b>

    <h2>Conclusion</h2>
    <p>Here all the latest Nike shoe available. Follow the blog for more
    shopping and brands guide update!</p>

    <p><b><br><br>Please share us on your social media!</b></p>
    <div class="icon">
        <a href="#" class="fa fa-facebook"></a>
        <a href="#" class="fa fa-twitter"></a>
        <a href="#" class="fa fa-google"></a>
        <a href="#" class="fa fa-instagram"></a>
        <a href="#" class="fa fa-snapchat-ghost"></a>
    </div>
</div>

<div class="footer">
<p><a href="http://GQblog.com">@GQblog.com</a> 2021</p>
</div>

</body>

```

```
</html>
```

cart.php

```
<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <title>Urban Shoes Online Shop | Urban Shoes MY</title>
    <link rel="shortcut icon" href="images/Logo.ico" />
    <style>
        <?php include('style.php'); ?>

        .cartpage{
            margin: 25px auto;
        }

        .carttable{
            width: 100%;
            border-collapse: collapse;
            background-color: white;
        }

        .cartrow{
            background-color: white;
        }

        .cartInfo{
            display: flex;
            flex-wrap: wrap;
        }

        .carthead{
```



```

        text-align:left;
        padding:5px;
        background:black;
        color:white;
        font-weight:normal;
    }

    td{
        padding: 10px 5px;
    }

    td input{
        width:50px;
        height:30px;
        padding:5px;
    }

    td a{
        color:rgb(80,80,80);
        text-decoration:underline;
        font-size:14px;
        padding-left:15px;
        padding-top:15px;
    }

    td img{
        width:200px;
        height: 150px;
        margin-right: 10px;
    }

    .summary{
        display:flex;
        justify-content:flex-end;
    }

    .summary table{
        border-top: 3px solid black;
        width:100%;
        max-width:400px;
    }

```

```

        td:last-child{
            text-align:right;
        }

        th:last-child{
            text-align:right;
        }

    </style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">

                    <h2>CART</h2>
                    <div class="cartpage">
                        <table class="carttable">

                            <tr>
                                <th class = "carthead">Product</th>
                                <th class = "carthead">Quantity</th>
                                <th class = "carthead">Subtotal</th>
                            </tr>

                            <?php

                                $data = 0;
                                // $query = "SELECT * FROM prod_tb ORDER BY prod_name,
                                prod_category WHERE prod_availability = $data";
                                $query = "SELECT * FROM cart_tb WHERE cart_user_pk =
                                $retrieve_login_user_pk";

                                if ($result = $conn->query($query))
                                {
                                    while ($row = $result->fetch_assoc())
                                    {

```

```

        $e1 = $row["cart_pk"];
        $e2 = $row["cart_user_pk"];
        $e3 = $row["cart_prod_pk"];
        $e4 = $row["cart_quantity"];
        $e5 = $row["cart_size"];

        $query1 = "SELECT * FROM prod_tb WHERE prod_pk =
$e3 LIMIT 1";

        if ($result1 = $conn->query($query1))
        {
            while ($row1 = $result1->fetch_assoc())
            {
                $f1 = $row1["prod_pk"];
                $f2 = $row1["prod_name"];
                $f14 = $row1["prod_brand"];
                $f15 = $row1["prod_category"];
                $f16 = $row1["prod_gender"];
                $f17 = $row1["prod_year"];
                $f18 = $row1["prod_price"];
                $f19 = $row1["prod_discount"];
                $f20 = $row1["prod_availability"];
                $f21 = $row1['prod_image'];

                $discount = convertToDiscount($f19);
                if($discount == 1){
                    $discountedPrice = $f18;
                    $displayDiscount = 0;
                }
                else{
                    $discountedPrice = ($f18 * (100-
$discount))*0.01;

                    $displayDiscount = $discount;
                }

                ?>

                <tr class="cartrow">
                    <td>
                        <div class="cartInfo">
                            
                            <div>
                                <p><?php echo $f2; ?></p>
                                <small>Price: RM<?php echo
number_format((float) $discountedPrice, 2, '.', ''); ?></small>

```

```

                                <small>Size: <?php echo $e5; ?>
Europe</small>

                                </br>
                                <a href
="removeProductFromCart.php?cart_pk=<?php echo $e1; ?>">Remove</a>
                                </div>
                                </div>
                                </td>
                                <td><input type = "number" value = "<?php echo
$e4; ?>" readonly></td>
                                <?php $data += number_format((float)
$discountedPrice, 2, '.', '') * $e4; ?>
                                <td>RM <?php echo number_format((float)
$discountedPrice, 2, '.', '') * $e4; ?> </td>
                                </tr>

                                <?php
                                }
                                $result1->free();
                                }

                                }
                                $result->free();
                                }
                                ?>

                                </table>
                                <div class="summary">
                                <table>
                                <tr>
                                <td>Subtotal</td>
                                <td>RM<?php echo number_format((float)
$discountedPrice, 2, '.', ''); ?></td>
                                </tr>
                                <tr>
                                <td>Estimated Delivery & Handling</td>
                                <td>RM10.00</td>
                                <?php $data += 10; ?>
                                </tr>
                                <tr>
                                <td>Total</td>
                                <td>RM<?php echo number_format((float)
$discountedPrice, 2, '.', ''); ?></td>
                                </tr>
                                </table>

```

```

        </div>
    </div>
</div>
</div>
</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

</html>

```

contactus.php

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>Urban Shoes Online Shop | Contact Us</title>
    <style>
        <?php include 'styles.css'; ?>
        input[type=text],
        input[type=email],
        select,
        textarea {
            width: 100%;
            /* Full width */
            padding: 12px;
            /* Some padding */
            border: 1px solid #ccc;
            /* Gray border */
            border-radius: 4px;
            /* Rounded borders */
            box-sizing: border-box;
            /* Make sure that padding and width stays in place */
            margin-top: 6px;
            /* Add a top margin */
            margin-bottom: 16px;
            /* Bottom margin */
            resize: vertical
            /* Allow the user to vertically resize the textarea (not
            horizontally) */
        }
    </style>

```

```

input[type=submit] {
    background-color: #4CAF50;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

input[type=submit]:hover {
    background-color: lightgrey;
}

input[type=submit] {
    background-color: grey;
    color: white;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

.ContactInformation {
    border: 0.5px solid whitesmoke;
    padding: 10px;
}

.ContactInformation a {
    color: rgb(78, 113, 186);
}
</style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">

```

```

                                <!--CONTENT: -->
                                <div class="ContactInformation">
<h1> Contact Us </h1>

                                <p>
                                Our customer care teams are available to help you,
you can contact us:
                                </br>
                                </p>

                                <p>
                                </br><strong>By email:</strong> </br> Feel free to
send us email to
                                <em>customerservice@Urbanshoes.com</em> for
enquiries.
                                </br> Please kindly give us the order reference
number for order checking.
                                </p>

                                <p>
                                </br><strong>By phone:</strong> </br> Feel free to
contact us via <em>03- 3141 5926</em> for
                                quick enquiries.
                                </br> Our customer service line are available for
10:00 a.m. to 1:00 p.m. and 5:00 p.m. to
                                9:00p.m. (every Monday to Saturday).
                                </p>
                                <p>
                                </br><strong> Our twitter: </strong><a
href="http://www.twitter.com/Urbanshoes"
                                data-mce-
href="http://www.twitter.com/Urbanshoes"> @Urbanshoes</a> </br>
                                <strong> Our facebook: </strong> <a
href="http://www.facebook.com/Urbanshoes"
                                data-mce-
href="http://www.facebook.com/Urbanshoes">Urbanshoes</a>

                                </p>
                                </div>

                                <div class="ContactForm">
                                <form action="" method="POST">
                                </br>

```

```

        <label for="name">Full Name: </label>
        <input type="text" id="name" name="name"
placeholder="Enter full name here" required>

        <label for="email">Email address: </label>
        <input type="email" id="email" name="emailadd
placeholder="Enter email here" maxlength="80"
        required>

        <label for="subject">Subject: </label>
        <input type="text" id="subject" name="subject"
placeholder="Enter subject here" required>

        <label for="description">Description: </label>
        <textarea id="description" name="description"
cols=20 rows=5
        placeholder="Write your message here... "
required></textarea>

        <label for="orderNo">Order Number: </label>
        <input type="text" id="orderNo" maxlength="10"
name="orderNo"
        placholder="Enter order number here"
title="orderNo" required>

        <input type="submit" name="button" value="Submit">
    </form>
</div>
</div>
</div>
</div>
</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

</html>

```

```
db_config.php
```

```

<?php
    /*LOCAL*/
    $servername = "localhost";

```



```
$username = "root";  
$password = "";  
$db = "urbanshoes";
```

```
/*ONLINE  
$servername = "";  
$username = "";  
$password = "";  
$db = "";  
*/
```

```
?>
```

debug.php

```
<?php  
function consoleLog($msg) {  
    echo '<script>console.log(" '.$msg.' ")</script>';  
}  
  
function phpAlertRedirect($msg, $loc) {  
    echo "<script type='text/javascript'>alert('$msg');  
    window.location='$loc';  
    </script>";  
}  
  
function phpAlert($msg) {  
    echo "<script type='text/javascript'>alert('$msg');</script>";  
}  
  
function convertToDiscount($disc) {  
    $to100 = $disc * 100;  
    $discount = 100 - $to100;  
    return $discount;  
}  
  
function convertSize($s35, $s36, $s37, $s38, $s39, $s40, $s41, $s42, $s43,  
$s44, $s45) {  
    $returnValue = '';  
    if($s35 == 1)  
        $returnValue .= '(35)';  
    if($s36 == 1)  
        $returnValue .= '(36)';  
    if($s37 == 1)  
        $returnValue .= '(37)';
```

```

        if($s38 == 1)
            $returnValue .= '(38)';
        if($s39 == 1)
            $returnValue .= '(39)';
        if($s40 == 1)
            $returnValue .= '(40)';
        if($s41 == 1)
            $returnValue .= '(41)';
        if($s42 == 1)
            $returnValue .= '(42)';
        if($s43 == 1)
            $returnValue .= '(43)';
        if($s44 == 1)
            $returnValue .= '(44)';
        if($s45 == 1)
            $returnValue .= '(45)';
        return $returnValue;
    }
?>

```

deleteProductsScript.php

```

<?php
    include('db_config.php');
    include('debug.php');

    $conn = mysqli_connect($servername, $username, $password, $db);

    if (!$conn){ // Check connection
        die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
        contact admin for support.");
    }

    if(isset($_GET['id'])) {
        $id = $_GET['id'];
        $sql = "DELETE FROM prod_tb WHERE prod_pk = $id";
        if($conn->query($sql)===TRUE) {
            phpAlertRedirect("Product Deleted!", "manageProducts.php");
        } else {
            phpAlertRedirect("Error deleting record", "manageProducts.php");
        }
    }

    $conn->close();
?>

```

faq.php

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,initial-scale=1.0">
  <title>Urban Shoes Online Shop | Urban Shoes MY</title>
  <style>
    <?php include 'styles.css'; ?>

    .accordion-item{
background-color:white;
border-radius: .4rem;
padding: 1 rem;
}
    .accordion-link{
font-size:1.8rem;
color:black;
background-color:lightgrey;
display:flex;
align-items:center;
justify-content:space-between;
padding: 3 rem 0;
border-style: outset;
border-color: white;
}
    .answer{
max-height: 0;
overflow: hidden;
position:relative;
background-color: white;
font-size: 1.5 rem;
transition: max-height 650ms;
}

    .answer::before{
content: "";
position:absolute;
width: .6rem
height:90%
top:50%;
transform: translateY(-50%);
}
    .accordion-item:target .answer{
```

```

max-height: 20rem;
}
.faqHeader{
text-decoration: underline overline white;
text-align:center;
background-color:black;
color:white;
}
.ans{
font-size:1.5rem;
padding: 1 rem;
}
</style>
</head>

<body>
  <?php include('header.php'); ?>
  <div class="wrapper hovercollapse">
    <?php include('navbar.php'); ?>
    <?php include('sidebar.php'); ?>
    <div class="maincontainer">
      <div class="container">
        <div class="content">
          <div class="accordion">
            <h1 class=faqHeader>Order&Delivery</h1>
            <div class="accordion-item" id="question1">
              <a class="accordion-link" href="#question1">
                Standard Home Delivery
                
              </a>
              <div class="answer">
                <p class="ans">
                  The standard delivery of shoes will be made within 4-7 working
days after the
                  order
                  is dispatched.</br>
                  The delivery fee is RM20
                </p>
              </div>
            </div>
            <div class="accordion-item" id="question2">
              <a class="accordion-link" href="#question2">
                Is there any free delivery?
                
              </a>

```

```

<div class="answer">
  <p class="ans">
    Yes. The free delivery service will be provided if purchase
more than RM 450 in
                                a
                                trasaction.

  </p>
</div>
</div>
<div class="accordion-item" id="question3">
  <a class="accordion-link" href="#question3">
    What if I received wrong items?
    
  </a>
  <div class="answer">
    <p class="ans">
      If you have received the wrong item, then please contact our
Customer Care team.
                                They will be pleasure to assist you.

    </p>
  </div>
</div>
<div class="accordion-item" id="question4">
  <a class="accordion-link" href="#question4">
    What if I received a damaged items
    
  </a>
  <div class="answer">
    <p class="ans">
      If you received damaged items. Please contact our Customer Care
team for further
                                discussing on your return option. If
the items are found out have any
                                manufacturing
                                fault. You may request refund as well.

    </p>
  </div>
</div>
<h1 class="faqHeader">Returns&Refunds </h1>
<div class="accordion-item" id="question5">
  <a class="accordion-link" href="#question5">
    How do I return/exchange my order?
    
  </a>
  <div class="answer">

```

```

        <p class="ans">
            Returns In store:</br>
            You can return your order for free in
store!</br>
            Returning an order by post:</br>
            To return a purchase made through the
website, mobile or app, you can make your
own
arrangements through any postal carrier
to our returns centre. We recommend you
use
one who can give you a "Certificate of
Posting" as, until the parcel reaches us,
it's your responsibility. Please take
note that walk-ins will not be entertained
at
the returns centre.
</br>Urban Returns Centre:</br>
LF Logistics Services (M) Sdn Bhd</br>
(Urban Returns)</br>
LOT 22, Jalan pyramid 2,</br>
Seksyen 15,</br>
40400 Shah Alam, Selangor</br>
Malaysia</br>
        </p>
    </div>
</div>
<div class="accordion-item" id="question6">
    <a class="accordion-link" href="#question6">
        How long will it take to get my refund?
        
    </a>
    <div class="answer">
        <p class="ans">
            Normally, the refund process will take about 7-14 days to
reflect in your bank
            account.
        </p>
    </div>
</div>
<div class="accordion-item" id="question7">
    <a class="accordion-link" href="#question7">
        How long can I returns the shoes that not suitable for me?
        
    </a>
    <div class="answer">

```

```

        <p class="ans">
            You may return the shoes within 7 days after your purchase made
in our outlet.

            However, if the shoes is found out
damaged but not manufacturing fault the
            return
            process is not allowed.</br>
            You also may contact our Customer Care
team online for further return process.
        </p>
    </div>
</div>
<h1 class=faqHeader>Product&Stock </h1>
<div class="accordion-item" id="question8">
<a class="accordion-link" href="#question8">
    Can you tell me if any new arrival item are landed?
    
</a>
<div class="answer">
<p class="ans">
    We are sorry to tell you that our Customer Care team only have
limited
            information
            on the product stock, to get our latest
information on our new arrival items
            please follow our social media.

    </p>
</div>
</div>
<div class="accordion-item" id="question9">
<a class="accordion-link" href="#question9">
    Where can I find your size guide and care instructions?
    
</a>
<div class="answer">
<p class="ans">
    You can find a size guide and care instructions on any of our
blog pages.

    </p>
</div>
</div>
<div class="accordion-item" id="question10">
<a class="accordion-link" href="#question10">
    Preorder
    

```

```

        </a>
        <div class="answer">
        <p class="ans">
        All items that are available for Pre-Order will be despatched
on the day of
                                release.

        </p>
        </div>
        </div>
        </div>
        </div>
        </div>
    </div>
    <?php include('footer.php'); ?>
    <script src="scripts.js"></script>
</body>

</html>

```

footer.php

```

<footer>
    <div class="container">
        <div class="section footer-col1">
            <h3>Thank For Using Our</h3>
            <p>Popular Website in Southeast Asia</p>
        </div>

        <div class="section footer-col2">
            <h3>Follow Us</h3>
            <ul>
                <li>Facebook</li>
                <li>Instagram</li>
                <li>Twitter</li>
                <li>Youtube</li>
            </ul>
        </div>
    </div>
    <div class="copyright">
        &copy;2021 Urban Shoes Malaysia Sdn Bhd
    </div>
</footer>

```

header.php

```

<?php
    include('session.php');

```



```

// If SESSION not Started => Guest
if(!isset($_SESSION['user_type'])): ?>
<header>
    <div>
        <nav aria-label="Header Nav">
            <a href="blog.php">Blog</a>
            &nbsp;
            &nbsp;
            <a href="login.php">Sign in</a>
        </nav>
    </div>
</header>

<?php
else:
?>

    <?php // Admin
    if($_SESSION['user_type'] == 'admin'): ?>
    <header>
        <div>
            <nav aria-label="Header Nav">
                <a style="color:black;">Welcome, <b><?php echo
$login_session; ?></b> (Admin)</a>
                &nbsp;
                &nbsp;
                <a href="blog.php">Blog</a>
                &nbsp;
                &nbsp;
                <a href="manageProducts.php">Manage Products</a>
                &nbsp;
                &nbsp;
                <a href="logout.php">Logout</a>
            </nav>
        </div>
    </header>

    <?php // User/Member
    elseif($_SESSION['user_type'] == 'user'): ?>
    <header>
        <div>
            <nav aria-label="Header Nav">
                <a style="color:black;">Welcome, <b><?php echo
$login_session; ?></b> (User)</a>
                &nbsp;
                &nbsp;

```

```

        <a href="blog.php">Blog</a>
        &nbsp;
        &nbsp;
        <a href="logout.php">Logout</a>
    </nav>
</div>
</header>

<?php endif; ?>

<?php endif; ?>

```

home.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>Urban Shoes Online Shop | Urban Shoes MY</title>
    <style>
        <?php include('style.php'); ?>
        .content .container1 {
            width: 100%;
        }

        .container1 img {
            width: 100%;
            height: 800px;
        }

        .container1 .shop {
            position: absolute;

```

```

        top: 60%;
        left: 35%;
        transform: translate(-50%, -50%);
        -ms-transform: translate(-50%, -50%);
        background-color: black;
        color: whitesmoke;
        font-size: 16px;
        padding: 12px 24px;
        cursor: pointer;
        border-radius: 5px;
        text-align: center;
    }

    .container1 .shop:hover {
        border: 1.5px solid white;
        background-color: rgb(50, 50, 50);
        color: white;
    }
</style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">
                    <div class="container1">
                        

                        <a href="maindashboard.php">
                            <button class="shop">Shop Now</button>
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <?php include('footer.php'); ?>
    <script src="scripts.js"></script>
</body>

</html>

```

kids.php

```
<?php
    include('session.php');
    if(!isset($_SESSION) ){
        session_start(); }
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>Urban Shoes Online Shop | Kids Shoes</title>
    <style>
        <?php include 'styles.css'; ?>
        .content h2 {
            font-size: 26px;
            padding-bottom: 15px;
            font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida
Grande', 'Lucida Sans', Arial, sans-serif;
        }

        .content .container1 {
            width: 100%;
        }

        .container1 img {
            width: 100%;
            height: 750px;
        }

        .container1 .shop {
            position: absolute;
            top: 92%;
            left: 91.5%;
            transform: translate(-50%, -50%);
            -ms-transform: translate(-50%, -50%);
            background-color: black;
            color: whitesmoke;
            font-size: 16px;
```

```

padding: 12px 24px;
cursor: pointer;
border-radius: 5px;
text-align: center;
}

.container1 .shop:hover {
border: 1.5px solid white;
background-color: rgb(50, 50, 50);
color: white;
}
</style>
</head>

<body>
<?php include('header.php'); ?>
<div class="wrapper hovercollapse">
<?php include('navbar.php'); ?>
<?php include('sidebar.php'); ?>
<div class="maincontainer">
<div class="container">
<div class="content">
<h2>Kids</h2>
<div class="container1">


<a href="maindashboard.php">
<button class="shop">Shop Kid's</button>
</a>
</div>
</div>
</div>
</div>

<div class="small-container1" style="margin-top: 50px;" >
<div class="row row2">
<h2 class="title">Featuring Products</h2>
</div>
</div>

<div class="small-container" style="margin-top: 40px;">
<div class="row">
<div class="colSingleProduct kid sport nike 2021">

<h4>Jordan Air 6 Retro "Carmine" Children</h4>

```

```

        <p class="price" price-value = "259" style="color:
coral;">$299</p>
        <p><s style="color:darkgray">$50.00</s>-20%</p>
    </div>
    <div class="colSingleProduct kid slide addidas 2021">
        
        <h4>ADIDAS Swim Sandals Infant</h4>
        <p class="price" price-value = "259" style="color:
coral;">$119</p>
        <p><s style="color:darkgray">$50.00</s>-20%</p>
    </div>

    <div class="colSingleProduct kid casual puma 2021">
        
        <h4>PUMA Shuffle x Peanuts Junior</h4>
        <p class="price" price-value = "259" style="color:
coral;">$229</p>
        <p><s style="color:darkgray">$50.00</s>-20%</p>
    </div>
</div>
</div>

<div class="small-container1" style="margin-top: 50px;" >
    <div class="row row2">
        <h2 class="title">Lastest Products</h2>
    </div>
</div>

<div class="small-container" style="margin-top: 40px;">
    <div class="row">
        <div class="colSingleProduct kid casual puma 2021">
            
            <h4>ADIDAS RapidaZen Infant</h4>
            <p class="price" price-value = "259" style="color:
coral;">$229</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
        <div class="colSingleProduct kid casual puma 2021">
            
            <h4>adidas Originals Forum Low Junior</h4>
            <p class="price" price-value = "259" style="color:
coral;">$229</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
        <div class="colSingleProduct kid casual puma 2021">

```



```

include('loginScript.php');
/*
if(isset($_SESSION['logged_in'])){
    header("Location: maindashboard.php");
}
else if(isset($_SESSION['logged_in'])){
    header("Location: user_page.php");
}
*/
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>Urban Shoes Online Shop | Account Login</title>
    <style>
        <?php include 'styles.css'; ?>
        .title {
            margin-left: 35px;
        }

        .link {
            margin-left: 5px;
            color: lightgrey;
            font-weight: bold;
        }

        .form {
            background-color: white;
            padding: 25px;
            margin: 20px;
            margin-left: 350px;
            margin-right: 350px;
        }

        input[type=text],
        input[type=password] {
            width: 100%;
            padding: 10px;

```



```

    margin-top: 10px;
    margin-bottom: 10px;
    display: inline-block;
    border: none;
    background: whitesmoke;
}

.button {
    background-color: black;
    color: white;
    padding: 10px 10px;
    margin: 15px 0;
    border: none;
    cursor: pointer;
    width: 100%;
}

.register {
    margin-top: -20px;
    margin-left: 35px;
}

.content{
    background-image: url('images/login_background.gif');
    background-repeat: no-repeat;
    background-position: center;
    background-size: 100% 220%;
}

.title{
    color: white;
}

h1{
    padding-top: 10px;
}

.register{
    color: white;
    text-align: center;
    padding-top: 20px;
    padding-bottom: 20px;
}

```

```

    }

    </style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">
                    <!--CONTENT: Login-->
                    <h1 class="title"> Login </h1>
                    <p class="title"> Welcome! Please Login.</p>

                    <form action="" method="post" class="form">
                        <label for="username">Username</label>
                        <input type="text" placeholder="Enter Username here"
name="user_name" required><br>

                        <label for="password">Password</label>
                        <input type="password" placeholder="Enter Password
here" name="user_pass" required><br>

                        <!--
                        <label>
                            <input type="checkbox" name="remember"
style="margin-bottom:15px"> Remember me
                        </label><br>
                        -->

                        <button class="button" type="submit" name="submit"
class="signupbtn">Login</button><br>
                    </form>

                    <p class="register">New user? <a class="link"
href="signup.php">Register here!</a></p>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
    <?php include('footer.php'); ?>
    <script src="scripts.js"></script>
</body>

</html>

```

loginScript.php

```

<?php
    require_once('debug.php');
    $status = '(loginScript): ';

    if(!isset($_SESSION)):
        $status .= 'session not set ';
    else:
        $status .= 'session is set ';
    endif;

    include('db_config.php');

    $error = ''; // Variable To Store Error Message
    //error_reporting(0);

    if (isset($_POST['submit']))
    {
        if (empty($_POST['user_name']) || empty($_POST['user_pass'])) {
            $error = "Please enter login details!";
            echo $error;
        }
        else
        {
            $get_username = $_POST['user_name'];
            $get_password = $_POST['user_pass'];

            $conn = mysqli_connect($servername, $username, $password, $db);

            // check admin_tb
            $query = "SELECT admin_name, admin_pass FROM admin_tb WHERE
admin_name=? AND admin_pass=? LIMIT 1";

            // To protect from MySQL injection
            $stmt = $conn->prepare($query);

```

```

$stmt->bind_param("ss", $get_username, $get_password);
$stmt->execute();
$stmt->bind_result($get_username, $get_password);
$stmt->store_result();

// Determine if ADMIN
if($stmt->fetch())
{ // Fetching the contents of the row
    // Initializing Session
    if(!isset($_SESSION)) {
        session_start();
    }
    $_SESSION['logged_in'] = true;
    $_SESSION['user_type'] = 'admin';
    $_SESSION['name'] = $get_username;
    $status .= '(admin)';
    phpAlertRedirect("Logged in as $get_username", "redirect.php");
}
// Check user_tb
else
{
    $query = "SELECT user_name, user_pass FROM user_tb WHERE
user_name=? AND user_pass=? LIMIT 1";

    // To protect from MySQL injection
    $stmt = $conn->prepare($query);
    $stmt->bind_param("ss", $get_username, $get_password);
    $stmt->execute();
    $stmt->bind_result($get_username, $get_password);
    $stmt->store_result();

    // Determine if USER
    if($stmt->fetch())
    { // Fetching the contents of the row
        // Initializing Session
        if(!isset($_SESSION)) {
            session_start();
        }
        $_SESSION['logged_in'] = true;
        $_SESSION['user_type'] = 'user';
        $_SESSION['name'] = $get_username;
        $status .= '(user)';
        phpAlertRedirect("Logged in as $get_username", "redirect.php");
    }
    else{
        $status .= '(guest)';
    }
}

```

```

        phpAlertRedirect("Incorrect login details! Please try again.",
"login.php");
    }
}
mysqli_close($conn); // Closing Connection
}
}
else
    $status .= '(guest)';

    // status check
    consoleLog($status);
?>

```

logout.php

```

<?php
    if(!isset($_SESSION)){
        session_start();
    }

    include('session.php');
    $temp = $login_session;
    phpAlertRedirect("Logged Out as $temp", "home.php");

    if(session_destroy()){ // Destroying All Sessions
        // destroy after redirect
    }
?>

```

maindashboard.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
?>

<!DOCTYPE html>
<html lang="en">

```

```

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,initial-scale=1.0">
  <link rel="shortcut icon" href="images/Logo.ico" />

  <title>Urban Shoes Online Shop | Shop</title>
  <style>
    <?php include('style.php'); ?>
    /*---Dropdown---*/

    .dropdown {
      display: inline-block;
    }
    .dropdown-content {
      display: none;
      position: absolute;
      background-color: #f1f1f1;
      min-width: 160px;
      box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
      z-index: 1;
    }

    .dropdown-content a {
      color: black;
      padding: 12px 16px;
      text-decoration: none;
      display: block;
    }

    .dropdown-content a:hover {background-color: #ddd;}

    .dropdown:hover .dropdown-content {display: block;}

    .btn{
      border: none;
      outline: none;
      padding: 12px 16px;
      background-color: white;
      cursor: pointer;
    }

    .btn:hover {
      background-color: #ddd;
    }
  </style>

```

```

.btn.active {
  background-color: #666;
  color: white;
}

.btn1{
  border: none;
  outline: none;
  padding: 12px 16px;
  background-color: rgba(255, 255, 255, 0.349);
  cursor: pointer;
}

.btn1:hover {
  background-color: #ddd;
}

.btn1.active {
  background-color: #666;
  color: white;
}

.row1{
  justify-content: space-between;
  margin: 20px auto 50px;
}

.row{
  display: flex;
  align-items: center;
  flex-wrap: wrap;
  justify-content: space-around;
}

.small-container1{
  max-width: 1080px;
  margin : auto;
  padding-left: 25px;
  padding-right: 25px;
}

.col1{

```

```

    flex-basis: 30%;
    padding: 10px;
    min-width: 200px;
    margin-bottom: 50px;
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.1);
    transition: transform 0.5s;
    display: none;
}

.coll img{
    width: 100%;
}

.coll:hover{
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.5);
}

/* The "show" class is added to the filtered elements */
.show {
    display: block;
}

.page-btn{
    margin: 0 auto 80px;
}

.page-btn span{
    display: inline-block;
    border: 1px solid black;
    margin-left: 10px;
    width: 40px;
    height: 40px;
    text-align: center;
    line-height: 40px;
    cursor: pointer;
}

.page-btn span:hover{
    color: white;
    background: rgb(206, 172, 238);
}

```



```

    </style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="small-container1">
                <h2>SHOES</h2>
                <div class="row row1">
                    <div id="myBtnContainer">
                        <button class="btn active"
onclick="filterSelection('all')"> Show all</button>
                        <button class="btn" onclick="filterSelection('M')">
Men</button>
                        <button class="btn" onclick="filterSelection('F')">
Women</button>
                        <button class="btn" onclick="filterSelection('K')">
Kids</button>
                        <div class="dropdown">
                            <button class="btn1"
class="categories">Categories</button>
                            <div class="dropdown-content">
                                <a href="#" class="btn1"
onclick="filterSelection('Casual')">CasualShoes</a>
                                <a href="#" class="btn1"
onclick="filterSelection('Sport')">Sport Shoes</a>
                                <a href="#" class="btn1"
onclick="filterSelection('Slides & Flips Flops')">Slides & Flips Flops</a>
                            </div>
                        </div>
                        <div class="dropdown">
                            <button class="btn1"
class="brand">Brands</button>
                            <div class="dropdown-content">
                                <a href="#" class="btn1"
onclick="filterSelection('Nike')">Nike</a>
                                <a href="#" class="btn1"
onclick="filterSelection('Adidas')">Addidas</a>
                                <a href="#" class="btn1"
onclick="filterSelection('Converse')">Converse</a>
                                <a href="#" class="btn1"
onclick="filterSelection('puma')">Puma</a>
                                <a href="#" class="btn1"
onclick="filterSelection('vans')">Vans</a>

```

```

        </div>
    </div>
    <div class="dropdown">
        <button class="btn1" class="year">Product's
Year</button>

        <div class="dropdown-content">
            <a href="#" class="btn1"
onclick="filterSelection('2021')">2021</a>
            <a href="#" class="btn1"
onclick="filterSelection('2020')">2020</a>
            <a href="#" class="btn1"
onclick="filterSelection('2019')">2019</a>
            <a href="#" class="btn1"
onclick="filterSelection('2018')">2018</a>
        </div>
    </div>
</div>
<select>
    <option>Best Match</option>
    <option onclick="sortTableLow('low')">Price low to
high</option>
    <option onclick="sortTableHigh('high')">Price high
to low</option>
    <option>Discount</option>
</select>
</div>
</br>
</br>

<div class="row">

    <?php
    $data = 1;
    // $query = "SELECT * FROM prod_tb ORDER BY prod_name,
prod_category WHERE prod_availability = $data";
    $query = "SELECT * FROM prod_tb ORDER BY prod_name,
prod_category";

    if ($result = $conn->query($query))
    {
        while ($row = $result->fetch_assoc())
        {
            $e1 = $row["prod_pk"];
            $e2 = $row["prod_name"];
            $e3 = $row["prod_s35"];
            $e4 = $row["prod_s36"];

```

```

        $e5 = $row["prod_s37"];
        $e6 = $row["prod_s38"];
        $e7 = $row["prod_s39"];
        $e8 = $row["prod_s40"];
        $e9 = $row["prod_s41"];
        $e10 = $row["prod_s42"];
        $e11 = $row["prod_s43"];
        $e12 = $row["prod_s44"];
        $e13 = $row["prod_s45"];
        $e14 = $row["prod_brand"];
        $e15 = $row["prod_category"];
        $e16 = $row["prod_gender"];
        $e17 = $row["prod_year"];
        $e18 = $row["prod_price"];
        $e19 = $row["prod_discount"];

        $discount = convertToDiscount($e19);
        if($discount == 1){
            $discountedPrice = $e18;
            $displayDiscount = 0;
        }
        else{
            $discountedPrice = ($e18 * (100-
$discount))*0.01;

            $displayDiscount = $discount;
        }

        $e20 = $row["prod_availability"];
        $e21 = $row['prod_image'];

        ?>

        <div class="col1 <?php echo $e16; ?> <?php echo
$e15; ?> <?php echo $e14; ?> <?php echo $e17; ?>">
            <a href="product.php?id=<?php echo $e1; ?>">

                
                <h4><?php echo $e2; ?></h4>
                <p class="price" style="color: coral;">$<?php
echo number_format((float) $discountedPrice, 2, '.', ''); ?></p>
                <p><s style="color:darkgray">$<?php echo
$e18; ?></s><?php if($displayDiscount != 0) {echo "-"; echo $displayDiscount;
echo "%";}}?></p>

            </a>

```

```

        </div>

        <!--
        <div class="col1 men casual vans 2018">
            <a href="product1.php">
                
                <h4>Vans Old Skool</h4>
                <p class="price" price-value = "260"
style="color: coral;">$260</p>
                <p><s style="color:darkgray">$312</s>-20%</p>
            </a>
        </div>
        -->

        <?php
        }
        $result->free();
        }
        ?>

    </div>

    <div class="page-btn">
        <span><a href="maindashboard.php">1</a></span>
        <span><a href="product1.php">2</a></span>
        <span>3</span>
        <span>4</span>
        <span><a href="product1.php">&#8594</a></span>
    </div>

    </div>
</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
<script>
    filterSelection("all")
    function filterSelection(c) {
        var x, i;
        x = document.getElementsByClassName("col1");
        if (c == "all") c = "";
        for (i = 0; i < x.length; i++) {
            RemoveClass(x[i], "show");
            if (x[i].className.indexOf(c) > -1) AddClass(x[i], "show");
        }
    }

```

```

    }
}

function AddClass(element, name) {
    var i, arr1, arr2;
    arr1 = element.className.split(" ");
    arr2 = name.split(" ");
    for (i = 0; i < arr2.length; i++) {
        if (arr1.indexOf(arr2[i]) == -1) { element.className += " " +
arr2[i]; }
    }
}

function RemoveClass(element, name) {
    var i, arr1, arr2;
    arr1 = element.className.split(" ");
    arr2 = name.split(" ");
    for (i = 0; i < arr2.length; i++) {
        while (arr1.indexOf(arr2[i]) > -1) {
            arr1.splice(arr1.indexOf(arr2[i]), 1);
        }
    }
    element.className = arr1.join(" ");
}

// Add active class to the current button (highlight it)
var btnContainer = document.getElementById("myBtnContainer");
var btns = btnContainer.getElementsByClassName("btn");
for (var i = 0; i < btns.length; i++) {
    btns[i].addEventListener("click", function () {
        var current = document.getElementsByClassName("active");
        current[0].className = current[0].className.replace(" active",
""");
        this.className += " active";
    });
}

function sortTableLow() {
    var array = Array.slice(document.getElementsByClassName("price"));
    array.sort(function (a, b) {
        return parseFloat(a.innerHTML.replace("$", "")) -
parseFloat(b.innerHTML.replace("$", ""));
    });
    array.map(function(e){

```

```

        e.parentNode.appendChild(e);
    });
}

function myFunction() {
    var items = document.getElementsByTagName("h2");
    var prices = [];

    for (var i = 0; i < items.length; i++) {
        prices.push(+items[i].getAttribute("class"));
        console.log(prices);
    }

    prices.sort(sortNumber);
    console.log(prices);
    // document.getElementById("demo").innerHTML = price;
};

</script>
</body>

</html>

```

manageProducts.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
    require_once('debug.php');
    include('db_config.php');
    $conn = mysqli_connect($servername, $username, $password, $db);
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">

```

```

<link rel="shortcut icon" href="images/Logo.ico" />
<title>(Admin) Manage Products</title>
<style>
    <?php include 'styles.css'; ?>
    button {
        background-color: grey;
        color: white;
        padding: 12px 20px;
        border: none;
        border-radius: 4px;
        cursor: pointer;
    }
    button a {
        color: white;
    }
    button:hover {
        background-color: lightgrey;
    }

    table {
        border-collapse: collapse;
        width: 100%;
        /* Full width */
        padding: 12px;
        /* Some padding */
        border: 1px solid #ccc;
        /* Gray border */
        border-radius: 4px;
        /* Rounded borders */
        box-sizing: border-box;
        /* Make sure that padding and width stays in place */
        margin-top: 6px;
        /* Add a top margin */
        margin-bottom: 16px;
        /* Bottom margin */
        resize: vertical
        /* Allow the user to vertically resize the textarea (not
horizontally) */
    }
    td{
        border: 1px solid #ccc;
        padding: 10px;
    }
</style>
</head>

```

```

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">

                    <button><a href="addProducts.php">Add a new product</a></button>

                    <br><br><br>
                    <caption>List of Products</caption>
                    <?php $query = "SELECT * FROM prod_tb ORDER BY prod_name,
prod_category"; ?>

                    <table border="1px;">
                        <tr>
                            <td> ID </td>
                            <td> Product Name </td>
                            <td> Size </td>
                            <td> Brand </td>
                            <td> Category </td>
                            <td> Gender </td>
                            <td> Year </td>
                            <td> Price </td>
                            <td> Discount </td>
                            <td> Availability </td>
                            <td> Image </td>
                            <td> Audit Log</td>
                            <td> Update </td>
                            <td> Delete </td>
                        </tr>

                        <?php
                        if ($result = $conn->query($query))
                        {
                            while ($row = $result->fetch_assoc())
                            {
                                $e1 = $row["prod_pk"];
                                $e2 = $row["prod_name"];
                                $e3 = $row["prod_s35"];
                                $e4 = $row["prod_s36"];
                                $e5 = $row["prod_s37"];
                                $e6 = $row["prod_s38"];
                                $e7 = $row["prod_s39"];

```



```

        $e8 = $row["prod_s40"];
        $e9 = $row["prod_s41"];
        $e10 = $row["prod_s42"];
        $e11 = $row["prod_s43"];
        $e12 = $row["prod_s44"];
        $e13 = $row["prod_s45"];
        $e14 = $row["prod_brand"];
        $e15 = $row["prod_category"];
        $e16 = $row["prod_gender"];
        $e17 = $row["prod_year"];
        $e18 = $row["prod_price"];
        $e19 = $row["prod_discount"];
        $e20 = $row["prod_availability"];
        $e21 = $row['prod_image'];
        $e22 = $row["prod_audit"];
        $e23 = $row["prod_timestamp"];

    ?>

    <tr>
        <td><?php echo $e1; ?></td>
        <td><?php echo $e2; ?></td>
        <td><?php echo convertSize($e3, $e4, $e5, $e6, $e7, $e8,
$e9, $e10, $e11, $e12, $e13); ?></td>
        <td><?php echo $e14; ?></td>
        <td><?php echo $e15; ?></td>
        <td><?php echo $e16; ?></td>
        <td><?php echo $e17; ?></td>
        <td><?php echo $e18; ?></td>
        <td><?php echo $e19; ?></td>
        <td><?php echo $e20; ?></td>
        <td> </td>
        <!--
        <td><button onclick="popup()">View</button></td>-->
        <td><?php echo $e22; echo " @ "; echo $e23; ?></td>
        <td><a href="updateProducts.php?id=<?php echo
$e1; ?>">Update</a></td>
        <td><a href="deleteProductsScript.php?id=<?php echo
$e1; ?>">Delete</a></td>
    </tr>

    <?php
    }
    $result->free();
}
?>
</table>

</div>
</div>

```

```

        </div>
    </div>
    <?php include('footer.php'); ?>

    <script src="scripts.js">
        function popup() {
            var myWindow = window.open("", "_self", "width=200,height=100");
            myWindow.document.write("<p>This is 'MsgWindow'. I am 200px wide
and 100px tall!</p>");

        }
    </script>

</body>

</html>

```

men.php

```

<?php
    include('session.php');
    if(!isset($_SESSION) ){
        session_start(); }
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>Urban Shoes Online Shop | Men Shoes</title>
    <style>
        <?php include 'styles.css'; ?>
        .content h2 {
            font-size: 26px;
            padding-bottom: 15px;
            font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida
Grande', 'Lucida Sans', Arial, sans-serif;
        }

        .content .container1 {
            width: 100%;

```

```

    }

    .container1 img {
        width: 100%;
        height: 800px;
    }

    .container1 .shop {
        position: absolute;
        top: 66%;
        left: 85%;
        transform: translate(-50%, -50%);
        -ms-transform: translate(-50%, -50%);
        background-color: black;
        color: whitesmoke;
        font-size: 16px;
        padding: 12px 24px;
        cursor: pointer;
        border-radius: 5px;
        text-align: center;
    }

    .container1 .shop:hover {
        border: 1.5px solid white;
        background-color: rgb(50, 50, 50);
        color: white;
    }
</style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">
                    <h2>Men</h2>
                    <div class="container1">
                        

                        <a href="maindashboard.php">
                            <button class="shop">Shop Men's</button>

```

```

        </a>
      </div>
    </div>
  </div>

  <div class="small-container1" style="margin-top: 50px;" >
    <div class="row row2">
      <h2 class="title">Featuring Products</h2>
    </div>
  </div>
  <div class="small-container" style="margin-top: 40px;">
    <div class="row">
      <div class="colSingleProduct men casual vans 2018">
        
        <h4>VANS Era</h4>
        <p class="price" price-value = "259" style="color:
coral;">$219</p>
        <p><s style="color:darkgray;">$100.00</s>-20%</p>
      </div>
      <div class="colSingleProduct men casual vans 2021">
        
        <h4>VANS ComfyCush Era</h4>
        <p class="price" price-value = "259" style="color:
coral;">$329</p>
        <p><s style="color:darkgray;">$50.00</s>-20%</p>
      </div>

      <div class="colSingleProduct men sport addidas 2021">
        
        <h4>adidas Originals NMD_R1</h4>
        <p class="price" price-value = "259" style="color:
coral;">$649</p>
        <p><s style="color:darkgray;">$50.00</s>-20%</p>
      </div>
    </div>
  </div>

  <div class="small-container1" style="margin-top: 50px;" >
    <div class="row row2">
      <h2 class="title">Lastest Products</h2>
    </div>
  </div>

  <div class="small-container" style="margin-top: 40px;">

```

```

        <div class="row">
            <div class="colSingleProduct men casual vans 2018">
                
                <h4>adidas InFlight X Ghosted.3 FG</h4>
                <p class="price" price-value = "259" style="color:
coral;">$389</p>
                <p><s style="color:darkgray">$486</s>-20%</p>
            </div>
            <div class="colSingleProduct men casual vans 2021">
                
                <h4>PUMA RS-X Focus</h4>
                <p class="price" price-value = "259" style="color:
coral;">$559</p>
                <p><s style="color:darkgray">$699</s>-20%</p>
            </div>

            <div class="colSingleProduct men sport addidas 2021">
                
                <h4>PUMA Adrenaline Future 6.1 FG</h4>
                <p class="price" price-value = "259" style="color:
coral;">$829</p>
                <p><s style="color:darkgray">$1184</s>-30%</p>
            </div>
        </div>
        <div class="row">
            <div class="colSingleProduct men casual vans 2018">
                
                <h4>VConverse All Star Ox Tie Dye</h4>
                <p class="price" price-value = "259" style="color:
coral;">$269</p>
                <p><s style="color:darkgray">$448</s>-40%</p>
            </div>
            <div class="colSingleProduct men casual vans 2021">
                
                <h4>PUMA RS-Fast</h4>
                <p class="price" price-value = "259" style="color:
coral;">$539</p>
                <p><s style="color:darkgray">$1078</s>-50%</p>
            </div>

            <div class="colSingleProduct men sport addidas 2021">
                
                <h4>PUMA Leadcat Slides</h4>
                <p class="price" price-value = "259" style="color:
coral;">$99</p>
                <p><s style="color:darkgray">$124</s>-20%</p>

```

```

        </div>
    </div>
</div>

</div>
</div>

<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

</html>

```

navbar.php

```

<?php
    include('session.php');
?>

    <div class="topnavbar">
        <div class="logo">
            <a href="home.php"></a>
        </div>
        <div class="menu">
            <div class="bar">
                
            </div>

            <?php
                // If SESSION not Started => Guest
                if(!isset($_SESSION['user_type'])): ?>
                    <div class="category">
                        <!--Do not display Men Women Kids-->
                    </div>

                <?php
                else:
                ?>

                <?php // Admin
                if($_SESSION['user_type'] == 'admin'): ?>
                    <div class="category">
                        <a href="men.php">MEN</a>
                        <a href="women.php">WOMEN</a>
                        <a href="kids.php">KIDS</a>

```

```

        </div>
        <?php // User/Member
        elseif($_SESSION['user_type'] == 'user'): ?>
            <div class="category">
                <a href="men.php">MEN</a>
                <a href="women.php">WOMEN</a>
                <a href="kids.php">KIDS</a>
            </div>
        <?php endif; ?>
    <?php endif; ?>

    <div class="searchwrapper">
        <div class="wrap">
            <form action="" class="search">
                <input type="search" placeholder="Search"
name="search">

            </form>
            <div class="cart">
                <a href="cart.php"></a>
            </div>
        </div>
    </div>
</div>
</div>

```

product.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />

```

```

<title>Urban Shoes Online Shop | Shop</title>
<style>
    <?php include('style.php'); ?>
    /*--Product Page--*/
.small-container2{
    max-width: 1300px;
    margin : auto;
    padding-left: 25px;
    padding-right: 25px;
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.1);
}

.row2{
    justify-content: space-between;
    margin: 10px auto 20px;
}
/* -- Single product details -- */

.singleProduct{
    margin-top: 30px;
    box-shadow: rgb(59, 119, 119);
}

.singleProduct .col2 img{
    padding:0;
}

.singleProduct .col2{
    padding:10px;
}
.singleProduct .col3{
    margin-bottom: 30px;
}

.singleProduct h4{
    margin: 20px 0;
    font-size: 22px;
    font-weight: bold;
}
.singleProduct select{
    display: block;
    padding: 10px;
}

```



```

    margin-top: 20px;
}

.singleProduct input{
    width: 50px;
    height: 40px;
    padding-left: 10px;
    font-size: 20px;
    margin-right: 10px;
    border: 1px solid ;
}

.singleProduct h6{
    margin: 5px 0;
    font-size: 15px;
    font-weight:normal;
}

.cartBtn{
    display: inline-block;
    background: coral;
    color:#fff;
    padding: 8px 30px;
    margin: 30px 0;
    border-radius: 30px;
    transition: background 0.5s;
}

.cartBtn:hover{
    background: #7a4a4a;
}

/*--Size Chart--*/
table {
    font-family: arial, sans-serif;
    border-collapse: collapse;
    width: 300%;
}

td, th {
    border: 1px solid #dddddd;
    text-align: left;
    padding: 10px;
}

tr:nth-child(even) {
    background-color: #dddddd;
}

```

```

    /*--Delivery and Warranty Details --*/
    .Delivery-Warranty-Details{
        font-size: 12px;
        padding: 20px 0 5px;
        overflow: hidden;
    }
    .Delivery-Warranty-Details h4{
        color:black;
        margin-bottom: 5px;
    }
    .Delivery-Warranty-Details p{
        color:#8a8a8a;
        margin-bottom: 5px;
    }
    .D-W-col1{

        text-align: left;
        margin-left:50px;
    }
    .D-W-col2,.D-W-col3,.D-W-col4{

        text-align: left;
    }

    .container1{
        max-width: 2000px;
        margin:auto;
        padding-left: 0px;
        padding-right: 25px;
    }

    .colSingleProduct{
        flex-basis: 30%;
        padding: 0px;
        min-width: 200px;
        margin-bottom: 50px;
        box-shadow: 0 0 5px 0px rgba(0,0,0,0.1);
        transition: transform 0.5s;
    }
    .colSingleProduct img{
        width: 100%;
    }

```

```

.colSingleProduct:hover{
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.5);
}

</style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">

            <?php
                if(isset($_GET['id'])) {
                    $id = $_GET['id'];
                    $query = "SELECT * FROM prod_tb WHERE prod_pk = $id";
                    $ses_sql = mysqli_query($conn, $query);
                    $row = mysqli_fetch_assoc($ses_sql);

                    $e1 = $row["prod_pk"];
                    $e2 = $row["prod_name"];
                    $e3 = $row["prod_s35"];
                    $e4 = $row["prod_s36"];
                    $e5 = $row["prod_s37"];
                    $e6 = $row["prod_s38"];
                    $e7 = $row["prod_s39"];
                    $e8 = $row["prod_s40"];
                    $e9 = $row["prod_s41"];
                    $e10 = $row["prod_s42"];
                    $e11 = $row["prod_s43"];
                    $e12 = $row["prod_s44"];
                    $e13 = $row["prod_s45"];
                    $e14 = $row["prod_brand"];
                    $e15 = $row["prod_category"];
                    $e16 = $row["prod_gender"];
                    $e17 = $row["prod_year"];
                    $e18 = $row["prod_price"];
                    $e19 = $row["prod_discount"];

                    $discount = convertToDiscount($e19);
                    if($discount == 1){
                        $discountedPrice = $e18;
                        $displayDiscount = 0;
                    }
                }
            ?>
        </div>
    </div>
</body>

```

```

        else{
            $discountedPrice = ($e18 * (100-$discount))*0.01;
            $displayDiscount = $discount;
        }

        $e20 = $row["prod_availability"];
        $e21 = $row['prod_image'];
    }

    ?>

</br>
</br>
<div class="small-container2 singleProduct">
    <div class="row row2">
        <div class="col2">
            
        </div>

        <div class="col2">
            <p><?php echo $e15; ?></p>
            <h2><?php echo $e2; ?></h2>
            <h4 style="color: coral;">$<?php echo
number_format((float) $discountedPrice, 2, '.', ''); ?></h4>
            <!--<h4><s style="color:darkgray">$50.00</s>-20%</h4>-
->

            <h4><s style="color:darkgray">$<?php echo
$e18; ?></s><?php if($displayDiscount != 0) {echo "-"; echo $displayDiscount;
echo "%";}?></p></h4>

            <form action="addUserProductScript.php" method="post">
                <input type="number" value="<?php echo
$retrieve_login_user_pk; ?>" name="cart_user_pk" hidden>
                <input type="text" value="<?php echo $e1; ?>"
name="cart_prod_pk" hidden>
                <select name="cart_size" required>
                    <option value="" selected disabled>Select Size
(Europe)</option>

                    <?php if($e3 != 0){ ?>
                        <option value="35"
name="cart_size">35</option>

                    <?php } if($e4 != 0){ ?>
                        <option value="36"
name="cart_size">36</option>

```

[illegible]

[illegible]

```

        <td>35</td>
        <td>9</td>
        <td>22.86</td>
    </tr>
    <tr>
        <td>36</td>
        <td>9.35</td>
        <td>23.75</td>
    </tr>
    <tr>
        <td>37</td>
        <td>9.375</td>
        <td>23.83</td>
    </tr>
    <tr>
        <td>38</td>
        <td>9.625</td>
        <td>24.45</td>
    </tr>
    <tr>
        <td>39</td>
        <td>9.875</td>
        <td>25.10</td>
    </tr>
    <tr>
        <td>40</td>
        <td>10</td>
        <td>25.40</td>
    </tr>
    <tr>
        <td>41</td>
        <td>10.125</td>
        <td>25.72</td>
    </tr>
    <tr>
        <td>42</td>
        <td>10.25</td>
        <td>26.04</td>
    </tr>
    <tr>
        <td>43</td>
        <td>10.5</td>
        <td>26.67</td>
    </tr>
    <tr>
        <td>44</td>
        <td>10.75</td>
        <td>27.31</td>
    </tr>

```

```

        </tr>
        <tr>
            <td>45</td>
            <td>11</td>
            <td>27.94</td>
        </tr>
    </table>
</div>
</div>
</div>
</div>

<div class="small-container2" style="margin-top: 30px;">
    <div class="row row2">
        <h2>Review</h2>
    </div>
    <div class="row row2">
        <p>This product has no reviews</p>
    </div>
</div>

<div class="small-container1" style="margin-top: 50px;" >
    <div class="row row2">
        <h2>Related Products</h2>
        <p>View More</p>
    </div>
</div>

<div class="small-container" style="margin-top: 40px;">
    <div class="row">
        <div class="colSingleProduct men casual vans 2018">
            
            <h4>VANS Era</h4>
            <p class="price" price-value = "259" style="color:
coral;">$219</p>
            <p><s style="color:darkgray">$100.00</s>-20%</p>
        </div>
        <div class="colSingleProduct men casual vans 2021">
            
            <h4>VANS ComfyCush Era</h4>
            <p class="price" price-value = "259" style="color:
coral;">$329</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
    </div>

```



```

        <div class="colSingleProduct men sport addidas 2021">
            
            <h4>adidas Originals NMD_R1</h4>
            <p class="price" price-value = "259" style="color:
coral;">$649</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
    </div>
</div>

<div class="Delivery-Warranty-Details">
    <div class="container1">
        <div class="row">
            <div class="D-W-col1">
                <h4><span style='font-
size:20px;'>#128095;</span>WIDE SELECTION</h4>
                <p>We work with the best shoes brand</p>
            </div>

            <div class="D-W-col2">
                <h4><span style='font-
size:20px;'>#128230;</span>AFFORDABLE DELIVERY</h4>
                <p>We promise on providing the best delivery
fee</p>
            </div>

            <div class="D-W-col3">
                <h4><span style='font-
size:20px;'>#10067;</span>NEED HELP? CALL US +012 3456789</h4>
                <p>Call us if you have any question (10am -
5pm)</p>
            </div>

            <div class="D-W-col4">
                <h4><span style='font-
size:20px;'>#127941;</span>EXCELLENT CUSTOMER SERVICE</h4>
                <p>We serve the best for our customer</p>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
    </div>
    <?php include('footer.php'); ?>

</body>

</html>

```

redirect.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');

    if(!isset($_SESSION['alertMsg'])){
        // do nothing
    }
    else{
        echo '<script language="javascript">alert(" ' .$_SESSION['alertMsg']. '
");</script>';
    }

    if(!isset($_SESSION['user_type'])){
        // dont do anything (Guest)
    }
    elseif($_SESSION['user_type'] == 'admin'){
        header("Location: maindashboard.php");
    }
    elseif($_SESSION['user_type'] == 'user'){

        if($retrieve_user_gender == 'M')
            header("Location: men.php");
        elseif($retrieve_user_gender == 'F')
            header("Location: women.php");
        else
            header("Location: men.php"); // default
    }
    else
        exit;
?>

```

removeProductsFromCart.php

```

<?php

```

```

include('db_config.php');
include('debug.php');
include('session.php');

$conn = mysqli_connect($servername, $username, $password, $db);

if (!$conn){ // Check connection
    die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
contact admin for support.");
}

if(isset($_GET['cart_pk'])) {
    $id = $_GET['cart_pk'];

    $sql = "DELETE FROM cart_tb WHERE cart_pk = $id";
    if($conn->query($sql)===TRUE) {
        phpAlertRedirect("Product Removed from Cart!", "cart.php");
    } else {
        phpAlertRedirect("Error removing product from cart", "cart.php");
    }
}

$conn->close();
?>

```

script.js

```

var li_items = document.querySelectorAll(".sidebar ul li");
var bar = document.querySelector(".bar");
var wrapper = document.querySelector(".wrapper");

li_items.forEach((li_item) => {
    li_item.addEventListener("mouseenter", () => {
        if (wrapper.classList.contains("clickcollapse")) {
            return;
        }
        else {
            li_item.closest(".wrapper").classList.remove("hovercollapse");
        }
    })
})
})

```

```

li_items.forEach((li_item) => {
    li_item.addEventListener("mouseleave", () => {
        if (wrapper.classList.contains("clickcollapse")) {
            return;
        }
        else {
            li_item.closest(".wrapper").classList.add("hovercollapse");
        }
    })
})

bar.addEventListener("click", () => {
    bar.closest(".wrapper").classList.toggle("clickcollapse");
    bar.closest(".wrapper").classList.toggle("hovercollapse");
})

```

session.php

```

<?php
    require_once('debug.php');
    $status = '(session): ';

    if(!isset($_SESSION)):
        $status .= 'session not set ';
    else:
        $status .= 'session is set ';
    endif;

    include('db_config.php');
    $conn = mysqli_connect($servername, $username, $password, $db);

    /* // this part commented as we're outputting consoleLog() for debugging
    purposes
    if(!isset($_SESSION) ){
        session_start();    }
    */
    // $user_check = $_SESSION['name'];
    if(!isset($_SESSION['user_type'])){
        // do nothing as it is guest
        $status .= '(guest)';
    }
    // ADMIN
    elseif($_SESSION['user_type'] == 'admin'){
        $status .= '(admin)';
        $user_check = $_SESSION['name'];
    }

```

```

$query = "SELECT * FROM admin_tb WHERE admin_name = '$user_check'";

$ses_sql = mysqli_query($conn, $query);
$row = mysqli_fetch_assoc($ses_sql);

$login_session = $row['admin_name'];

$retrieve_login_user_pk = $row['admin_pk'];
$retrieve_admin_email = $row['admin_email'];
$retrieve_admin_name = $row['admin_name'];
$retrieve_admin_password = $row['admin_pass'];
$retrieve_admin_timestamp = $row['admin_timestamp'];
$retrieve_admin_audit = $row['admin_audit'];
}
elseif($_SESSION['user_type'] == 'user'){
    $status .= '(user)';
    $user_check = $_SESSION['name'];
    $query = "SELECT * FROM user_tb WHERE user_name = '$user_check'";

    $ses_sql = mysqli_query($conn, $query);
    $row = mysqli_fetch_assoc($ses_sql);

    $login_session = $row['user_name'];

    $retrieve_login_user_pk = $row['user_pk'];
    $retrieve_user_name = $row['user_name'];
    $retrieve_user_password = $row['user_pass'];
    $retrieve_user_email = $row['user_email'];
    $retrieve_user_gender = $row['user_gender'];
    $retrieve_user_timestamp = $row['user_timestamp'];
}

// status check
consoleLog($status);
?>

```

session2.php

```
<?php
```

```

include('db_config.php');
include('debug.php');

```

```

$conn = mysqli_connect($servername, $username, $password, $db);

if (!$conn){ // Check connection
    die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
    contact admin for support.");
}

$query = "SELECT * FROM prod_tb WHERE prod_pk = $id";
$ses_sql = mysqli_query($conn, $query);
$row = mysqli_fetch_assoc($ses_sql);

if(isset($_GET['id'])) {
    $id = $_GET['id'];
    $query = "SELECT * FROM prod_tb WHERE prod_pk = $id";
    $ses_sql = mysqli_query($conn, $query);
    $row = mysqli_fetch_assoc($ses_sql);
    $retrieve_prod_name = $row['prod_name'];
    $retrieve_prod_s35 = $row['prod_s35'];
    $retrieve_prod_s36 = $row['prod_s36'];
    $retrieve_prod_s37 = $row['prod_s37'];
    $retrieve_prod_s38 = $row['prod_s38'];
    $retrieve_prod_s39 = $row['prod_s39'];
    $retrieve_prod_s40 = $row['prod_s40'];
    $retrieve_prod_s41 = $row['prod_s41'];
    $retrieve_prod_s42 = $row['prod_s42'];
    $retrieve_prod_s43 = $row['prod_s43'];
    $retrieve_prod_s44 = $row['prod_s44'];
    $retrieve_prod_s45 = $row['prod_s45'];
    $retrieve_prod_brand = $row['prod_brand'];
    $retrieve_prod_category = $row['prod_category'];
    $retrieve_prod_gender = $row['prod_gender'];
    $retrieve_prod_year = $row['prod_year'];
    $retrieve_prod_price = $row['prod_price'];
    $retrieve_prod_discount = $row['prod_discount'];
    $retrieve_prod_year = $row['prod_availability'];
}

?>

```

sidebar.php

```

<div class="sidebar">
    <div class="sidebarInner">

```

```

        <ul>
            <li>
                <a href="maindashboard.php">
                    <span class="icon">
                        </i>
                    </span>
                    <span class="text">Shop</span>
                </a>
            </li>
            <li>
                <a href="faq.php">
                    <span class="icon">
                        
                    </span>
                    <span class="text">FAQ</span>
                </a>
            </li>
            <li>
                <a href="aboutus.php">
                    <span class="icon">
                        
                    </span>
                    <span class="text">About Us</span>
                </a>
            </li>
            <li>
                <a href="contactus.php">
                    <span class="icon">
                        
                    </span>
                    <span class="text">Contact Us</span>
                </a>
            </li>
        </ul>
    </div>
</div>

```

signup.php

```

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">

```

```

<meta name="viewport" content="width=device-width,initial-scale=1.0">
<link rel="shortcut icon" href="images/Logo.ico" />
<title>Urban Shoes Online Shop | Account Register</title>
<style>
    <?php include 'styles.css'; ?>
    .title {
        margin-left: 35px;
    }

    .link {
        margin-left: 5px;
        color: grey;
        font-weight: bold;
    }

    .form {
        background-color: black;
        width: 500px;
        padding: 25px;
        margin-left: 20px;
    }

    input[type=text],
    input[type=password],
    input[type=email],
    select {
        width: 100%;
        padding: 10px;
        margin-top: 5px;
        margin-bottom: 10px;
        display: inline-block;
        border: none;
        background: whitesmoke;
    }

    .button {
        background-color: white;
        color: black;
        padding: 10px 10px;
        margin: 5px 0;
        border: none;
        cursor: pointer;
        width: 100%;
    }

```



```

    .maincontainer .login {
        margin-top: -20px;
        margin-left: 35px;
    }

    .content{
        background-image: url('images/signup_background.gif');
        background-repeat: no-repeat;
        background-position: right;
        background-size: 40% 65%;
        background-color: black;
    }

    .title{
        color: white;
    }

    h2, .title{
        padding-top: 18px;
    }

    p, .title{
        padding-top: -10px;
        padding-bottom: 10px;
    }

    label{
        color: white;
    }

    .login{
        color: white;
    }
</style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">

```

```

<?php include('navbar.php'); ?>
<?php include('sidebar.php'); ?>
<div class="maincontainer">
    <div class="container">
        <div class="content">

            <!--CONTENT: -->
            <h2 class="title"> Sign Up </h2>
            <p class="title"> Create your account.</p>
            <form class="form" action="signUpScript.php" method="POST">
                <label for="name">Username</label>
                <input type="text" placeholder="Enter username here"
name="user_name" required><br>

                <label for="gender">Gender</label>
                <select name="user_gender" required>
                    <option value="" disabled selected>Select
gender</option>

                    <option value="M">Male</option>
                    <option value="F">Female</option>
                </select><br>

                <label for="email">Email</label>
                <input type="email" placeholder="Enter Email here"
name="user_email" required><br>

                <label for="psw">Password</label>
                <input type="password" placeholder="Enter Password
here" name="user_pass0" required><br>

                <label for="psw2">Please re-enter your password</label>
                <input type="password" placeholder="Repeat Password
again" name="user_pass" required><br>

                <label>
                    <input type="checkbox" name="tnc" required> I have
read and agree to the <a href="t&c.html"
style="color: rgb(120,120,120);">Terms &
Conditions</a>.
                </label><br><br>

```

```

        <button class="button signupbtn" type="submit"
name="submit" >Sign Up</button><br><br>
        </form>

        <p class="login">Already have an account?<a class="link"
href="login.php">Login here!</a></p>
        </div>
    </div>
</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

</html>

```

signUpScript.php

```

<?php
    include('db_config.php');
    include('debug.php');

    $conn = mysqli_connect($servername, $username, $password, $db);

    if (!$conn){ // Check connection
        die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
contact admin for support.");
    }

    // Insert Data
    $sql="INSERT INTO `user_tb`(`user_name`, `user_pass`, `user_email`,
`user_gender`) VALUES
('$ _POST[user_name]', '$ _POST[user_pass]', '$ _POST[user_email]', '$ _POST[user_gend
er]')";

    if($conn->query($sql)===TRUE){
        phpAlertRedirect("Sign Up Succesful! LOGIN to browse our store
now!", "login.php");
    }
    else{
        phpAlertRedirect("An error occured! Try again!", "signup.php");}
    $conn->close();
?>

```

style.php

```
<?php
    if($_SESSION['user_type'] == 'user'){
        if($retrieve_user_gender == 'M'){
            include ('styles.css');
        }
        elseif($retrieve_user_gender == 'F'){
            include ('womanishStyles.css');
        }
        else{
            include ('styles.css');
        }
    }
    else
        include ('styles.css');
?>
```

style.css

```
*{
    margin :0;
    padding: 0;
    box-sizing: border-box;
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    list-style: none;
    text-decoration: none;
}

html, body {
    height: 100%;
}

body header {
    text-align: right;
    background-color:whitesmoke;
    height: 30px;
    font-size: 15px;
    padding: 3px 50px 10px 3px;
}

header a {
    text-decoration: none;
    color: black;
}
```

```
header a:hover{
    color: rgb(160,160,160);
}

.wrapper {
    min-height: 100%;
}

.topnavbar{
    top: 30px;
    left:0;
    width:100%;
    height: 70px;
    display:flex;
    align-items: center;
    box-shadow: 1px 0 2px rgba(0,0,0,0.125);
}

.topnavbar .logo{
    width:200px;
    padding: 5px 0 0 35px;
    border-right: 1px solid whitesmoke;
}

.topnavbar .menu{
    width: calc(100% - 150px);
    display:flex;
    justify-content: space-between;
    align-items: center;
    padding: 0 25px;
}

.topnavbar .menu .bar {
    font-size: 25px;
    padding-top: 10px;
    cursor: pointer;
}

.topnavbar .menu .category {
    display: inline-block;
    margin-top: 10px;
    margin-left: 50px;
```

```
padding-left: 20px;
}

.topnavbar .menu .category a{
  color: black;
  font-size: 18px;
  font-weight: bold;
  padding: 15px;
  font-family:'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida
Sans', Arial, sans-serif;
}

.topnavbar .menu .category a:hover {
  color: rgb(50,50,50);
  border-bottom: 2.5px solid black;
}

.topnavbar .searchwrapper {
  border-left: 1px solid whitesmoke;
  padding-left: 10px;
  padding-right: 20px;
}

.topnavbar .wrap {
  display: flex;
  align-items: center;
  cursor: pointer;
}

.topnavbar .wrap .search{
  margin: 0 15px;
  font-size: 25px;
  padding-bottom: 10px;
}

.topnavbar .wrap .favourite {
  margin: 0 15px;
  font-size: 25px;
}
```

```

.topnavbar .wrap .search img {
    padding-right: 10px;
    padding-top: 15px;
}

.topnavbar .wrap input{
    width:150px;
    height: 30px;
    border-radius: 10px;
    border: 1px solid;
    background-color: whitesmoke;
    font-size: 14px;
    font-family: cursive;
    padding-left: 10px;
}

.topnavbar .wrap input:hover {
    background-color: rgb(225,225,225);
}

.sidebar {
    position:absolute;
    top: 100px;
    left:0;
    width: 12.8%;
    height:100%;
    background: white;
    border-right: 0.1px solid whitesmoke;
}

.sidebar ul li a {
    display: block;
    padding: 12px 25px;
    color: black;
    border-top: 0.2px solid whitesmoke;
    border-bottom: 1px solid whitesmoke;
    transition: all 0.1s ease;
}

.sidebar ul li a .icon {
    font-size: 20px;
    vertical-align: middle;
    transition: all 0.1s ease;
}

```

```
}

.sidebar ul li a .text {
  margin-left: 10px;
  text-transform: uppercase;
  letter-spacing: 1px;
}

.sidebar ul li a:hover {
  background: rgb(225,225,225);
  color:rgb(160,160,160);
}

.sidebar ul li a .text {
  color: black;
}

.hovercollapse .sidebar{
  width: 75px;
}

.hovercollapse .sidebar ul li a .text {
  display: none;
}

.maincontainer{
  margin-top: 10px;
  margin-left: 100px;
  padding: 25px;
  width: calc(100%-75px);
}

.maincontainer .small-container {
  margin-bottom: 25px;
  text-align:left;
}

.clickcollapse .sidebar{
  transition: all 0.1s ease;
}
```



```
.clickcollapse .maincontainer{  
  margin-left: 200px;  
  width:calc(100%-200px);  
  transition: all 0.1s ease;  
}
```

```
footer {  
  background:black;  
  color:white;  
  height: 300px;  
  position: relative;  
}
```

```
footer .container{  
  height: 265px;  
  display: flex;  
}
```

```
footer .copyright {  
  text-align: center;  
  position: absolute;  
  height: 50px;  
  width: 100%;  
  bottom:0px;  
  left:0px;  
  padding-top: 20px;  
}
```

```
footer .container .section {  
  flex:1;  
  padding: 50px;  
}
```

```
footer p, footer ul{  
  color:#8a8a8a;  
}
```

```
footer h3{  
  color:#fff;  
  margin-bottom: 15px;
```

```

}

.footer-col1{
    flex-basis:30%;
    margin-left: 80px;
    margin-top: 20px;
}

.footer-col2{
    flex-basis: 15%;
    text-align: left;
}

/*New added*/

/*---Dropdown---*/

.dropdown {
    display: inline-block;
}
.dropdown-content {
    display: none;
    position: absolute;
    background-color: #f1f1f1;
    min-width: 160px;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}

.dropdown-content a {
    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: block;
}

.dropdown-content a:hover {background-color: #ddd;}

.dropdown:hover .dropdown-content {display: block;}

.btn{

```

```
border: none;
outline: none;
padding: 12px 16px;
background-color: white;
cursor: pointer;
}

.btn:hover {
  background-color: #ddd;
}

.btn.active {
  background-color: #666;
  color: white;
}

.btn1{
  border: none;
  outline: none;
  padding: 12px 16px;
  background-color: rgba(255, 255, 255, 0.349);
  cursor: pointer;
}

.btn1:hover {
  background-color: #ddd;
}

.btn1.active {
  background-color: #666;
  color: white;
}

.row1{
  justify-content: space-between;
  margin: 20px auto 50px;
}

.row{
  display: flex;
  align-items: center;
  flex-wrap: wrap;
```

```

    justify-content: space-around;
}

.small-container1{
    max-width: 1080px;
    margin : auto;
    padding-left: 25px;
    padding-right: 25px;
}

.col1{
    flex-basis: 30%;
    padding: 10px;
    min-width: 200px;
    margin-bottom: 50px;
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.1);
    transition: transform 0.5s;
    display: none;
}

.col1 img{
    width: 100%;
}

.col1:hover{
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.5);
}

/* The "show" class is added to the filtered elements */
.show {
    display: block;
}

.page-btn{
    margin: 0 auto 80px;
}

.page-btn span{
    display: inline-block;
    border: 1px solid black;
    margin-left: 10px;
    width: 40px;

```

```

        height:40px;
        text-align: center;
        line-height: 40px;
        cursor: pointer;
    }

    .page-btn span:hover{
        color:white;
        background: rgb(206, 172, 238);
    }

    /*--Product Page--*/
    .small-container2{
        max-width: 1300px;
        margin : auto;
        padding-left: 25px;
        padding-right: 25px;
        box-shadow: 0 0 5px 0px rgba(0,0,0,0.1);
    }

    .row2{
        justify-content: space-between;
        margin: 10px auto 20px;
    }
    /* -- Single product details -- */

    .singleProduct{
        margin-top: 30px;
        box-shadow: rgb(59, 119, 119);
    }

    .singleProduct .col2 img{
        padding:0;
    }

    .singleProduct .col2{
        padding:10px;
    }
    .singleProduct .col3{
        margin-bottom: 30px;
    }

```

```

.singleProduct h4{
    margin: 20px 0;
    font-size: 22px;
    font-weight: bold;
}
.singleProduct select{
    display: block;
    padding: 10px;
    margin-top: 20px;
}

.singleProduct input{
    width: 50px;
    height: 40px;
    padding-left: 10px;
    font-size: 20px;
    margin-right: 10px;
    border: 1px solid ;
}

.singleProduct h6{
    margin: 5px 0;
    font-size: 15px;
    font-weight:normal;
}
.cartBtn{
    display: inline-block;
    background: coral;
    color:#fff;
    padding: 8px 30px;
    margin: 30px 0;
    border-radius: 30px;
    transition: background 0.5s;
}
.cartBtn:hover{
    background: #7a4a4a;
}
/*--Size Chart--*/
table {
    font-family: arial, sans-serif;
    border-collapse: collapse;
    width: 300%;
}

```

```

td, th {
    border: 1px solid #dddddd;
    text-align: left;
    padding: 10px;
}

tr:nth-child(even) {
    background-color: #dddddd;
}

/*--Delivery and Warranty Details --*/
.Delivery-Warranty-Details{
    font-size: 12px;
    padding: 20px 0 5px;
    overflow: hidden;
}
.Delivery-Warranty-Details h4{
    color:black;
    margin-bottom: 5px;
}
.Delivery-Warranty-Details p{
    color:#8a8a8a;
    margin-bottom: 5px;
}
.D-W-col1{

    text-align: left;
    margin-left:50px;
}
.D-W-col2,.D-W-col3,.D-W-col4{

    text-align: left;
}

.container1{
    max-width: 2000px;
    margin:auto;
    padding-left: 0px;
    padding-right: 25px;
}

.colSingleProduct{
    flex-basis: 30%;
    padding: 0px;
    min-width: 200px;
}

```

```

    margin-bottom: 50px;
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.1);
    transition: transform 0.5s;
}
.colSingleProduct img{
    width: 100%;
}

.colSingleProduct:hover{
    box-shadow: 0 0 5px 0px rgba(0,0,0,0.5);
}

/*MEN,WOMEN,KIDS*/
.title{
    text-align:center;
    margin:0 auto 50px;
    position: relative;
    line-height: 60px;
    color:#555;
}
.title::after{
    content: '';
    background: #ff523b;
    width:80px;
    height: 5px;
    border-radius:5px;
    position: absolute;
    left:50%;
    bottom: -30px;
    transform:translate(-50%);
}

```

updateProducts.php

```

<?php
    if(!isset($_SESSION) ){
        session_start(); }

    include('session.php');
    require_once('debug.php');
    include('db_config.php');
    $conn = mysqli_connect($servername, $username, $password, $db);
?>

<!DOCTYPE html>

```



```

<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,initial-scale=1.0">
  <link rel="shortcut icon" href="images/Logo.ico" />
  <title>(Admin) Manage Products</title>
  <style>
    <?php include 'styles.css'; ?>
    input[type=text],select{
      width: 100%;
      /* Full width */
      padding: 12px;
      /* Some padding */
      border: 1px solid #ccc;
      /* Gray border */
      border-radius: 4px;
      /* Rounded borders */
      box-sizing: border-box;
      /* Make sure that padding and width stays in place */
      margin-top: 6px;
      /* Add a top margin */
      margin-bottom: 16px;
      /* Bottom margin */
      resize: vertical
      /* Allow the user to vertically resize the textarea (not
horizontally) */
    }

    table {
      border-collapse: collapse;
      width: 100%;
      /* Full width */
      padding: 12px;
      /* Some padding */
      border: 1px solid #ccc;
      /* Gray border */
      border-radius: 4px;
      /* Rounded borders */
      box-sizing: border-box;
      /* Make sure that padding and width stays in place */
      margin-top: 6px;
      /* Add a top margin */
      margin-bottom: 16px;
      /* Bottom margin */
      resize: vertical

```

```

        /* Allow the user to vertically resize the textarea (not
        horizontally) */
    }
    td, th {
        border: 1px solid #ccc;
        padding: 10px;
    }
    th:empty {
        border: 0;
    }

    button[type=submit]:hover {
        background-color: lightgrey;
    }

    button[type=submit] {
        background-color: grey;
        color: white;
        padding: 12px 20px;
        border: none;
        border-radius: 4px;
        cursor: pointer;
    }
</style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">

                    <caption>Add product</caption> <br><br>

                    <form action="updateProductsScript.php" method="post"
enctype="multipart/form-data">
                        <label for="prod_name">Product Name</label>
                        <input type="text" placeholder="Enter product name here"
name="prod_name" required><br>

```

```

        <table border="1px">
            <tr>
                <td>Size</td>
                <td>Yes</td>
                <td>No</td>
            </tr>
            <tr>
                <td>35: </td>
                <td><input type="radio" id="s35" name="prod_s35" value="1"
required></td>
                <td><input type="radio" id="s35" name="prod_s35" value="0"
required></td>
            </tr>
            <tr>
                <td>36: </td>
                <td><input type="radio" id="s36" name="prod_s36" value="1"
required></td>
                <td><input type="radio" id="s36" name="prod_s36" value="0"
required></td>
            </tr>
            <tr>
                <td>37: </td>
                <td><input type="radio" id="s37" name="prod_s37" value="1"
required></td>
                <td><input type="radio" id="s37" name="prod_s37" value="0"
required></td>
            </tr>
            <tr>
                <td>38: </td>
                <td><input type="radio" id="s38" name="prod_s38" value="1"
required></td>
                <td><input type="radio" id="s38" name="prod_s38" value="0"
required></td>
            </tr>
            <tr>
                <td>39: </td>
                <td><input type="radio" id="s39" name="prod_s39" value="1"
required></td>
                <td><input type="radio" id="s39" name="prod_s39" value="0"
required></td>
            </tr>
            <tr>
                <td>40: </td>
                <td><input type="radio" id="s40" name="prod_s40" value="1"
required></td>
                <td><input type="radio" id="s40" name="prod_s40" value="0"
required></td>

```

```

        </tr>
        <tr>
            <td>41: </td>
            <td><input type="radio" id="s41" name="prod_s41" value="1"
required></td>
            <td><input type="radio" id="s41" name="prod_s41" value="0"
required></td>
        </tr>
        <tr>
            <td>42: </td>
            <td><input type="radio" id="s42" name="prod_s42" value="1"
required></td>
            <td><input type="radio" id="s42" name="prod_s42" value="0"
required></td>
        </tr>
        <tr>
            <td>43: </td>
            <td><input type="radio" id="s43" name="prod_s43" value="1"
required></td>
            <td><input type="radio" id="s43" name="prod_s43" value="0"
required></td>
        </tr>
        <tr>
            <td>44: </td>
            <td><input type="radio" id="s44" name="prod_s44" value="1"
required></td>
            <td><input type="radio" id="s44" name="prod_s44" value="0"
required></td>
        </tr>
        <tr>
            <td>45: </td>
            <td><input type="radio" id="s45" name="prod_s45" value="1"
required></td>
            <td><input type="radio" id="s45" name="prod_s45" value="0"
required></td>
        </tr>
    </table>

    <label for="prod_brand">Brand</label>
    <input type="text" placeholder="Enter brand here" name="prod_brand"
required><br>

    <label for="prod_category">Category</label>
    <input type="text" placeholder="Enter category here"
name="prod_category" required><br>

    <label for="prod_gender">Gender</label>

```

```

        <select name="prod_gender" required>
            <option value="" disabled selected>Select gender</option>
            <option value="M">Male</option>
            <option value="F">Female</option>
        </select><br>

        <label for="prod_year">Year</label>
        <input type="text" placeholder="Enter year here" name="prod_year"
required>
        <br>

        <label for="prod_price">Price</label>
        <input type="text" placeholder="Enter price here" name="prod_price"
required>
        <br>

        <label for="prod_discount">Discount</label>
        <input type="text" placeholder="Enter discount here"
name="prod_discount" required>
        <br>

        <label for="prod_audit">Audit</label>
        <input type="text" name="prod_audit" value="<?php echo
$user_check; ?>" readonly>
        <br>

        <label for="prod_availability">Availability</label>
        <select name="prod_availability" required>
            <option value="" disabled selected>Select availability</option>
            <option value="1">Available</option>
            <option value="0">Unavailable</option>
        </select><br>

        <label for="prd_image">Select Image File:</label>
        <input type="file" name="prod_image" required>
        <br><br>

        <button type="submit" name="submit" >Add Product</button><br><br>
    </form>

    </div>
</div>
</div>

```

```

</div>
<?php include('footer.php'); ?>
<script src="scripts.js"></script>
</body>

</html>

```

updateProductsScript.php

```

<?php
    include('db_config.php');
    include('debug.php');

    $conn = mysqli_connect($servername, $username, $password, $db);

    if (!$conn){ // Check connection
        die("\r\n An error occured! Reason: ".mysqli_connect_error().". Please
        contact admin for support.");
    }

    //here session2
    if(isset($_GET['id'])) {
        $id = $_GET['id'];
        $query = "SELECT * FROM prod_tb WHERE prod_pk = $id";
        $ses_sql = mysqli_query($conn, $query);
        $row = mysqli_fetch_assoc($ses_sql);
        $retrieve_prod_name = $row['prod_name'];
        $retrieve_prod_s35 = $row['prod_s35'];
        $retrieve_prod_s36 = $row['prod_s36'];
        $retrieve_prod_s37 = $row['prod_s37'];
        $retrieve_prod_s38 = $row['prod_s38'];
        $retrieve_prod_s39 = $row['prod_s39'];
        $retrieve_prod_s40 = $row['prod_s40'];
        $retrieve_prod_s41 = $row['prod_s41'];
        $retrieve_prod_s42 = $row['prod_s42'];
        $retrieve_prod_s43 = $row['prod_s43'];
        $retrieve_prod_s44 = $row['prod_s44'];
        $retrieve_prod_s45 = $row['prod_s45'];
        $retrieve_prod_brand = $row['prod_brand'];
        $retrieve_prod_category = $row['prod_category'];
        $retrieve_prod_gender = $row['prod_gender'];
        $retrieve_prod_year = $row['prod_year'];
        $retrieve_prod_price = $row['prod_price'];
        $retrieve_prod_discount = $row['prod_discount'];
        $retrieve_prod_year = $row['prod_availability'];
    }

```

```

    }
    //here

    if(isset($_GET['id'])) {
        $id = $_GET['id'];

        $sql = "DELETE FROM prod_tb WHERE prod_pk = $id";

        $sql = "UPDATE prod_tb
        SET
            prod_name = '".$_POST['prod_name']. "',
            prod_s35 = '".$_POST['prod_s35']. "',
            prod_s36 = '".$_POST['prod_s36']. "',
            prod_s37 = '".$_POST['prod_s37']. "',
            prod_s38 = '".$_POST['prod_s38']. "',
            prod_s39 = '".$_POST['prod_s39']. "',
            prod_s40 = '".$_POST['prod_40']. "',
            prod_s41 = '".$_POST['prod_41']. "',
            prod_s42 = '".$_POST['prod_42']. "',
            prod_s43 = '".$_POST['prod_43']. "',
            prod_s44 = '".$_POST['prod_44']. "',
            prod_s45 = '".$_POST['prod_45']. "',
            prod_brand = '".$_POST['prod_brand']. "',
            prod_category = '".$_POST['prod_category']. "',
            prod_gender = '".$_POST['prod_gender']. "',
            prod_year = '".$_POST['prod_year']. "',
            prod_price = '".$_POST['prod_price']. "',
            prod_discount = '".$_POST['prod_discount']. "',
            prod_availability = '".$_POST['prod_availability']. "',
            prod_audit = '".$_POST['prod_audit']. "',
            prod_availability = '".$_POST['prod_availability']. "'
        WHERE prod_pk = $id ";

        if($conn->query($sql)===TRUE) {
            phpAlertRedirect("Product Deleted!", "manageProducts.php");
        } else {
            phpAlertRedirect("Error deleting record", "manageProducts.php");
        }
    }

    // Get file info
    $fileName = basename($_FILES["prod_image"]["name"]);
    $fileType = pathinfo($fileName, PATHINFO_EXTENSION);

```

```

// Allow certain file formats
$allowTypes = array('jpg','png','.png','jpeg','gif');

if(in_array($fileType, $allowTypes)){
    $image = $_FILES['prod_image']['tmp_name'];
    $imgContent = addslashes(file_get_contents($image));

    // Insert image content into database
    //$insert = $db->query("INSERT into images (image, uploaded) VALUES
('$imgContent', NOW())");

    $sql = "INSERT INTO `prod_tb`(`prod_name`, `prod_s35`, `prod_s36`,
`prod_s37`, `prod_s38`,
`prod_s39`, `prod_s40`, `prod_s41`, `prod_s42`, `prod_s43`,
`prod_s44`, `prod_s45`, `prod_brand`,
`prod_category`, `prod_gender`, `prod_year`, `prod_price`,
`prod_discount`, `prod_availability`,
`prod_audit`, `prod_image`)
VALUES
('$_POST[prod_name]', '$_POST[prod_s35]', '$_POST[prod_s36]', '$_POST[prod_s37]', '
$_POST[prod_s38]',

'$_POST[prod_s39]', '$_POST[prod_s40]', '$_POST[prod_s41]', '$_POST[prod_s42]', '$_
POST[prod_s43]', '$_POST[prod_s44]', '$_POST[prod_s45]', '$_POST[prod_brand]',

'$_POST[prod_category]', '$_POST[prod_gender]', '$_POST[prod_year]', '$_POST[prod_
price]', '$_POST[prod_discount]', '$_POST[prod_availability]',
'$_POST[prod_audit]', '$imgContent')";

    if($conn->query($sql)===TRUE){
        phpAlertRedirect("File uploaded successfully",
"manageProducts.php");
    }
    else{

        phpAlert("File upload failed! Try again!");
    }
    /*
    if($insert){
        $status = 'success';
        $statusMsg = "File uploaded successfully.";
    }else{
        $statusMsg = "File upload failed, please try again.";
    } */

```



```

    }
    else{
        $statusMsg = 'Sorry, only JPG, JPEG, PNG, & GIF files are allowed
to upload.';
        phpAlert($statusMsg);
    }
    $conn->close();
?>

```

womanishStyles.css

```

*{
    margin :0;
    padding: 0;
    box-sizing: border-box;
    font-family:'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    list-style: none;
    text-decoration: none;
}

html, body {
    height: 100%;
}

body header {
    text-align: right;
    background-color:lavenderblush;
    height: 30px;
    font-size: 15px;
    padding: 3px 50px 10px 3px;
}

header a {
    text-decoration: none;
    color:#fe2c54 ;
}

header a:hover{
    color: #E75480;
}

.wrapper {
    min-height: 100%;
}

```

```
.topnavbar{
  top: 30px;
  left:0;
  width:100%;
  height: 70px;
  display:flex;
  align-items: center;
  box-shadow: 1px 0 2px rgba(0,0,0,0.125);
}
```

```
.topnavbar .logo{
  width:200px;
  padding: 5px 0 0 35px;
  border-right: 1px solid whitesmoke;
}
```

```
.topnavbar .menu{
  width: calc(100% - 150px);
  display:flex;
  justify-content: space-between;
  align-items: center;
  padding: 0 25px;
}
```

```
.topnavbar .menu .bar {
  font-size: 25px;
  padding-top: 10px;
  cursor: pointer;
}
```

```
.topnavbar .menu .category {
  display: inline-block;
  margin-top: 10px;
  margin-left: 50px;
  padding-left: 20px;
}
```

```
.topnavbar .menu .category a{
  color: rgb(255, 196, 225);
  font-size: 18px;
  font-weight: bold;
```

```

padding: 15px;
font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida
Sans', Arial, sans-serif;
}

.topnavbar .menu .category a:hover {
color: #FFCCE5;
border-bottom: 2.5px solid #FF99CC;
}

.topnavbar .searchwrapper {
border-left: 1px solid whitesmoke;
padding-left: 10px;
padding-right: 20px;
}

.topnavbar .wrap {
display: flex;
align-items: center;
cursor: pointer;
}

.topnavbar .wrap .search{
margin: 0 15px;
font-size: 25px;
padding-bottom: 10px;
}

.topnavbar .wrap .cart {
margin: 0 15px;
font-size: 25px;
}

.topnavbar .wrap .search img {
padding-right: 10px;
padding-top: 15px;
}

.topnavbar .wrap input{
width:150px;

```

```

    height: 30px;
    border-radius: 10px;
    border: 1px solid;
    background-color: whitesmoke;
    font-size: 14px;
    font-family: cursive;
    padding-left: 10px;
}

.topnavbar .wrap input:hover {
    background-color: rgb(225,225,225);
}

.sidebar {
    position: absolute;
    top: 100px;
    left: 0;
    width: 12.8%;
    height: 100%;
    background: white;
    border-right: 0.1px solid whitesmoke;
}

.sidebar ul li a {
    display: block;
    padding: 12px 25px;
    color: black;
    border-top: 0.2px solid whitesmoke;
    border-bottom: 1px solid whitesmoke;
    transition: all 0.1s ease;
}

.sidebar ul li a .icon {
    font-size: 20px;
    vertical-align: middle;
    transition: all 0.1s ease;
}

.sidebar ul li a .text {
    margin-left: 10px;
    text-transform: uppercase;
    letter-spacing: 1px;
}

```

```

.sidebar ul li a:hover {
    background: rgb(225,225,225);
    color:rgb(160,160,160);
}

.sidebar ul li a .text {
    color: black;
}

.hovercollapse .sidebar{
    width: 75px;
}

.hovercollapse .sidebar ul li a .text {
    display: none;
}

.maincontainer{
    padding-left: 125px;
    padding-top: 35px;
    padding-right: 25px;
    padding-bottom: 25px;
    width: calc(100%-75px);
    background-color:snow;
}

.maincontainer .content {
    margin-bottom: 25px;
    text-align:left;
}

.clickcollapse .sidebar{
    transition: all 0.1s ease;
}

.clickcollapse .maincontainer{
    margin-left: 200px;
    width:calc(100%-200px);
    transition: all 0.1s ease;
}

```

```
}

footer {
  background:black;
  color:white;
  height: 300px;
  position: relative;
}

footer .container{
  height: 265px;
  display: flex;
}

footer .copyright {
  text-align: center;
  position: absolute;
  height: 50px;
  width: 100%;
  bottom:0px;
  left:0px;
  padding-top: 20px;
}

footer .container .section {
  flex:1;
  padding: 50px;
}

footer p, footer ul{
  color:#8a8a8a;
}

footer h3{
  color:#fff;
  margin-bottom: 15px;
}

.footer-col1{
  flex-basis:30%;
  margin-left: 80px;
```

```

    margin-top: 20px;
}

.footer-col2{
    flex-basis: 15%;
    text-align: left;
}

```

women.php

```

<?php
    include('session.php');
    if(!isset($_SESSION) ){
        session_start(); }
?>

<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,initial-scale=1.0">
    <link rel="shortcut icon" href="images/Logo.ico" />
    <title>Urban Shoes Online Shop | Women Shoes</title>
    <style>
        <?php include 'styles.css'; ?>
        .content h2 {
            font-size: 26px;
            padding-bottom: 15px;
            font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida
Grande', 'Lucida Sans', Arial, sans-serif;
        }

        .content .container1 {
            width: 100%;
        }

        .container1 img {
            width: 100%;
            height: 800px;
        }
    </style>

```

```

        .container1 .shop {
            position: absolute;
            top: 58%;
            left: 53%;
            transform: translate(-50%, -50%);
            -ms-transform: translate(-50%, -50%);
            background-color: black;
            color: whitesmoke;
            font-size: 16px;
            padding: 12px;
            cursor: pointer;
            border-radius: 5px;
            text-align: center;
        }

        .container1 .shop:hover {
            border: 1.5px solid white;
            background-color: rgb(50, 50, 50);
            color: white;
        }
    </style>
</head>

<body>
    <?php include('header.php'); ?>
    <div class="wrapper hovercollapse">
        <?php include('navbar.php'); ?>
        <?php include('sidebar.php'); ?>
        <div class="maincontainer">
            <div class="container">
                <div class="content">
                    <h2>Women</h2>
                    <div class="container1">
                        
                        <a href="maindashboard.php">
                            <button class="shop"
onclick="filterSelection('female')">Shop Women's</button>
                        </a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```



```

    <div class="small-container1" style="margin-top: 50px;" >
      <div class="row row2">
        <h2 class="title">Featuring Products</h2>
      </div>
    </div>
    <div class="small-container" style="margin-top: 40px;">
      <div class="row">
        <div class="colSingleProduct female casual converse
2020">
          
          <h4>CONVERSE Chuck 70 Ox Women's</h4>
          <p class="price" price-value = "259" style="color:
coral;">$279</p>
          <p><s style="color:darkgray">$60.00</s>-20%</p>
        </div>
        <div class="colSingleProduct female casual vans 2021">
          
          <h4>VANS Classic Slip On Women's</h4>
          <p class="price" price-value = "259" style="color:
coral;">$359</p>
          <p><s style="color:darkgray">$50.00</s>-50%</p>
        </div>
        <div class="colSingleProduct female sport nike 2019">
          
          <h4>Vans Old Skool Women's</h4>
          <p class="price" price-value = "259" style="color:
coral;">$259</p>
          <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
      </div>
    </div>

    <div class="small-container1" style="margin-top: 50px;" >
      <div class="row row2">
        <h2 class="title">Lastest Products</h2>
      </div>
    </div>

    <div class="small-container" style="margin-top: 40px;">
      <div class="row">
        <div class="colSingleProduct men casual vans 2018">
          
          <h4>adidas Originals NMD R1 'Japan' Womens</h4>
          <p class="price" price-value = "259" style="color:
coral;">$219</p>
          <p><s style="color:darkgray">$100.00</s>-20%</p>

```

```

        </div>
        <div class="colSingleProduct men casual vans 2021">
            
            <h4>ADIDAS ZX 1K Boost Women's</h4>
            <p class="price" price-value = "259" style="color:
coral;">$329</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>

        <div class="colSingleProduct men sport addidas 2021">
            
            <h4>adidas Originals Stan Smith Women's</h4>
            <p class="price" price-value = "259" style="color:
coral;">$649</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
    </div>
    <div class="row">
        <div class="colSingleProduct men casual vans 2018">
            
            <h4>adidas Originals ZX 2K Boost Pure</h4>
            <p class="price" price-value = "259" style="color:
coral;">$219</p>
            <p><s style="color:darkgray">$100.00</s>-20%</p>
        </div>
        <div class="colSingleProduct men casual vans 2021">
            
            <h4>adidas Originals Ozweego Women's</h4>
            <p class="price" price-value = "259" style="color:
coral;">$329</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>

        <div class="colSingleProduct men sport addidas 2021">
            
            <h4>adidas Ultraboost Slip-On DNA Women's</h4>
            <p class="price" price-value = "259" style="color:
coral;">$649</p>
            <p><s style="color:darkgray">$50.00</s>-20%</p>
        </div>
    </div>
</div>
</div>

```

```
<?php include('footer.php'); ?>  
<script src="scripts.js"></script>  
</body>  
  
</html>
```