

graph-viewer-vr

Generated by Doxygen 1.8.15

Chapter 1

Hierarchical Index

1.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Edge	5
Graph	6
MonoBehaviour	
CompassHelper	5
GraphDrawer	6
Node	8
XmlParser	??

Chapter 2

Class Index

2.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:


CompassHelper	5
Edge	5
Graph	6
GraphDrawer	6
Node	8
XmlParser	??

Chapter 3

Class Documentation

3.1 CompassHelper Class Reference

Inheritance diagram for CompassHelper:



Public Attributes

- GameObject **player**

The documentation for this class was generated from the following file:

- CompassHelper.cs

3.2 Edge Class Reference

Public Member Functions

- **Edge** (string sourceId, string destinationId, float weight)

Public Attributes

- string **sourceId**
- string **destinationId**
- float **weight**
- GameObject **sourceNode**
- GameObject **destinationNode**

The documentation for this class was generated from the following file:

- Edge.cs

3.3 Graph Class Reference

Public Member Functions

- **Graph** (List< [Node](#) > [nodes](#), List< [Edge](#) > [edges](#))

Public Attributes

- List< [Edge](#) > [edges](#) = new List<[Edge](#)>()
List consisting of all edges.
- List< [Node](#) > [nodes](#) = new List<[Node](#)>()
List consisting of all nodes.

3.3.1 Member Data Documentation

3.3.1.1 edges

```
List<Edge> Graph.edges = new List<Edge>()
```

List consisting of all edges.

3.3.1.2 nodes

```
List<Node> Graph.nodes = new List<Node>()
```


List consisting of all nodes.

The documentation for this class was generated from the following file:

- Graph.cs

3.4 GraphDrawer Class Reference

Inheritance diagram for GraphDrawer:



Public Member Functions

- void [DrawNodes](#) ()
Iterates through all nodes and plots them into 3D world space.
- void [DrawEdges](#) ()
Iterates through all edges and connects source and target nodes.

Public Attributes

- GameObject **ball**
- GameObject **lineGenerator**
- GameObject **nodeText**
- GameObject **arrowHead**
- GameObject **player**
- string [inputFile](#)
This variable can be changed within the Unity GUI. Keep in mind, that the extension has to be.xml and the extension.↔ graphml is not supported.
- float [LineScale](#)
This variable is calculated using the amount of nodes and scales the width of the edges.

Static Public Attributes

- static readonly float [CoordinateScale](#) = 10f
This constant is multiplied with the coordinates of the nodes.

3.4.1 Member Function Documentation

3.4.1.1 DrawEdges()

```
void GraphDrawer.DrawEdges ( ) [inline]
```

Iterates through all edges and connects source and target nodes.

3.4.1.2 DrawNodes()

```
void GraphDrawer.DrawNodes ( ) [inline]
```

Iterates through all nodes and plots them into 3D world space.

3.4.2 Member Data Documentation

3.4.2.1 CoordinateScale

```
readonly float GraphDrawer.CoordinateScale = 10f [static]
```

This constant is multiplied with the coordinates of the nodes.

3.4.2.2 inputFile

```
string GraphDrawer.inputFile
```

This variable can be changed within the Unity GUI. Keep in mind, that the extension has to be.xml and the extension.graphml is not supported.

3.4.2.3 LineScale

```
float GraphDrawer.LineScale
```

This variable is calculated using the amount of nodes and scales the width of the edges.

See definition in [GraphDrawer.DrawEdges](#)

The documentation for this class was generated from the following file:

- GraphDrawer.cs

3.5 Node Class Reference

Public Member Functions

- **Node** (string [id](#), float size, float[] [rgb](#), float[] [xyz](#))

Public Attributes

- string [id](#)
This id gets displayed as node label.
- float **size**
- float [] [rgb](#)
Red, green and blue values in range [0, 1].
- float [] [xyz](#)
[Node](#) coordinates in 3D world space. Are scaled to avoid
- TextMesh [label](#)
Unity supported text renderer to display node id.