# STELLA Manual

Painless symbolic programming with
delivery in Common-Lisp, C++ and Java

Edition 1.0

This manual describes
STELLA 3.3 or later.

The STELLA Development Team

USC Information Sciences Institute

1 Introduction

This document describes the STELLA programming language. STELLA stands for Strongly-TypEd, Lisp-like LAnguage. It is an object-oriented language that strongly supports symbolic programming tasks. We developed it, since none of the currently "healthy" languages such as C++ or Java adequately support symbolic programming. While Common-Lisp would probably still be today's language of choice for many symbolic programming applications, its dwindling vendor support and user base make it more and more difficult to justify its use.

When we started the development of the PowerLoom knowledge representation system in 1995 we were faced with exactly this problem. PowerLoom had to be delivered in C++, but it was simply incoceivable to write such a large symbolic programming application directly in C++. The solution was to invent a new programming language we called STELLA and write PowerLoom in STELLA instead.

STELLA is a strongly typed, object-oriented, Lisp-like language specifically geared to support artificial intelligence applications. STELLA preserves those features of Common Lisp deemed essential for symbolic programming such as built-in support for dynamic data structures, heterogeneous collections, first-class symbols, powerful iteration constructs, name spaces, an object-oriented type system with a simple meta-object protocol, exception handling, language extensibility through macros and automatic memory management. Maybe the biggest difference between STELLA and Common Lisp is that STELLA is strongly typed. All externally visible interfaces such as slots, function parameters and return values, etc. have to be explicitly typed. Internal objects such as local variables, however, are mostly typed implicitly supported by type inference. This in conjunction with a powerful type coercion mechanism significantly reduces the number of explicit type information that needs to be supplied by the programmer compared to languages such as C++ or Java.

STELLA programs are first translated into a target language such as Common Lisp, C++ or Java, and then compiled with the native target language compiler to generate executable code. The language constructs of STELLA are restricted to those that can be translated fairly directly into native constructs of the intended target languages. This allows STELLA to be translated into efficient, conventional and readable Lisp, C++ and Java code. The resulting native code can be understood and to some extent even maintained by programmers who don't know STELLA, and it can easily be interfaced with other programs not written in STELLA.

As of Fall 2000, we have programmed approximately 100,000 lines of STELLA code - about 50% for the STELLA kernel itself and the other 50% for the PowerLoom knowledge representation system and related systems. Our subjective experience has been that it is only slightly more difficult to write and debug a STELLA program than a Lisp program, and that the inconvenience of having to supply some type information is much outweighed by the benefits such as catching many errors during compile time instead of at run time.

The biggest benefit, however, seems to be that we can still leverage all the incremental code development benefits of Lisp, since we use the Common Lisp-based version of STELLA for prototyping. This allows us to incrementally define and redefine functions, methods and classes and to inspect, debug and fix incorrect code on the fly. Even the most sophisticated C++ or Java IDE's don't yet seem to support this fully incremental development style, i.e.,

a change in a class (every change in Java is a change to a class) still requires recompilation and restart of the application. But it is the restart that can be the most time consuming if one debugs a complex application that takes a significant time to reach a certain state!

Once a STELLA program has matured, it can be translated into C++ or Java to gain extra efficiency, to deliver it as a stand-alone application, or to link it with other programs.

1.1 Credits and History

Bob MacGregor invented STELLA in 1995 to implement the PowerLoom knowledge representation system. He wrote most of the first Lisp-based kernel system of STELLA and still occasionally writes extensions or provides fixes. Today he is primarily a STELLA user writing his own applications.

Hans Chalupsky completed the first full STELLA bootstrap (STELLA translating itself) in Spring 1996, and then went on to deal with all the changes necessary to handle the many C++ and Java idiosyncrasies that were discovered when the first versions of these translators came online. He is currently one of the principal maintainers of STELLA supporting the STELLA code analyzer and the Lisp and C++ translators.

Eric Melz wrote the first version of the C++ translator under very trying circumstances (i.e., at a stage where the STELLA language changed under him on a daily basis). He got the first C++ version of STELLA running in the Fall of 1996.

Tom Russ wrote the Java translator and got the first Java version of STELLA running in Spring 1999. He is currently one of the principal maintainers of STELLA supporting the STELLA code analyzer and the Lisp and Java translators. He is also still active writing occasional extensions such as the STELLA XML parser.

2 Installation

2.1 System Requirements

To install and use STELLA you'll approximately need the following amounts of disk space:

- 8 MB for the tar-red or zip-ped archive file
- 35 MB for the untarred sources, tanslations, compiled Java files and documentation
- 8 MB to compile a Lisp version
- 11 MB to compile the C++ version (without -g)
- 3 MB to compile the Java version (already included)

This means that you will need approximately 55 MB to work with one Lisp, one C++ and one Java version of STELLA in parallel. If you also want to experiment with the Lisp translation variant that uses structures instead of CLOS instances to implement STELLA objects, then you will need an extra 8 MB to compile that.

The full STELLA development tree is quite large, since for every STELLA source file there are three to four translated versions and as many compiled versions thereof. The actual STELLA libraries that you have to ship with an application, however, are quite small. For example, the Java jar file 'stella.jar' is only 2 MB including Java sources. Eliminating the Java sources cuts that down to about 1 MB! The dynamic C++ library 'libstella.so' compiled on a Linux platform is about 4 MB. Additionally, if you don't need all the different translations of STELLA, you can delete some of the versions to keep your development tree smaller (See Section 2.7 [Removing Unneeded Files], page 6).

To run the Lisp version of STELLA you need an ANSI Common-Lisp (or at least one that supports CLOS and logical pathnames). We have successfully tested STELLA with Allegro-CL 4.2, 4.3, 5.0 and 6.0, Macintosh CL 3.0 and 4.0, Lucid CL 4.1 (plus the necessary ANSI extensions and Mark Kantrowitz's logical pathnames implementation) and the freely available CMUCL 18c. Our main development platform is Allegro CL running under Sun Solaris and Linux RedHat, so, the closer your environment is to ours, the higher are the chances that everything will work right out of the box. Lisp development under Windows should also be no problem.

To run the C++ version of STELLA you need a C++ compiler such as g++ that supports templates and exception handling. We have successfully compiled and run STELLA with g++ 3.2 under Linux Redhat 8.0, and with CygWin 5.0 under Windows 2000 (CygWin provides a very Unix-like environment). We have not yet tried to run the C++ version fully natively under Windows. The main portability issue is the garbage collector. It is supposed to be very portable and run natively on Windows platforms, but we have never verified that.

For the Java version you will need Java JDK 1.2 or later. To get reasonable performance, you should use JDK 1.3 or later. We've run the Java version of STELLA on a variety of platforms without any problems.

Any one of the Lisp, C++ or Java implementations of STELLA can be used to develop your own STELLA code and translate it into all three languages, but the most convenient development environment is the one based on Lisp. If you use the C++ or Java version, translating and using your own STELLA macros is possible but not yet very well supported.

2.2 Unpacking the Sources

Uncompress and untar the file 'stella-X.Y.Z.tar.gz' (or unzip the file 'stella-X.Y.Z.zip') in the parent directory of where you want to install STELLA ('X.Y.Z' are place holders for the actual version numbers). This will create the STELLA tree in the directory 'stella-X.Y.Z/'. All pathnames mentioned below will be relative to that directory which we will usually refer to as the "STELLA directory".

2.3 Lisp Installation

To install the Lisp version startup Lisp and load the file 'load-stella.lisp' with:

```
(CL:load "load-stella.lisp")
```

The first time around this will compile all Lisp-translated STELLA files before they are loaded. During subsequent sessions the compiled files will be loaded right away.

If you want to use the version that uses Lisp structs instead of CLOS objects to implement STELLA objects do the following:

```
(CL:setq cl-user::*load-cl-struct-stella?* CL:t)
(CL:load "load-stella.lisp")
```

Alternatively, you can edit the initial value of the variable *load-cl-struct-stella?* in the file 'load-stella.lisp'. Using structs instead of CLOS objects greatly improves slot access speed, however, it may cause problems with incremental re-definition of STELLA classes. It is therefore recommended to only use this for systems that are in or near the production stage.

Once all the files are loaded, you should see a message like this:

```
Initializing STELLA...
STELLA 3.3.0 loaded.
Type '(in-package "STELLA")' to execute STELLA commands.
USER(2):
```

To reduce startup time, you might want to create a Lisp image that has all of STELLA preloaded.

Now type

```
(in-package "STELLA")
```

to enter the STELLA Lisp package where all the STELLA code resides.

IMPORTANT: All unqualified Lisp symbols in this document are assumed to be in the STELLA Lisp package. Moreover, the STELLA package does **NOT** inherit anything from the COMMON-LISP package (see the file 'sources/stella/cl-lib/cl-setup.lisp' for the few exceptions), hence, you have to explicitly qualify every Lisp symbol you want to use with CL:. For example, to get the result of the previous evaluation you have to type CL:* instead of *.

2.4 C++ Installation

To compile the C++ version of STELLA change to the native C++ directory and run `make`:

```
% cd native/cpp/stella
% make
```

This will compile all STELLA files, the garbage collector and generate a static or dynamic 'libstella' library file in the directory 'native/cpp/lib' which can later be linked with your own C++-translated STELLA (or other) code. To test whether the compilation was successful you can run STELLA from the same directory like this:

```
% ./stella
Welcome to STELLA 3.3.0
Running kernel startup code...
Initializing symbol tables...
Initializing quoted constants...
Initializing global variables...
Creating class objects...
Finalizing classes...
Creating method objects...
Finalizing methods...
Running non-phased startup code...
Starting up translators...
Bye!
```

This will simply run various STELLA startup code and exit. See Section 4.1.2 [Hello World in C++], page 14, to see how you can use the STELLA C++ executable to translate STELLA code.

2.5 Java Installation

Nothing needs to be done to install the Java version. Since Java class files are platform independent, they are already shipped with the STELLA distribution and can be found in the directory 'native/java' and its subdirectories. Additionally, they have been collected into the file 'stella.jar' in the STELLA directory. To try out the Java version of STELLA run the following in the STELLA directory:

```
% java -jar stella.jar
Welcome to STELLA 3.3.0
Running kernel startup code...
Initializing symbol tables...
Initializing quoted constants...
Initializing global variables...
Creating class objects...
Finalizing classes...
Creating method objects...
Finalizing methods...
Running non-phased startup code...
Starting up translators...
```

```
    Bye!
```
Similar to the C++ executable, this will simply run various STELLA startup code and exit. See Section 4.1.3 [Hello World in Java], page 16, to see how you can use the STELLA Java executable to translate STELLA code.

2.6 X/Emacs Setup

STELLA development is very similar to Lisp development, and it is best done in an X/Emacs-based Lisp development environment such as the Allegro-CL Emacs interface plus Allegro Composer, or ILISP. If you do use X/Emacs with the Allegro CL interface, add the following to your '.emacs' or '.xemacs/init.el' file:

```
    (setq auto-mode-alist
          (cons '("\\.ste$" . fi:common-lisp-mode) auto-mode-alist))
```
If you are using the Allegro CL interface, you might want to install the file 'emacs/fi-stella.el', since it sets up proper indentation for STELLA code and makes looking up STELLA definitions via the *C-c .* or *M-.* commands work better. Look at the file 'emacs/fi-stella.el' for specific installation instructions.

2.7 Removing Unneeded Files

To save disk space you can remove files that you don't need. For example, if you are not interested in the C++ version of STELLA, you can delete the directory 'native/cpp'. Similarly, you can remove 'native/java' to eliminate all Java-related files. You could do the same thing for the Lisp directory 'native/lisp', but (in our opinion) that would make it less convenient for you to develop new STELLA code. Finally, if you don't need any of the STELLA sources, you can delete the directory 'sources/stella'. If you don't need local copies of the STELLA documentation, you can delete parts or all of the 'sources/stella/doc' directory.

3 The STELLA Language

3.1 Language Overview

STELLA is a strongly typed, object-oriented, Lisp-like language. STELLA programs are first translated into either Common Lisp, C++, or Java, and then compiled with any conventional compiler for the chosen target language to generate executable code. Over 95% of the STELLA system is written in STELLA itself, the rest is written in target-language-specific native code.

The design of STELLA borrows from a variety of programming languages, most prominently from Common Lisp, and to a lesser degree from other object-oriented languages such as Eiffel, Sather, and Dylan. Since STELLA has to be translatable into C++ and Java, various restrictions of these languages also influenced its design.

In the following, we assume that the reader is familiar with basic Common Lisp concepts, and has at least some familiarity with C++ or Java. Let us start with a cursory overview of STELLA's main features:

Syntax: STELLA uses a parenthesized, uniform expression syntax similar to Lisp. Most definitional constructs and control structures are similar to their Common Lisp analogues with variations to support types.

Type system: STELLA is strongly typed and supports efficient static compilation similar to C++. Types are required for the arguments and return values of functions and methods, for global variables, and for slot definitions. Local, lexically scoped variables can be typed implicitly by relying on type inference.

Object system: Types are organized into a single inheritance class hierarchy. Restricted multiple inheritance is allowed via mixin classes. Dynamic method dispatch is based on the runtime type of the first argument (similar to C++ and Java). Slots can be static (native) or dynamic. Dynamic slots can be defined at runtime and do not occupy any space until they are filled. Slots can have both initial and default values, and demons can be triggered by slot accesses. A meta-object protocol allows the control of object creation, initialization, termination, and destruction.

Control structure: Functions and methods are distinguished. They can have multiple (zero or more) return values and a variable number of arguments. Lisp-style macros are supported to facilitate syntax extensions. Expressions and statements are distinguished. Local variables are lexically scoped, but dynamically scoped variables (specials) are also supported. STELLA has an elegant, uniform, and efficient iteration mechanism plus a built-in protocol for iterators. An exception mechanism can be used for error handling and non-local exits.

Symbolic programming: Symbols are first-class objects, and extensive support for dynamic datatypes such as cons-trees, lists, sets, association lists, hash tables, extensible vectors, etc., is available. A backquote mechanism facilitates macro writing and code generation. Interpreted function call, method call, slot access, and object creation is supported, and a restricted evaluator is also available.

Name spaces: Functions, methods, variables, and classes occupy separate name spaces (i.e., the same name can be used for a function and a class). A hierarchical module system compartmentalizes symbol tables and supports large-scale programming.

Memory management: STELLA relies on automatic memory management via a garbage collector. For Lisp and Java the native garbage collector is used. For the C++ version of STELLA we use the Boehm- Weiser conservative garbage collector with good results. Various built-in support for explicit memory management is also available.

The Common Lisp features most prominently absent from STELLA are anonymous functions via lambda abstraction, lexical closures, multi-methods, full-fledged eval (a restricted evaluator is available), optional and keyword arguments, and a modifiable readtable. STELLA does also not allow dynamic re/definition of functions and classes, even though the Lisp-based development environment provides this facility (similar to Dylan). The main influences of C++ and Java onto STELLA are the strong typing, limited multiple inheritance, first-argument polymorphism, and the distinction between statements and expressions.

3.2 Basic Data Types (tbw)

To be written.

3.3 Control Structure (tbc)

To be completed.

3.3.1 Conditionals

STELLA conditionals are very similar to those found in Common-Lisp. The main difference is that most STELLA conditionals are statements and therefore do not return a value. For this reason, a C++-style `choose` directive has been added to the language to allow value conditionalization based on a boolean expression.

if *condition then-statement else-statement*   [Statement]
>   Evaluate the boolean expression *condition*. If the result is true execute *then-statement*, otherwise, execute *else-statement*. Note that unlike the Common-Lisp version of `if` the *else-statement* is not optional in STELLA. Example:

```
(if (> x y)
    (print "x is greater than y" EOL)
  (print "x is less than or equal to y" EOL))
```

when *condition statement...*   [Statement]
>   Evaluate the boolean expression *condition*. Only if the result is true execute the *statement*'s in the body. Example:

```
(when (symbol? x)
  (print "x is a symbol, ")
  (print "its name is " (symbol-name (cast x SYMBOL)) EOL))
```

unless *condition statement...*   [Statement]

> Evaluate the boolean expression *condition*. Only if the result is false execute the
> *statement*'s in the body. Therefore, `(unless test ...)` is equivalent to `(when (not
> test) ...)`. Example:

```
(unless (symbol? x)
  (print "x is not a symbol, ")
  (print "hence, its name is unknown" EOL))
```

cond *clause...*   [Statement]

> `cond` is a conditional with an arbitrary number of conditions each represented by a
> *clause*. Each `cond` clause has to be of the following form:

```
(condition statement...)
```

> The first *clause* whose *condition* evaluates to true will be selected and its *statement*'s
> will be executed. Each clause can have 0 or more statements. The special condition
> `otherwise` always evaluates to true and can be used for the catch-all case. Example:

```
(cond ((symbol? x)
       (print "x is a symbol" EOL))
      ((cons? x)
       (print "x is a cons" EOL))
      (otherwise
       (print "x is an object" EOL)))
```

choose *condition true-expression false-expression*   [Expression]

> Evaluate the boolean expression *condition*. If the result is true return the value of
> *true-expression*, otherwise, return the value of *false-expression*. STELLA computes
> the most specific common supertype of *true-expression* and *false-expression* and uses
> that as the type returned by the `choose` expression. If no such type exists, a trans-
> lation error will be signaled. Example:

```
(setq face (choose happy? :smile :frown))
```

case *expression clause...*   [Statement]

> Each `case` clause has to be of one of the following forms:

```
(key statement...)
((key...) statement...)
```

> `case` selects the first *clause* whose *key* (or one of the listed *key*'s) matches the result
> of *expression* and executes the clause's *statement*'s. Each `case` *key* has to be a
> constant such as a number, character, string, symbol, keyword or surrogate. Keys are
> compared with `eql?` (or `string-eql?` for strings). All keys in a `case` statement have
> to be of the same type. The special key `otherwise` can be used to catch everything.
> It is a run-time error if no clause with a matching key exists. Therefore, a STELLA
> `case` without an `otherwise` clause corresponds to a Common Lisp `ecase`. An empty
> `otherwise` clause can always be specified via `(otherwise NULL)`. Example:

```
(case car-make
  ("Yugo"
   (setq price :cheap))
  ("VW"
```

```
      (setq price :medium))
     (("Ferrari" "Rolls Royce")
      (setq price :expensive))
     (otherwise
      (setq price :unknown)))
```

typecase *expression clause...*   [Statement]

Each `typecase` clause has to be of one of the following forms:

```
     (type statement...)
     ((type...) statement...)
```

`typecase` selects the first *clause* whose *type* (or one of the listed *type*'s) equals or is a supertype of the run-time type of the result of *expression* and then executes the clause's *statement*'s. Therefore, `typecase` can be used to implement a type dispatch for cases where the run-time type of an expression can be different from the static type known at translation time. Currently, the static type of *expression* is required to be a subtype of `OBJECT`.

Each *type* expression has to be a symbol describing a simple type (i.e., parametric or anchored types are not allowed). Similar to `case`, the special key `otherwise` can be used to catch everything. It is a run-time error if no clause with a matching type exists. Therefore, a STELLA `typecase` without an `otherwise` clause corresponds to a Common Lisp `etypecase`. An empty `otherwise` clause can always be specified via (`otherwise NULL`). `typecase` does allow the value of *expression* to be undefined, in which case the `otherwise` clause is selected. Example:

```
     (typecase (first list)
       (CONS
        (print "it is a cons"))
       ((SYMBOL KEYWORD)
        (print "it is a symbol"))
       (STANDARD-OBJECT
        (print "it is a regular object"))
       (otherwise NULL))
```

Note that in the example above it is important to list `STANDARD-OBJECT` after `SYMBOL` and `CONS`, since it subsumes the preceding types. Otherwise, it would always shadow the clauses with the more specific types.

The semantics of `typecase` is slightly extended for the case where *expression* is a local variable. In that case each reference to the variable within a `typecase` clause is automatically casted to the appropriate narrower type. For example, in the code snippet below method calls such as `first` or slot accesses such as `symbol-name` are translated correctly without needing to explicitly downcast `x` which is assumed to be of type `OBJECT`:

```
     (typecase x
       (CONS
        (print "it is a cons with value " (first x)))
       ((SYMBOL KEYWORD)
        (print "it is a symbol with name " (symbol-name x)))
       (STANDARD-OBJECT
```

```
            (print "it is a regular object"))
          (otherwise NULL))
```

Since the `typecase` *expression* has to be a subtype of `OBJECT`, a `typecase` cannot be used to test against literal types such as `STRING` or `INTEGER`. If such type names are encountered as keys in a `typecase`, they are automatically converted to their wrapped version, e.g., `STRING-WRAPPER`, `INTEGER-WRAPPER`, etc.

3.4 Functions (tbw)

To be written.

3.5 Classes (tbw)

To be written.

3.6 Methods (tbw)

To be written.

3.7 Macros (tbw)

To be written.

3.8 Modules (tbw)

To be written.

4 Programming in STELLA

4.1 Hello World in STELLA

Included with the STELLA distribution is a simple Hello World application that shows you how to organize your own STELLA code and build a working STELLA application. The sources for the Hello World system consist of the following files:

```
sources/systems/hello-world-system.ste
sources/hello-world/file-a.ste
sources/hello-world/file-b.ste
```

STELLA organizes code modules with a simple system facility. Translation always operates on a complete system, so you always need to create a system definition for the STELLA files comprising your application (somewhat similar to what you would put in a Unix Makefile).

For the Hello World system the system definition already exists and resides in the file 'sources/systems/hello-world-system.ste'. By default, STELLA looks in the directory 'sources/systems' to find the definition of a particular system. 'hello-world-system.ste' defines two things:

(1) The HELLO-WORLD module which defines a namespace for all objects in the Hello World systems. STELLA modules are mapped onto corresponding native namespace constructs, i.e., Lisp packages, C++ namespaces or Java packages. The exact mapping for each language can be defined via the keyword options :lisp-package, :cpp-package and :java-package in the module definition, for example:

```
(defmodule "HELLO-WORLD"
  :lisp-package "STELLA"
  :cpp-package "hello_world"
  :java-package "edu.isi.hello_world"
  :uses ("STELLA"))
```

The :uses directive tells STELLA from what other modules this one inherits.

(2) The actual system definitions defining what source files comprise the system, and what parent systems this one depends on, plus a variety of other options:

```
(defsystem HELLO-WORLD
  :directory "hello-world"
  :required-systems ("stella")
  :cardinal-module "HELLO-WORLD"
  :production-settings (1 0 3 3)
  :development-settings (3 2 3 3)
  :files ("file-a"
          "file-b"))
```

4.1.1 Hello World in Lisp

To generate a Lisp translation of Hello World you can use either the Lisp, C++ or Java version of STELLA. Before you can translate you have to make sure the following native directories exist:

```
native/lisp/hello-world/
bin/acl5.0/hello-world/
```

The directory 'native/lisp/hello-world/' will hold the Lisp translations of the corresponding STELLA source files. The directory 'bin/acl5.0/hello-world/' will hold the compiled Lisp files if you are using Allegro CL 5.0. If you are using a different Lisp, one of the other binary directories as defined in the top-level file 'translations.lisp' will be used. The directory 'bin/lisp/hello-world/' will be used as a fall-back if your version of Lisp is not yet handled in 'translations.lisp'.

If you create your own system, you will need to create those directories by hand (future versions of STELLA might do that automatically). For the Hello World system these directories already exist.

To generate a Lisp translation of Hello World using Lisp startup a Lisp version of STELLA (see Section 2.3 [Lisp Installation], page 4). The following idiom will then translate the system into Lisp and also Lisp-compile and load it. The first argument to `make-system` is the name of the system, and the second argument indicates into what language it should be translated:

```
STELLA(3): (make-system "hello-world" :common-lisp)
Processing '/tmp/stella-3.1.0/sources/hello-world/file-a.ste':
*** Pass 1, generating objects...
Processing '/tmp/stella-3.1.0/sources/hello-world/file-b.ste':
*** Pass 1, generating objects...

   ........................................
;;; Writing fasl file
;;;   /tmp/stella-3.1.0/bin/acl5.0/hello-world/startup-system.fasl
;;; Fasl write complete
; Fast loading
;     /tmp/stella-3.1.0/bin/acl5.0/hello-world/startup-system.fasl
CL:T
STELLA(4):
```

After the system is loaded you can call its `main` function:

```
STELLA(10): (main)
Hello World A
Hello World B
bye
()
STELLA(11):
```

Using `main` in the Lisp version will not always make sense, since you can call any function directly at the Lisp top level, but both C++ and Java always need a `main` function as a top-level entry point.

While this would be somewhat unusual, you could also generate the Lisp translation using the C++ or Java version of STELLA. The easiest way to do that is to run the `stella` script in the STELLA directory like this:

```
% ./stella -e '(make-system "hello-world" :common-lisp)'
Welcome to STELLA 3.3.0
Processing 'sources/hello-world/file-a.ste':
*** Pass 1, generating objects...
Processing 'sources/hello-world/file-b.ste':
*** Pass 1, generating objects...
   .............................................
Translating 'sources/hello-world/file-a.ste' to 'Common Lisp'...
Writing 'native/lisp/hello-world/file-a.lisp'...
Translating 'sources/hello-world/startup-system.ste' to 'Common Lisp'...
Writing 'native/lisp/hello-world/startup-system.lisp'...
```

The `-e` command line option is used to evaluate an evaluable STELLA command. Conveniently, `make-system` is such a command, so you can supply a `make-system` form to the C++ or Java version of STELLA just as you would do in Lisp. Note the extra quotes around the expression to protect the characters from interpretation by the Unix shell.

To compile and load the translated Lisp files into Lisp you then have to startup a Lisp version of STELLA and call `make-system` again which now will only compile and load the necessary files, since the translations have already been generated in the previous step.

4.1.2 Hello World in C++

To generate a C++ translation of Hello World you can use either the Lisp, C++ or Java version of STELLA. Before you can translate you have to make sure the following native directory exists:

```
native/cpp/hello-world/
```

The directory 'native/cpp/hello-world/' will hold the C++ translations of the corresponding STELLA source files. If you create your own system, you will need to create this directory by hand (future versions of STELLA might do that automatically). For the Hello World system the directory already exist.

To generate a C++ translation of Hello World using Lisp startup a Lisp version of STELLA (see Section 2.3 [Lisp Installation], page 4). The following idiom will then translate the system into C++. The first argument to `make-system` is the name of the system, and the second argument indicates into what language it should be translated:

```
STELLA(4): (make-system "hello-world" :cpp)
Processing '/tmp/stella-3.1.0/sources/hello-world/file-a.ste':
*** Pass 1, generating objects...
Processing '/tmp/stella-3.1.0/sources/hello-world/file-b.ste':
*** Pass 1, generating objects...
   .............................................
Writing '/tmp/stella-3.1.0/native/cpp/hello-world/file-b.hh'...
Writing '/tmp/stella-3.1.0/native/cpp/hello-world/file-b.cc'...
Translating '/tmp/stella-3.1.0/sources/hello-world/startup-system.ste'.
```

```
Writing '/tmp/stella-3.1.0/native/cpp/hello-world/startup-system.hh'...
Writing '/tmp/stella-3.1.0/native/cpp/hello-world/startup-system.cc'...
:VOID
STELLA(5):
```

Alternatively, you can generate the translation using the C++ or Java version of STELLA. The easiest way to do that is to run the `stella` script in the STELLA directory like this:

```
% ./stella -e '(make-system "hello-world" :cpp)'
Welcome to STELLA 3.3.0
Processing 'sources/hello-world/file-a.ste':
*** Pass 1, generating objects...
Processing 'sources/hello-world/file-b.ste':
*** Pass 1, generating objects...
   .............................................
Writing 'native/cpp/hello-world/file-b.hh'...
Writing 'native/cpp/hello-world/file-b.cc'...
Translating 'sources/hello-world/startup-system.ste'.
Writing 'native/cpp/hello-world/startup-system.hh'...
Writing 'native/cpp/hello-world/startup-system.cc'...
```

The `-e` command line option is used to evaluate an evaluable STELLA command. Conveniently, `make-system` is such a command, so you can supply a `make-system` form to the C++ or Java version of STELLA just as you would do in Lisp. Note the extra quotes around the expression to protect the characters from interpretation by the Unix shell.

Different from Lisp, neither of the above idioms will compile and load the generated C++ code. Instead you have to use the Unix 'make' facility to compile and link the C++ sources. First change into the native 'hello-world' directory and then call make (**important**: the generated Makefiles currently require the GNU version of make):

```
% cd native/cpp/hello-world/
% make
g++ -w -g -O2  -DSTELLA_USE_GC -I../stella/cpp-lib/gc/include \
    -c -I.. main.cc
g++ -w -g -O2  -DSTELLA_USE_GC -I../stella/cpp-lib/gc/include \
    -c -I.. file-a.cc
g++ -w -g -O2  -DSTELLA_USE_GC -I../stella/cpp-lib/gc/include \
    -c -I.. file-b.cc
g++ -w -g -O2  -DSTELLA_USE_GC -I../stella/cpp-lib/gc/include \
    -c -I.. startup-system.cc
   ...............................
g++ -dynamic  -L../stella/cpp-lib/gc -Xlinker -rpath -Xlinker \
      '../lib:/tmp/stella-3.1.0/native/cpp/lib' \
      main.o -o hello-world \
      -L../lib -lhello-world -L../lib -lstella -lgc -lm
```

The first time around this will also compile the C++ version of STELLA and the C++ garbage collector and create a STELLA library file. Future builds of the Hello World and other systems will use the STELLA library file directly. To run the Hello World system simply run the 'hello-world' executable that was built in the previous step:

```
% ./hello-world
Hello World A
Hello World B
bye
```

4.1.3 Hello World in Java

To generate a Java translation of Hello World you can use either the Lisp, C++ or Java
version of STELLA. Before you can translate you have to make sure the following native
directory exists:

> `native/java/edu/isi/hello-world/`

The directory '`native/java/edu/isi/hello-world/`' will hold the Java translations of
the corresponding STELLA source files. If you create your own system, you will need to
create this directory by hand (future versions of STELLA might do that automatically).
For the Hello World system the directory already exist.

Note that following Java convention we use the package `edu.isi.hello_world` to hold
the Hello World system. This was specified via the `:java-package` option in the definition
of the `HELLO-WORLD` module. Also note that we use `hello_world` instead of `hello-world`
as the package name, since a dash cannot legally appear as part of a Java identifier.

To generate a Java translation of Hello World using Lisp startup a Lisp version of
STELLA (see Section 2.3 [Lisp Installation], page 4). The following idiom will then translate
the system into Java. The first argument to `make-system` is the name of the system, and
the second argument indicates into what language it should be translated:

```
STELLA(5): (make-system "hello-world" :java)
Processing '/tmp/stella-3.1.0/sources/hello-world/file-a.ste':
*** Pass 1, generating objects...
    ..........................................
Writing '/tmp/stella-3.1.0/native/java/hello_world/Startup_Hello_...
:VOID
STELLA(6):
```

Alternatively, you can generate the translation using the C++ or Java version of STELLA.
The easiest way to do that is to run the `stella` script in the STELLA directory like this:

```
% ./stella -e '(make-system "hello-world" :java)'
Welcome to STELLA 3.3.0
Processing 'sources/hello-world/file-a.ste':
*** Pass 1, generating objects...
Processing 'sources/hello-world/file-b.ste':
*** Pass 1, generating objects...
    ...............................................
Writing 'native/java/edu/isi/hello_world/HelloWorld.java'...
Writing 'native/java/edu/isi/hello_world/StartupFileA.java'...
Writing 'native/java/edu/isi/hello_world/StartupFileB.java'...
Writing 'native/java/edu/isi/hello_world/StartupHelloWorldSystem.java'...
```

The `-e` command line option is used to evaluate an evaluable STELLA command. Con-
veniently, `make-system` is such a command, so you can supply a `make-system` form to the

C++ or Java version of STELLA just as you would do in Lisp. Note the extra quotes around
the expression to protect the characters from interpretation by the Unix shell.

Different from Lisp, neither of the above idioms will compile and load the generated C++
code. Instead you have to use the Java compiler to compile and Java to run the compiled
Java sources. First change into the top-level native Java directory 'native/java' and then
compile and run the Hello World system like this:

```
% cd native/java/
% javac edu/isi/hello_world/*.java
% java edu.isi.hello_world.HelloWorld
Hello World A
Hello World B
bye
```

It is not necessary to Java-compile STELLA first, since STELLA already ships with a
Java compilation of the STELLA system.

4.2 Incrementally Developing STELLA Code

The preferred method of STELLA code development is to use a Lisp-based version of
STELLA for all the prototyping and testing, since that allows you to exploit most (or all)
of the rapid-prototyping advantages of Lisp. Once a system has reached a certain point of
stability, it can be translated into C++ or Java for delivery or to interface it with other C++
or Java code.

In the following, we assume an X/Emacs-based Lisp development environment such as
the Allegro CL Emacs interface, where Lisp is run in an Emacs subprocess, and Lisp source
can be compiled and evaluated directly from the source buffers. By "Lisp buffer" we mean
the listener buffer in which Lisp is actually running, and by "source buffer" we mean a
buffer that is used to edit a file that contains STELLA source.

Included in the distribution is the Hello World system comprised of the files

```
sources/systems/hello-world-system.ste
sources/hello-world/file-a.ste
sources/hello-world/file-b.ste
```

To get started, simply add your code to either 'file-a.ste' or 'file-b.ste', since all
the necessary definitions and directories for these files are already set up properly. See
section ??? on how to setup your own system.

Make sure the Hello World system is loaded into Lisp by doing the following:

```
(make-system "hello-world" :common-lisp)
```

This will make sure that the system definition is loaded and the necessary module defi-
nition is evaluated.

Now suppose you add the following function to 'file-a.ste':

```
(defun (factorial INTEGER) ((n INTEGER))
  (if (eql? n 0)
      (return 1)
    (return (* n (factorial (1- n))))))
```

There are various options for translating and evaluating this definition. For example, you can simply remake the complete system similar to what you would do for a C++ or Java program:

```
(make-system "hello-world" :common-lisp)
```

This will retranslate the modified files, recompile them and reload them into your Lisp image.

Instead of retranslating and recompiling everything, you can incrementally evaluate the definition of `factorial` from your Emacs-to-Lisp interface. Simply put your cursor somewhere inside the definition in the source buffer and evaluate it by typing `M-C-x`. This translates the STELLA code into Lisp and compiles (or evaluates) the resulting Lisp code. Now you can actually try it out in the Lisp buffer, for example:

```
STELLA(4): (factorial 6)
720
```

Finally, instead of evaluating the definition in the source buffer, you can also enter it directly at the Lisp prompt with the same effect.

The way this works is that the Lisp symbol `stella::defun` is actually bound to a Lisp macro that calls all the necessary translation machinery to convert the STELLA `defun` into Lisp code. Look at the file 'sources/stella/cl-lib/stella-to-cl.ste' for the complete set of such macros. This might be a bit confusing, since there are now three different bindings (or meanings) of `defun`:

1. The STELLA operator `defun` used to define STELLA functions.

2. The Lisp macro `stella::defun` that resides in the `STELLA` Lisp package and is only available for convenience in Lisp versions of STELLA.

3. The Lisp macro `CL:defun` which is the standard Common Lisp macro used to define Lisp functions.

We'll try to explicitly qualify which meaning is used wherever there might be some doubt which one is meant. In general, every unqualified symbol mentioned below is either part of the STELLA language or resides in the STELLA Lisp package.

Since a newly-written STELLA function might have errors, it is prudent to first only translate it without actually executing the result of the translation. In the source buffer you can do that by macro-expanding the `defun`. For example, if you use the Allegro CL interface you would position the cursor on the opening parenthesis of the `defun` and then type `M-M`. Any errors discovered by the STELLA translator are reported in the Lisp buffer window. The expansion will be a `CL:progn` that contains the translated definition as the first element plus various startup-time (initialization) code following it.

In the Lisp buffer you can achieve a similar effect with the `lptrans` macro. For example, executing

```
(lptrans
 (defun (factorial INTEGER) ((n INTEGER))
   (if (eql? n 0)
       (return 1)
     (return (* n (factorial (1- n)))))))
```

in the Lisp buffer first Lisp-translates the definition, and then prints the translation. To see the C++ translation you can use `cpptrans`, calling `jptrans` will generate the Java translation.

You can also use `lptrans`/`cpptrans`/`jptrans` to translate code fragments that are not top-level definitions such as `defun` and its friends. For example:

```
STELLA(8): (lptrans
             (foreach element in (list 1 2 3)
                 do (print element EOL)))

(CL:LET* ((ELEMENT NULL)
          (ITER-003
           (%THE-CONS-LIST (LIST (WRAP-INTEGER 1) (WRAP-INTEGER 2)
                                     (WRAP-INTEGER 3)))))
   (CL:LOOP WHILE (CL:NOT (CL:EQ ITER-003 NIL)) DO
            (CL:PROGN (SETQ ELEMENT (%%VALUE ITER-003))
                      (SETQ ITER-003 (%%REST ITER-003)))
            (%%PRINT-STREAM (%NATIVE-STREAM STANDARD-OUTPUT)
                            ELEMENT EOL)))
()
STELLA(9): (cpptrans
             (foreach element in (list 1 2 3)
                 do (print element EOL)))
{ Object* element = NULL;
  Cons* iter004 = list(3, wrapInteger(1), wrapInteger(2),
                          wrapInteger(3))-> theConsList;

  while (!(iter004 == NIL)) {
    element = iter004->value;
    iter004 = iter004->rest;
    cout << element << endl;
  }
}
:VOID
STELLA(10): (jptrans
             (foreach element in (list 1 2 3)
                 do (print element EOL)))
{ Stella_Object element = null;
  Cons iter005 = Stella.list
                    (Stella_Object.cons
                       (Stella.wrapInteger(1),
                        Stella_Object.cons
                          (Stella.wrapInteger(2),
                           Stella_Object.cons
                             (Stella.wrapInteger(3),
                              Stella.NIL)))).theConsList;
```

```
   while (!(iter005 == Stella.NIL)) {
     {
       element = iter005.value;
       iter005 = iter005.rest;
     }
     java.lang.System.out.println(element);
   }
 }
 :VOID
```

The use of `lptrans` is really necessary here, since there is no Lisp macro `foreach` that knows how to translate STELLA `foreach` loops (those Lisp macros only exist for top-level definition commands such as `defun`). In order to translate such code fragments without error messages, they need to be self-contained, i.e., all referenced variables have to be either bound by a surrounding `let`, or they must be globally defined variables. Otherwise, the STELLA translator will generate various "undefined variable" error messages.

You can use the STELLA Lisp macro `eval` (i.e., `stella::eval` not `CL:eval`) to actually execute such a code fragment. For example:

```
STELLA(11): (eval
             (foreach element in (list 1 2 3)
                 do (print element EOL)))
|L|1
|L|2
|L|3
()
```

This translates the loop and executes the result, which prints the wrapped numbers (hence, the |L| prefix) to standard output. The () at the end is the resulting Lisp value returned by the loop (in Lisp everything returns a value, even though for STELLA `foreach` is a statement, not an expression).

Make it a habit to wrap `eval` around any STELLA code you incrementally evaluate in the Lips buffer. This makes sure that all the arguments to a function, etc., are translated into the appropriate STELLA objects. For example, evaluating

```
(eval (list :a :b :c))
```

in the Lisp buffer generates a STELLA list that points to the STELLA keywords :a, :b and :c. If you don't use `eval`, for example,

```
(list :a :b :c)
```

a STELLA list containing the Lisp keywords ':a', ':b' and ':c' will be created. Lisp keywords are a completely different data structure than STELLA keywords, and any STELLA code expecting a STELLA keyword but finding a Lisp keyword will break, since Lisp keywords are not a legal STELLA data structure. Unfortunately, such cases can be very confusing, since Lisp and STELLA keywords look/print exactly alike.

`eval` is also necessary to access STELLA symbols and surrogates in the Lisp buffer. For example, to access a STELLA symbol, you can use `quote` (again, this is the STELLA `quote` not `CL:quote`):

```
(eval (quote foo))
```

This returns the STELLA symbol `foo`. We explicitly used `quote` here, since code typed at the Lisp prompt is first passed through the Lisp reader before the STELLA translator sees it, and the default Lisp reader interprets the ' character differently than the STELLA reader. Within a STELLA file you can use the syntax `'foo`, since it will be read directly by the STELLA reader that knows how to interpret it correctly.

`lptrans`, `cpptrans` and `jptrans` are evaluable STELLA commands that can also be evaluated by the C++ and Java version of STELLA. For example, to generate a Java translation of a little STELLA code fragment you could run the `stella` script in the STELLA directory like this (the output below has been additionally indented by hand for clarity):

```
% ./stella -e '(jptrans\
                  (foreach element in (list 1 2 3)\
                     do (print element EOL)))'
Welcome to STELLA 3.3.0
{ Stella_Object element = null;
  Cons iter001 = Stella.list
                   (Stella_Object.cons
                     (Stella.wrapInteger(1),
                      Stella_Object.cons
                        (Stella.wrapInteger(2),
                         Stella_Object.cons
                           (Stella.wrapInteger(3),
                            Stella.NIL)))).theConsList;

  while (!(iter001 == Stella.NIL)) {
    {
      element = iter001.value;
      iter001 = iter001.rest;
    }
    java.lang.System.out.println(element);
  }
}
```

4.3 Performance Hints

Here are a few things to watch out for once you get serious about the performance of your translated STELLA programs:

Safety checks: The STELLA variable `*safety*` controls whether certain safety code is added to your translated STELLA program. For Lisp translations it also controls whether `cast`'s will be translated into run-time type checks or not. There is no run-time type checking performed in C++. In Java native casts will always perform runtime type tests. The default `*safety*` level is 3 which enables the translation of all `safety` clauses with level 3 or lower. A safety level of 1 or lower disables the generation of calls to the `cast` function in Lisp. `cast` performs run-time type checks which are somewhat expensive. However, you should not disable run-time type checking in Lisp until you have fully debugged your program. Once you are confident that your program works correctly, you can set `*safety*`

to 0 before you translate it. That way you will avoid the generation and execution of any safety code at all. All of the core STELLA system was translated with `*safety*` set to 1.

Quoted cons trees: Access to quoted constants that are not symbols is somewhat slow, since it currently uses hashing to find them in a table. Hence, access to quoted constants such as `(quote (foo bar fum))` should be avoided in inner loops. Access to quoted symbols such as `(quote foo)` is fast and does not cause any performance problems. The use of `quote` for constant cons trees is rare in STELLA (and somewhat deprecated), which is the reason why this mechanism is not all that well supported. Future versions of STELLA might re-implement the handling of constants and alleviate this performance problem.

Equality tests: The standard equality test in STELLA is `eql?`, which the translator will translate into the most efficient equality test for the particular types of operands (`eql?` is somewhat similar to the Lisp function `CL:eql` with the exception of comparing strings). If the translator can determine that at least one of the operands is a subtype of `STANDARD-OBJECT`, it will translate the test into a fast pointer comparison with the Lisp function `CL:eq` or the C++/Java `==` operator. However, if both operands are of type `OBJECT`, they might be wrapped literals such as wrapped integers or strings. In that case the equality test translates into a call to the function `eql?` which in turn uses method calls to handle comparison of different types of wrapped literals (two wrapped literals are equal if their wrapped content is equal). This is of course a lot less efficient than a simple pointer comparison. It also means that if you can restrict the type of a variable that will be tested with `eql?` to `STANDARD-OBJECT`, you probably should do so for performance reasons.

Type tests: Run-time type tests as used implicitly within a `typecase` or explicitly with functions such as `cons?` have to use a call to the method `primary-type`. Hence, in performance-critical portions of your code you should try to keep the number of such tests as small as possible.

Wrapping and unwrapping literals: The STELLA translator automatically wraps (or objectifies) literals such as numbers or strings when they are stored in a variable or slot of type `OBJECT`. Similarly, it unwraps wrapped literals automatically to operate on the literal directly. This is very convenient, since it relieves the programmer from having to perform these conversions by hand and makes the code less cluttered. For example, consider the following code fragment:

```
(let ((l (cons "foo" nil))
      (x (concatenate "bar" (first l))))
  (print x EOL)))
```

Here is its C++ translation:

```
{ Cons* l = cons(stringWrapLiteral("foo"), NIL);
  char* x = stringConcatenate
              ("bar", ((StringWrapper*) (l->first()))->wrapperValue, 0);

  cout << x << endl;
}
```

Notice how the string literal `"foo"` is first wrapped so it can be inserted into the `CONS` list `l` and then automatically unwrapped in the call to `concatenate`. While this is very convenient, it does cause a certain overhead that should be avoided in performance critical

loops, etc. In such situations, it often helps to use auxiliary variables of the appropriate literal type to avoid unnecessary wrap/unwrap operations.

Lisp-style property lists: Lisp programs often use property lists for fast retrieval of information that is linked to symbols. To support the easy translation of existing Lisp programs that use this paradigm into STELLA, a similar mechanism implemented by the functions `symbol-value`, `symbol-plist`, and `symbol-property` is available that preserves the performance benefits of this storage scheme (see the file `sources/stella/symbols.ste`). However, property lists do not fit the object-oriented programming paradigm supported by STELLA, and, hence, are frowned upon.

Compiler optimization: The optimization settings used with the native Lisp or C++ compiler can greatly influence performance results. In particular, using high optimization settings with the Lisp compiler can greatly improve slot access time on STELLA objects.

4.3.1 Lisp Performance Hints

The standard Lisp implementation for STELLA objects are CLOS objects, since CLOS provides the most natural Lisp implementation for the STELLA object system. However, there is a price to pay, since in Lisp slot access on CLOS objects is a lot slower than slot access on structs. For example, in Allegro CL 4.3, the access to the `value` slot of a STELLA CONS cell takes about 4 times longer on a CLOS object implementation of CONS than on a struct implementation. Unfortunately, the struct implementation itself takes about 3 times longer than calling `CL:car` on a Lisp cons, which is why we are actually using Lisp conses as the Lisp implementation for STELLA CONSes. Note, that in the C++ and Java translation these slot-access performance problems are nonexistent.

In order to get the maximum performance out of the Lisp version of STELLA, you can tell the translator to use structs as the implementation for STELLA objects. It does so by using `CL:defstruct` instead of `CL:defclass` and dispatches methods directly on the structure object.

To use the struct translation scheme evaluate

```
(set-stella-feature :use-common-lisp-structs)
```

before you translate a STELLA system. This will generate translated files with a `.slisp` extension. Make sure that after you translated all the files you are interested in, you disable the above feature with

```
(unset-stella-feature :use-common-lisp-structs)
```

Otherwise, subsequent incremental translations in that Lisp image might fail, since different translation schemes cannot be mixed. If you already are using the struct version of STELLA, all systems will be translated in struct mode by default.

To use the struct translation of your system you have to use the struct version of STELLA. To do so do the following:

```
(CL:setq cl-user::*load-cl-struct-stella?* CL:t)
(CL:load "load-stella.lisp")
```

Alternatively, you can edit the initial value of the variable `*load-cl-struct-stella?*` in the file 'load-stella.lisp' (see also Section 2.3 [Lisp Installation], page 4).

The reasons why the struct translation scheme is not enabled by default are the following:

- Incremental redefinition of STELLA classes does not redefine any objects created with the old definition, and, hence, slot accessors might simply break or retrieve the value of a different slot when applied to such an old object. The programmer therefore has to be very careful when redefining a STELLA class while in struct mode. This means, that you should view the usage of the struct-translation scheme for Lisp as a kind of delivery option, similar to translating into C++. Part of the reason why slot access on CLOS object is expensive is the indirection machinery that allows redefinition of classes and their associated instances. This is great for code development, but the flexibility and expense is usually not needed or warranted for delivered code.

- The performance trade-offs between CLOS and struct versions might be different in different versions of Lisp. For example, in older version of Allegro CL slot access on structs was fast, but method dispatch was significantly slower than for CLOS objects which eliminated some/all of the performance gains.

5 Library Classes (tbw)

To be written.

6 Library Functions

6.1 Basic Constants and Predicates

true : BOOLEAN   [Constant]
    Represents the boolean true truth value.

false : BOOLEAN   [Constant]
    Represents the boolean false truth value.

null? ((x OBJECT)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x SECOND-CLASS-OBJECT)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x NATIVE-VECTOR)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x STRING)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x MUTABLE-STRING)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x CHARACTER)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x CODE)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x INTEGER)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

null? ((x FLOAT)) : BOOLEAN   [Method]
    Return true if x is undefined (handled specially by all translators).

defined? ((x OBJECT)) : BOOLEAN   [Method]
    Return true if x is defined (handled specially by all translators).

defined? ((x SECOND-CLASS-OBJECT)) : BOOLEAN   [Method]
    Return true if x is defined (handled specially by all translators).

defined? ((x NATIVE-VECTOR)) : BOOLEAN   [Method]
    Return true if x is defined (handled specially by all translators).

defined? ((x STRING)) : BOOLEAN   [Method]
    Return true if x is defined (handled specially by all translators).

defined? ((x MUTABLE-STRING)) : BOOLEAN   [Method]
    Return true if x is defined (handled specially by all translators).

defined? ((*x* CHARACTER)) *:* BOOLEAN   [Method]
> Return true if *x* is defined (handled specially by all translators).

defined? ((*x* CODE)) *:* BOOLEAN   [Method]
> Return true if *x* is defined (handled specially by all translators).

defined? ((*x* INTEGER)) *:* BOOLEAN   [Method]
> Return true if *x* is defined (handled specially by all translators).

defined? ((*x* FLOAT)) *:* BOOLEAN   [Method]
> Return true if *x* is defined (handled specially by all translators).

eq? ((*x* UNKNOWN) (*y* UNKNOWN)) *:* BOOLEAN   [Function]
> Return true if *x* and *y* are literally the same object (or simple number). Analogue to
> the Common Lisp EQL and C++ and Java's ==.

eql? ((*x* OBJECT) (*y* OBJECT)) *:* BOOLEAN   [Function]
> Return true if *x* and *y* are `eq?` or equivalent literals such as strings that also might be
> wrapped in non-identical wrappers. For the case where *x* or *y* are plain literals such as
> strings or integers, the STELLA translator substitutes the equality test appropriate
> for the particular target language and does not actually call this function. For cases
> where *x* or *y* are known to be of type STANDARD-OBJECT, the STELLA translator
> substitutes the faster `eq?` test inline.

equal? ((*x* OBJECT) (*y* OBJECT)) *:* BOOLEAN   [Function]
> Return true if *x* and *y* are `eql?` or considered equal by a user-defined `object-equal?`
> method. This implements a fully extensible equality test similar to Java's `equals`
> method. Note that writers of custom `object-equal?` methods must also implement
> a corresponding `equal-hash-code` method.

object-equal? ((*x* OBJECT) (*y* OBJECT)) *:* BOOLEAN   [Method]
> Return true if *x* and *y* are `eq?`.

object-equal? ((*x* WRAPPER) (*y* OBJECT)) *:* BOOLEAN   [Method]
> Return true if *x* and *y* are literal wrappers whose literals are considered `eql?`.

object-hash-code ((*self* OBJECT)) *:* INTEGER   [Function]
> Return a hash code for *self* (can be negative). Two objects that are `eq?` are guaran-
> teed to generate the same hash code. Two objects that are not `eq?` do not necessarily
> generate different hash codes. Similar to `hash-code` but always hashes on the address
> of *self* even if it is a wrapper.

hash-code ((*self* OBJECT)) *:* INTEGER   [Method]
> Return a hash code for *self* (can be negative). Two objects that are `eql?` are guaran-
> teed to generate the same hash code. Two objects that are not `eql?` do not necessarily
> generate different hash codes.

hash-code ((*self* STANDARD-OBJECT)) *:* INTEGER   [Method]
> Not documented.

hash-code ((*self* STRING-WRAPPER)) *:* INTEGER   [Method]
> Not documented.

hash-code ((*self* INTEGER-WRAPPER)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* FLOAT-WRAPPER)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* CHARACTER-WRAPPER)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* BOOLEAN-WRAPPER)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* STRING)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* INTEGER)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* FLOAT)) *:* INTEGER   [Method]
     Not documented.

hash-code ((*self* CHARACTER)) *:* INTEGER   [Method]
     Not documented.

equal-hash-code ((*self* OBJECT)) *:* INTEGER   [Method]
     Return a hash code for *self* (can be negative). Two objects that are `equal?` are
     guaranteed to generate the same hash code (provided, that writers of `object-equal?`
     methods also implemented the appropriate `equal-hash-code` method). Two objects
     that are not `equal?`do not necessarily generate different hash codes.

6.2 Numbers

pi *:* FLOAT   [Constant]
     A float approximation of the mathematical constant pi.

+ (&rest (*arguments* NUMBER)) *:* NUMBER   [Function]
     Return the sum of all *arguments*.

- ((*x* NUMBER) &rest (*arguments* NUMBER)) *:* NUMBER   [Function]
     If only *x* was supplied return the result of 0 - x. Otherwise, return the result of (...((*x*
     - arg1) - arg2) - ... - argN).

* (&rest (*arguments* NUMBER)) *:* NUMBER   [Function]
     Return the product of all *arguments*.

/ ((*x* NUMBER) &rest (*arguments* NUMBER)) *:* NUMBER   [Function]
     If only *x* was supplied return the result of 1 / x. Otherwise, return the result of (...((*x*
     / arg1) / arg2) / ... / argN).

1+ ((*expression* OBJECT)) *:* OBJECT   [Macro]
     Add 1 to *expression* and return the result.

1- ((*expression* OBJECT)) *:* OBJECT [Macro]
　　　Subtract 1 from *expression* and return the result.

++ ((*place* OBJECT) &body (*increment* CONS)) *:* OBJECT [Macro]
　　　Increment the value of *place* and return the result. *place* can be either a variable
　　　name or a slot reference. Increment by the optional *increment* (which can be a float)
　　　or 1 otherwise.

− ((*place* OBJECT) &body (*decrement* CONS)) *:* OBJECT [Macro]
　　　Decrement the value of *place* and return the result. *place* can be either a variable
　　　name or a slot reference. Decrement by the optional *decrement* (which can be a float)
　　　or 1 otherwise.

= ((*x* NUMBER) (*y* NUMBER)) *:* BOOLEAN [Function]
　　　Return true if *x* and *y* are numbers of exactly the same magnitude.

< ((*x* NUMBER) (*y* NUMBER)) *:* BOOLEAN [Function]
　　　Return true if *x* is less than *y*.

<= ((*x* NUMBER) (*y* NUMBER)) *:* BOOLEAN [Function]
　　　Return true if *x* is less than or equal to *y*.

>= ((*x* NUMBER) (*y* NUMBER)) *:* BOOLEAN [Function]
　　　Return true if *x* is greater than or equal to *y*.

> ((*x* NUMBER) (*y* NUMBER)) *:* BOOLEAN [Function]
　　　Return true if *x* is greater than *y*.

zero? ((*x* INTEGER)) *:* BOOLEAN [Function]
　　　Return true if *x* is 0.

plus? ((*x* INTEGER)) *:* BOOLEAN [Function]
　　　Return true if *x* is greater than 0.

even? ((*x* INTEGER)) *:* BOOLEAN [Function]
　　　Return true if *x* is an even number.

odd? ((*x* INTEGER)) *:* BOOLEAN [Function]
　　　Return true if *x* is an odd number.

mod ((*x* INTEGER) (*modulus* INTEGER)) *:* INTEGER [Function]
　　　True modulus. Return the result of *x* mod `modulo`. Note: In C++ and Java, `mod` has
　　　more overhead than the similar function `rem`. The answers returned by `mod` and `rem`
　　　are only different when the signs of *x* and `modulo` are different.

ceiling ((*n* NUMBER)) *:* INTEGER [Function]
　　　Return the smallest integer >= *n*.

floor ((*n* NUMBER)) *:* INTEGER [Function]
　　　Return the biggest integer <= *n*.

round ((*n* NUMBER)) *:* INTEGER   [Function]
    Round *n* to the closest integer and return the result.

abs ((*x* INTEGER)) *:* INTEGER   [Method]
    Return the absolute value of *x*.

abs ((*x* FLOAT)) *:* FLOAT   [Method]
    Return the absolute value of *x*.

min ((*x* INTEGER) (*y* INTEGER)) *:* INTEGER   [Function]
    Return the minimum of *x* and *y*. If either is NULL, return the other.

max ((*x* INTEGER) (*y* INTEGER)) *:* INTEGER   [Function]
    Return the maximum of *x* and *y*. If either is NULL, return the other.

sqrt ((*n* FLOAT)) *:* FLOAT   [Function]
    Return the square root of *n*.

exp ((*n* FLOAT)) *:* FLOAT   [Function]
    Return the e to the power *n*.

log ((*n* FLOAT)) *:* FLOAT   [Function]
    Return the natural logarithm (base e) of *n*.

sin ((*n* FLOAT)) *:* FLOAT   [Function]
    Return the sine of *n* radians.

cos ((*n* FLOAT)) *:* FLOAT   [Function]
    Return the cosine of *n* radians.

tan ((*n* FLOAT)) *:* FLOAT   [Function]
    Return the tangent of *n* radians.

random ((*n* INTEGER)) *:* INTEGER   [Function]
    Generate a random integer in the interval [0..n-1]. *n* must be <= 2^15.

integer-to-string ((*i* INTEGER)) *:* STRING   [Function]
    Print *i* to a string and return the result. This is more efficient than using a string
    stream.

string-to-integer ((*string* STRING)) *:* INTEGER   [Function]
    Convert a *string* representation of an integer into an integer.

float-to-string ((*f* FLOAT)) *:* STRING   [Function]
    Print *f* to a string and return the result. This is more efficient than using a string
    stream.

string-to-float ((*string* STRING)) *:* FLOAT   [Function]
    Convert a *string* representation of a float into a float.

format-float ((*f* FLOAT) (*nDecimals* INTEGER)) *:* STRING   [Function]
    Print *f* in fixed-point format with *nDecimals* behind the decimal point and return
    the result as a string.

wrap-integer ((*value* INTEGER)) *:* INTEGER-WRAPPER   [Function]
      Return a literal object whose value is the INTEGER *value*.

unwrap-integer ((*wrapper* INTEGER-WRAPPER)) *:* INTEGER   [Function]
      Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

wrap-float ((*value* FLOAT)) *:* FLOAT-WRAPPER   [Function]
      Return a literal object whose value is the FLOAT *value*.

unwrap-float ((*wrapper* FLOAT-WRAPPER)) *:* FLOAT   [Function]
      Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

6.3 Characters

character-code ((*ch* CHARACTER)) *:* INTEGER   [Function]
      Return the 8-bit ASCII code of *ch* as an integer.

code-character ((*code* INTEGER)) *:* CHARACTER   [Function]
      Return the character encoded by *code* (0 <= *code* <= 255).

digit-character? ((*ch* CHARACTER)) *:* BOOLEAN   [Function]
      Return TRUE if *ch* represents a digit.

letter-character? ((*ch* CHARACTER)) *:* BOOLEAN   [Function]
      Return TRUE if *ch* represents a letter.

upper-case-character? ((*ch* CHARACTER)) *:* BOOLEAN   [Function]
      Return TRUE if *ch* represents an upper-case character.

lower-case-character? ((*ch* CHARACTER)) *:* BOOLEAN   [Function]
      Return TRUE if *ch* represents a lower-case character.

white-space-character? ((*ch* CHARACTER)) *:* BOOLEAN   [Function]
      Return TRUE if *ch* is a white space character.

character-downcase ((*ch* CHARACTER)) *:* CHARACTER   [Function]
      If *ch* is lowercase, return its uppercase version, otherwise, return *ch* unmodified.

character-upcase ((*ch* CHARACTER)) *:* CHARACTER   [Function]
      If *ch* is uppercase, return its lowercase version, otherwise, return *ch* unmodified. If
      only the first character of a sequence of characters is to be capitalized, `character-`
      `capitalize` should be used instead.

character-capitalize ((*ch* CHARACTER)) *:* CHARACTER   [Function]
      Return the capitalized character for *ch*. This is generally the same as the uppercase
      character, except for obscure non-English characters in Java. It should be used if only
      the first character of a sequence of characters is to be capitalized.

character-to-string ((*c* CHARACTER)) *:* STRING   [Function]
      Convert *c* into a one-element string and return the result.

wrap-character ((*value* CHARACTER)) *:* CHARACTER-WRAPPER   [Function]
> Return a literal object whose value is the CHARACTER *value.*

unwrap-character ((*wrapper* CHARACTER-WRAPPER)) *:* CHARACTER   [Function]
> Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

6.4 Strings

string-eql? ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* and *y* are equal strings or are both undefined. This test is substituted automatically by the STELLA translator if `eql?` is applied to strings.

string-equal? ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* and *y* are equal strings ignoring character case or are both undefined.

empty? ((*x* STRING)) *:* BOOLEAN   [Method]
> Return true if *x* is the empty string `""`

non-empty? ((*x* STRING)) *:* BOOLEAN   [Method]
> Return true if *x* is not the empty string `""`

string-compare ((*x* STRING) (*y* STRING) (*case-sensitive?* BOOLEAN)) *:*   [Function]
> INTEGER
> Compare *x* and *y* lexicographically, and return -1, 0, or 1, depending on whether *x* is less than, equal, or greater than *y*. If *case-sensitive?* is true, then case does matter for the comparison

string< ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically < *y*, considering case.

string<= ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically <= *y*, considering case.

string>= ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically >= *y*, considering case.

string> ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically > *y*, considering case.

string-less? ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically < *y*, ignoring case.

string-less-equal? ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically <= *y*, ignoring case.

string-greater-equal? ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically >= *y*, ignoring case.

string-greater? ((*x* STRING) (*y* STRING)) *:* BOOLEAN   [Function]
> Return true if *x* is lexicographically > *y*, ignoring case.

all-upper-case-string? ((s STRING)) : BOOLEAN   [Function]
>   Return TRUE if all letters in s are upper case.

all-lower-case-string? ((s STRING)) : BOOLEAN   [Function]
>   Return TRUE if all letters in s are lower case.

make-string (($size$ INTEGER) ($initchar$ CHARACTER)) : STRING   [Function]
>   Return a new string filled with $size$ $initchar$s.

make-mutable-string (($size$ INTEGER) ($initchar$ CHARACTER)) :   [Function]
>   MUTABLE-STRING
>   Return a new mutable string filled with $size$ $initchar$s.

make-raw-mutable-string (($size$ INTEGER)) : MUTABLE-STRING   [Function]
>   Return a new uninitialized mutable string of $size$.

first (($self$ STRING)) : CHARACTER   [Method]
>   Return the first character of $self$.

first (($self$ MUTABLE-STRING)) : CHARACTER   [Method]
>   Return the first character of $self$ (settable via `setf`).

second (($self$ STRING)) : CHARACTER   [Method]
>   Return the second character of $self$.

second (($self$ MUTABLE-STRING)) : CHARACTER   [Method]
>   Return the second character of $self$ (settable via `setf`).

third (($self$ STRING)) : CHARACTER   [Method]
>   Return the third character of $self$.

third (($self$ MUTABLE-STRING)) : CHARACTER   [Method]
>   Return the third character of $self$ (settable via `setf`).

fourth (($self$ STRING)) : CHARACTER   [Method]
>   Return the fourth character of $self$.

fourth (($self$ MUTABLE-STRING)) : CHARACTER   [Method]
>   Return the fourth character of $self$ (settable via `setf`).

fifth (($self$ STRING)) : CHARACTER   [Method]
>   Return the fifth character of $self$.

fifth (($self$ MUTABLE-STRING)) : CHARACTER   [Method]
>   Return the fifth character of $self$ (settable via `setf`).

nth (($self$ STRING) ($position$ INTEGER)) : CHARACTER   [Method]
>   Return the character in $self$ at $position$.

nth (($self$ MUTABLE-STRING) ($position$ INTEGER)) : CHARACTER   [Method]
>   Return the character in $self$ at $position$.

rest ((*self* STRING)) *:* STRING [Method]
  Not documented.

length ((*self* STRING)) *:* INTEGER [Method]
  Return the length of the string *self*.

length ((*self* MUTABLE-STRING)) *:* INTEGER [Method]
  Return the length of the string *self*.

member? ((*self* STRING) (*char* CHARACTER)) *:* BOOLEAN [Method]
  Not documented.

position ((*string* STRING) (*character* CHARACTER) (*start* INTEGER)) *:* [Method]
   INTEGER
  Return the position of *character* within *string* (counting from zero); or return NULL
  if *character* does not occur within *string*. If *start* was supplied as non-NULL, only
  consider the substring starting at *start*, however, the returned position will always be
  relative to the entire string.

string-search ((*string* STRING) (*substring* STRING) (*start* INTEGER)) *:* [Function]
   INTEGER
  Return start position of the left-most occurrence of *substring* in *string*, beginning
  from *start*. Return NULL if it is not a substring.

copy ((*string* STRING)) *:* STRING [Method]
  Return a copy of *string*.

string-upcase ((*string* STRING)) *:* STRING [Function]
  Return an upper-case copy of *string*.

string-downcase ((*string* STRING)) *:* STRING [Function]
  Return a lower-case copy of *string*.

string-capitalize ((*string* STRING)) *:* STRING [Function]
  Return a capitalized version of *string*.

concatenate ((*string1* STRING) (*string2* STRING) [Method]
   &rest (*otherStrings* STRING)) *:* STRING
  Return a new string representing the concatenation of *string1*, *string2*, and *other-*
  Strings. The two mandatory parameters allow us to optimize the common binary
  case by not relying on the somewhat less efficient variable arguments mechanism.

subsequence ((*string* STRING) (*start* INTEGER) (*end* INTEGER)) *:* STRING [Method]
  Return a substring of *string* beginning at position *start* and ending up to but not
  including position *end*, counting from zero. An *end* value of NULL stands for the rest
  of the string.

remove ((*string* STRING) (*char* CHARACTER)) *:* STRING [Method]
  Remove all occurences of *char* from *string*.

substitute ((*self* STRING) (*new-char* CHARACTER) (*old-char* CHARACTER))   [Method]
     : STRING
    Substitute all occurences of *old-char* with *new-char* in the string *self*.

substitute ((*self* MUTABLE-STRING) (*new-char* CHARACTER)   [Method]
     (*old-char* CHARACTER)) *:* MUTABLE-STRING
    Substitute all occurences of *old-char* with *new-char* in the string *self*.

replace-substrings ((*string* STRING) (*new* STRING) (*old* STRING)) *:*   [Function]
     STRING
    Replace all occurrences of *old* in *string* with *new*.

insert-string ((*source* STRING) (*start* INTEGER) (*end* INTEGER)   [Function]
     (*target* MUTABLE-STRING) (*target-index* INTEGER) (*case-conversion* KEYWORD))
     : INTEGER
    Inserts characters from *source* begining at *start* and ending at *end* into *target* starting
    at *target-index*. If *end* is `null`, then the entire length of the string is used. The
    copy of characters is affected by the *case-conversion* keyword which should be one of
    :UPCASE :DOWNCASE :CAPITALIZE :PRESERVE.

    The final value of target-index is returned.

wrap-string ((*value* STRING)) *:* STRING-WRAPPER   [Function]
    Return a literal object whose value is the STRING *value*.

wrap-mutable-string ((*value* MUTABLE-STRING)) *:*   [Function]
     MUTABLE-STRING-WRAPPER
    Return a literal object whose value is the MUTABLE-STRING *value*.

unwrap-string ((*wrapper* STRING-WRAPPER)) *:* STRING   [Function]
    Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

unwrap-mutable-string ((*wrapper* MUTABLE-STRING-WRAPPER)) *:*   [Function]
     MUTABLE-STRING
    Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

string-to-mutable-string ((*s* STRING)) *:* MUTABLE-STRING   [Function]
    Copy *s* into a mutable string with the same content. In Lisp and C++ this simply
    copies *s*.

mutable-string-to-string ((*s* MUTABLE-STRING)) *:* STRING   [Function]
    Convert *s* into a regular string with the same content. In Lisp and C++ this is a no-op.

integer-to-string ((*i* INTEGER)) *:* STRING   [Function]
    Print *i* to a string and return the result. This is more efficient than using a string
    stream.

string-to-integer ((*string* STRING)) *:* INTEGER   [Function]
    Convert a *string* representation of an integer into an integer.

float-to-string ((*f* FLOAT)) *:* STRING   [Function]
    Print *f* to a string and return the result. This is more efficient than using a string
    stream.

string-to-float ((*string* STRING)) : FLOAT   [Function]
    Convert a *string* representation of a float into a float.

format-float ((*f* FLOAT) (*nDecimals* INTEGER)) : STRING   [Function]
    Print *f* in fixed-point format with *nDecimals* behind the decimal point and return
    the result as a string.

character-to-string ((*c* CHARACTER)) : STRING   [Function]
    Convert *c* into a one-element string and return the result.

stringify ((*expression* OBJECT)) : STRING   [Function]
    Print *expression* onto a string and return the result. Printing is done with
    `*printReadably?*` set to true and with `*printPretty?*` set to false.

stringify-in-module ((*tree* OBJECT) (*module* MODULE)) : STRING   [Function]
    Stringify a parse *tree* relative to *module*, or `*module*` if no module is specified.

unstringify ((*string* STRING)) : OBJECT   [Function]
    Read a STELLA expression from *string* and return the result. This is identical to
    `read-s-expression-from-string`.

unstringify-in-module ((*string* STRING) (*module* MODULE)) : OBJECT   [Function]
    Unstringify relative to *module*, or `*MODULE*` if no module is specified.

6.5 `CONS` Lists and Trees

nil : CONS   [Variable]
    Not documented.

empty? ((*self* CONS)) : BOOLEAN   [Method]
    Return `true` iff *self* equals `nil`.

non-empty? ((*self* CONS)) : BOOLEAN   [Method]
    Return `true` iff *self* is not equal to `nil`.

nil? ((*x* OBJECT)) : BOOLEAN   [Function]
    Return `true` iff *x* equals `nil`.

equal-cons-trees? ((*tree1* OBJECT) (*tree2* OBJECT)) : BOOLEAN   [Function]
    Return `true` iff the cons trees *tree1* and *tree2* are structurally equivalent. Uses an
    `eql?` test.

object-equal? ((*tree1* CONS) (*tree2* OBJECT)) : BOOLEAN   [Method]
    Return `true` iff the cons trees *tree1* and *tree2* are structurally equivalent. Uses `equal?`
    to test equality of subtrees.

equal-hash-code ((*self* CONS)) : INTEGER   [Method]
    Return an `equal?` hash code for *self*. Note that this is O(N) in the number of elements
    of *self*.

cons ((*value* OBJECT) (*rest* CONS)) *:* CONS   [Function]
        Return a cons record that points to *value* and *rest*.

first ((*self* CONS)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the first element of *self*. The first element of *self* can be set with `setf`. Note
        that (`first NIL`) = `null`.

second ((*self* CONS)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the second element of *self*. The second element of *self* can be set with `setf`.
        Note that (`second NIL`) = `null`.

third ((*self* CONS)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the third element of *self*. The third element of *self* can be set with `setf`. Note
        that (`third NIL`) = `null`.

fourth ((*self* CONS)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the fourth element of *self*. The fourth element of *self* can be set with `setf`.
        Note that (`fourth NIL`) = `null`.

fifth ((*self* CONS)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the fifth element of *self*. The fifth element of *self* can be set with `setf`. Note,
        that (`fifth NIL`) = `null`.

nth ((*self* CONS) (*position* INTEGER)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the element of *self* at *position*. The nth element of *self* can be set with `setf`.
        Note, that (`nth NIL <pos>`) = `null`.

nth-rest ((*self* CONS) (*position* INTEGER)) *:* (LIKE SELF)   [Method]
        Apply `rest` *position* times to *self*.

last ((*self* CONS)) *:* (LIKE (ANY-VALUE SELF))   [Method]
        Return the last element of *self*.

but-last ((*self* CONS)) *:* (ITERATOR OF (LIKE (ANY-VALUE SELF)))   [Method]
        Generate all but the last element of the cons list *self*.

last-cons ((*self* CONS)) *:* (CONS OF (LIKE (ANY-VALUE SELF)))   [Function]
        Return the last cons of *self*.

length ((*self* CONS)) *:* INTEGER   [Method]
        Return the length of the CONS list *self*.

member? ((*self* CONS) (*object* OBJECT)) *:* BOOLEAN   [Method]
        Return `true` iff *object* is a member of the cons list *self* (uses an `eql?` test).

memb? ((*self* CONS) (*object* OBJECT)) *:* BOOLEAN   [Method]
        Return `true` iff *object* is a member of the cons list *self* (uses an `eq?` test).

position ((*self* CONS) (*object* OBJECT) (*start* INTEGER)) *:* INTEGER   [Method]
        Return the position of *object* within the cons-list *self* (counting from zero); or return
        `null` if *object* does not occur within *self* (uses an `eql?` test). If *start* was supplied as
        non-'null', only consider the sublist starting at *start*, however, the returned position
        will always be relative to the entire list.

reverse ((*self* CONS)) *:* (LIKE SELF)   [Method]
> Destructively reverse the members of the cons list *self*.

remove ((*self* CONS) (*value* OBJECT)) *:* (LIKE SELF)   [Method]
> Destructively remove all entries in the cons list *self* that match *value*. Unless the remaining list is `nil`, insure that the cons that heads the list is unchanged.

remove-duplicates ((*self* CONS)) *:* (LIKE SELF)   [Method]
> Destructively remove duplicates from *self* and return the result. Removes all but the first occurrence of items in the list. Preserves the original order of the remaining members. Runs in linear time.

remove-if ((*self* CONS) (*test?* FUNCTION-CODE)) *:* (LIKE SELF)   [Method]
> Destructively removes all members of the cons list *self* for which *test?* evaluates to `true`. `test` takes a single argument of type OBJECT and returns `true` or `false`. Returns a cons list. In case the first element is removed, the return result should be assigned to a variable.

substitute ((*self* CONS) (*inValue* OBJECT) (*outValue* OBJECT)) *:* CONS   [Method]
> Destructively replace each appearance of *outValue* by *inValue* in the cons list *self*.

concatenate ((*list1* CONS) (*list2* CONS) &rest (*otherLists* CONS)) *:* CONS   [Method]
> Return a cons list consisting of the concatenation of *list1*, *list2*, and *otherLists*. The operation is destructive wrt all but the last list argument which is left intact. The two mandatory parameters allow us to optimize the common binary case by not relying on the somewhat less efficient variable arguments mechanism.

append ((*consList1* CONS) (*consList2* CONS)) *:* CONS   [Function]
> Return a cons list representing the concatenation of *consList1* and *consList2*. The concatenation is NOT destructive.

prepend ((*self* CONS) (*list1* CONS)) *:* CONS   [Method]
> Return a cons list consisting of the concatenation of *list1* and *self*. A copy of *list1* is prepended to *self*. This operation results in structure sharing of *self*; to avoid this, *self* should not be pointed to by anything other than the tail of the prepended copy.

pushq ((*variable* SYMBOL) (*value* OBJECT)) *:* OBJECT   [Macro]
> Push *value* onto the cons list *variable*.

pushq-new ((*variable* SYMBOL) (*value* OBJECT)) *:* OBJECT   [Macro]
> Push *value* onto the cons list *variable*, unless *value* is already a member of the list.

popq ((*variable* SYMBOL)) *:* OBJECT   [Macro]
> Pops a value from the cons list *variable*.

cons-list (&rest (*values* OBJECT)) *:* CONS   [Function]
> Return a cons list containing *values*, in order.

list* (&rest (*values* OBJECT)) *:* CONS   [Function]
> Return a list of conses that make up the list *values*, terminated by the last value rather than by `nil`. Assumes that at least one value is passed in.

copy-cons-list ((*self* CONS)) : (LIKE SELF)   [Function]
    Return a copy of the cons list *self*.

copy-cons-tree ((*self* OBJECT)) : (LIKE SELF)   [Function]
    Return a copy of the cons tree *self*.

substitute-cons-tree ((*tree* OBJECT) (*newValue* OBJECT)   [Function]
        (*oldValue* OBJECT)) : OBJECT
    Destructively replace each appearance of *oldValue* by *newValue* in the cons tree *tree*.
    Return the tree. Uses an `eql?` test.

search-cons-tree? ((*tree* OBJECT) (*value* OBJECT)) : BOOLEAN   [Function]
    Return `true` iff the value *value* is embedded within the cons tree *tree*. Uses an `eql?`
    test.

tree-size ((*self* OBJECT)) : INTEGER   [Function]
    Not documented.

safe-tree-size ((*tree* CONS)) : INTEGER STRING   [Function]
    Not documented.

consify ((*self* CONS)) : (CONS OF (LIKE (ANY-VALUE SELF)))   [Method]
    Return *self*.

allocate-iterator ((*self* CONS)) : (CONS-ITERATOR OF (LIKE (ANY-VALUE   [Method]
        SELF)))
    Not documented.

next? ((*self* CONS-ITERATOR)) : BOOLEAN   [Method]
    Not documented.

sort ((*self* CONS) (*predicate* FUNCTION-CODE)) : (CONS OF (LIKE   [Method]
        (ANY-VALUE SELF)))
    Perform a stable, destructive sort of *self* according to *predicate*, and return the re-
    sult. If *predicate* has a `<` semantics, the result will be in ascending order. It is not
    guaranteed that *self* will point to the beginning of the sorted result. If *predicate* is
    `null`, a suitable `<` predicate is chosen depending on the first element of *self*, and it is
    assumed that all elements of *self* have the same type (supported element types are
    GENERALIZED-SYMBOL, STRING, INTEGER, and FLOAT).

map-null-to-nil ((*self* CONS)) : CONS   [Function]
    Return `nil` iff *self* is `null` or *self* otherwise.

printpretty? : BOOLEAN   [Special Variable]
    If `true` conses will be pretty printed.

printreadably? : BOOLEAN   [Special Variable]
    If `true` conses will be printed as readable Stella code.

printprettycode? : BOOLEAN   [Special Variable]
    When `true` pretty-print Stella and translated code. Since (Lisp) pretty-printing is
    somewhat slow, turning this off speeds up file translation, but it also makes translated
    output very unreadable.

6.5.1 CONS Lists as Sets

subset? ((*self* CONS) (*otherList* CONS)) *:* BOOLEAN   [Method]
    Return true if every element of *self* also occurs in *otherList*. Uses an `eql?` test and
    a simple quadratic-time algorithm. Note that this does not check whether *self* and
    otherList actually are sets.

equivalent-sets? ((*self* CONS) (*otherList* CONS)) *:* BOOLEAN   [Method]
    Return true if every element of *self* occurs in *otherList* and vice versa. Uses an `eql?`
    test and a simple quadratic-time algorithm. Note that this does not check whether
    self and *otherList* actually are sets.

union ((*self* CONS) (*otherList* CONS)) *:* CONS   [Method]
    Return the set union of *self* and *otherList*. Uses an `eql?` test and a simple quadratic-
    time algorithm. Note that the result is only guaranteed to be a set if both *self* and
    otherList are sets.

intersection ((*self* CONS) (*otherList* CONS)) *:* CONS   [Method]
    Return the set intersection of *self* and *otherList*. Uses an `eql?` test and a simple
    quadratic-time algorithm. Note that the result is only guaranteed to be a set if both
    self and *otherList* are sets.

difference ((*self* CONS) (*otherList* CONS)) *:* CONS   [Method]
    Return the set difference of *self* and *otherList* (i.e., all elements that are in *self* but
    not in `otherSet`). Uses an `eql?` test and a simple quadratic-time algorithm. Note
    that the result is only guaranteed to be a set if both *self* and *otherList* are sets.

subtract ((*self* CONS) (*otherList* CONS)) *:* CONS   [Method]
    Return the set difference of *self* and *otherList* by destructively removing elements
    from *self* that also occur in *otherList*. Uses an `eql?` test and a simple quadratic-time
    algorithm. Note that the result is only guaranteed to be a set if *self* is a set.

6.6 Lists

nil-list *:* LIST   [Variable]
    Not documented.

defined-list? ((*self* LIST)) *:* BOOLEAN   [Function]
    Return TRUE unless *self* is NULL or the `NIL-LIST`.

null-list? ((*self* LIST)) *:* BOOLEAN   [Function]
    Return TRUE iff *self* is NULL or the `NIL-LIST`.

empty? ((*self* LIST)) *:* BOOLEAN   [Method]
    Return TRUE if the list *self* has no members.

non-empty? ((*self* LIST)) *:* BOOLEAN   [Method]
    Return TRUE if the list *self* has at least one member.

object-equal? ((*x* LIST) (*y* OBJECT)) : BOOLEAN   [Method]
    Return TRUE iff the lists *x* and *y* are structurally equivalent. Uses `equal?` to test
    equality of elements.

equal-hash-code ((*self* LIST)) : INTEGER   [Method]
    Return an `equal?` hash code for *self*. Note that this is O(N) in the number of elements
    of *self*.

list (&rest (*values* OBJECT)) : LIST   [Function]
    Return a list containing *values*, in order.

first ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the first item in the list *self*, or NULL if empty.

second ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the second item in the list *self*, or NULL if empty.

third ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the third item in the list *self*, or NULL if empty.

fourth ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the fourth item in the list *self*, or NULL if empty.

fifth ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the fifth item in the list *self*, or NULL if empty.

nth ((*self* LIST) (*position* INTEGER)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the nth item in the list *self*, or NULL if empty.

rest ((*self* LIST)) : (CONS OF (LIKE (ANY-VALUE SELF)))   [Method]
    Return a cons list of all but the first item in the list *self*.

last ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
    Return the last element of *self*.

but-last ((*self* LIST)) : (ITERATOR OF (LIKE (ANY-VALUE SELF)))   [Method]
    Generate all but the last element of the list *self*.

length ((*self* LIST)) : INTEGER   [Method]
    Not documented.

member? ((*self* LIST) (*object* OBJECT)) : BOOLEAN   [Method]
    Return TRUE iff *object* is a member of the list *self* (uses an `eql?` test).

memb? ((*self* LIST) (*object* (LIKE (ANY-VALUE SELF)))) : BOOLEAN   [Method]
    Return TRUE iff *object* is a member of the cons list *self* (uses an `eq?` test).

position ((*self* LIST) (*object* OBJECT) (*start* INTEGER)) : INTEGER   [Method]
    Return the position of *object* within the list *self* (counting from zero); or return NULL
    if *object* does not occur within *self* (uses an `eql?` test). If *start* was supplied as non-
    NULL, only consider the sublist starting at *start*, however, the returned position will
    always be relative to the entire list.

insert ((*self* LIST) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
     Add *value* to the front of the list *self*.

push ((*self* LIST) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
     Add *value* to the front of the list *self*.

insert-new ((*self* LIST) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
     Add *value* to the front of the list *self* unless its already a member.

insert-last ((*self* LIST) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
     Insert *value* as the last entry in the list *self*.

reverse ((*self* LIST)) : (LIKE SELF)   [Method]
     Reverse the members of *self* (in place).

remove ((*self* LIST) (*value* (LIKE (ANY-VALUE SELF)))) : (LIKE SELF)   [Method]
     Destructively remove all entries in *self* that match *value*.

remove-duplicates ((*self* LIST)) : (LIKE SELF)   [Method]
     Destructively remove duplicates from *self* and return the result. Preserves the original
     order of the remaining members.

remove-deleted-members ((*self* LIST)) : (LIKE SELF)   [Method]
     Not documented.

remove-if ((*self* LIST) (*test?* FUNCTION-CODE)) : (LIKE SELF)   [Method]
     Destructively remove all members of the list *self* for which *test?* evaluates to TRUE.
     `test` takes a single argument of type OBJECT and returns TRUE or FALSE. Returns
     self.

pop ((*self* LIST)) : (LIKE (ANY-VALUE SELF))   [Method]
     Remove and return the first element in the list *self*. Return NULL if the list is empty.

substitute ((*self* LIST) (*inValue* OBJECT) (*outValue* OBJECT)) : (LIKE   [Method]
       SELF)
     Destructively replace each appearance of *outValue* by *inValue* in the list *self*.

concatenate ((*list1* LIST) (*list2* LIST) &rest (*otherLists* LIST)) : LIST   [Method]
     Copy *list2* and all *otherLists* onto the end of *list1*. The operation is destructive
     wrt *list1*, but leaves all other lists intact. The two mandatory parameters allow us
     to optimize the common binary case by not relying on the somewhat less efficient
     variable arguments mechanism.

prepend ((*self* LIST) (*list2* LIST)) : (LIKE SELF)   [Method]
     Copy *list2* onto the front of the list *self*. The operation is destructive wrt *self*, but
     leaves *list2* intact.

copy ((*self* LIST)) : (LIST OF (LIKE (ANY-VALUE SELF)))   [Method]
     Return a copy of the list *self*. The conses in the copy are freshly allocated.

clear ((*self* LIST)) :   [Method]
     Make *self* an empty list.

consify ((*self* LIST)) : (CONS OF (LIKE (ANY-VALUE SELF)))   [Method]
      Return a list of elements in *self*.

allocate-iterator ((*self* LIST)) : (LIST-ITERATOR OF (LIKE (ANY-VALUE   [Method]
            SELF)))
      Not documented.

next? ((*self* LIST-ITERATOR)) : BOOLEAN   [Method]
      Not documented.

sort ((*self* LIST) (*predicate* FUNCTION-CODE)) : (LIST OF (LIKE (ANY-VALUE   [Method]
            SELF)))
      Perform a stable, destructive sort of *self* according to *predicate*, and return the result.
      If *predicate* has a < semantics, the result will be in ascending order. If *predicate* is
      NULL, a suitable < predicate is chosen depending on the first element of *self*, and it
      is assumed that all elements of *self* have the same type (supported element types are
      GENERALIZED-SYMBOL, STRING, INTEGER, and FLOAT).

map-null-to-nil-list ((*self* LIST)) : LIST   [Function]
      Return NIL-LIST iff *self* is NULL or *self* otherwise.

6.6.1 Lists as Sets

Similar to CONS lists LIST's can also be treated as sets and support the set manipulations be-
low. Note that LIST constructors do not check for proper set-hood and may have surprising
results if a list contains duplicate elements.

subset? ((*self* LIST) (*otherList* LIST)) : BOOLEAN   [Method]
      Return true if every element of *self* also occurs in *otherList*. Uses an eql? test and
      a simple quadratic-time algorithm. Note that this does not check whether *self* and
      otherList actually are sets.

equivalent-sets? ((*self* LIST) (*otherList* LIST)) : BOOLEAN   [Method]
      Return true if every element of *self* occurs in *otherList* and vice versa. Uses an eql?
      test and a simple quadratic-time algorithm. Note that this does not check whether
      self and *otherList* actually are sets.

union ((*self* LIST) (*otherList* LIST)) : LIST   [Method]
      Return the set union of *self* and *otherList*. Uses an eql? test and a simple quadratic-
      time algorithm. Note that the result is only guaranteed to be a set if both *self* and
      otherList are sets.

intersection ((*self* LIST) (*otherList* LIST)) : LIST   [Method]
      Return the set intersection of *self* and *otherList*. Uses an eql? test and a simple
      quadratic-time algorithm. Note that the result is only guaranteed to be a set if both
      self and *otherList* are sets.

difference ((*self* LIST) (*otherList* LIST)) : LIST   [Method]
      Return the set difference of *self* and *otherList* (i.e., all elements that are in *self* but
      not in otherSet). Uses an eql? test and a simple quadratic-time algorithm. Note
      that the result is only guaranteed to be a set if both *self* and *otherList* are sets.

subtract ((*self* LIST) (*otherList* LIST)) : LIST   [Method]
> Return the set difference of *self* and *otherList* by destructively removing elements from *self* that also occur in *otherList*. Uses an `eql?` test and a simple quadratic-time algorithm. Note that the result is only guaranteed to be a set if *self* is a set.

SET is a subclass of LIST that overrides certain LIST operations to prevent duplicate elements. The following additional or modified operations are supported:

insert ((*self* SET) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
> Add *value* to the set *self* unless it is already a member.

push ((*self* SET) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
> Add *value* to the front of set *self* unless it is already a member.

insert-last ((*self* SET) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
> Add *value* to the end of set *self* unless it is already a member.

substitute ((*self* SET) (*new* OBJECT) (*old* OBJECT)) : (LIKE SELF)   [Method]
> Destructively replace *old* with *new* in the set *self* unless *new* is already a member.

concatenate ((*set1* SET) (*set2* LIST) &rest (*otherSets* LIST)) : SET   [Method]
> Union *set2* and all *otherSets* onto the end of *set1*. The operation is destructive wrt *set1*, but leaves all other sets intact. The two mandatory parameters allow us to optimize the common binary case by not relying on the somewhat less efficient variable arguments mechanism.

object-equal? ((*x* SET) (*y* OBJECT)) : BOOLEAN   [Method]
> Return TRUE iff *x* and *y* are SET's with equivalent members. Uses `equal?` to test equality of elements. This is more general than `equivalent-sets?`, since that only uses an `eql?` test.

equal-hash-code ((*self* SET)) : INTEGER   [Method]
> Return an `equal?` hash code for *self*. Note that this is O(N) in the number of elements of *self*.

set (&rest (*values* OBJECT)) : SET   [Function]
> Return a set containing *values*, in order.

6.7 Property and Key-Value Lists

empty? ((*self* PROPERTY-LIST)) : BOOLEAN   [Method]
> Not documented.

non-empty? ((*self* PROPERTY-LIST)) : BOOLEAN   [Method]
> Not documented.

object-equal? ((*x* PROPERTY-LIST) (*y* OBJECT)) : BOOLEAN   [Method]
> Return TRUE if *x* and *y* represent the same set of key/value pairs..

equal-hash-code ((*self* PROPERTY-LIST)) *:* INTEGER   [Method]
  Return an `equal?` hash code for *self*. Note that this is O(N) in the number of entries
  of *self*.

length ((*self* PROPERTY-LIST)) *:* INTEGER   [Method]
  Not documented.

lookup ((*self* PROPERTY-LIST) (*key* (LIKE (ANY-KEY SELF)))) *:* (LIKE   [Method]
  (ANY-VALUE SELF))
  Not documented.

insert-at ((*self* PROPERTY-LIST) (*key* (LIKE (ANY-KEY SELF)))   [Method]
  (*value* (LIKE (ANY-VALUE SELF)))) *:*
  Insert the entry <'key', *value*> into the property list *self*. If a previous entry existed
  with key *key*, that entry is replaced.

remove-at ((*self* PROPERTY-LIST) (*key* (LIKE (ANY-KEY SELF)))) *:* OBJECT   [Method]
  Remove the entry that matches the key *key*. Return the value of the matching entry,
  or NULL if there is no matching entry. Assumes that at most one entry matches *key*.

copy ((*self* PROPERTY-LIST)) *:* (LIKE SELF)   [Method]
  Return a copy of the list *self*. The conses in the copy are freshly allocated.

clear ((*self* PROPERTY-LIST)) *:*   [Method]
  Make *self* an empty property list.

allocate-iterator ((*self* PROPERTY-LIST)) *:* (PROPERTY-LIST-ITERATOR   [Method]
  OF (LIKE (ANY-KEY SELF)) (LIKE (ANY-VALUE SELF)))
  Not documented.

next? ((*self* PROPERTY-LIST-ITERATOR)) *:* BOOLEAN   [Method]
  Not documented.

kv-cons ((*key* OBJECT) (*value* OBJECT) (*rest* KV-CONS)) *:* KV-CONS   [Function]
  Create, fill-in, and return a new KV-CONS.

copy-kv-cons-list ((*kvconslist* KV-CONS)) *:* KV-CONS   [Function]
  Return a copy of the cons list `consList`.

empty? ((*self* KEY-VALUE-LIST)) *:* BOOLEAN   [Method]
  Not documented.

non-empty? ((*self* KEY-VALUE-LIST)) *:* BOOLEAN   [Method]
  Not documented.

object-equal? ((*x* KEY-VALUE-LIST) (*y* OBJECT)) *:* BOOLEAN   [Method]
  Return TRUE if *x* and *y* represent the same set of key/value pairs.

equal-hash-code ((*self* KEY-VALUE-LIST)) *:* INTEGER   [Method]
  Return an `equal?` hash code for *self*. Note that this is O(N) in the number of entries
  of *self*.

length ((*self* KEY-VALUE-LIST)) *:* INTEGER   [Method]
      Not documented.

lookup ((*self* KEY-VALUE-LIST) (*key* (LIKE (ANY-KEY SELF)))) *:* (LIKE   [Method]
      (ANY-VALUE SELF))
      Not documented.

reverse ((*self* KEY-VALUE-LIST)) *:* (LIKE SELF)   [Method]
      Destructively reverse the members of the list *self*.

insert-at ((*self* KEY-VALUE-LIST) (*key* (LIKE (ANY-KEY SELF)))   [Method]
      (*value* (LIKE (ANY-VALUE SELF)))) *:*
      Insert the entry <'key', *value*> into the association *self*. If a previous entry existed
      with key *key*, that entry is replaced.

remove-at ((*self* KEY-VALUE-LIST) (*key* (LIKE (ANY-KEY SELF)))) *:*   [Method]
      OBJECT
      Remove the entry that matches the key *key*. Return the value of the matching entry,
      or NULL if there is no matching entry. Assumes that at most one entry matches *key*.

insert-entry ((*self* KEY-VALUE-LIST) (*key* (LIKE (ANY-KEY SELF)))   [Method]
      (*value* (LIKE (ANY-VALUE SELF)))) *:*
      Insert an entry <'key',*value*> to *self* unless an identical entry already exists. This can
      generate duplicate entries for *key*.

remove-entry ((*self* KEY-VALUE-LIST) (*key* (LIKE (ANY-KEY SELF)))   [Method]
      (*value* (LIKE (ANY-VALUE SELF)))) *:*
      Remove the entry that matches <'key',*value*>. Assumes that more than one entry can
      match *key*.

push ((*self* KEY-VALUE-LIST) (*value* KV-CONS)) *:*   [Method]
      Make *value* be the new first element of *self*. Note that the `rest` slot of *value* should be
      `null`, since it will be overwritten. This might duplicate an existing entry. If a previous
      entry existed with the same key as *value*, that entry is retained, but shadowed by this
      new entry.

kv-push ((*self* KEY-VALUE-LIST) (*key* (LIKE (ANY-KEY SELF)))   [Method]
      (*value* (LIKE (ANY-VALUE SELF)))) *:*
      Add a new entry <'key', *value*> to the front of the association *self*. This might
      duplicate an existing entry. If a previous entry existed with key *key*, that entry is
      retained, but shadowed by this new entry.

pop ((*self* KEY-VALUE-LIST)) *:* (LIKE (ANY-VALUE SELF))   [Method]
      Remove and return the value of the first element of the kv-list *self*. It does NOT
      return the KV-CONS object. Return `null` if the list is empty.

copy ((*self* KEY-VALUE-LIST)) *:* (LIKE SELF)   [Method]
      Return a copy of the kv-list *self*. The kv-conses in the copy are freshly allocated.

clear ((*self* KEY-VALUE-LIST)) *:*   [Method]
      Make *self* an empty dictionary.

consify ((*self* KEY-VALUE-LIST)) *:* (CONS OF (LIKE (ANY-VALUE SELF))) [Method]
      Return a list of key-value pairs in *self*.

allocate-iterator ((*self* KEY-VALUE-LIST)) *:* (KV-LIST-ITERATOR OF (LIKE [Method]
      (ANY-KEY SELF)) (LIKE (ANY-VALUE SELF)))
      Not documented.

next? ((*self* KV-LIST-ITERATOR)) *:* BOOLEAN [Method]
      Not documented.

6.8 Vectors

empty? ((*self* VECTOR)) *:* BOOLEAN [Method]
      Return `true` if *self* has length 0.

non-empty? ((*self* VECTOR)) *:* BOOLEAN [Method]
      Return `true` if *self* has length > 0.

object-equal? ((*x* VECTOR) (*y* OBJECT)) *:* BOOLEAN [Method]
      Return TRUE iff the vectors *x* and *y* are structurally equivalent. Uses `equal?` to test
      equality of elements.

equal-hash-code ((*self* VECTOR)) *:* INTEGER [Method]
      Return an `equal?` hash code for *self*.

vector (&rest (*values* OBJECT)) *:* VECTOR [Function]
      Return a vector containing *values*, in order.

first ((*self* VECTOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Not documented.

second ((*self* VECTOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Not documented.

third ((*self* VECTOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Not documented.

fourth ((*self* VECTOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Not documented.

fifth ((*self* VECTOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Not documented.

nth ((*self* VECTOR) (*position* INTEGER)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Not documented.

last ((*self* VECTOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
      Return the last item in the vector *self*.

but-last ((*self* VECTOR)) *:* (ITERATOR OF (LIKE (ANY-VALUE SELF))) [Method]
      Generate all but the last element of the vector *self*.

length ((*self* VECTOR)) : INTEGER   [Method]
>   Not documented.

member? ((*self* VECTOR) (*object* OBJECT)) : BOOLEAN   [Method]
>   Not documented.

position ((*self* VECTOR) (*object* OBJECT) (*start* INTEGER)) : INTEGER   [Method]
>   Return the position of *object* within the vector *self* (counting from zero); or return
>   `null` if *object* does not occur within *self* (uses an `eql?` test). If *start* was supplied as
>   non-'null', only consider the portion starting at *start*, however, the returned position
>   will always be relative to the entire vector.

insert-at ((*self* VECTOR) (*offset* INTEGER)   [Method]
>   (*value* (LIKE (ANY-VALUE SELF)))) :
>   Not documented.

copy ((*self* VECTOR)) : (VECTOR OF (LIKE (ANY-VALUE SELF)))   [Method]
>   Return a copy of the vector *self*.

clear ((*self* VECTOR)) :   [Method]
>   Not documented.

resize-vector ((*self* VECTOR) (*size* INTEGER)) :   [Function]
>   Change the size of *self* to *size*. If *size* is smaller than the current size of *self* the
>   vector will be truncated. Otherwise, the internal array of *self* will be grown to *size*
>   and unused elements will be initialized to NULL.

consify ((*self* VECTOR)) : (CONS OF (LIKE (ANY-VALUE SELF)))   [Method]
>   Return a list of elements in *self*.

insert-at ((*self* EXTENSIBLE-VECTOR) (*offset* INTEGER)   [Method]
>   (*value* (LIKE (ANY-VALUE SELF)))) :
>   Not documented.

insert ((*self* VECTOR-SEQUENCE) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
>   Append *value* to the END of the sequence *self*. Resize the array if necessary.

remove ((*self* VECTOR-SEQUENCE) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
>   VECTOR-SEQUENCE
>   Remove *value* from the sequence *self*, and left shift the values after it to close the gap.

length ((*self* VECTOR-SEQUENCE)) : INTEGER   [Method]
>   Not documented.

6.9 Hash Tables

lookup ((*self* HASH-TABLE) (*key* (LIKE (ANY-KEY SELF)))) : (LIKE   [Method]
>   (ANY-VALUE SELF))
>   Not documented.

insert-at ((*self* HASH-TABLE) (*key* (LIKE (ANY-KEY SELF)))   [Method]
       (*value* (LIKE (ANY-VALUE SELF)))) :
    Not documented.

remove-at ((*self* HASH-TABLE) (*key* (LIKE (ANY-KEY SELF)))) :   [Method]
    Not documented.

lookup ((*self* STRING-HASH-TABLE) (*key* STRING)) : (LIKE (ANY-VALUE   [Method]
       SELF))
    Not documented.

insert-at ((*self* STRING-HASH-TABLE) (*key* STRING) (*value* OBJECT)) :   [Method]
    Not documented.

remove-at ((*self* STRING-HASH-TABLE) (*key* STRING)) :   [Method]
    Not documented.

lookup ((*self* STRING-TO-INTEGER-HASH-TABLE) (*key* STRING)) : INTEGER   [Method]
    Not documented.

insert-at ((*self* STRING-TO-INTEGER-HASH-TABLE) (*key* STRING)   [Method]
       (*value* INTEGER)) :
    Not documented.

lookup ((*self* INTEGER-HASH-TABLE) (*key* INTEGER)) : (LIKE (ANY-VALUE   [Method]
       SELF))
    Not documented.

insert-at ((*self* INTEGER-HASH-TABLE) (*key* INTEGER) (*value* OBJECT)) :   [Method]
    Not documented.

insert-at ((*self* FLOAT-HASH-TABLE) (*key* FLOAT) (*value* OBJECT)) :   [Method]
    Not documented.

STELLA provides its own implementation of hash tables for cases where language-native implementations are not available, or where additional features are needed.

lookup ((*self* STELLA-HASH-TABLE) (*key* (LIKE (ANY-KEY SELF)))) : (LIKE   [Method]
       (ANY-VALUE SELF))
    Lookup the entry identified by *key* in *self* and return its value, or NULL if no such
    entry exists. Uses an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

insert-at ((*self* STELLA-HASH-TABLE) (*key* (LIKE (ANY-KEY SELF)))   [Method]
       (*value* (LIKE (ANY-VALUE SELF)))) :
    Set the value of the entry identified by *key* in *self* to *value* or add a new entry if no
    entry with *key* exists yet. Uses an `eql?` test by default or `equal?` if `equal-test?` of
    self is TRUE.

remove-at ((*self* STELLA-HASH-TABLE) (*key* (LIKE (ANY-KEY SELF)))) :   [Method]
    Remove the entry identified by *key* from *self*. Uses an `eql?` test by default or `equal?`
    if `equal-test?` of *self* is TRUE.

length ((*self* STELLA-HASH-TABLE)) *:* INTEGER   [Method]
>   Return the number of entries in *self*.

empty? ((*self* STELLA-HASH-TABLE)) *:* BOOLEAN   [Method]
>   Return TRUE if *self* has zero entries.

non-empty? ((*self* STELLA-HASH-TABLE)) *:* BOOLEAN   [Method]
>   Return TRUE if *self* has at least 1 entry.

copy ((*self* STELLA-HASH-TABLE)) *:* (LIKE SELF)   [Method]
>   Return a copy of the hash table *self*. The bucket table and buckets are freshly allocated, however, the keys and values of entries are not copied themselves (similar to what we do for lists, etc.).

clear ((*self* STELLA-HASH-TABLE)) *:*   [Method]
>   Remove all entries from *self*. This will result in a re-initialization of the table upon the first insertion into *self*.

consify ((*self* STELLA-HASH-TABLE)) *:* (CONS OF CONS)   [Method]
>   Collect all entries of *self* into a cons list of (`<key>` `<value>`) pairs and return the result.

object-equal? ((*x* STELLA-HASH-TABLE) (*y* OBJECT)) *:* BOOLEAN   [Method]
>   Return TRUE if *x* and *y* represent the same set of key/value pairs.

equal-hash-code ((*self* STELLA-HASH-TABLE)) *:* INTEGER   [Method]
>   Return an `equal?` hash code for *self*. Note that this is O(N) in the number of entries of *self*.

allocate-iterator ((*self* STELLA-HASH-TABLE)) *:*   [Method]
>   (STELLA-HASH-TABLE-ITERATOR OF (LIKE (ANY-KEY SELF)) (LIKE
>   (ANY-VALUE SELF)))
>   Allocate an iterator for *self*.

6.10 Key Value Maps

KEY-VALUE-MAP is a full-featured dictionary class that supports `eql?` or extensible `equal?` equality tests, O(1) access operations even for large numbers of entries by using a hash table, light-weight KV-CONS representation for small tables and iteration even if the dictionary is represented by a hash table (note that in STELLA we cannot iterate over regular HASH-TABLE's, since native Lisp hash tables do not allow us to implement a hash table iterator). Since large KEY-VALUE-MAP's are implemented via STELLA-HASH-TABLE's, we can support iteration.

lookup ((*self* KEY-VALUE-MAP) (*key* (LIKE (ANY-KEY SELF))))) *:* (LIKE   [Method]
>   (ANY-VALUE SELF))
>   Lookup the entry identified by *key* in *self* and return its value, or NULL if no such entry exists. Uses an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

insert-at ((*self* KEY-VALUE-MAP) (*key* (LIKE (ANY-KEY SELF)))   [Method]
        (*value* (LIKE (ANY-VALUE SELF)))) :
>   Set the value of the entry identified by *key* in *self* to *value* or add a new entry if no
>   entry with *key* exists yet. Uses an `eql?` test by default or `equal?` if `equal-test?` of
>   *self* is TRUE.

remove-at ((*self* KEY-VALUE-MAP) (*key* (LIKE (ANY-KEY SELF)))) :   [Method]
>   Remove the entry identified by *key* from *self*. Uses an `eql?` test by default or `equal?`
>   if `equal-test?` of *self* is TRUE.

length ((*self* KEY-VALUE-MAP)) : INTEGER   [Method]
>   Return the number of entries in *self*.

empty? ((*self* KEY-VALUE-MAP)) : BOOLEAN   [Method]
>   Return TRUE if *self* has zero entries.

non-empty? ((*self* KEY-VALUE-MAP)) : BOOLEAN   [Method]
>   Return TRUE if *self* has at least 1 entry.

copy ((*self* KEY-VALUE-MAP)) : (LIKE SELF)   [Method]
>   Return a copy of the map *self*. All entries are freshly allocated, however, the keys
>   and values of entries are not copied themselves (similar to what we do for lists, etc.).

clear ((*self* KEY-VALUE-MAP)) :   [Method]
>   Reset *self* to have zero entries.

allocate-iterator ((*self* KEY-VALUE-MAP)) : (DICTIONARY-ITERATOR OF   [Method]
        (LIKE (ANY-KEY SELF)) (LIKE (ANY-VALUE SELF)))
>   Allocate an iterator for *self*. The only modifying operations allowed during iteration
>   are removal of the current element or changing its value. All other removal or insertion
>   operations might lead to corruption or undefined results.

consify ((*self* KEY-VALUE-MAP)) : CONS   [Method]
>   Collect all entries of *self* into a cons list of (`<key>` `<value>`) pairs and return the
>   result.

object-equal? ((*x* KEY-VALUE-MAP) (*y* OBJECT)) : BOOLEAN   [Method]
>   Return TRUE if *x* and *y* represent the same set of key/value pairs.

equal-hash-code ((*self* KEY-VALUE-MAP)) : INTEGER   [Method]
>   Return an `equal?` hash code for *self*. Note that this is O(N) in the number of entries
>   of *self*.

6.11 Hash Sets

`HASH-SET` is a full-featured set class that supports `eql?` or extensible `equal?` equality tests,
O(1) insert and `member?` operations, O(N) `intersection` etc. operations even for large
numbers of entries by using a STELLA hash table, light-weight `KV-CONS` representation for
small sets and iteration even if the set is represented by a hash table. The only minor
drawback right now is that we waste one value slot per entry, since we piggy-back off
`KEY-VALUE-MAP`'s, however, that wastes at most 25% space.

hash-set (&rest (*values* OBJECT)) : HASH-SET   [Function]
  Return an `eql?` HASH-SET containing *values*.

member? ((*self* HASH-SET) (*object* OBJECT)) : BOOLEAN   [Method]
  Return TRUE iff *object* is a member of the set *self*. Uses an `eql?` test by default or
  `equal?` if `equal-test?` of *self* is TRUE.

insert ((*self* HASH-SET) (*value* (LIKE (ANY-VALUE SELF)))) :   [Method]
  Add *value* to the set *self* unless it is already a member. Uses an `eql?` test by default
  or `equal?` if `equal-test?` of *self* is TRUE.

remove ((*self* HASH-SET) (*value* (LIKE (ANY-VALUE SELF)))) : (LIKE SELF)   [Method]
  Destructively remove *value* from the set *self* if it is a member and return *self*. Uses
  an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

remove-if ((*self* HASH-SET) (*test?* FUNCTION-CODE)) : (LIKE SELF)   [Method]
  Destructively remove all elements of the set *self* for which *test?* evaluates to TRUE.
  test? takes a single argument of type OBJECT and returns TRUE or FALSE. Returns
  self.

pop ((*self* HASH-SET)) : (LIKE (ANY-VALUE SELF))   [Method]
  Remove and return an arbitrary element of the set *self*. Return NULL if the set is
  empty. Performance note: for large sets implemented via hash tables it takes O(N)
  to empty out the set with repeated calls to `pop`, since the emptier the table gets, the
  longer it takes to find an element. Therefore, it is usually better to use iteration with
  embedded removals for such cases.

substitute ((*self* HASH-SET) (*new* OBJECT) (*old* OBJECT)) : (LIKE SELF)   [Method]
  Destructively replace *old* with *new* in the set *self* unless *new* is already a member.
  Uses an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

copy ((*self* HASH-SET)) : (LIKE SELF)   [Method]
  Return a copy of the set *self*. All entries are freshly allocated, however, the values are
  not copied themselves (similar to what we do for lists, etc.).

consify ((*self* HASH-SET)) : (CONS OF (LIKE (ANY-VALUE SELF)))   [Method]
  Collect all entries of *self* into a cons list and return the result.

subset? ((*self* HASH-SET) (*otherSet* HASH-SET)) : BOOLEAN   [Method]
  Return true if every element of *self* also occurs in *otherSet*. Uses an `eql?` test by
  default or `equal?` if `equal-test?` of *self* is TRUE.

equivalent-sets? ((*self* HASH-SET) (*otherSet* HASH-SET)) : BOOLEAN   [Method]
  Return true if every element of *self* occurs in *otherSet* and vice versa. Uses an `eql?`
  test by default or `equal?` if `equal-test?` of *self* is TRUE.

intersection ((*self* HASH-SET) (*otherSet* HASH-SET)) : HASH-SET   [Method]
  Return the set intersection of *self* and *otherSet* as a new set. Uses an `eql?` test by
  default or `equal?` if `equal-test?` of *self* is TRUE.

union ((*self* HASH-SET) (*otherSet* HASH-SET)) *:* HASH-SET [Method]
> Return the set union of *self* and *otherSet* as a new set. Uses an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

difference ((*self* HASH-SET) (*otherSet* HASH-SET)) *:* HASH-SET [Method]
> Return the set difference of *self* and *otherSet* as a new set (i.e., all elements that are in *self* but not in *otherSet*). Uses an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

subtract ((*self* HASH-SET) (*otherSet* HASH-SET)) *:* HASH-SET [Method]
> Return the set difference of *self* and *otherSet* by destructively removing elements from *self* that also occur in *otherSet*. Uses an `eql?` test by default or `equal?` if `equal-test?` of *self* is TRUE.

object-equal? ((*x* HASH-SET) (*y* OBJECT)) *:* BOOLEAN [Method]
> Return TRUE iff sets *x* and *y* are HASH-SET's with equivalent members. Uses an `eql?` test by default or `equal?` if `equal-test?` of `self` is TRUE. This is equivalent to calling `equivalent-sets?`.

equal-hash-code ((*self* HASH-SET)) *:* INTEGER [Method]
> Return an `equal?` hash code for *self*. Note that this is O(N) in the number of elements of *self*.

6.12 Iterators

empty? ((*self* ITERATOR)) *:* BOOLEAN [Method]
> Return TRUE if the sequence represented by *self* has no elements. Side-effect free.

member? ((*self* ITERATOR) (*value* OBJECT)) *:* BOOLEAN [Method]
> Iterate over values of *self*, returning TRUE if one of them is `eql` to 'value.

length ((*self* ABSTRACT-ITERATOR)) *:* INTEGER [Method]
> Iterate over *self*, and count how many items there are. Bad idea if *self* iterates over an infinite collection, since in that case it will run forever.'

pop ((*self* ITERATOR)) *:* (LIKE (ANY-VALUE SELF)) [Method]
> Return the first item of the sequence represented by *self*, or NULL if it is empty. Destructively uses up the first iteration element.

advance ((*self* ITERATOR) (*n* INTEGER)) *:* (LIKE SELF) [Method]
> Return *self* after skipping over the first *n* elements in the (remainder of the) iteration.

concatenate ((*iterator1* ITERATOR) (*iterator2* ITERATOR) [Method]
> &rest (*otherIterators* ITERATOR)) *:* ALL-PURPOSE-ITERATOR
> Return an iterator that first generates all values of *iterator1*, then those of *iterator2*, and then those of all *otherIterators*. The generated values can be filtered by supplying a filter function to the resulting iterator.

consify ((*self* ITERATOR)) *:* (CONS OF (LIKE (ANY-VALUE SELF))) [Method]
> Return a list of elements generated by *self*.

next? ((*self* ALL-PURPOSE-ITERATOR)) *:* BOOLEAN   [Method]
> Apply the stored `next?` function to *self*.

6.13 Symbols

lookup-symbol ((*name* STRING)) *:* SYMBOL   [Function]
> Return the first symbol with *name* visible from the current module.

intern-symbol ((*name* STRING)) *:* SYMBOL   [Function]
> Return a newly-created or existing symbol with name *name*.

unintern-symbol ((*self* SYMBOL)) *:*   [Function]
> Remove *self* from its home module and the symbol table.

lookup-symbol-in-module ((*name* STRING) (*module* MODULE)   [Function]
(*local?* BOOLEAN)) *:* SYMBOL
> Return the first symbol with *name* visible from *module*. If *local?* only consider
> symbols directly interned in *module*. If *module* is `null`, use `*MODULE*` instead.

intern-symbol-in-module ((*name* STRING) (*module* MODULE)   [Function]
(*local?* BOOLEAN)) *:* SYMBOL
> Look for a symbol named *name* in *module* (if *local?* do not consider inherited mod-
> ules). If none exists, intern it locally in *module*. Return the existing or newly-created
> symbol.

intern-derived-symbol ((*baseSymbol* GENERALIZED-SYMBOL)   [Function]
(*newName* STRING)) *:* SYMBOL
> Return a newly-created or existing symbol with name *newName* which is interned in
> the same module as *baseSymbol*.

visible-symbol? ((*self* SYMBOL)) *:* BOOLEAN   [Function]
> Return `true` if *self* is visible from the current module.

lookup-visible-symbols-in-module ((*name* STRING)   [Function]
(*module* MODULE) (*enforceShadowing?* BOOLEAN)) *:* (CONS OF SYMBOL)
> Return the list of symbols with *name* visible from *module*. More specific symbols
> (relative to the module precedence order defined by `visible-modules`) come earlier in
> the list. If *module* is `null`, start from `*MODULE*` instead. If *enforceShadowing?* is true,
> do not return any symbols that are shadowed due to some :SHADOW declaration.

import-symbol ((*symbol* SYMBOL) (*module* MODULE)) *:* SYMBOL   [Function]
> Import *symbol* into *module* and return the imported *symbol*. Signal an error if a
> different symbol with the same name already exists locally in *module*. Any symbol
> with the same name visible in *module* by inheritance will be shadowed by the newly
> imported *symbol*.

safe-import-symbol ((*symbol* SYMBOL) (*module* MODULE)) *:* SYMBOL [Function]
> Safe version of `import-symbol` (which see). Only imports *symbol* if no symbol with
> that name is currently interned or visible in *module*. Returns *symbol* if it was im-
> ported or the conflicting symbol in *module* otherwise.

lookup-surrogate ((*name* STRING)) *:* SURROGATE   [Function]
    Return the first surrogate with *name* visible from the current module.

intern-surrogate ((*name* STRING)) *:* SURROGATE   [Function]
    Return a newly-created or existing surrogate with name *name*.

unintern-surrogate ((*self* SURROGATE)) *:*   [Function]
    Remove *self* from its home module and the surrogate table.

lookup-surrogate-in-module ((*name* STRING) (*module* MODULE)   [Function]
        (*local?* BOOLEAN)) *:* SURROGATE
    Return the first surrogate with *name* visible from *module*. If *local?* only consider
    surrogates directly interned in *module*. If *module* is `null`, use `*MODULE*` instead.

intern-surrogate-in-module ((*name* STRING) (*module* MODULE)   [Function]
        (*local?* BOOLEAN)) *:* SURROGATE
    Look for a symbol named *name* in *module* (if *local?* do not consider inherited mod-
    ules). If none exists, intern it locally in *module*. Return the existing or newly-created
    symbol.

intern-derived-surrogate ((*baseSymbol* GENERALIZED-SYMBOL)   [Function]
        (*newName* STRING)) *:* SURROGATE
    Return a newly-created or existing surrogate with name *newName* which is interned
    in the same module as *baseSymbol*.

visible-surrogate? ((*self* SURROGATE)) *:* BOOLEAN   [Function]
    Return `true` if *self* is visible from the current module.

lookup-visible-surrogates-in-module ((*name* STRING)   [Function]
        (*module* MODULE) (*enforceShadowing?* BOOLEAN)) *:* (CONS OF SURROGATE)
    Return the list of surrogates with *name* visible from *module*. More specific surrogates
    (relative to the module precedence order defined by `visible-modules`) come earlier
    in the list. If *module* is `null`, start from `*MODULE*` instead. If *enforceShadowing?*
    is true, do not return any surrogates that are shadowed due to some :SHADOW
    declaration.

import-surrogate ((*surrogate* SURROGATE) (*module* MODULE)) *:*   [Function]
        SURROGATE
    Import *surrogate* into *module* and return the imported *surrogate*. Signal an error
    if a different surrogate with the same name already exists locally in *module*. Any
    surrogate with the same name visible in *module* by inheritance will be shadowed by
    the newly imported *surrogate*.

safe-import-surrogate ((*surrogate* SURROGATE) (*module* MODULE)) *:* [Function]
        SURROGATE
    Safe version of `import-surrogate` (which see). Only imports *surrogate* if no surrogate
    with that name is currently interned or visible in *module*. Returns *surrogate* if it was
    imported or the conflicting surrogate in *module* otherwise.

lookup-keyword ((*name* STRING)) *:* KEYWORD   [Function]
    Return the keyword with *name* if it exists.

intern-keyword ((*name* STRING)) : KEYWORD   [Function]
> Return a newly-created or existing keyword with name *name*. Storage note: a COPY of *name* is stored in the keyword

gensym ((*prefix* STRING)) : SYMBOL   [Function]
> Return a transient symbol with a name beginning with *prefix* and ending with a globally gensym'd integer.

local-gensym ((*prefix* STRING)) : SYMBOL   [Function]
> Not documented.

symbol-plist ((*symbol* SYMBOL)) : CONS   [Function]
> Return the property list of *symbol*. The `symbol-plist` of a symbol can be set with `setf`. IMPORTANT: Property list are modified destructively, hence, if you supply it as a whole make sure to always supply a modfiable copy, e.g., by using `bquote`.

symbol-property ((*symbol* SYMBOL) (*key* STANDARD-OBJECT)) :   [Function]
> OBJECT
> Return the property of *symbol* whose key is `eq?` to *key*. Symbol properties can be set with `setf`.

symbol-value ((*symbol* SYMBOL)) : OBJECT   [Function]
> Return the value of *symbol*. Note, that this value is not visible to code that references a variable with the same name as *symbol*. The `symbol-value` is simply a special property that can always be accessed in constant time. The `symbol-value` of a symbol can be changed with `setf`.

symbolize ((*surrogate* SURROGATE)) : SYMBOL   [Function]
> Convert *surrogate* into a symbol with the same name and module.

6.14 Context and Modules

get-stella-context ((*pathName* STRING) (*error?* BOOLEAN)) : CONTEXT   [Function]
> Return the context located at *pathName*, or `null` if no such context exists. If *error?* is `true`, throw an exception if no context is found, otherwise silently return `null`.

clear-context ((*self* CONTEXT)) :   [Function]
> Destroy all objects belonging to *self* or any of its subcontexts.

within-context ((*contextForm* OBJECT) &body (*body* CONS)) : OBJECT   [Macro]
> Execute *body* within the context resulting from *contextForm*.

destroy-context ((*self* CONTEXT)) :   [Method]
> Make the translator happy.

destroy-context ((*self* STRING)) :   [Method]
> Destroy the context *self*, and recursively destroy all contexts that inherit *self*.

change-context ((*context* CONTEXT)) : CONTEXT   [Method]
> Change the current context to be the context *context*.

change-context ((*contextName* STRING)) *:* CONTEXT   [Method]

    Change the current context to be the context named *contextName*.

cc (&rest (*name* NAME)) *:* CONTEXT   [Command]

    Change the current context to the one named *name*. Return the value of the new current context. If no *name* is supplied, return the pre-existing value of the current context. `cc` is a no-op if the context reference cannot be successfully evaluated.

defmodule ((*name* NAME) &rest (*options* OBJECT)) *:*   [Command]

    Define (or redefine) a module named *name*. The accepted syntax is:

```
(defmodule <module-name>
    [:documentation <docstring>]
    [:includes {<module-name> | (<module-name>*)}]
    [:uses {<module-name> | (<module-name>*)}]
    [:lisp-package <package-name-string>]
    [:java-package <package-specification-string>]
    [:cpp-namespace <namespace-name-string>]
    [:java-catchall-class
    [:api? {TRUE | FALSE}]
    [:case-sensitive? {TRUE | FALSE}]
    [:shadow (<symbol>*)]
    [:java-catchall-class <class-name-string>]
    [<other-options>*])
```

name can be a string or a symbol.

Modules include objects from other modules via two separate mechanisms: (1) they inherit from their parents specified via the `:includes` option and/or a fully qualified module name, and (2) they inherit from used modules specified via the `:uses` option. The main difference between the two mechanisms is that inheritance from parents is transitive, while uses-links are only followed one level deep. I.e., a module A that uses B will see all objects of B (and any of B's parents) but not see anything from modules used by B. Another difference is that only objects declared as public can be inherited via uses-links (this is not yet enforced). Note that - contrary to Lisp - there are separate name spaces for classes, functions, and variables. For example, a module could inherit the class `CONS` from the `STELLA` module, but shadow the function of the same name.

The above discussion of `:includes` and `:uses` semantics keyed on the inheritance/visibility of symbols. The PowerLoom system makes another very important distinction: If a module `A` is inherited directly or indirectly via `:includes` specification(s) by a submodule `B`, then all definitions and facts asserted in `A` are visible in `B`. This is not the cases for `:uses`; the `:uses` options does not impact inheritance of propositions at all.

The list of modules specified in the `:includes` option plus (if supplied) the parent in the path used for *name* become the new module's parents. If no `:uses` option was supplied, the new module will use the `STELLA` module by default, otherwise, it will use the set of specified modules. If `:case-sensitive?` is supplied as TRUE, symbols in the module will be interned case-sensitively, otherwise (the default), they will be

converted to uppercase before they get interned. Modules can shadow definitions of functions and classes inherited from parents or used modules. Shadowing is done automatically, but generates a warning unless the shadowed type or function name is listed in the `:shadow` option of the module definition .

Examples:

```
(defmodule "PL-KERNEL/PL-USER"
  :uses ("LOGIC" "STELLA")
  :package "PL-USER")

(defmodule PL-USER/GENEALOGY)
```

The remaining options are relevant only for modules that contain STELLA code. Modules used only to contain knowledge base definitions and assertions have no use for them:

The keywords `:lisp-package`, `:java-package`, and `:cpp-package` specify the name of a native package or name space in which symbols of the module should be allocated when they get translated into one of Lisp, Java, or C++. By default, Lisp symbols are allocated in the `STELLA` package, and C++ names are translated without any prefixes. The rules that the STELLA translator uses to attach translated Java objects to classes and packages are somewhat complex. Use :java-package option to specify a list of package names (separated by periods) that prefix the Java object in this module. Use :java-catchall-class to specify the name of the Java class to contain all global & special variables, parameter-less functions and functions defined on arguments that are not classes in the current module. The default value will be the name of the module.

When set to TRUE, the :api? option tells the PowerLoom User Manual generator that all functions defined in this module should be included in the API section. Additionally, the Java translator makes all API functions `synchronized`.

get-stella-module ((*pathName* STRING) (*error?* BOOLEAN)) : MODULE   [Function]
Return the module located at *pathName*, or `null` if no such module exists. The search looks at ancestors and top-most (cardinal) modules. If *error?* is `true`, throw an exception if no module is found.

find-or-create-module ((*pathname* STRING)) : MODULE   [Function]
Return a module located at *pathname* if one exists, otherwise create one

clear-module (&rest (*name* NAME)) :   [Command]
Destroy all objects belonging to module *name* or any of its children. If no *name* is supplied, the current module will be cleared after confirming with the user. Important modules such as STELLA are protected against accidental clearing.

destroy-module ((*self* MODULE)) :   [Function]
Destroy the module *self*, and recursively destroy all contexts that inherit *self*.

destroy-context ((*self* MODULE)) :   [Method]
Destroy the context *self*, and recursively destroy all contexts that inherit *self*.

visible-modules ((*from* MODULE)) : (CONS OF MODULE)   [Function]
    Return a list of all modules visible from module *from* (or *module* if *from* is NULL.
    The generated modules are generated from most to least-specific and will start with
    the module *from*.

within-module ((*moduleForm* OBJECT) &body (*body* CONS)) : OBJECT   [Macro]
    Execute *body* within the module resulting from *moduleForm*. `*module*` is an ac-
    ceptable *moduleForm*. It will locally rebind `*module*` and `*context*` and shield the
    outer bindings from changes.

in-module ((*name* NAME)) : MODULE   [Command]
    Change the current module to the module named *name*.

change-module ((*module* MODULE)) : MODULE   [Method]
    Change the current module to be the module *module*.

change-module ((*moduleName* STRING)) : MODULE   [Method]
    Change the current module to be the module named *moduleName*.

create-world ((*parentContext* CONTEXT) (*name* STRING)) : WORLD   [Function]
    Create a new world below the world or module *parentContext*. Optionally, specify a
    name.

push-world () : WORLD   [Function]
    Spawn a new world that is a child of the current context, and change the current
    context to the new world.

pop-world () : CONTEXT   [Function]
    Destroy the current world and change the current context to be its parent. Return
    the current context. Nothing happens if there is no current world.

destroy-context ((*self* WORLD)) :   [Method]
    Destroy the context *self*, and recursively destroy all contexts that inherit *self*.

within-world ((*worldForm* OBJECT) &body (*body* CONS)) : OBJECT   [Macro]
    Execute *body* within the world resulting from *worldForm*.

6.15 Input and Output

read-s-expression ((*stream* INPUT-STREAM)) : OBJECT BOOLEAN   [Function]
    Read one STELLA s-expression from *stream* and return the result. Return `true` as
    the second value on EOF.

read-s-expression-from-string ((*string* STRING)) : OBJECT   [Function]
    Read one STELLA s-expression from *string* and return the result.

read-line ((*inputStream* INPUT-STREAM)) : STRING BOOLEAN   [Function]
    Read one line from *inputStream* and return the result. Return `true` as the second
    value on EOF.

read-character ((*inputStream* INPUT-STREAM)) : CHARACTER BOOLEAN   [Function]
> Read one character from *inputStream* and return the result. Return `true` as the second value on EOF.

unread-character ((*ch* CHARACTER) (*inputStream* INPUT-STREAM)) :   [Function]
> Unread *ch* from *inputStream*. Signal an error if *ch* was not the last character read.

y-or-n? ((*message* STRING)) : BOOLEAN   [Function]
> Read a line of input from STANDARD-INPUT and return `true` if the input was y or `false` if the input was `n`. Loop until either y or `n` was entered. If *message* is non-'null' prompt with it before the input is read. See also special variable `*USER-QUERY-ACTION*`.

yes-or-no? ((*message* STRING)) : BOOLEAN   [Function]
> Read a line of input from STANDARD-INPUT and return `true` if the input was `yes` or `false` if the input was `no`. Loop until either `yes` or `no` was entered. If *message* is non-'null' prompt with it before the input is read. See also special variable `*USER-QUERY-ACTION*`.

6.16 Files

probe-file? ((*fileName* FILE-NAME)) : BOOLEAN   [Function]
> Return true if file *fileName* exists. Note that this does not necessarily mean that the file can also be read.

file-write-date ((*fileName* FILE-NAME)) : CALENDAR-DATE   [Function]
> Return the time at which file *fileName* was last modified or NULL if that cannot be determined.

file-length ((*fileName* FILE-NAME)) : INTEGER   [Function]
> Return the length of file *fileName* in bytes or NULL if that cannot be determined. Note that this will currently overrun for files that are longer than what can be represented by a STELLA integer.

copy-file ((*fromFile* FILE-NAME) (*toFile* FILE-NAME)) :   [Function]
> Copy file *fromFile* to file *toFile*, clobbering any data already in *toFile*.

delete-file ((*fileName* FILE-NAME)) :   [Function]
> Delete the file *fileName*.

directory-file-name ((*directory* FILE-NAME)) : FILE-NAME   [Function]
> Return *directory* as a file name, i.e., without a terminating directory separator.

directory-parent-directory ((*directory* FILE-NAME) (*level* INTEGER)) :   [Function]
>   FILE-NAME
> Return the *level*-th parent directory component of *directory* including the final directory separator, or the empty string if *directory* does not have that many parents.

file-name-as-directory ((*file* FILE-NAME)) *:* FILE-NAME [Function]
Return *file* interpreted as a directory, i.e., with a terminating directory separator. If *file* is the empty string simply return the empty string, i.e., interpret it as the current directory instead of the root directory.

file-name-directory ((*file* FILE-NAME)) *:* FILE-NAME [Function]
Return the directory component of *file* including the final directory separator or the empty string if *file* does not include a directory. Note that for purposes of this function, a logical host is considered part of the directory portion of *file*

file-name-without-directory ((*file* FILE-NAME)) *:* FILE-NAME [Function]
Return the file name portion of *file* by removing any directory and logical host components.

file-name-without-extension ((*file* FILE-NAME)) *:* FILE-NAME [Function]
Remove *file*s extension (or type) if there is any and return the result.

file-extension ((*file* FILE-NAME)) *:* STRING [Function]
Return *file*s extension (or type) if it has any including the separator character.

file-base-name ((*file* FILE-NAME)) *:* FILE-NAME [Function]
Remove *file*s directory (including logical host) and extension components and return the result.

absolute-pathname? ((*pathname* STRING)) *:* BOOLEAN [Function]
Not documented.

logical-host? ((*host* STRING)) *:* BOOLEAN [Function]
Not documented.

logical-pathname? ((*pathname* STRING)) *:* BOOLEAN [Function]
Not documented.

translate-logical-pathname ((*pathname* STRING)) *:* STRING [Function]
Not documented.

directory-separator () *:* CHARACTER [Function]
Not documented.

directory-separator-string () *:* STRING [Function]
Not documented.

6.17 Dates and Times

get-current-date-time () *:* INTEGER INTEGER INTEGER KEYWORD [Function]
    INTEGER INTEGER INTEGER INTEGER
Returns the current time in UTC as multiple values of year month day day-of-week hour minute second millisecond. Currently millisecond will always be zero (even in Java where it is technically available).

get-local-time-zone () : FLOAT   [Function]
    Returns the current time zone offset from UTC as a float, considering the effects of
    daylight savings time.

make-current-date-time () : CALENDAR-DATE   [Function]
    Create a calendar date with current time and date.

make-date-time ((*year* INTEGER) (*month* INTEGER) (*day* INTEGER)   [Function]
       (*hour* INTEGER) (*minute* INTEGER) (*second* INTEGER) (*millis* INTEGER)
       (*timezone* FLOAT)) : CALENDAR-DATE
    Create a calendar date with the specified components. *year* must be the complete
    year (i.e., a year of 98 is 98 A.D in the 1st century). *timezone* is a real number in the
    range -12.0 to +14.0 where UTC is zone 0.0; The number is the number of hours to
    add to UTC to arrive at local time.

parse-date-time ((*date-time-string* STRING) (*start* INTEGER)   [Function]
       (*end* INTEGER) (*error-on-mismatch?* BOOLEAN)) : DECODED-DATE-TIME
    Tries very hard to make sense out of the argument *date-time-string* and returns a
    time structure if successful. If not, it returns `null`. If *error-on-mismatch?* is true,
    parse-date-time will signal an error instead of returning `null`. Default values are
    00:00:00 local time on the current date

decode-calendar-date ((*date* CALENDAR-DATE) (*timezone* FLOAT)) :   [Method]
      DECODED-DATE-TIME
    Returns a decoded time object for *date* interpreted in *timezone timezone* is the num-
    ber of hours added to UTC to get local time. It is in the range -12.0 to +14.0 where
    UTC is zone 0.0

encode-calendar-date ((*time-structure* DECODED-DATE-TIME)) :   [Method]
      CALENDAR-DATE
    Returns a calendar date object for *time-structure*.

calendar-date-to-string ((*date* CALENDAR-DATE) (*timezone* FLOAT)   [Function]
      (*include-timezone?* BOOLEAN)) : STRING
    Returns a string representation of *date* adjusted for *timezone*

string-to-calendar-date ((*input* STRING)) : CALENDAR-DATE   [Function]
    Returns a calendar date object representing the date and time parsed from the *input*
    string. If no valid parse is found, `null` is returned.

relative-date-to-string   [???]
    Not yet implemented.

compute-calendar-date ((*julian-day* INTEGER)) : INTEGER INTEGER   [Function]
      INTEGER KEYWORD
    Returns the YEAR, MONTH, DAY, DAY-OF-WEEK on which the given *julian-day*
    begins at noon.

compute-day-of-week ((*yyyy* INTEGER) (*mm* INTEGER) (*dd* INTEGER))   [Function]
      : KEYWORD
    Returns the day of the week for yyyy-mm-dd.

compute-day-of-week-julian ((*julian-day* INTEGER)) : KEYWORD   [Function]
>   Returns the day of the week for julian-day

compute-julian-day ((*yyyy* INTEGER) (*mm* INTEGER) (*dd* INTEGER)) :   [Function]
>   INTEGER
>   Returns the Julian day that starts at noon on yyyy-mm-dd. *yyyy* is the year. *mm* is
>   the month. *dd* is the day of month. Negative years are B.C. Remember there is no
>   year zero.

compute-next-moon-phase ((*n* INTEGER) (*phase* KEYWORD)) :   [Function]
>   INTEGER FLOAT
>   Returns the Julian Day and fraction of day of the Nth occurence since January 1,
>   1900 of moon PHASE. PHASE is one of :NEW-MOON, :FIRST-QUARTER, :FULL-
>   MOON, :LAST-QUARTER

decode-time-in-millis ((*time* INTEGER)) : INTEGER INTEGER INTEGER   [Function]
>   INTEGER
>   Returns multiple values of hours, minutes, seconds, milliseconds for *time* specified in
>   milliseconds.

julian-day-to-modified-julian-day ((*julian-day* INTEGER)) : INTEGER   [Function]
>   Returns the modified Julian day during which *julian-day*starts at noon.

modified-julian-day-to-julian-day ((*modified-julian-day* INTEGER)) :   [Function]
>   INTEGER
>   Returns the modified Julian day during which `julian-day`starts at noon.

time-add ((*t1* DATE-TIME-OBJECT) (*t2* DATE-TIME-OBJECT)) :   [Function]
>   DATE-TIME-OBJECT
>   Add *t1* to *t2*. If one of *t1* or *t2* is a calendar date, then the result is a calendar
>   date. If both *t1* and *t2* are relative dates, then the result is a relative date. *t1* and
>   *t2* cannot both be calendar dates.

time-divide ((*t1* TIME-DURATION) (*t2* OBJECT)) : OBJECT   [Function]
>   Divides the relative date *t1* by *t2*. *t2* must be either a relative date or a wrapped
>   number. If *t2* is a relative date, then the return value will be a wrapped float. If *t2*
>   is a wrapped number, then the reutrn value will be a relative date.

time-multiply ((*t1* OBJECT) (*t2* OBJECT)) : TIME-DURATION   [Function]
>   Multiplies a relative date by a wrapped number. One of *t1* or *t2* must be a relative
>   date and the other a wrapped number.

time-subtract ((*t1* DATE-TIME-OBJECT) (*t2* DATE-TIME-OBJECT)) :   [Function]
>   DATE-TIME-OBJECT
>   Subtract *t2* from *t1*. If *t1* is a calendar date, then *t2* can be either a calendar date (in
>   which case the return value is a relative date) or it can be a relative date (in which
>   case the return value is a calendar date). If *t1* is a relative date, then *t2* must also
>   be a relative date and a relative date is returned.

get-ticktock () : TICKTOCK [Function]

Return the current CPU time. If the current OS/Language combination does not support measuring of CPU time, return real time instead. Use `ticktock-difference` to measure the time difference between values returned by this function. This is an attempt to provide some platform independent support to measure (at least approximately) consumed CPU time.

ticktock-difference ((*t1* TICKTOCK) (*t2* TICKTOCK)) : FLOAT [Function]

The difference in two TICKTOCK time values in seconds where *t1* is the earlier time. The resolution is implementation dependent but will normally be some fractional value of a second.

ticktock-resolution () : FLOAT [Function]

The minimum theoretically detectable resolution of the difference in two TICKTOCK time values in seconds. This resolution is implementation dependent. It may also not be realizable in practice, since the timing grain size may be larger than this resolution.

sleep ((*seconds* FLOAT)) : [Function]

The program will sleep for the indicated number of seconds. Fractional values are allowed, but the results are implementation dependent: Common Lisp uses the fractions natively, Java with a resolution of 0.001, and C++ can only use integral values.

6.18 XML Support

make-xml-element ((*name* STRING) (*namespace-name* STRING) [Function]
(*namespace* STRING)) : XML-ELEMENT

Creates and interns an XML element object *name* using *namespace-name* to refer to *namespace*. If *namespace* is `null`, then the element will be interned in the null namespace. *namespace* must otherwise be a URI.

make-xml-global-attribute ((*name* STRING) [Function]
(*namespace-name* STRING) (*namespace* STRING)) : XML-GLOBAL-ATTRIBUTE

Creates and interns an XML global attribute object with *name* using *namespace-name* to refer to *namespace*. *namespace*must be a URI.

make-xml-local-attribute ((*name* STRING) (*element* XML-ELEMENT)) : [Function]
XML-LOCAL-ATTRIBUTE

Make an XML-LOCAL-ATTRIBUTE named *name* associated with *element*

get-xml-tag ((*expression* CONS)) : XML-ELEMENT [Function]

Return the XML tag object of an XML *expression*.

get-xml-attributes ((*expression* CONS)) : CONS [Function]

Return the list of attributes of an XML *expression* (may be empty).

get-xml-content ((*expression* CONS)) : CONS [Function]

Return the list of content elements of an XML *expression* (may be empty).

get-xml-cdata-content ((*form* CONS)) *:* STRING   [Function]
>   Return the CDATA content of a CDATA *form*. Does NOT make sure that *form* actually is a CDATA form, so bad things can happen if it is given wrong input.

xml-declaration? ((*item* OBJECT)) *:* BOOLEAN   [Function]
>   Return `true` if *item* is an XML declaration object

xml-element? ((*item* OBJECT)) *:* BOOLEAN   [Function]
>   Return `true` if *item* is an XML element object

xml-attribute? ((*item* OBJECT)) *:* BOOLEAN   [Function]
>   Return `true` if *item* is an XML attribute object

xml-cdata? ((*item* OBJECT)) *:* BOOLEAN   [Function]
>   Return `true` if *item* is an XML CDATA tag object

xml-cdata-form? ((*form* OBJECT)) *:* BOOLEAN   [Function]
>   Return `true` if *form* is an CONS headed by a CDATA tag

xml-element-match? ((*tag* XML-ELEMENT) (*name* STRING)   [Method]
>   (*namespace* STRING)) *:* BOOLEAN
>   Returns `true` if *tag* is an XML element with the name *name* in namespace *namespace*. Note that *namespace* is the full URI, not an abbreviation. Also, *namespace* may be `null`, in which case *tag* must not have a namespace associated with it.

xml-attribute-match? ((*attribute* XML-ATTRIBUTE) (*name* STRING)   [Method]
>   (*namespace* STRING)) *:* BOOLEAN
>   Return `true` if *attribute* is an XML attribute with name *name* in namespace *namespace*. Note that *namespace* is the full URI, not an abbreviation. Also, *namespace* may be `null`, in which case *attribute* must not have a namespace associated with it.

xml-attribute-match? ((*attribute* XML-GLOBAL-ATTRIBUTE)   [Method]
>   (*name* STRING) (*namespace* STRING)) *:* BOOLEAN
>   Return `true` if *attribute* is a global XML attribute with name *name* in namespace *namespace*. Note that *namespace* is the full URI, not an abbreviation. Also, *namespace* may be `null`, in which case *attribute* must not have a namespace associated with it.

xml-attribute-match? ((*attribute* XML-LOCAL-ATTRIBUTE)   [Method]
>   (*name* STRING) (*namespace* STRING)) *:* BOOLEAN
>   Return `true` if *attribute* is a local XML attribute with name *name*. Note that *namespace* must be `null` and that the *attribute*s parent element element is not considered by the match. To take the parent element into account use `xml-local-attribute-match?`.

xml-local-attribute-match? ((*attribute* XML-LOCAL-ATTRIBUTE)   [Function]
>   (*name* STRING) (*element-name* STRING) (*element-namespace* STRING)) *:*
>   BOOLEAN
>   Return true if *attribute* is a local attribute with *name* and whose parent element matches *element-name* and *element-namespace*.

xml-lookup-attribute ((*attributes* CONS) (*name* STRING)   [Function]
    (*namespace* STRING)) : STRING

> Find the XML attribute in *attributes* with *name* and *namespace* and return its value.
> Note that it is assumed that all *attributes* come from the same known tag, hence, the
> parent elements of any local attributes are not considered by the lookup.

xml-tag-case ((*item* OBJECT) &body (*clauses* CONS)) : OBJECT   [Macro]

> A case form for matching *item* against XML element tags. Each element of *clauses*
> should be a clause with the form ("tagname" ...) or (("tagname" "namespace-uri")
> ...) The clause heads can optionally be symbols instead of strings. The key forms the
> parameters to the method `xml-element-match?`, with a missing namespace argument
> passed as NULL.

> The namespace argument will be evaluated, so one can use bound variables in place
> of a fixed string. As a special case, if the namespace argument is :ANY, then the test
> will be done for a match on the tag name alone.

read-xml-expression ((*stream* INPUT-STREAM) (*start-tag* OBJECT)) :   [Function]
    OBJECT BOOLEAN

> Read one balanced XML expression from *stream* and return its s-expression repre-
> sentation (see `xml-token-list-to-s-expression`). If `startTagName` is non-'null',
> skip all tags until a start tag matching *start-tag* is encountered. XML namespaces
> are ignored for outside of the start tag. Use s-expression representation to specify
> *start-tag*, e.g., (KIF (:version "1.0")). The tag can be an XML element object, a
> symbol, a string or a cons. If the tag is a cons the first element can also be (name
> namespace) pair.

> Return `true` as the second value on EOF.

> CHANGE WARNING: It is anticipated that this function will change to a) Properly
> take XML namespaces into account and b) require XML element objects instead of
> strings as the second argument. This change will not be backwards-compatible.

xml-expressions ((*stream* INPUT-STREAM) (*regionTag* OBJECT)) :   [Function]
    XML-EXPRESSION-ITERATOR

> Return an XML-expression-iterator (which see) reading from *stream*. *regionTag* can
> be used to define delimited regions from which expressions should be considered. Use
> s-expression representation to specify *regionTag*, e.g., (KIF (:version "1.0")). The
> tag can be an XML element object, a symbol, a string or a cons. If the tag is a cons
> the first element can also be (name namespace) pair.

print-xml-expression ((*stream* OUTPUT-STREAM)   [Function]
    (*xml-expression* CONS) (*indent* INTEGER)) :

> Prints *xml-expression* on *stream*. Indentation begins with the value of *indent*. If this
> is the `null` integer, no indentation is performed. Otherwise it should normally be
> specified as 0 (zero) for top-level calls.

> It is assumed that the *xml-expression* is a well-formed CONS-list representation of
> an XML form. It expects a form like that form returned by `read-XML-expression`.

> Also handles a list of xml forms such as that returned by `XML-expressions`. In that
> case, each of the forms is indented by *indent* spaces.

reset-xml-hash-tables () :   [Function]
    Resets Hashtables used for interning XML elements and global attribute objects. This
    will allow garbage collection of no-longer used objects, but will also mean that newly
    parsed xml elements and global attributes will not be eq? to already existing ones
    with the same name.

6.19 Miscellaneous

This is a catch-all section for functions and methods that haven't been categorized yet into
any of the previous sections. They are in random order and many of them will never be
part of the official STELLA interface. So beware!

operating-system () : KEYWORD   [Function]
    Not documented.

acos ((*n* FLOAT)) : FLOAT   [Function]
    Return the arccosine of *n* in radians.

activate-demon ((*demon* DEMON)) :   [Function]
    Install *demon* in the location(s) specified by its internal structure.

active? ((*self* POLYMORPHIC-RELATION)) : BOOLEAN   [Method]
    True if *self* or a superslot of *self* is marked active.

add-hook ((*hookList* HOOK-LIST) (*hookFunction* SYMBOL)) :   [Function]
    Insert the function named *hookFunction* into *hookList*.

add-trace (&rest (*keywords* GENERALIZED-SYMBOL)) : LIST   [Command]
    Enable trace messages identified by any of the listed *keywords*. After calling (`add-
    trace` <keyword>) code guarded by (`trace-if` <keyword> ...) will be executed when
    it is encountered.

all-classes ((*module* MODULE) (*local?* BOOLEAN)) : (ITERATOR OF CLASS)   [Function]
    Iterate over all classes visible from *module*. If *local?*, return only classes interned in
    module. If *module* is null, return all classes interned everywhere.

all-contexts () : (ITERATOR OF CONTEXT)   [Function]
    Return an iterator that generates all contexts.

all-defined? (&body (*forms* CONS)) : OBJECT   [Macro]
    Evaluate each of the forms in *forms*, and return TRUE if none of them are NULL.

all-functions ((*module* MODULE) (*local?* BOOLEAN)) : (ITERATOR OF   [Function]
        FUNCTION)
    Iterate over all functions visible from *module*. If *local?*, return only functions bound to
    symbols interned in *module*. If *module* is null, return all functions defined everywhere.

all-included-modules ((*self* MODULE)) : (ITERATOR OF MODULE)   [Function]
    Generate a sequence of all modules included by *self*, inclusive, starting from the
    highest ancestor and working down to *self* (which is last).

all-methods ((*module* MODULE) (*local?* BOOLEAN)) *:* (ITERATOR OF   [Function]
     METHOD-SLOT)
  Iterate over all methods visible from *module*. If *local?*, return only methods interned
  in *module*. If *module* is null, return all methods interned everywhere.

all-modules () *:* (ITERATOR OF MODULE)   [Function]
  Return an iterator that generates all modules.

all-public-functions ((*module* MODULE) (*local?* BOOLEAN)) *:*   [Function]
     (ITERATOR OF FUNCTION)
  Iterate over all functions visible from *module*. If *local?*, return only functions bound to
  symbols interned in *module*. If *module* is null, return all functions defined everywhere.

all-public-methods ((*module* MODULE) (*local?* BOOLEAN)) *:* (ITERATOR   [Function]
     OF METHOD-SLOT)
  Iterate over all public methods visible from *module*. If *local?*, return only methods
  interned in *module*. If *module* is null, return all methods interned everywhere.

all-slots ((*module* MODULE) (*local?* BOOLEAN)) *:* (ITERATOR OF SLOT)   [Function]
  Iterate over all slots visible from *module*. If *local?*, return only methods interned in
  module. If *module* is null, return all methods interned everywhere.

all-subcontexts ((*context* CONTEXT) (*traversal* KEYWORD)) *:*   [Function]
     (ALL-PURPOSE-ITERATOR OF CONTEXT)
  Return an iterator that generates all subcontexts of `self` (not including `self`) in the
  order specified by *traversal* (one of :preorder, :inorder, or :postorder).

all-surrogates ((*module* MODULE) (*local?* BOOLEAN)) *:* (ITERATOR OF   [Function]
     SURROGATE)
  Iterate over all surrogates visible from *module*. If *local?*, return only surrogates
  interned in *module*. If *module* is null, return all surrogates interned everywhere.

all-symbols ((*module* MODULE) (*local?* BOOLEAN)) *:* (ITERATOR OF   [Function]
     SYMBOL)
  Iterate over all symbols visible from *module*. If *local?*, return only symbols interned
  in *module*. If *module* is null, return all symbols interned everywhere.

all-variables ((*module* MODULE) (*local?* BOOLEAN)) *:* (ITERATOR OF   [Function]
     GLOBAL-VARIABLE)
  Iterate over all variables visible from *module*. If *local?*, return only variables bound to
  symbols interned in *module*. If *module* is null, return all variables defined everywhere.

allocate-iterator ((*self* ABSTRACT-ITERATOR)) *:* (LIKE SELF)   [Method]
  Iterator objects return themselves when asked for an iterator (they occupy the same
  position as a collection within a `foreach` statement).

allocate-iterator ((*self* MEMOIZABLE-ITERATOR)) *:* (ITERATOR OF (LIKE   [Method]
     (ANY-VALUE SELF)))
  Alias for `clone-memoized-iterator`.

allocation ((*self* STORAGE-SLOT)) : KEYWORD [Method]
    Return the most specific :allocation facet, or :instance if all inherited values are NULL.

apply ((*code* FUNCTION-CODE) (*arguments* (CONS OF OBJECT))) : OBJECT [Function]
    Apply *code* to *arguments*, returning a value of type OBJECT.

apply-boolean-method ((*code* METHOD-CODE) [Function]
        (*arguments* (CONS OF OBJECT))) : BOOLEAN
    Apply *code* to *arguments*, returning a value of type BOOLEAN.

apply-float-method ((*code* METHOD-CODE) [Function]
        (*arguments* (CONS OF OBJECT))) : FLOAT
    Apply *code* to *arguments*, returning a value of type FLOAT.

apply-integer-method ((*code* METHOD-CODE) [Function]
        (*arguments* (CONS OF OBJECT))) : INTEGER
    Apply *code* to *arguments*, returning a value of type INTEGER.

apply-method ((*code* METHOD-CODE) (*arguments* (CONS OF OBJECT))) : [Function]
        OBJECT
    Apply *code* to *arguments*, returning a value of type OBJECT.

apply-string-method ((*code* METHOD-CODE) [Function]
        (*arguments* (CONS OF OBJECT))) : STRING
    Apply *code* to *arguments*, returning a value of type STRING.

asin ((*n* FLOAT)) : FLOAT [Function]
    Return the arcsine of *n* in radians.

atan ((*n* FLOAT)) : FLOAT [Function]
    Return the arc tangent of *n* in radians.

atan2 ((*x* FLOAT) (*y* FLOAT)) : FLOAT [Function]
    Return the arc tangent of *x* / *y* in radians.

break-program ((*message* STRING)) : [Function]
    Interrupt the program and print *message*. Continue after confirmation with the user.

call-clear-module (&rest (*name* NAME)) : [Command]
    Destroy all objects belonging to module *name* or any of its children. If no *name* is
    supplied, the current module will be cleared after confirming with the user. Important
    modules such as STELLA are protected against accidental clearing.

cast ((*value* OBJECT) (*type* TYPE)) : OBJECT [Function]
    Perform a run-time type check, and then return *value*.

ccc (&rest (*name* NAME)) : CONTEXT [Command]
    Change the current context to the one named *name*. Return the value of the new
    current context. If no *name* is supplied, return the pre-existing value of the current
    context. `cc` is a no-op if the context reference cannot be successfully evaluated. In
    CommonLisp, if the new context is case sensitive, then change the readtable case to
    :INVERT, otherwise to :UPCASE.

cl-slot-value ((*object* OBJECT) (*slotName* STRING)   [Function]
       (*dontConvert?* BOOLEAN)) : LISP-CODE
    Lookup slot *slotName* on *object* and return the lispified slot value (see `lispify`).
    If *dontConvert?* is TRUE, the returned slot value will not be lispified. Generate a
    warning if no such slot exists on *object*. In a call directly from Lisp *slotName* can
    also be supplied as a Lisp symbol.

cl-slot-value-setter ((*object* OBJECT) (*slotName* STRING)   [Function]
       (*value* LISP-CODE) (*dontConvert?* BOOLEAN)) : LISP-CODE
    Lookup slot *slotName* on *object* and set its value to the stellafied *value* (see
    `stellafy`). If *dontConvert?* is TRUE, *value* will not be stellafied before it gets
    assigned. Generate a warning if no such slot exists on *object*, or if *value* has the
    wrong type. In a call directly from Lisp *slotName* can also be supplied as a Lisp
    symbol.

cl-translate-file ((*file* FILE-NAME) (*relative?* BOOLEAN)) :   [Function]
    Translate a Stella *file* to Common-Lisp. If *relative?*, concatenate root directory to
    file.

cl-translate-system ((*system-name* STRING)) :   [Function]
    Translate a Stella system named *system-name* to Common Lisp.

cleanup-unfinalized-classes () :   [Function]
    Remove all finalized classes from `*UNFINALIZED-CLASSES*`, and set `*NEWLY-`
    `UNFINALIZED-CLASSES?*` to `false`.

clear-recycle-list ((*list* RECYCLE-LIST)) :   [Function]
    Reset *list* to its empty state.

clear-recycle-lists () :   [Function]
    Reset all currently active recycle lists to their empty state.

clear-system ((*name* STRING)) :   [Function]
    Clears out the system definition named *name*. If *name* is `null`, then clear out all
    system definitions. This function is useful when changes have been made to the
    system definition, and one wants to have it reloaded from the standard location in
    the file system.

clear-trace () :   [Command]
    Disable all tracing previously enabled with `add-trace`.

clone-memoized-iterator ((*self* MEMOIZABLE-ITERATOR)) :   [Function]
       (ITERATOR OF (LIKE (ANY-VALUE SELF)))
    Clone the memoized iterator *self* so it can be used to iterate over the collection
    represented by *self*, while allowing to iterate over it multiple times via multiple clones.

close-all-files () :   [Function]
    Close all currently open file streams. Use for emergencies or for cleanup.

close-stream ((*self* STREAM)) :   [Function]
    Close the stream *self*.

coerce-&rest-to-cons ((*restVariable* SYMBOL)) *: * OBJECT   [Macro]
Coerce the argument list variable *restVariable* into a CONS list containing all its elements (uses argument list iteration to do so). If *restVariable* already is a CONS due to argument listification, this is a no-op.

coerce-to-symbol ((*name* NAME)) *: * GENERALIZED-SYMBOL   [Function]
Return the (generalized) symbol represented by *name*. Return `null` if *name* is undefined or does not represent a string.

collect ((*collectvariable* SYMBOL) &body (*body* CONS)) *: * OBJECT   [Macro]
Use a VRLET to collect values. Input has the form (`collect <x> in <expression>`
`where (<test> <x>)`).

collection-valued? ((*self* SLOT)) *: * BOOLEAN   [Method]
True if slot values are collections.

command? ((*method* METHOD-SLOT)) *: * BOOLEAN   [Function]
Return `true` if *method* is an evaluable command.

component? ((*self* STORAGE-SLOT)) *: * BOOLEAN   [Method]
True if fillers of this slot are components of the owner slot, and therefore should be deleted if the owner is deleted.

compose-namestring   [Function]
((*name-components* (CONS OF STRING-WRAPPER)) &rest (*options* OBJECT)) *: *
STRING
name-components is a cons to be processed into a namestring. `:prefix` and `:suffix`
are strings that will NOT be case-converted. `:case` is one of :UPCASE :TitleCase
:titleCaseX :downcase :Capitalize default is :TitleCase `:separator` is a string that
should separate word elements. It does not separate the prefix or suffix. Default is
`""` `:translation-table` should be a STRING-HASH-TABLE hash table that strings
into their desired printed representation as a string. In general the argument will be
strings, but that is not strictly necessary.

compose-namestring-full ((*strings* (CONS OF STRING-WRAPPER))   [Function]
(*prefix* STRING) (*suffix* STRING) (*outputcase* KEYWORD)
(*outputseparator* STRING) (*translationtable* STRING-HASH-TABLE)
(*useacronymheuristics?* BOOLEAN)) *: * STRING
Non-keyword version of `compose-namestring`, which will probably be easier to use
when called from non-Lisp languages.

configure-stella ((*file* FILE-NAME)) *: *   [Function]
Perform STELLA run-time configuration. If supplied, load the configuration file *file*
first which should be supplied with a physical pathname.

consify ((*self* OBJECT)) *: * CONS   [Method]
If `object` is a CONS, return it. Otherwise, return a singleton cons list containing it.

continuable-error (&body (*body* CONS)) *: * OBJECT   [Macro]
Signal error message, placing non-string arguments in quotes.

cpp-translate-system ((*systemName* STRING)) *:*   [Function]
> Translate the system *systemName* to C++.

cpptrans ((*statement* OBJECT)) *:*   [Command]
> Translate *statement* to C++ and print the result.

create-derived-list ((*self* LIST)) *:* LIST   [Function]
> Create a new list object with the same type as *self*.

create-object ((*type* TYPE) &rest (*initial-value-pairs* OBJECT)) *:* OBJECT   [Function]
> Funcallable version of the **new** operator. Return an instance of the class named by
> *type*. If *initial-value-pairs* is supplied, it has to be a key/value list similar to what's
> accepted by **new** and the named slots will be initialized with the supplied values.
> Similar to **new**, all required arguments for *type* must be included. Since all the slot
> initialization, etc. is handled dynamically at run time, **create-object** is much slower
> than **new**; therefore, it should only be used if *type* cannot be known at translation
> time.

deactivate-demon ((*demon* DEMON)) *:*   [Function]
> Detach *demon* from the location(s) specified by its internal structure.

decompose-namestring ((*namestring* STRING)   [Function]
>   &rest (*options* OBJECT)) *:* (CONS OF STRING-WRAPPER)
> Keyword options: :break-on-cap one of :YES :NO :CLEVER default is
> :CLEVER :break-on-number one of :YES :NO :CLEVER default is :CLEVER
> :break-on-separators string default is "-_ "
> DECOMPOSE-NAMESTRING returns a cons of STRING-WRAPPERS that are the
> decomposition of the input STRING. The arguments are used as follows: *namestring*
> is the input string. :break-on-cap is a keyword controlling whether changes in capital-
> ization is used to indicate word boundaries. If :YES, then all capitalization changes
> delineate words. If :CLEVER, then unbroken runs of capitalized letters are treated
> as acronyms and remain grouped. If :NO or NULL, there is no breaking of words
> based on capitalization. :break-on-number is a flag controlling whether encountering
> a number indicates a word boundary. If :YES, then each run of numbers is treated
> as a word separate from surrounding words. If :CLEVER, then an attempt is made
> to recognize ordinal numbers (ie, 101st) and treat them as separate words. If :NO
> or NULL, there is no breaking of words when numbers are encountered. :break-on-
> separators A string of characters which constitute word delimiters in the input word.
> This is used to determine how to break the name into individual words. Defaults are
> space, - and _.

decompose-namestring-full ((*namestring* STRING)   [Function]
>   (*break-on-cap* KEYWORD) (*break-on-number* KEYWORD)
>   (*break-on-separators* STRING)) *:* (CONS OF STRING-WRAPPER)
> Non-keyword version of **decompose-namestring**, which will probably be easier to use
> when called from non-Lisp languages.

default-form ((*self* STORAGE-SLOT)) *:* OBJECT   [Method]
> Returns the current value of default expression when the slot has not been assigned
> a value.

defdemon ((*name* STRING-WRAPPER) (*parameterstree* CONS)   [Macro]
&body (*optionsandbody* CONS)) : OBJECT
Define a demon *name* and attach it to a class or slot.

define-demon ((*name* STRING) &rest (*options* OBJECT)) : DEMON   [Function]
Define a class or slot demon. Options are :create, :destroy, :class, :slot, :guard?, :code,
:method, :inherit?, and :documentation.

define-logical-host-property ((*host* STRING) (*property* KEYWORD)   [Function]
(*value* OBJECT)) :
Define *property* with *value* for the logical host *host*. As a side-effect, this also defines
host as a logical host (both *property* and *value* can be supplied as NULL). If :ROOT-
DIRECTORY is specified, all pathnames with *host* are assumed to be relative to that
directory (even if they are absolute) and will be rerooted upon translation. :ROOT-
DIRECTORY can be a logical or physical pathname. If :LISP-TRANSLATIONS
is specified, those will be used verbatimely as the value of (`CL:logical-pathname-
translations host`) if we are running in Lisp, which allows us to depend on the
native `CL:translate-logical-pathname` for more complex translation operations.

define-module ((*name* STRING) (*options* CONS)) : MODULE   [Function]
Define or redefine a module named *name* having the options *options*. Return the new
module.

define-stella-class ((*name* TYPE) (*supers* (LIST OF TYPE))   [Function]
(*slots* (LIST OF SLOT)) (*options* KEYWORD-KEY-VALUE-LIST)) : CLASS
Return a Stella class with name *name*. Caution: If the class already exists, the Stella
class object gets redefined, but the native C++ class is not redefined.

define-stella-method-slot ((*inputname* SYMBOL) (*returntypes* CONS)   [Function]
(*function?* BOOLEAN) (*inputParameters* CONS)
(*options* KEYWORD-KEY-VALUE-LIST)) : METHOD-SLOT
Define a new Stella method object (a slot), and attach it to the class identified by
the first parameter in *inputParameters*.

defmain ((*varList* CONS) &body (*body* CONS)) : OBJECT   [Macro]
Defines a function called MAIN which will have the appropriate signature for the tar-
get translation language. The signature will be: C++: public static int main (int v1,
char** v2) {<body>} Java: public static void main (String [] v2) {<body>} Lisp: (de-
fun main (&rest args) <body>) The argument *varList* must have two symbols, which
will be the names for the INTEGER argument count and an array of STRINGs
with the argument values. It can also be empty to indicate that no command line
arguments will be handled. The startup function for the containing system will auto-
matically be called before *body* is executed unless the option :STARTUP-SYSTEM?
was supplied as FALSE. There can only be one DEFMAIN per module.

defsystem ((*name* SYMBOL) &rest (*options* OBJECT)) :   [Command]
SYSTEM-DEFINITION
Define a system of files that collectively define a Stella application. Required options
are: :directory – the path from the Stella root directory to the directory containing

the system files. Can be a string or a list of strings (do not include directory separators). :files – a list of files in the system, containing strings and lists of strings; the latter defines exploded paths to files in subdirectories. Optional options are: :required-systems – a list of systems (strings) that should be loaded prior to loading this system. :cardinal-module – the name (a string) of the principal module for this system. :copyright-header – string with a header for inclusion into all translated files produced by Stella. :lisp-only-files – Like the :files keyword, but these are only included :cpp-only-files in the translation for the specific language, namely :java-only-files Common Lisp, C++ or Java

deleted? ((*self* OBJECT)) *:* BOOLEAN   [Method]
Default `deleted?` method which always returns FALSE. Objects that inherit DYNAMIC-SLOTS-MIXIN also inherit the dynamically-allocated slot `deleted-object?` which is read/writable with specializations of this method.

describe ((*name* OBJECT) &rest (*mode* OBJECT)) *:*   [Command]
Print a description of an object in :verbose, :terse, or :source modes.

describe-object ((*self* OBJECT) (*stream* OUTPUT-STREAM)   [Method]
        (*mode* KEYWORD)) *:*
Prints a description of *self* to stream *stream*. *mode* can be :terse, :verbose, or :source. The :terse mode is often equivalent to the standard print function.

destroy-class ((*self* CLASS)) *:*   [Method]
Destroy the Stella class *self*. Unfinalize its subclasses (if it has any).

destroy-class-and-subclasses ((*self* CLASS)) *:*   [Function]
Destroy the Stella class *self* and all its subclasses.

destructure-defmethod-tree ((*method-tree* CONS)   [Function]
        (*options-table* KEY-VALUE-LIST)) *:* OBJECT CONS CONS
Return three parse trees representing the name, parameters, and code body of the parse tree *method-tree*. Fill *options-table* with a dictionary of method options. Storage note: Options are treated specially because the other return values are subtrees of *method-tree*, while *options-table* is a newly-created cons tree. Note also, the parameter and body trees are destructively removed from *method-tree*.

dictionary ((*collectionType* TYPE)   [Function]
        &rest (*alternatingkeysandvalues* OBJECT)) *:* (ABSTRACT-DICTIONARY OF
        OBJECT OBJECT)
Return a dictionary of *collectionType* containing `values`, in order. Currently supported *collectionType*s are @HASH-TABLE, @STELLA-HASH-TABLE, @KEY-VALUE-LIST, @KEY-VALUE-MAP and @PROPERTY-LIST.

direct-super-classes ((*self* CLASS)) *:* (ITERATOR OF CLASS)   [Method]
Returns an iterator that generates all direct super classes of *self*.

disable-memoization () *:*   [Command]
Enable memoization and use of memoized expression results.

disabled-stella-feature? ((*feature* KEYWORD)) : BOOLEAN   [Function]
> Return true if the STELLA *feature* is currently disabled.

div ((*x* INTEGER) (*y* INTEGER)) : INTEGER   [Function]
> Return the integer quotient from dividing *x* by *y*.

drop-hook ((*hookList* HOOK-LIST) (*hookFunction* SYMBOL)) :   [Function]
> Remove the function named *hookFunction* from *hookList*.

drop-trace (&rest (*keywords* GENERALIZED-SYMBOL)) : LIST   [Command]
> Disable trace messages identified by any of the listed *keywords*. After calling (`drop-trace <keyword>`) code guarded by (`trace-if <keyword> ...`) will not be executed when it is encountered.

either ((*value1* OBJECT) (*value2* OBJECT)) : OBJECT   [Macro]
> If *value1* is defined, return that, else return *value2*.

empty? ((*x* STRING-WRAPPER)) : BOOLEAN   [Method]
> Return true if *x* is the wrapped empty string `""`

enable-memoization () :   [Command]
> Enable memoization and use of memoized expression results.

enabled-stella-feature? ((*feature* KEYWORD)) : BOOLEAN   [Function]
> Return true if the STELLA *feature* is currently enabled.

error (&body (*body* CONS)) : OBJECT   [Macro]
> Signal error message, placing non-string arguments in quotes.

evaluate ((*expression* OBJECT)) : OBJECT   [Function]
> Evaluate the expression *expression* and return the result. Currently, only the evaluation of (possibly nested) commands and global variables is supported. The second return value indicates the actual type of the result (which might have been wrapped), and the third return value indicates whether an error occurred during the evaluation. Expressions are simple to program in Common Lisp, since they are built into the language, and relatively awkward in Java and C++. Users of either of those languages are more likely to want to call `evaluate-string`.

evaluate-string ((*expression* STRING)) : OBJECT   [Function]
> Evaluate the expression represented by *expression* and return the result. This is equivalent to (`evaluate (unstringify expression)`).

exception-message ((*e* NATIVE-EXCEPTION)) : STRING   [Function]
> Accesses the error message of the exception *e*.

expt ((*x* FLOAT) (*y* FLOAT)) : FLOAT   [Function]
> Return *x* ^ *y*.

extension ((*self* CLASS)) : CLASS-EXTENSION   [Method]
> Return the nearest class extension that records instances of the class *self*.

fill-in-date-substitution   [Function]
      ((*substitution-list* (KEY-VALUE-LIST OF STRING-WRAPPER STRING-WRAPPER)))
      :
      Fill in *substitution-list* with template variable substitions for the names YEAR and
      DATE which correspond to the current year and date. These substitutions can then
      be used with `substitute-template-variables-in-string`

finalize-classes () *:*   [Function]
      Finalize all currently unfinalized classes.

finalize-classes-and-slots () *:*   [Function]
      Finalize all currently unfinalized classes and slots.

finalize-slots () *:*   [Function]
      Finalize all currently unfinalized slots.

first-defined (&body (*forms* CONS)) *:* OBJECT   [Macro]
      Return the result of the first form in *forms* whose value is defined or NULL otherwise.

flush-output ((*self* OUTPUT-STREAM)) *:*   [Function]
      Flush all buffered output of *self*.

format-with-padding ((*input* STRING) (*length* INTEGER)   [Function]
      (*padchar* CHARACTER) (*align* KEYWORD) (*truncate?* BOOLEAN)) *:* STRING
      Formats *input* to be (at least) *length* long, using *padchar* to fill if necessary. *align*
      must be one of :LEFT, :RIGHT, :CENTER and will control how *input* will be justified
      in the resulting string. If *truncate?* is true, then then an overlength string will be
      truncated, using the opposite of *align* to pick the truncation direction.

free ((*self* ACTIVE-OBJECT)) *:*   [Method]
      Remove all pointers between *self* and other objects, and then deallocate the storage
      for self.

free ((*self* OBJECT)) *:*   [Method]
      Default method. Deallocate storage for *self*.

free-hash-table-values ((*self* ABSTRACT-HASH-TABLE)) *:*   [Method]
      Call free on each value in the hash table *self*.

gcd ((*x* INTEGER) (*y* INTEGER)) *:* INTEGER   [Function]
      Return the greatest common divisor of *x* and *y*.

get-calendar-date ((*date* CALENDAR-DATE) (*timezone* FLOAT)) *:*   [Method]
        INTEGER INTEGER INTEGER KEYWORD
      Returns multiple values of year, month, day and day of week for *date* in *timezone*.
      timezone is the number of hours added to UTC to get local time. It is in the range
      -12.0 to +14.0 where UTC is zone 0.0

get-global-value ((*self* SURROGATE)) *:* OBJECT   [Function]
      Return the (possibly-wrapped) value of the global variable for the surrogate *self*.

get-local-standard-time-zone () *:* FLOAT   [Function]
>   Returns the standard time zone offset from UTC as a float, without considering the effects of daylight savings time.

get-local-time-zone-for-date ((*year* INTEGER) (*month* INTEGER)   [Function]
>   (*day* INTEGER) (*hour* INTEGER) (*minute* INTEGER) (*second* INTEGER)) *:* FLOAT
>   Returns the time zone offset from UTC (as a float) that is applicable to the given date. Assumes that the date is one that is valid for the underlying programming language. If not, then returns 0.0

get-quoted-tree ((*tree-name* STRING) (*modulename* STRING)) *:* CONS   [Function]
>   Return the quoted tree with name *tree-name*.

get-slot ((*self* STANDARD-OBJECT) (*slot-name* SYMBOL)) *:* SLOT   [Function]
>   Return the slot named *slot-name* on the class representing the type of *self*.

get-stella-class ((*class-name* TYPE) (*error?* BOOLEAN)) *:* CLASS   [Method]
>   Return a class with name *class-name*. If none exists, break if *error?*, else return `null`.

get-stella-class ((*class-name* SYMBOL) (*error?* BOOLEAN)) *:* CLASS   [Method]
>   Return a class with name *class-name*. If non exists, break if *error?*, else return `null`.

get-stella-class ((*class-name* STRING) (*error?* BOOLEAN)) *:* CLASS   [Method]
>   Return a class with name *class-name*. If none exists, break if *error?*, else return `null`.

get-time ((*date* CALENDAR-DATE) (*timezone* FLOAT)) *:* INTEGER INTEGER   [Method]
>   INTEGER INTEGER
>   Returns multiple values of hours, minutes, seconds, milliseconds for the calendar date *date* in *timezone*. *timezone* is the number of hours added to UTC to get local time. It is in the range -12.0 to +14.0 where UTC is zone 0.0

global-variable-type-spec ((*global* GLOBAL-VARIABLE)) *:* TYPE-SPEC   [Function]
>   Return the type spec for the global variable *global*.

hash-string ((*string* STRING) (*seedCode* INTEGER)) *:* INTEGER   [Function]
>   Generate a hash-code for *string* and return it. Two strings that are equal but not eq will generate the same code. The hash-code is based on *seedCode* which usually will be 0. However, *seedCode* can also be used to supply the result of a previous hash operation to achieve hashing on sequences of strings without actually having to concatenate them.

hashmod ((*code* INTEGER) (*size* INTEGER)) *:* INTEGER   [Function]
>   Map the hash code *code* onto a bucket index for a hash table of *size* (i.e., onto the interval [0..size-1]. This is just like `rem` for positive hash codes but also works for negative hash codes by mapping those onto a positive number first. Note, that the sign conversion mapping is not equivalent to calling the `abs` function (it simply masks the sign bit for speed) and therefore really only makes sense for hash codes.

help-get-stella-module ((*pathName* STRING) (*error?* BOOLEAN)) :   [Function]
      MODULE
    Return the module located at *pathName*, or `null` if no such module exists. The
    search looks at ancestors and top-most (cardinal) modules. If *error?* is `true`, throw
    an exception if no module is found.

home-module ((*self* OBJECT)) : MODULE   [Method]
    Return the home module of *self*.

if-output-language ((*language* KEYWORD) (*thenForm* OBJECT)   [Macro]
    (*elseForm* OBJECT)) : OBJECT
    Expand to *thenForm* if the current translator output language equals *language*. Oth-
    erwise, expand to *elseForm*. This can be used to conditionally translate Stella code.

if-stella-feature ((*feature* KEYWORD) (*thenForm* OBJECT)   [Macro]
    (*elseForm* OBJECT)) : OBJECT
    Expand to *thenForm* if *feature* is a currently enabled STELLA environment feature.
    Otherwise, expand to *elseForm*. This can be used to conditionally translate Stella
    code.

ignore (&body (*variables* CONS)) : OBJECT   [Macro]
    Ignore unused *variables* with NoOp `setq` statements.

incrementally-translate ((*tree* OBJECT)) : OBJECT   [Function]
    Translate a single Stella expression *tree* and return the result. For C++ and Java print
    the translation to standard output and return NIL instead.

inform (&body (*body* CONS)) : OBJECT   [Macro]
    Print informative message, placing non-string arguments in quotes, and terminating
    with a newline.

initial-value ((*self* CLASS)) : OBJECT   [Method]
    Return an initial value for the class *self*.

initial-value ((*self* STORAGE-SLOT)) : OBJECT   [Method]
    Return an initial value for *self*, or `null`. The initial value can be defined by the slot
    itself, inherited from an equivalent slot, or inherit from the :initial-value option for
    the class representing the type of *self*.

initialize-hash-table ((*self* STELLA-HASH-TABLE)) :   [Method]
    Initialize the STELLA hash table *self*. This is a no-op and primarily exists to shadow
    the standard initializer inherited from ABSTRACT-HASH-TABLE. STELLA hash
    tables are initialized at the first insertion operation.

initially ((*self* STORAGE-SLOT)) : OBJECT   [Method]
    Defines the value of a slot before it has been assigned a value.

interpret-command-line-arguments ((*count* INTEGER)   [Function]
    (*arguments* (ARRAY () OF STRING))) :
    Interpret any STELLA-relevant command line *arguments*.

isa? ((*object* OBJECT) (*type* TYPE)) : BOOLEAN   [Function]
     Return `true` iff *object* is an instance of the class named *type*.

java-translate-system ((*systemName* STRING)) :   [Function]
     Translate the system *systemName* to Java.

jptrans ((*statement* OBJECT)) :   [Command]
     Translate *statement* to C++ and print the result.

length ((*self* CONS-ITERATOR)) : INTEGER   [Method]
     Iterate over *self*, and count how many items there are.

lispify ((*thing* UNKNOWN)) : LISP-CODE   [Function]
     Convert a Stella *thing* as much as possible into a Common-Lisp analogue. The currently supported *thing* types are CONS, LIST, KEY-VALUE-LIST, ITERATOR, SYMBOL, KEYWORD, and all wrapped and unwrapped literal types. BOOLEANs are translated into Lisp's CL:T and CL:NIL logic. Unsupported types are left unchanged.

lispify-boolean ((*thing* UNKNOWN)) : LISP-CODE   [Function]
     Lispify *thing* which is assumed to be a (possibly wrapped) Stella boolean.

listify ((*self* CONS)) : (LIST OF (LIKE (ANY-VALUE SELF)))   [Method]
     Return a list of elements in *self*.

listify ((*self* LIST)) : (LIST OF (LIKE (ANY-VALUE SELF)))   [Method]
     Return *self*.

listify ((*self* KEY-VALUE-LIST)) : (LIST OF (LIKE (ANY-VALUE SELF))) [Method]
     Return a list of key-value pairs in *self*.

listify ((*self* VECTOR)) : (LIST OF (LIKE (ANY-VALUE SELF)))   [Method]
     Return a list of elements in *self*.

listify ((*self* ITERATOR)) : (LIST OF (LIKE (ANY-VALUE SELF)))   [Method]
     Return a list of elements generated by *self*.

load-configuration-file ((*file* FILE-NAME)) : CONFIGURATION-TABLE [Function]
     Read a configuration *file* and return its content as a configuration table. Also enter each property read into the global system configuration table. Assumes Java-style property file syntax. Each property name is represented as a wrapped string and each value as a wrapped string/integer/float or boolean.

load-file ((*file* STRING)) :   [Command]
     Read STELLA commands from *file* and evaluate them. The file should begin with an `in-module` declaration that specifies the module within which all remaining commands are to be evaluated The remaining commands are evaluated one-by-one, applying the function `evaluate` to each of them.

load-system ((*systemName* STRING) (*language* KEYWORD) [Function]
&rest (*options* OBJECT)) : BOOLEAN
Natively *language*-compile out-of-date translated files of system *systemName* and then
load them into the running system (this is only supported/possible for Lisp at the
moment). Return true if at least one file was compiled. The following keyword/value
options are recognized:

:force-recompilation? (default false): if true, files will be compiled whether or not
their compilations are up-to-date.

:startup? (default true): if true, the system startup function will be called once all
files have been loaded.

log10 ((*n* FLOAT)) : FLOAT [Function]
Return the logarithm (base 10) of *n*.

lookup-class ((*name* SYMBOL)) : CLASS [Method]
Return a class with name *name*. Scan all visible surrogates looking for one that has
a class defined for it.

lookup-class ((*name* STRING)) : CLASS [Method]
Return a class with name *name*. Scan all visible surrogates looking for one that has
a class defined for it.

lookup-command ((*name* SYMBOL)) : METHOD-SLOT [Function]
If *name* names an evaluable command return its associated command object; other-
wise, return null. Currently, commands are not polymorphic, i.e., they can only be
implemented by functions.

lookup-configuration-property ((*property* STRING) [Function]
(*defaultValue* WRAPPER) (*configuration* CONFIGURATION-TABLE)) : WRAPPER
Lookup *property* in *configuration* and return its value. Use the global system configu-
ration table if *configuration* is NULL. Return *defaultValue* if *property* is not defined.

lookup-demon ((*name* STRING)) : DEMON [Function]
Return the demon named *name*.

lookup-function ((*functionSymbol* SYMBOL)) : FUNCTION [Function]
Return the function defined for *functionSymbol*, if it exists.

lookup-function-by-name ((*name* STRING)) : FUNCTION [Function]
Return a function with name *name* visible from the current module. Scan all visible
symbols looking for one that has a function defined for it.

lookup-global-variable ((*self* SURROGATE)) : GLOBAL-VARIABLE [Method]
Return a global variable with name *self*.

lookup-global-variable ((*self* GENERALIZED-SYMBOL)) : [Method]
GLOBAL-VARIABLE
Return a global variable with name *self*.

lookup-global-variable ((*self* STRING)) : GLOBAL-VARIABLE [Method]
Return a global variable with name *self*.

lookup-local-slot ((*class* CLASS) (*slot-name* SYMBOL)) *:* SLOT   [Function]
    Lookup a local slot with *slot-name* on *class*.

lookup-macro ((*name* SYMBOL)) *:* METHOD-SLOT   [Function]
    If *name* has a macro definition, return the method object holding its expander function.

lookup-slot ((*class* CLASS) (*slot-name* SYMBOL)) *:* SLOT   [Function]
    Return a slot owned by the class *class* with name *slot-name*. Multiply inherited slots
    are disambiguated by a left-to-right class precedence order for classes with multiple
    parents (similar to CLOS).

lptrans ((*statement* OBJECT)) *:*   [Command]
    Translate *statement* to Common-Lisp and print the result.

make-matching-name ((*original* STRING) &rest (*options* OBJECT)) *:*   [Function]
      STRING
    Keyword options: :break-on-cap one of :YES :NO :CLEVER default is
    :CLEVER :break-on-number one of :YES :NO :CLEVER default is :CLEVER
    :break-on-separators string default is "-_ " :remove-prefix string :remove-suffix string
    :case one of :UPCASE :TitleCase :titleCaseX :downcase :Capitalize :preserve default
    is :TitleCase :separator string default is "" :add-prefix string :add-suffix string

    MAKE-MATCHING-NAME returns a matching name (a string) for the input name
    (a string). A matching name is constructed by breaking the input into `words` and
    then applying appropriate transforms. The arguments are used as follows: *original*
    is the input name. It is a string. :break-on-cap is a keyword controlling whether
    changes in capitalization is used to indicate word boundaries. If :YES, then all cap-
    italization changes delineate words. If :CLEVER, then unbroken runs of capitalized
    letters are treated as acronyms and remain grouped. If :NO or NULL, there is no
    breaking of words based on capitalization. :break-on-number is a flag controlling
    whether encountering a number indicates a word boundary. If :YES, then each run of
    numbers is treated as a word separate from surrounding words. If :CLEVER, then an
    attempt is made to recognize ordinal numbers (ie, 101st) and treat them as separate
    words. If :NO or NULL, there is no breaking of words when numbers are encountered.
    :break-on-separators A string of characters which constitute word delimiters in the
    input word. This is used to determine how to break the name into individual words.
    Defaults are space, - and _. :remove-prefix Specifies a prefix or suffix that is stripped
    from the input :remove-suffix name before any other processing. This allows the re-
    moval of any naming convention dictated prefixes or suffixes. :add-prefix Specifies a
    prefix or suffix that is added to the output name :add-suffix after all other processing.
    This allows the addition of any naming convention dictated prefixes or suffixes. :case
    The case of the resulting name. This is applied to the name before adding prefixes
    or suffixes. The two title case options differ only in how the first word of the name
    is treated. :TitleCase capitalizes the first letter of the first word and also the first
    letter of all other words. :TitleCaseX does not capitalizes the first letter of the first
    word but capitalizes the first letter of all subsequent words. :preserve results in no
    change in case. :separator This is a string specifying the word separator to use in the
    returned name. An empty string (the default) means that the resulting words are

concatenated without any separation. This normally only makes sense when using one of the title case values for the case keyword.

make-matching-name-full ((*originalname* STRING)   [Function]
        (*breakoncap* KEYWORD) (*breakonnumber* KEYWORD)
        (*breakonseparators* STRING) (*removeprefix* STRING) (*removesuffix* STRING)
        (*addprefix* STRING) (*addsuffix* STRING) (*outputcase* KEYWORD)
        (*outputseparator* STRING)) : STRING

Non-keyword version of `make-matching-name`, which will probably be easier to use when called from non-Lisp languages.

make-system ((*systemName* STRING) (*language* KEYWORD)   [Command]
        &rest (*options* OBJECT)) : BOOLEAN

Translate all out-of-date files of system *systemName* into *language* and then compile and load them (the latter is only possible for Lisp right now). The following keyword/value *options* are recognized:

`:two-pass?`: if true, all files will be scanned twice, once to load the signatures of objects defined in them, and once to actually translate the definitions. Otherwise, the translator will make one pass in the case that the system is already loaded (and is being remade), and two passes otherwise.

`:development-settings?` (default false): if true translation will favor safe, readable and debuggable code over efficiency (according to the value of `:development-settings` on the system definition). If false, efficiency will be favored instead (according to the value of `:production-settings` on the system definition).

`:production-settings?` (default true): inverse to `:development-settings?`.

`:force-translation?` (default false): if true, files will be translated whether or not their translations are up-to-date.

`:force-recompilation?` (default false): if true, translated files will be recompiled whether or not their compilations are up-to-date (only supported in Lisp right now).

`:load-system?` (default true): if true, compiled files will be loaded into the current STELLA image (only supported in Lisp right now).

`:startup?` (default true): if true, the system startup function will be called once all files have been loaded.

member? ((*self* CONS-ITERATOR) (*value* OBJECT)) : BOOLEAN   [Method]
Iterate over values of *self* and return TRUE if one of them is `eql?` to 'value.

member? ((*self* COLLECTION) (*object* OBJECT)) : BOOLEAN   [Method]
Return true iff *object* is a member of the collection *self*.

member? ((*self* SEQUENCE) (*value* OBJECT)) : BOOLEAN   [Method]
Return TRUE if *value* is a member of the sequence *self*.

memoize ((*inputArgs* CONS) &body (*body* CONS)) : OBJECT   [Macro]
Compute the value of an expression and memoize it relative to the values of *inputArgs*. *inputArgs* should characterize the complete set of values upon which the computation of the result depended. Calls to `memoize` should be of the form

(memoize (<arg>+) {:<option> <value>}* <expression>)

and have the status of an expression. The following options are supported:

:timestamps A single or list of keywords specifying the names of timestamps which when bumped should invalidate all entries currently memoized in this table. :name Names the memoization table so it can be shared by other memoization sites. By default, a gensymed name is used. CAUTION: IT IS ASSUMED THAT ALL EN-TRIES IN A MEMOZATION TABLE DEPEND ON THE SAME NUMBER OF ARGUMENTS!! :max-values The maximum number of values to be memoized. Only the `:max-values` most recently used values will be kept in the memoization table, older values will be discarded and recomputed if needed. Without a `:max-values` specification, the memoization table will grow indefinitely.

PERFORMANCE NOTES: For most efficient lookup, input arguments that vary the most should be listed first. Also, arguments of type STANDARD-OBJECT (and all its subtypes) can be memoized more efficiently than arguments of type OBJECT or wrapped literals (with the exception of BOOLEANs).

merge-file-names ((*baseFile* FILE-NAME) (*defaults* FILE-NAME)) :   [Function]
     FILE-NAME
     Parse *baseFile*, supply any missing components from *defaults* if supplied and return the result.

multiple-parents? ((*class* CLASS)) : BOOLEAN   [Method]
     Return `true` if *class* has more than one direct superclass.

multiple-parents? ((*module* MODULE)) : BOOLEAN   [Method]
     Return TRUE if *module* has more than one parent.

name-to-string ((*name* OBJECT)) : STRING   [Function]
     Return the string represented by *name*. Return `null` if *name* is undefined or does not represent a string.

next? ((*self* MEMOIZABLE-ITERATOR)) : BOOLEAN   [Method]
     Generate the next value of the memoized iterator *self* (or one of its clones) by either using one of the values generated so far or by generating and saving the next value of the `base-iterator`.

no-duplicates? ((*self* COLLECTION)) : BOOLEAN   [Method]
     Return `true` if the collection *self* forbids duplicate values.

non-empty? ((*x* STRING-WRAPPER)) : BOOLEAN   [Method]
     Return true if *x* is not the wrapped empty string ""

nth ((*self* NATIVE-VECTOR) (*position* INTEGER)) : (LIKE (ANY-VALUE SELF))   [Method]
     Return the element in *self* at *position*.

only-if ((*test* OBJECT) (*expression* OBJECT)) : OBJECT   [Macro]
     If *test* is TRUE, return the result of evaluating *expression*.

open-network-stream ((*host* STRING) (*port* INTEGER)) :   [Function]
       INPUT-STREAM OUTPUT-STREAM
     Open a TCP/IP network stream to *host* at *port* and return the result as an input/output stream pair.

ordered? ((*self* COLLECTION)) : BOOLEAN   [Method]
     Return `true` if the collection *self* is ordered.

parameters ((*self* CLASS)) : (LIST OF SYMBOL)   [Method]
     Returns the list of parameters names of *self*.

parse-date-time-in-time-zone ((*date-time-string* STRING)   [Function]
       (*time-zone* FLOAT) (*start* INTEGER) (*end* INTEGER)
       (*error-on-mismatch?* BOOLEAN)) : DECODED-DATE-TIME
     Tries very hard to make sense out of the argument *date-time-string* and returns a time structure if successful. If not, it returns `null`. If *error-on-mismatch?* is true, parse-date-time will signal an error instead of returning `null`. Default values are 00:00:00 in the given timezone on the current date. If the given *time-zone* value is `null`, then the local time zone for the given date and time will be used as determined by the operating system.

pick-hash-table-size-prime ((*minSize* INTEGER)) : INTEGER   [Function]
     Return a hash table prime of at least *minSize*.

primary-type ((*self* OBJECT)) : TYPE   [Method]
     Returns the primary type of *self*. Gets defined automatically for every non-abstract subclass of OBJECT.

primitive? ((*self* RELATION)) : BOOLEAN   [Method]
     Return `true` if *self* is not a defined relation.

print (&body (*body* CONS)) : OBJECT   [Macro]
     Print arguments to the standard output stream.

print-exception-context ((*e* NATIVE-EXCEPTION)   [Function]
       (*stream* OUTPUT-STREAM)) :
     Prints a system dependent information about the context of the specified exception. For example, in Java it prints a stack trace. In Lisp, it is vendor dependent.

print-recycle-lists () :   [Function]
     Print the current state of all recycle lists.

print-spaces (&body (*body* CONS)) : OBJECT   [Macro]
     (print-spaces [stream] N) prints N spaces onto stream. If no stream form is provided, then STANDARD-OUTPUT will be used.

print-stella-features () :   [Command]
     Print the list of enabled and disabled STELLA features.

print-unbound-surrogates (&rest (*args* OBJECT)) *:*   [Command]
> Print all unbound surrogates visible from the module named by the first argument (a symbol or string). Look at all modules if no module name or `null` was supplied. If the second argument is `true`, only consider surrogates interned in the specified module.

print-undefined-methods ((*module* MODULE) (*local?* BOOLEAN)) *:*   [Function]
> Print all declared but not yet defined functions and methods in *module*. If *local?* is true, do not consider any parent modules of *module*. If *module* is NULL, look at all modules in the system. This is handy to pinpoint forward declarations that haven't been followed up by actual definitions.

print-undefined-super-classes ((*class* NAME)) *:*   [Command]
> Print all undefined or bad (indirect) super classes of *class*.

private-class-methods ((*class* CLASS)) *:* (ITERATOR OF METHOD-SLOT)   [Function]
> Iterate over all private methods attached to *class*.

private-class-storage-slots ((*class* CLASS)) *:* (ITERATOR OF   [Function]
        STORAGE-SLOT)
> Iterate over all private storage-slots attached to *class*.

private? ((*self* RELATION)) *:* BOOLEAN   [Method]
> Return `true` if *self* is not public.

ptrans ((*statement* OBJECT)) *:*   [Command]
> Translate *statement* to Common-Lisp and print the result.

public-class-methods ((*class* CLASS)) *:* (ITERATOR OF METHOD-SLOT)   [Function]
> Iterate over all private methods attached to *class*.

public-class-storage-slots ((*class* CLASS)) *:* (ITERATOR OF   [Function]
        STORAGE-SLOT)
> Iterate over all public storage-slots attached to *class*.

public-slots ((*self* CLASS)) *:* (ITERATOR OF SLOT)   [Method]
> Return an iterator over public slots of *self*.

public-slots ((*self* OBJECT)) *:* (ITERATOR OF SLOT)   [Method]
> Return an iterator over public slots of *self*.

public? ((*self* SLOT)) *:* BOOLEAN   [Method]
> True if *self* or one it its ancestors is marked public.

pushf ((*place* CONS) (*value* OBJECT)) *:* OBJECT   [Macro]
> Push *value* onto the cons list *place*.

reader ((*self* STORAGE-SLOT)) *:* SYMBOL   [Method]
> Name of a method called to read the value of the slot *self*.

rem ((*x* INTEGER) (*y* INTEGER)) *:* INTEGER   [Function]
> Return the remainder from dividing *x* by *y*. The sign of the result is always the same as the sign of *x*. This has slightly different behavior than the `mod` function, and has less overhead in C++ and Java, which don't have direct support for a true modulus function.

remove-duplicates ((*self* COLLECTION)) *:* (LIKE SELF)   [Method]
> Return *self* with duplicates removed. Preserves the original order of the remaining members.

required-slots ((*self* CLASS)) *:* (LIST OF SYMBOL)   [Method]
> Returns a list of names of required slots for *self*.

required? ((*self* STORAGE-SLOT)) *:* BOOLEAN   [Method]
> True if a value must be assigned to this slot at creation time.

reset-stella-features () *:*   [Command]
> Reset STELLA features to their default settings.

reverse-interval ((*lowerbound* INTEGER) (*upperbound* INTEGER)) *:*   [Function]
>   REVERSE-INTEGER-INTERVAL-ITERATOR
> Create a reverse interval object.

rotate-hash-code ((*arg* INTEGER)) *:* INTEGER   [Function]
> Rotate *arg* to the right by 1 position. This means shift *arg* to the right by one and feed in *arg*s bit zero from the left. In Lisp the result will stay in positive FIXNUM range. In C++ and Java this might return a negative value which might be equal to NULL-INTEGER. Important: to make this inlinable, it must be called with an atom (i.e., constant or variable) as its argument. This function is primarily useful for hashing sequences of items where the hash code should take the sequential order of elements into account (e.g., lists).

run-hooks ((*hooklist* HOOK-LIST) (*argument* OBJECT)) *:*   [Function]
> Run all hook functions in *hooklist*, applying each one to *argument*.

running-as-lisp? () *:* BOOLEAN   [Function]
> Return true if the executable code is a Common Lisp application.

safe-equal-hash-code ((*self* OBJECT)) *:* INTEGER   [Function]
> Return a hash code for *self*. Just like `equal-hash-code` - which see, but also works for NULL. `equal-hash-code` methods that expect to handle NULL components should use this function for recursive calls.

safe-hash-code ((*self* OBJECT)) *:* INTEGER   [Function]
> Return a hash code for *self*. Just like `hash-code` - which see, but also works for NULL.

safe-lookup-slot ((*class* CLASS) (*slot-name* SYMBOL)) *:* SLOT   [Function]
> Alias for `lookup-slot`. Kept for backwards compatibility.

safety ((*level* INTEGER-WRAPPER) (*test* OBJECT) &body (*body* CONS)) :   [Macro]
     OBJECT
     Signal warning message, placing non-string arguments in quotes.

search-cons-tree-with-filter? ((*tree* OBJECT) (*value* OBJECT)   [Function]
     (*filter* CONS)) : BOOLEAN
     Return `true` iff the value *value* is embedded within the cons tree *tree*. Uses an `eql?`
     test. Does not descend into any cons whose first element matches an element of *filter*.

search-for-object ((*self* OBJECT) (*typeref* OBJECT)) : OBJECT   [Function]
     If *self* is a string or a symbol, search for an object named *self* of type `type`. Otherwise,
     if *self* is an object, return it.

seed-random-number-generator () :   [Function]
     Seeds the random number generator with the current time.

sequence ((*collectiontype* TYPE) &rest (*values* OBJECT)) : (SEQUENCE OF   [Function]
     OBJECT)
     Return a sequence containing *values*, in order.

set-call-log-break-point ((*count* INTEGER)) :   [Command]
     Set a call log break point to *count*. Execution will be interrupted right at the entry
     of the *count*th logged function call.

set-configuration-property ((*property* STRING) (*value* WRAPPER)   [Function]
     (*configuration* CONFIGURATION-TABLE)) : WRAPPER
     Set *property* in *configuration* to *value* and return it. Use the global system configu-
     ration table if *configuration* is NULL.

set-global-value ((*self* SURROGATE) (*value* OBJECT)) : OBJECT   [Function]
     Set the value of the global variable for the surrogate *self* to *value*.

set-optimization-levels ((*safety* INTEGER) (*debug* INTEGER)   [Function]
     (*speed* INTEGER) (*space* INTEGER)) :
     Set optimization levels for the qualities *safety*, *debug*, *speed*, and *space*.

set-stella-feature (&rest (*features* KEYWORD)) :   [Command]
     Enable all listed STELLA *features*.

set-translator-output-language ((*new-language* KEYWORD)) :   [Command]
     KEYWORD
     Set output language to *new-language*. Return previous language.

setq? ((*variable* SYMBOL) (*expression* CONS)) : OBJECT   [Macro]
     Assign *variable* the result of evaluating *expression*, and return TRUE if *expression* is
     not NULL else return FALSE.

shadowed-symbol? ((*symbol* GENERALIZED-SYMBOL)) : BOOLEAN   [Function]
     Return `true` if *symbol* is shadowed in its home module.

shift-right ((*arg* INTEGER) (*count* INTEGER)) *:* INTEGER   [Function]
  Shift *arg* to the right by *count* positions and 0-extend from the left if *arg* is positive
  or 1-extend if it is negative. This is an arithmetic shift that preserve the sign of *arg*
  and is equivalent to dividing *arg* by 2** *count*.

signal ((*type* SYMBOL) &body (*body* CONS)) *:* OBJECT   [Macro]
  Signal error message, placing non-string arguments in quotes.

signal-read-error (&body (*body* CONS)) *:* OBJECT   [Macro]
  Specialized version of `signal` that throws a READ-EXCEPTION.

start-function-call-logging ((*fileName* STRING)) *:*   [Command]
  Start function call logging to *fileName*.

stella-collection? ((*self* OBJECT)) *:* BOOLEAN   [Function]
  Return `true` if *self* is a native collection.

stella-object? ((*self* OBJECT)) *:* BOOLEAN   [Function]
  Return true if *self* is a member of the STELLA class `OBJECT`.

stella-version-string () *:* STRING   [Function]
  Return a string identifying the current version of STELLA.

stellafy ((*thing* LISP-CODE) (*targetType* TYPE)) *:* OBJECT   [Function]
  Partial inverse to `lispify`. Convert the Lisp object *thing* into a Stella analogue of
  type *targetType*. Note: See also `stellify`. it is similar, but guesses *targetType* on
  its own, and makes somewhat different translations.

stellify ((*self* OBJECT)) *:* OBJECT   [Function]
  Convert a Lisp object into a STELLA object.

stop-function-call-logging () *:*   [Command]
  Stop function call logging and close the current log file.

string-to-time-duration ((*duration* STRING)) *:* TIME-DURATION   [Function]
  Parses and returns an time-duration object corresponding to *duration*. The syntax for
  time duration strings is "{plus|minus} N days[; M ms]" where N and M are integer
  values for days and milliseconds. If no valid parse is found, `null` is returned.

subclass-of? ((*subClass* CLASS) (*superClass* CLASS)) *:* BOOLEAN   [Function]
  Return `true` if *subClass* is a subclass of *superClass*.

subsequence ((*string* MUTABLE-STRING) (*start* INTEGER) (*end* INTEGER))   [Method]
   : STRING
  Return a substring of *string* beginning at position *start* and ending up to but not
  including position *end*, counting from zero. An *end* value of NULL stands for the rest
  of the string.

substitute-characters ((*self* STRING) (*new-chars* STRING)   [Method]
   (*old-chars* STRING)) *:* STRING
  Substitute all occurences of of a member of *old-chars* with the corresponding member
  of *new-chars* in the string *self*. Returns a new string.

substitute-characters ((*self* MUTABLE-STRING) (*new-chars* STRING)   [Method]
    (*old-chars* STRING)) *:* MUTABLE-STRING
    Substitute all occurences of of a member of *old-chars* with the corresponding member
    of *new-chars* in the string *self*. IMPORTANT: The return value should be used instead
    of relying on destructive substitution, since the substitution will not be destructive
    in all translated languages.

subtype-of? ((*sub-type* TYPE) (*super-type* TYPE)) *:* BOOLEAN   [Function]
    Return `true` iff the class named *sub-type* is a subclass of the class named *super-type*.

super-classes ((*self* CLASS)) *:* (ITERATOR OF CLASS)   [Method]
    Returns an iterator that generates all super classes of *self*. Non-reflexive.

sweep ((*self* OBJECT)) *:*   [Method]
    Default method. Sweep up all *self*-type objects.

system-default-value ((*self* STORAGE-SLOT)) *:* OBJECT   [Method]
    Return a default value expression, or if *self* has dynamic storage, an initial value
    expression.

system-default-value ((*self* SLOT)) *:* OBJECT   [Method]
    Return a default value expression, or if *self* has dynamic storage, an initial value
    expression.

system-loaded? ((*name* STRING)) *:* BOOLEAN   [Function]
    Return `true` if system *name* has been loaded.

terminate-program () *:*   [Function]
    Terminate and exit the program with normal exit code.

time-duration-to-string ((*date* TIME-DURATION)) *:* STRING   [Function]
    Returns a string representation of *date*

toggle-output-language () *:* KEYWORD   [Function]
    Switch between Common Lisp and C++ as output languages.

trace-if ((*keyword* OBJECT) &body (*body* CONS)) *:* OBJECT   [Macro]
    If *keyword* is a trace keyword that has been enabled with `add-trace` print all the
    elements in *body* to standard output. Otherwise, do nothing. *keyword* can also be
    a list of keywords in which case printing is done if one or more of them are trace
    enabled.

translate-system ((*systemName* STRING) (*outputLanguage* KEYWORD)   [Function]
    &rest (*options* OBJECT)) *:* BOOLEAN
    Translate all of the STELLA source files in system *systemName* into *outputLanguage*.
    The following keyword/value *options* are recognized:

    `:two-pass?` (default false): if true, all files will be scanned twice, once to load the
    signatures of objects defined in them, and once to actually translate the definitions.

    `:force-translation?` (default false): if true, files will be translated whether or not
    their translations are up-to-date.

:development-settings? (default false): if true translation will favor safe, read-able and debuggable code over efficiency (according to the value of :development-settings on the system definition). If false, efficiency will be favored instead (according to the value of :production-settings on the system definition).

:production-settings? (default true): inverse to :development-settings?.

translate-to-common-lisp? () : BOOLEAN   [Function]
Return true if current output language is Common-Lisp.

translate-to-cpp? () : BOOLEAN   [Function]
Return true if current output language is C++

translate-to-java? () : BOOLEAN   [Function]
Return true if current output language is Java

try-to-evaluate ((*tree* OBJECT)) : OBJECT   [Function]
Variant of evaluate that only evaluates *tree* if it represents an evaluable expression. If it does not, *tree* is returned unmodified. This can be used to implement commands with mixed argument evaluation strategies.

two-argument-least-common-superclass ((*class1* CLASS)   [Function]
    (*class2* CLASS)) : CLASS
Return the most specific class that is a superclass of both *class1* and *class2*. If there is more than one, arbitrarily pick one. If there is none, return null.

two-argument-least-common-supertype ((*type1* TYPE-SPEC)   [Function]
    (*type2* TYPE-SPEC)) : TYPE-SPEC
Return the most specific type that is a supertype of both *type1* and *type2*. If there is more than one, arbitrarily pick one. If there is none, return @VOID. If one or both types are parametric, also try to generalize parameter types if necessary.

type ((*self* SLOT)) : TYPE   [Method]
The type of a storage slot is its base type.

type-specifier ((*self* SLOT)) : TYPE-SPEC   [Method]
If *self* has a complex type return its type specifier, otherwise, return type of *self*.

type-to-symbol ((*type* TYPE)) : SYMBOL   [Function]
Convert *type* into a symbol with the same name and module.

type-to-wrapped-type ((*self* TYPE)) : TYPE   [Method]
Return the wrapped type for the type *self*, or *self* if it is not a bare literal type.

unbound-surrogates ((*module* MODULE) (*local?* BOOLEAN)) :   [Function]
    (ITERATOR OF SURROGATE)
Iterate over all unbound surrogates visible from *module*. Look at all modules if *module* is null. If *local?*, only consider surrogates interned in *module*.

unescape-html-string ((*input* STRING)) : STRING   [Function]
Replaces HTML escape sequences such as & with their associated characters.

unescape-url-string ((*input* STRING)) : STRING   [Function]
>   Takes a string and replaces %-format URL escape sequences with their real character
>   equivalent according to RFC 2396.

unset-stella-feature (&rest (*features* KEYWORD)) :   [Command]
>   Disable all listed STELLA *features*.

unsigned-shift-right-by-1 ((*arg* INTEGER)) : INTEGER   [Function]
>   Shift *arg* to the right by 1 position and 0-extend from the left. This does not preserve
>   the sign of *arg* and shifts the sign-bit just like a regular bit. In Common-Lisp we
>   can't do that directly and need to do some extra masking.

unstringify-stella-source ((*source* STRING) (*module* MODULE)) :   [Function]
>   OBJECT
>   Unstringify a STELLA *source* string relative to *module*, or *MODULE* if no module is
>   specified. This function allocates transient objects as opposed to unstringify-in-
>   module or the regular unstringify.

unwrap-boolean ((*wrapper* BOOLEAN-WRAPPER)) : BOOLEAN   [Function]
>   Unwrap *wrapper* and return its values as a regular BOOLEAN. Map NULL onto
>   FALSE.

unwrap-function-code ((*wrapper* FUNCTION-CODE-WRAPPER)) :   [Function]
>   FUNCTION-CODE
>   Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

unwrap-method-code ((*wrapper* METHOD-CODE-WRAPPER)) :   [Function]
>   METHOD-CODE
>   Unwrap *wrapper* and return the result. Return NULL if *wrapper* is NULL.

value-setter ((*self* ABSTRACT-DICTIONARY-ITERATOR)   [Method]
>   (*value* (LIKE (ANY-VALUE SELF)))) : (LIKE (ANY-VALUE SELF))
>   Abstract method needed to allow application of this method on abstract iterator
>   classes that do not implement it. By having this here all next? methods of dictionary
>   iterators MUST use the slot-value paradigm to set the iterator value.

warn (&body (*body* CONS)) : OBJECT   [Macro]
>   Signal warning message, placing non-string arguments in quotes.

with-input-file ((*binding* CONS) &body (*body* CONS)) : OBJECT   [Macro]
>   Sets up an unwind-protected form which opens a file for input and closes it afterwards.
>   The stream for reading is bound to the variable provided in the macro form. Syntax
>   is (WITH-INPUT-FILE (var filename) body+)

with-network-stream ((*binding* CONS) &body (*body* CONS)) : OBJECT   [Macro]
>   Sets up an unwind-protected form which opens a network socket stream to a host and
>   port for input and output and closes it afterwards. Separate variables as provided in
>   the call are bound to the input and output streams. Syntax is (WITH-NETWORK-
>   STREAM (varIn varOut hostname port) body+)

with-output-file ((*binding* CONS) &body (*body* CONS)) *:* OBJECT   [Macro]
  Sets up an unwind-protected form which opens a file for output and closes it afterwards. The stream for writing is bound to the variable provided in the macro form. Syntax is (WITH-OUTPUT-FILE (var filename) body+)

with-permanent-objects (&body (*body* CONS)) *:* OBJECT   [Macro]
  Allocate `permanent` (as opposed to `transient`) objects within the scope of this declaration.

with-system-definition ((*systemnameexpression* OBJECT)   [Macro]
          &body (*body* CONS)) *:* OBJECT
  Set *currentSystemDefinition* to the system definition named `system`. Set *currentSystemDefinitionSubdirectory* to match. Execute *body* within that scope.

with-transient-objects (&body (*body* CONS)) *:* OBJECT   [Macro]
  Allocate `transient` (as opposed to `permanent`) objects within the scope of this declaration. CAUTION: The default assumption is the allocation of permanent objects. The scope of `with-transient-objects` should be as small as possible, and the user has to make sure that code that wasn't explicitly written to account for transient objects will continue to work correctly.

wrap-boolean ((*value* BOOLEAN)) *:* BOOLEAN-WRAPPER   [Function]
  Return a literal object whose value is the BOOLEAN *value*.

wrap-function-code ((*value* FUNCTION-CODE)) *:*   [Function]
          FUNCTION-CODE-WRAPPER
  Return a literal object whose value is the FUNCTION-CODE *value*.

wrap-method-code ((*value* METHOD-CODE)) *:*   [Function]
          METHOD-CODE-WRAPPER
  Return a literal object whose value is the METHOD-CODE *value*.

wrapped-type-to-type ((*self* TYPE)) *:* TYPE   [Function]
  Return the unwrapped type for the wrapped type *self*, or *self* if it is not a wrapped type.

wrapper-value-type ((*self* WRAPPER)) *:* TYPE   [Function]
  Return the type of the value stored in the wrapper *self*.

write-html-escaping-url-special-characters   [Function]
          ((*stream* NATIVE-OUTPUT-STREAM) (*input* STRING)) *:*
  Writes a string and replaces unallowed URL characters according to RFC 2396 with %-format URL escape sequences.

writer ((*self* STORAGE-SLOT)) *:* SYMBOL   [Method]
  Name of a method called to write the value of the slot *self*.

xml-token-list-to-s-expression ((*tokenList* TOKENIZER-TOKEN)) *:*   [Function]
          OBJECT
  Convert the XML *tokenList* into a representative s-expression and return the result. Every XML tag is represented as a cons-list starting with the tag as its header,

followed by a possibly empty list of keyword value pairs representing tag attributes, followed by a possibly empty list of content expressions which might themselves be XML expressions. For example, the expression

<a a1=v1 a2='v2'> foo <b a3=v3/> bar

becomes

(<a> (<a1> "v1" <a2> "v2") "foo" (<b> (<a3> "v3")) "bar")

when represented as an s-expression. The tag names are subtypes of XML-OBJECT such as XML-ELEMENT, XML-LOCAL-ATTRIBUTE, XML-GLOBAL-ATTRIBUTE, etc. ?, ! and [prefixed tags are encoded as their own subtypes of XML-OBJECT, namely XML-PROCESSING-INSTRUCTION, XML-DECLARATION, XML-SPECIAL, XML-COMMENT, etc. CDATA is an XML-SPECIAL tag with a name of CDATA.

The name is available using class accessors.

yield-define-stella-class ((*class* CLASS)) *:* CONS   [Function]
Return a cons tree that (when evaluated) constructs a Stella class object.

Function Index

S

T

Variable Index

Concept Index

(Index is nonexistent)

Table of Contents