

lab20(SSU)

November 10, 2025

1 Lab 20: Sample Sizes and Confidence Intervals

Helpful Resource:

- [Python Reference](#): Cheat sheet of helpful array & table methods!

Recommended Readings:

- [Estimation](#)
- [Why the Mean Matters](#)

```
[1]: !apt-get install texlive texlive-xetex texlive-latex-extra pandoc
!pip install py pandoc
!pip install datascience
```

Reading package lists... Done

Building dependency tree... Done

Reading state information... Done

pandoc is already the newest version (2.9.2.1-3ubuntu2).

pandoc set to manually installed.

The following additional packages will be installed:

dvisvgm fonts-droid-fallback fonts-lato fonts-lmodern fonts-noto-mono
fonts-texgyre fonts-urw-base35 libapache-pom-java libcommons-logging-java
libcommons-parent-java libfontbox-java libgs9 libgs9-common libidn12
libijs-0.35 libjbig2dec0 libkpathsea6 libpdfbox-java libptexenc1 libruby3.0
libsyntaxtex2 libteckit0 libtexlua53 libtexluajit2 libwoff1 libzip-0-13
lmodern poppler-data preview-latex-style rake ruby ruby-net-telnet
ruby-rubygems ruby-webrick ruby-xmlrpc ruby3.0 rubygems-integration t1utils
teckit tex-common tex-gyre texlive-base texlive-binaries
texlive-fonts-recommended texlive-latex-base texlive-latex-recommended
texlive-pictures texlive-plain-generic tipa xfonts-encodings xfonts-utils

Suggested packages:

fonts-noto fonts-freefont-otf | fonts-freefont-ttf libavalon-framework-java
libcommons-logging-java-doc libexcalibur-logkit-java liblog4j1.2-java
poppler-utils ghostscript fonts-japanese-mincho | fonts-ipafont-mincho
fonts-japanese-gothic | fonts-ipafont-gothic fonts-arphic-ukai
fonts-arphic-uming fonts-nanum ri ruby-dev bundler debhelper gv
| postscript-viewer perl-tk xpdf | pdf-viewer xzdec
texlive-fonts-recommended-doc texlive-latex-base-doc python3-pygments

icc-profiles libfile-which-perl libspreadsheet-parseexcel-perl
texlive-latex-extra-doc texlive-latex-recommended-doc texlive-luatex
texlive-pstricks dot2tex prerex texlive-pictures-doc vprerex
default-jre-headless tipa-doc

The following NEW packages will be installed:

dvisvgm fonts-droid-fallback fonts-lato fonts-lmodern fonts-noto-mono
fonts-texgyre fonts-urw-base35 libapache-pom-java libcommons-logging-java
libcommons-parent-java libfontbox-java libgs9 libgs9-common libidn12
libijs-0.35 libjbig2dec0 libkpathsea6 libpdfbox-java libptexenc1 libruby3.0
libsyntax2 libteckit0 libtexlua53 libtexluajit2 libwoff1 libzip-0-13
lmodern poppler-data preview-latex-style rake ruby ruby-net-telnet
ruby-rubygems ruby-webrick ruby-xmlrpc ruby3.0 rubygems-integration t1utils
teckit tex-common tex-gyre texlive texlive-base texlive-binaries
texlive-fonts-recommended texlive-latex-base texlive-latex-extra
texlive-latex-recommended texlive-pictures texlive-plain-generic
texlive-xetex tipa xfonts-encodings xfonts-utils

0 upgraded, 54 newly installed, 0 to remove and 41 not upgraded.

Need to get 182 MB of archives.

After this operation, 571 MB of additional disk space will be used.

Get:1 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 fonts-droid-fallback all 1:6.0.1r16-1.1build1 [1,805 kB]

Get:2 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 fonts-lato all 2.0-2.1 [2,696 kB]

Get:3 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 poppler-data all 0.4.11-1 [2,171 kB]

Get:4 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 tex-common all 6.17 [33.7 kB]

Get:5 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 fonts-urw-base35 all 20200910-1 [6,367 kB]

Get:6 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libgs9-common all 9.55.0~dfsg1-0ubuntu5.13 [753 kB]

Get:7 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libidn12 amd64 1.38-4ubuntu1 [60.0 kB]

Get:8 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libijs-0.35 amd64 0.35-15build2 [16.5 kB]

Get:9 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libjbig2dec0 amd64 0.19-3build2 [64.7 kB]

Get:10 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libgs9 amd64 9.55.0~dfsg1-0ubuntu5.13 [5,032 kB]

Get:11 <http://archive.ubuntu.com/ubuntu> jammy-updates/main amd64 libkpathsea6 amd64 2021.20210626.59705-1ubuntu0.2 [60.4 kB]

Get:12 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 libwoff1 amd64 1.0.2-1build4 [45.2 kB]

Get:13 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 dvisvgm amd64 2.13.1-1 [1,221 kB]

Get:14 <http://archive.ubuntu.com/ubuntu> jammy/universe amd64 fonts-lmodern all 2.004.5-6.1 [4,532 kB]

Get:15 <http://archive.ubuntu.com/ubuntu> jammy/main amd64 fonts-noto-mono all

20201225-1build1 [397 kB]
 Get:16 http://archive.ubuntu.com/ubuntu jammy/universe amd64 fonts-texgyre all 20180621-3.1 [10.2 MB]
 Get:17 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libapache-pom-java all 18-1 [4,720 B]
 Get:18 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libcommons-parent-java all 43-1 [10.8 kB]
 Get:19 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libcommons-logging-java all 1.2-2 [60.3 kB]
 Get:20 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libptexenc1 amd64 2021.20210626.59705-1ubuntu0.2 [39.1 kB]
 Get:21 http://archive.ubuntu.com/ubuntu jammy/main amd64 rubygems-integration all 1.18 [5,336 B]
 Get:22 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 ruby3.0 amd64 3.0.2-7ubuntu2.11 [50.1 kB]
 Get:23 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 ruby-rubygems all 3.3.5-2ubuntu1.2 [228 kB]
 Get:24 http://archive.ubuntu.com/ubuntu jammy/main amd64 ruby amd64 1:3.0~exp1 [5,100 B]
 Get:25 http://archive.ubuntu.com/ubuntu jammy/main amd64 rake all 13.0.6-2 [61.7 kB]
 Get:26 http://archive.ubuntu.com/ubuntu jammy/main amd64 ruby-net-telnet all 0.1.1-2 [12.6 kB]
 Get:27 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 ruby-webrick all 1.7.0-3ubuntu0.2 [52.5 kB]
 Get:28 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 ruby-xmlrpc all 0.3.2-1ubuntu0.1 [24.9 kB]
 Get:29 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libruby3.0 amd64 3.0.2-7ubuntu2.11 [5,114 kB]
 Get:30 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libsynchronet2 amd64 2021.20210626.59705-1ubuntu0.2 [55.6 kB]
 Get:31 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libteckit0 amd64 2.5.11+ds1-1 [421 kB]
 Get:32 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtexlua53 amd64 2021.20210626.59705-1ubuntu0.2 [120 kB]
 Get:33 http://archive.ubuntu.com/ubuntu jammy-updates/main amd64 libtexluajit2 amd64 2021.20210626.59705-1ubuntu0.2 [267 kB]
 Get:34 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libzip-0-13 amd64 0.13.72+dfsg.1-1.1 [27.0 kB]
 Get:35 http://archive.ubuntu.com/ubuntu jammy/main amd64 xfonts-encodings all 1:1.0.5-0ubuntu2 [578 kB]
 Get:36 http://archive.ubuntu.com/ubuntu jammy/main amd64 xfonts-utils amd64 1:7.7+6build2 [94.6 kB]
 Get:37 http://archive.ubuntu.com/ubuntu jammy/universe amd64 lmodern all 2.004.5-6.1 [9,471 kB]
 Get:38 http://archive.ubuntu.com/ubuntu jammy/universe amd64 preview-latex-style all 12.2-1ubuntu1 [185 kB]
 Get:39 http://archive.ubuntu.com/ubuntu jammy/main amd64 tiutils amd64

```

1.41-4build2 [61.3 kB]
Get:40 http://archive.ubuntu.com/ubuntu jammy/universe amd64 teckit amd64
2.5.11+ds1-1 [699 kB]
Get:41 http://archive.ubuntu.com/ubuntu jammy/universe amd64 tex-gyre all
20180621-3.1 [6,209 kB]
Get:42 http://archive.ubuntu.com/ubuntu jammy-updates/universe amd64 texlive-
binaries amd64 2021.20210626.59705-1ubuntu0.2 [9,860 kB]
Get:43 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-base all
2021.20220204-1 [21.0 MB]
Get:44 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-fonts-
recommended all 2021.20220204-1 [4,972 kB]
Get:45 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-base
all 2021.20220204-1 [1,128 kB]
Get:46 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-
recommended all 2021.20220204-1 [14.4 MB]
Get:47 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive all
2021.20220204-1 [14.3 kB]
Get:48 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libfontbox-java all
1:1.8.16-2 [207 kB]
Get:49 http://archive.ubuntu.com/ubuntu jammy/universe amd64 libpdfbox-java all
1:1.8.16-2 [5,199 kB]
Get:50 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-pictures
all 2021.20220204-1 [8,720 kB]
Get:51 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-latex-extra
all 2021.20220204-1 [13.9 MB]
Get:52 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-plain-
generic all 2021.20220204-1 [27.5 MB]
Get:53 http://archive.ubuntu.com/ubuntu jammy/universe amd64 tipa all 2:1.3-21
[2,967 kB]
Get:54 http://archive.ubuntu.com/ubuntu jammy/universe amd64 texlive-xetex all
2021.20220204-1 [12.4 MB]
Fetched 182 MB in 8s (22.9 MB/s)
Extracting templates from packages: 100%
Preconfiguring packages ...
Selecting previously unselected package fonts-droid-fallback.
(Reading database ... 125082 files and directories currently installed.)
Preparing to unpack .../00-fonts-droid-fallback_1%3a6.0.1r16-1.1build1_all.deb
...
Unpacking fonts-droid-fallback (1:6.0.1r16-1.1build1) ...
Selecting previously unselected package fonts-lato.
Preparing to unpack .../01-fonts-lato_2.0-2.1_all.deb ...
Unpacking fonts-lato (2.0-2.1) ...
Selecting previously unselected package poppler-data.
Preparing to unpack .../02-poppler-data_0.4.11-1_all.deb ...
Unpacking poppler-data (0.4.11-1) ...
Selecting previously unselected package tex-common.
Preparing to unpack .../03-tex-common_6.17_all.deb ...
Unpacking tex-common (6.17) ...

```

```

Selecting previously unselected package fonts-urw-base35.
Preparing to unpack .../04-fonts-urw-base35_20200910-1_all.deb ...
Unpacking fonts-urw-base35 (20200910-1) ...
Selecting previously unselected package libgs9-common.
Preparing to unpack .../05-libgs9-common_9.55.0~dfsg1-0ubuntu5.13_all.deb ...
Unpacking libgs9-common (9.55.0~dfsg1-0ubuntu5.13) ...
Selecting previously unselected package libidn12:amd64.
Preparing to unpack .../06-libidn12_1.38-4ubuntu1_amd64.deb ...
Unpacking libidn12:amd64 (1.38-4ubuntu1) ...
Selecting previously unselected package libijs-0.35:amd64.
Preparing to unpack .../07-libijs-0.35_0.35-15build2_amd64.deb ...
Unpacking libijs-0.35:amd64 (0.35-15build2) ...
Selecting previously unselected package libjbig2dec0:amd64.
Preparing to unpack .../08-libjbig2dec0_0.19-3build2_amd64.deb ...
Unpacking libjbig2dec0:amd64 (0.19-3build2) ...
Selecting previously unselected package libgs9:amd64.
Preparing to unpack .../09-libgs9_9.55.0~dfsg1-0ubuntu5.13_amd64.deb ...
Unpacking libgs9:amd64 (9.55.0~dfsg1-0ubuntu5.13) ...
Selecting previously unselected package libkpathsea6:amd64.
Preparing to unpack .../10-libkpathsea6_2021.20210626.59705-1ubuntu0.2_amd64.deb
...
Unpacking libkpathsea6:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Selecting previously unselected package libwoff1:amd64.
Preparing to unpack .../11-libwoff1_1.0.2-1build4_amd64.deb ...
Unpacking libwoff1:amd64 (1.0.2-1build4) ...
Selecting previously unselected package dvisvgm.
Preparing to unpack .../12-dvisvgm_2.13.1-1_amd64.deb ...
Unpacking dvisvgm (2.13.1-1) ...
Selecting previously unselected package fonts-lmodern.
Preparing to unpack .../13-fonts-lmodern_2.004.5-6.1_all.deb ...
Unpacking fonts-lmodern (2.004.5-6.1) ...
Selecting previously unselected package fonts-noto-mono.
Preparing to unpack .../14-fonts-noto-mono_20201225-1build1_all.deb ...
Unpacking fonts-noto-mono (20201225-1build1) ...
Selecting previously unselected package fonts-texgyre.
Preparing to unpack .../15-fonts-texgyre_20180621-3.1_all.deb ...
Unpacking fonts-texgyre (20180621-3.1) ...
Selecting previously unselected package libapache-pom-java.
Preparing to unpack .../16-libapache-pom-java_18-1_all.deb ...
Unpacking libapache-pom-java (18-1) ...
Selecting previously unselected package libcommons-parent-java.
Preparing to unpack .../17-libcommons-parent-java_43-1_all.deb ...
Unpacking libcommons-parent-java (43-1) ...
Selecting previously unselected package libcommons-logging-java.
Preparing to unpack .../18-libcommons-logging-java_1.2-2_all.deb ...
Unpacking libcommons-logging-java (1.2-2) ...
Selecting previously unselected package libptexenc1:amd64.
Preparing to unpack .../19-libptexenc1_2021.20210626.59705-1ubuntu0.2_amd64.deb

```

```

...
Unpacking libptexenc1:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Selecting previously unselected package rubygems-integration.
Preparing to unpack .../20-rubygems-integration_1.18_all.deb ...
Unpacking rubygems-integration (1.18) ...
Selecting previously unselected package ruby3.0.
Preparing to unpack .../21-ruby3.0_3.0.2-7ubuntu2.11_amd64.deb ...
Unpacking ruby3.0 (3.0.2-7ubuntu2.11) ...
Selecting previously unselected package ruby-rubygems.
Preparing to unpack .../22-ruby-rubygems_3.3.5-2ubuntu1.2_all.deb ...
Unpacking ruby-rubygems (3.3.5-2ubuntu1.2) ...
Selecting previously unselected package ruby.
Preparing to unpack .../23-ruby_1%3a3.0~exp1_amd64.deb ...
Unpacking ruby (1:3.0~exp1) ...
Selecting previously unselected package rake.
Preparing to unpack .../24-rake_13.0.6-2_all.deb ...
Unpacking rake (13.0.6-2) ...
Selecting previously unselected package ruby-net-telnet.
Preparing to unpack .../25-ruby-net-telnet_0.1.1-2_all.deb ...
Unpacking ruby-net-telnet (0.1.1-2) ...
Selecting previously unselected package ruby-webrick.
Preparing to unpack .../26-ruby-webrick_1.7.0-3ubuntu0.2_all.deb ...
Unpacking ruby-webrick (1.7.0-3ubuntu0.2) ...
Selecting previously unselected package ruby-xmlrpc.
Preparing to unpack .../27-ruby-xmlrpc_0.3.2-1ubuntu0.1_all.deb ...
Unpacking ruby-xmlrpc (0.3.2-1ubuntu0.1) ...
Selecting previously unselected package libruby3.0:amd64.
Preparing to unpack .../28-libruby3.0_3.0.2-7ubuntu2.11_amd64.deb ...
Unpacking libruby3.0:amd64 (3.0.2-7ubuntu2.11) ...
Selecting previously unselected package libsyntax2:amd64.
Preparing to unpack .../29-libsyntax2_2021.20210626.59705-1ubuntu0.2_amd64.deb
...
Unpacking libsyntax2:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Selecting previously unselected package libteckit0:amd64.
Preparing to unpack .../30-libteckit0_2.5.11+ds1-1_amd64.deb ...
Unpacking libteckit0:amd64 (2.5.11+ds1-1) ...
Selecting previously unselected package libtexlua53:amd64.
Preparing to unpack .../31-libtexlua53_2021.20210626.59705-1ubuntu0.2_amd64.deb
...
Unpacking libtexlua53:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Selecting previously unselected package libtexluajit2:amd64.
Preparing to unpack
.../32-libtexluajit2_2021.20210626.59705-1ubuntu0.2_amd64.deb ...
Unpacking libtexluajit2:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Selecting previously unselected package libzip-0-13:amd64.
Preparing to unpack .../33-libzip-0-13_0.13.72+dfsg.1-1.1_amd64.deb ...
Unpacking libzip-0-13:amd64 (0.13.72+dfsg.1-1.1) ...
Selecting previously unselected package xfonts-encodings.

```

```

Preparing to unpack .../34-xfonts-encodings_1%3a1.0.5-0ubuntu2_all.deb ...
Unpacking xfonts-encodings (1:1.0.5-0ubuntu2) ...
Selecting previously unselected package xfonts-utils.
Preparing to unpack .../35-xfonts-utils_1%3a7.7+6build2_amd64.deb ...
Unpacking xfonts-utils (1:7.7+6build2) ...
Selecting previously unselected package lmodern.
Preparing to unpack .../36-lmodern_2.004.5-6.1_all.deb ...
Unpacking lmodern (2.004.5-6.1) ...
Selecting previously unselected package preview-latex-style.
Preparing to unpack .../37-preview-latex-style_12.2-1ubuntu1_all.deb ...
Unpacking preview-latex-style (12.2-1ubuntu1) ...
Selecting previously unselected package t1utils.
Preparing to unpack .../38-t1utils_1.41-4build2_amd64.deb ...
Unpacking t1utils (1.41-4build2) ...
Selecting previously unselected package teckit.
Preparing to unpack .../39-teckit_2.5.11+ds1-1_amd64.deb ...
Unpacking teckit (2.5.11+ds1-1) ...
Selecting previously unselected package tex-gyre.
Preparing to unpack .../40-tex-gyre_20180621-3.1_all.deb ...
Unpacking tex-gyre (20180621-3.1) ...
Selecting previously unselected package texlive-binaries.
Preparing to unpack .../41-texlive-
binaries_2021.20210626.59705-1ubuntu0.2_amd64.deb ...
Unpacking texlive-binaries (2021.20210626.59705-1ubuntu0.2) ...
Selecting previously unselected package texlive-base.
Preparing to unpack .../42-texlive-base_2021.20220204-1_all.deb ...
Unpacking texlive-base (2021.20220204-1) ...
Selecting previously unselected package texlive-fonts-recommended.
Preparing to unpack .../43-texlive-fonts-recommended_2021.20220204-1_all.deb ...
Unpacking texlive-fonts-recommended (2021.20220204-1) ...
Selecting previously unselected package texlive-latex-base.
Preparing to unpack .../44-texlive-latex-base_2021.20220204-1_all.deb ...
Unpacking texlive-latex-base (2021.20220204-1) ...
Selecting previously unselected package texlive-latex-recommended.
Preparing to unpack .../45-texlive-latex-recommended_2021.20220204-1_all.deb ...
Unpacking texlive-latex-recommended (2021.20220204-1) ...
Selecting previously unselected package texlive.
Preparing to unpack .../46-texlive_2021.20220204-1_all.deb ...
Unpacking texlive (2021.20220204-1) ...
Selecting previously unselected package libfontbox-java.
Preparing to unpack .../47-libfontbox-java_1%3a1.8.16-2_all.deb ...
Unpacking libfontbox-java (1:1.8.16-2) ...
Selecting previously unselected package libpdfbox-java.
Preparing to unpack .../48-libpdfbox-java_1%3a1.8.16-2_all.deb ...
Unpacking libpdfbox-java (1:1.8.16-2) ...
Selecting previously unselected package texlive-pictures.
Preparing to unpack .../49-texlive-pictures_2021.20220204-1_all.deb ...
Unpacking texlive-pictures (2021.20220204-1) ...

```

```

Selecting previously unselected package texlive-latex-extra.
Preparing to unpack .../50-texlive-latex-extra_2021.20220204-1_all.deb ...
Unpacking texlive-latex-extra (2021.20220204-1) ...
Selecting previously unselected package texlive-plain-generic.
Preparing to unpack .../51-texlive-plain-generic_2021.20220204-1_all.deb ...
Unpacking texlive-plain-generic (2021.20220204-1) ...
Selecting previously unselected package tipa.
Preparing to unpack .../52-tipa_2%3a1.3-21_all.deb ...
Unpacking tipa (2:1.3-21) ...
Selecting previously unselected package texlive-xetex.
Preparing to unpack .../53-texlive-xetex_2021.20220204-1_all.deb ...
Unpacking texlive-xetex (2021.20220204-1) ...
Setting up fonts-lato (2.0-2.1) ...
Setting up fonts-noto-mono (20201225-1build1) ...
Setting up libwoff1:amd64 (1.0.2-1build4) ...
Setting up libtexlua53:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Setting up libijs-0.35:amd64 (0.35-15build2) ...
Setting up libtexluajit2:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Setting up libfontbox-java (1:1.8.16-2) ...
Setting up rubygems-integration (1.18) ...
Setting up libzip-0-13:amd64 (0.13.72+dfsg.1-1.1) ...
Setting up fonts-urw-base35 (20200910-1) ...
Setting up poppler-data (0.4.11-1) ...
Setting up tex-common (6.17) ...
update-language: texlive-base not installed and configured, doing nothing!
Setting up libjbig2dec0:amd64 (0.19-3build2) ...
Setting up libteckit0:amd64 (2.5.11+ds1-1) ...
Setting up libapache-pom-java (18-1) ...
Setting up ruby-net-telnet (0.1.1-2) ...
Setting up xfonts-encodings (1:1.0.5-0ubuntu2) ...
Setting up t1utils (1.41-4build2) ...
Setting up libidn12:amd64 (1.38-4ubuntu1) ...
Setting up fonts-texgyre (20180621-3.1) ...
Setting up libkpathsea6:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Setting up ruby-webrick (1.7.0-3ubuntu0.2) ...
Setting up fonts-lmodern (2.004.5-6.1) ...
Setting up fonts-droid-fallback (1:6.0.1r16-1.1build1) ...
Setting up ruby-xmlrpc (0.3.2-1ubuntu0.1) ...
Setting up libsynchronet2:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Setting up libgs9-common (9.55.0~dfsg1-0ubuntu5.13) ...
Setting up teckit (2.5.11+ds1-1) ...
Setting up libpdfbox-java (1:1.8.16-2) ...
Setting up libgs9:amd64 (9.55.0~dfsg1-0ubuntu5.13) ...
Setting up preview-latex-style (12.2-1ubuntu1) ...
Setting up libcommons-parent-java (43-1) ...
Setting up dvisvgm (2.13.1-1) ...
Setting up libcommons-logging-java (1.2-2) ...
Setting up xfonts-utils (1:7.7+6build2) ...

```



```

Setting up libptexenc1:amd64 (2021.20210626.59705-1ubuntu0.2) ...
Setting up texlive-binaries (2021.20210626.59705-1ubuntu0.2) ...
update-alternatives: using /usr/bin/xdvi-xaw to provide /usr/bin/xdvi.bin
(xdvi.bin) in auto mode
update-alternatives: using /usr/bin/bibtex.original to provide /usr/bin/bibtex
(bibtex) in auto mode
Setting up lmodern (2.004.5-6.1) ...
Setting up texlive-base (2021.20220204-1) ...
/usr/bin/ucfr
/usr/bin/ucfr
/usr/bin/ucfr
/usr/bin/ucfr
mktexlsr: Updating /var/lib/texmf/ls-R-TEXLIVEDIST...
mktexlsr: Updating /var/lib/texmf/ls-R-TEXMFMAIN...
mktexlsr: Updating /var/lib/texmf/ls-R...
mktexlsr: Done.
tl-paper: setting paper size for dvips to a4:
/var/lib/texmf/dvips/config/config-paper.ps
tl-paper: setting paper size for dvipdfmx to a4:
/var/lib/texmf/dvipdfmx/dvipdfmx-paper.cfg
tl-paper: setting paper size for xdvi to a4: /var/lib/texmf/xdvi/XDvi-paper
tl-paper: setting paper size for pdftex to a4: /var/lib/texmf/tex/generic/tex-
ini-files/pdftexconfig.tex
Setting up tex-gyre (20180621-3.1) ...
Setting up texlive-plain-generic (2021.20220204-1) ...
Setting up texlive-latex-base (2021.20220204-1) ...
Setting up texlive-latex-recommended (2021.20220204-1) ...
Setting up texlive-pictures (2021.20220204-1) ...
Setting up texlive-fonts-recommended (2021.20220204-1) ...
Setting up tipa (2:1.3-21) ...
Setting up texlive (2021.20220204-1) ...
Setting up texlive-latex-extra (2021.20220204-1) ...
Setting up texlive-xetex (2021.20220204-1) ...
Setting up rake (13.0.6-2) ...
Setting up libruby3.0:amd64 (3.0.2-7ubuntu2.11) ...
Setting up ruby3.0 (3.0.2-7ubuntu2.11) ...
Setting up ruby (1:3.0~exp1) ...
Setting up ruby-rubygems (3.3.5-2ubuntu1.2) ...
Processing triggers for man-db (2.10.2-1) ...
Processing triggers for mailcap (3.70+nmu1ubuntu1) ...
Processing triggers for fontconfig (2.13.1-4.2ubuntu5) ...
Processing triggers for libc-bin (2.35-0ubuntu3.8) ...
/sbin/ldconfig.real: /usr/local/lib/libtcm.so.1 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libur_adapter_level_zero.so.0 is not a
symbolic link

/sbin/ldconfig.real: /usr/local/lib/libtbbmalloc_proxy.so.2 is not a symbolic

```

link

/sbin/ldconfig.real: /usr/local/lib/libtbbmalloc.so.2 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libtbbbind_2_0.so.3 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libtbbbind_2_5.so.3 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libumf.so.1 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libur_adapter_level_zero_v2.so.0 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libtbb.so.12 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libhwloc.so.15 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libtcm_debug.so.1 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libtbbbind.so.3 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libur_adapter_opencl.so.0 is not a symbolic link

/sbin/ldconfig.real: /usr/local/lib/libur_loader.so.0 is not a symbolic link

Processing triggers for tex-common (6.17) ...

Running updmmap-sys. This may take some time... done.

Running mktexlsr /var/lib/texmf ... done.

Building format(s) --all.

This may take some time... done.

Collecting pypandoc

Downloading pypandoc-1.16-py3-none-any.whl.metadata (16 kB)

Downloading pypandoc-1.16-py3-none-any.whl (19 kB)

Installing collected packages: pypandoc

Successfully installed pypandoc-1.16

Collecting datascience

Downloading datascience-0.18.1-py3-none-any.whl.metadata (910 bytes)

Requirement already satisfied: folium>=0.9.1 in /usr/local/lib/python3.12/dist-packages (from datascience) (0.20.0)

Requirement already satisfied: setuptools in /usr/local/lib/python3.12/dist-packages (from datascience) (75.2.0)

Requirement already satisfied: matplotlib>=3.0.0 in /usr/local/lib/python3.12/dist-packages (from datascience) (3.10.0)

Requirement already satisfied: pandas in /usr/local/lib/python3.12/dist-packages (from datascience) (2.2.2)

Requirement already satisfied: scipy in /usr/local/lib/python3.12/dist-packages (from datascience) (1.16.3)

Requirement already satisfied: numpy in /usr/local/lib/python3.12/dist-packages (from datascience) (2.0.2)

Requirement already satisfied: ipython in /usr/local/lib/python3.12/dist-packages (from datascience) (7.34.0)

Requirement already satisfied: plotly in /usr/local/lib/python3.12/dist-packages (from datascience) (5.24.1)

Requirement already satisfied: branca in /usr/local/lib/python3.12/dist-packages (from datascience) (0.8.2)

Requirement already satisfied: jinja2>=2.9 in /usr/local/lib/python3.12/dist-packages (from folium>=0.9.1->datascience) (3.1.6)

Requirement already satisfied: requests in /usr/local/lib/python3.12/dist-packages (from folium>=0.9.1->datascience) (2.32.4)

Requirement already satisfied: xyzservices in /usr/local/lib/python3.12/dist-packages (from folium>=0.9.1->datascience) (2025.10.0)

Requirement already satisfied: contourpy>=1.0.1 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (1.3.3)

Requirement already satisfied: cycycler>=0.10 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (0.12.1)

Requirement already satisfied: fonttools>=4.22.0 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (4.60.1)

Requirement already satisfied: kiwisolver>=1.3.1 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (1.4.9)

Requirement already satisfied: packaging>=20.0 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (25.0)

Requirement already satisfied: pillow>=8 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (11.3.0)

Requirement already satisfied: pyparsing>=2.3.1 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (3.2.5)

Requirement already satisfied: python-dateutil>=2.7 in /usr/local/lib/python3.12/dist-packages (from matplotlib>=3.0.0->datascience) (2.9.0.post0)

Collecting jedi>=0.16 (from ipython->datascience)

 Downloading jedi-0.19.2-py2.py3-none-any.whl.metadata (22 kB)

Requirement already satisfied: decorator in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (4.4.2)

Requirement already satisfied: pickleshare in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (0.7.5)

Requirement already satisfied: traitlets>=4.2 in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (5.7.1)

Requirement already satisfied: prompt-toolkit!=3.0.0,!3.0.1,<3.1.0,>=2.0.0 in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (3.0.52)

Requirement already satisfied: pygments in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (2.19.2)

Requirement already satisfied: backcall in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (0.2.0)

Requirement already satisfied: matplotlib-inline in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (0.2.1)

Requirement already satisfied: pexpect>4.3 in /usr/local/lib/python3.12/dist-packages (from ipython->datascience) (4.9.0)

Requirement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.12/dist-packages (from pandas->datascience) (2025.2)

Requirement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.12/dist-packages (from pandas->datascience) (2025.2)

Requirement already satisfied: tenacity>=6.2.0 in /usr/local/lib/python3.12/dist-packages (from plotly->datascience) (8.5.0)

Requirement already satisfied: parso<0.9.0,>=0.8.4 in /usr/local/lib/python3.12/dist-packages (from jedi>=0.16->ipython->datascience) (0.8.5)

Requirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.12/dist-packages (from jinja2>=2.9->folium>=0.9.1->datascience) (3.0.3)

Requirement already satisfied: ptyprocess>=0.5 in /usr/local/lib/python3.12/dist-packages (from pexpect>4.3->ipython->datascience) (0.7.0)

Requirement already satisfied: wcwidth in /usr/local/lib/python3.12/dist-packages (from prompt-toolkit!=3.0.0,!3.0.1,<3.1.0,>=2.0.0->ipython->datascience) (0.2.14)

Requirement already satisfied: six>=1.5 in /usr/local/lib/python3.12/dist-packages (from python-dateutil>=2.7->matplotlib>=3.0.0->datascience) (1.17.0)

Requirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.12/dist-packages (from requests->folium>=0.9.1->datascience) (3.4.4)

Requirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.12/dist-packages (from requests->folium>=0.9.1->datascience) (3.11)

Requirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.12/dist-packages (from requests->folium>=0.9.1->datascience) (2.5.0)

Requirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.12/dist-packages (from requests->folium>=0.9.1->datascience) (2025.10.5)

Downloading datascience-0.18.1-py3-none-any.whl (725 kB)
725.1/725.1 kB

18.3 MB/s eta 0:00:00

Downloading jedi-0.19.2-py2.py3-none-any.whl (1.6 MB)
1.6/1.6 MB

59.8 MB/s eta 0:00:00

Installing collected packages: jedi, datascience

Successfully installed datascience-0.18.1 jedi-0.19.2

```
[2]: # Connect Google Drive to Colab so you can access your files
from google.colab import drive
drive.mount('/content/drive')

import os
os.chdir('/content/drive/MyDrive/Colab Notebooks/')
```

Mounted at /content/drive

```
[3]: # Don't change this cell; just run it.

import numpy as np
from datascience import *

# These lines do some fancy plotting magic.
import matplotlib
%matplotlib inline
import matplotlib.pyplot as plt
plt.style.use('fivethirtyeight')
import warnings
warnings.simplefilter('ignore', FutureWarning)
```

1.1 1. Bounding the Tail of a Distribution

A community has an average age of 45 years with a standard deviation of 5 years. **We do not know how the ages are distributed.**

In each part below, fill in the blank with a percent that makes the statement true **without further assumptions**, and **explain your answer**.

Note: No credit will be given for loose bounds such as “at least 0%” or “at most 100%”. Give the best answer that is possible with the information given.

Question 1.1. At least _____% of the people are between 25 and 65 years old. **(6 Points)**
93.75

Question 1.2. At most _____% of the people have ages that are not in the range 25 years to 65 years. **(6 Points)**
6.25

Question 1.3. At most _____% of the people are more than 65 years old. **(6 Points)**
Hint: If you’re stuck, try thinking about what the distribution may look like in this case.
6.25

1.2 2. Sample Size and Confidence Level

A data science class at the large Data 8 University wants to estimate the percent of Facebook users among students at the school. To do this, they need to take a random sample of students. You can

assume that their method of sampling is equivalent to drawing at random with replacement from students at the school.

Question 2.1. Assign `smallest` to the smallest number of students they should sample to ensure that a **95%** confidence interval for the parameter has a width of no more than 6% from left end to right end. (6 points)

Hint: How can our data be represented to show if a student in the sample is a Facebook user? Given this, what assumptions can we make for the SD of the population? [Section 14.6](#) might be helpful!

Note: While the true smallest sample size would have to be an integer, please leave your answer in decimal format for the sake of our tests.

```
[6]: smallest = (2 / 0.06)**2
      smallest
```

```
[6]: 1111.1111111111113
```

Question 2.2. Suppose the data science class decides to construct a 90% confidence interval instead of a 95% confidence interval, but they still require that the width of the interval is no more than 6% from left end to right end. Will they need the same sample size as in 2.1? Pick the right answer and explain further without calculation. (6 Points)

1. Yes, they must use the same sample size.
2. No, a smaller sample size will work.
3. No, they will need a bigger sample.

No, a smaller sample size will work.

Relationship between Confidence Level and Confidence Interval: The confidence level represents the degree of certainty that the estimate will include the true population value. A 95% confidence level requires greater certainty than a 90% confidence level.

The Effect of Confidence Level on Interval Width: If the sample size is the same, achieving a higher confidence level (95%) requires a wider confidence interval. This is because the estimate must cover the true value with greater confidence, thus expanding the range of the estimate. Conversely, a lower confidence level (90%) can be achieved with a narrower confidence interval.

Fixed Interval Width and Sample Size: This problem requires that the final width of the confidence interval remain constant at 6%, even if the confidence level changes.

2.1 (95% Confidence Level): To reduce the inherently wide 95% confidence interval to a narrower 6% width, the precision of the estimate must be increased, which requires a larger sample size (n).

2.2 (90% confidence level): A 90% confidence interval is inherently narrower than a 95% confidence interval.

Therefore, fitting this “already narrower” 90% confidence interval to the same width of 6% requires a smaller sample size (n) than fitting a 95% confidence interval.

Question 2.3. The professor tells the class that a 90% confidence interval for the parameter is constructed exactly like a 95% confidence interval, except that you have to go only **1.65 SDs** on either side of the estimate (± 1.65) instead of **2 SDs** on either side (± 2). Assign `smallest_num` to

the smallest number of students they should sample to ensure that a **90%** confidence interval for the parameter has a **width of no more than 6%** from left end to right end. (6 points)

Note: While the true smallest sample size would have to be an integer, please leave your answer in decimal format for the sake of our tests.

```
[7]: smallest_num = (1.65 / 0.06)**2
      smallest_num
```


```
[7]: 756.25
```

For this next exercise, please consult [Section 14.3.4](#) of the textbook for similar examples.

Dhruv and Rahul are curious about how the professor came up with the value 1.65 in Question 2.3. The professor says she ran the following two code cells. The first one calls the `datascience` library function `plot_normal_cdf`, which displays the proportion that is at most the specified number of SDs above average under the normal curve plotted with standard units on the horizontal axis. You can find the documentation [here](#).

Note: The acronym `cdf` stands for **cumulative distribution function**. It measures the proportion to the left of a specified point under a probability histogram.

```
[8]: plot_normal_cdf(1.65)
```



To run the second cell, the professor had to first import a Python library for probability and statistics:

```
[9]: # Just run this cell
from scipy import stats
```

Then she used the `norm.cdf` method in the library to find the gold proportion above.

```
[10]: # Just run this cell
stats.norm.cdf(1.65)
```

```
[10]: 0.9505285319663519
```

This means that roughly 95% of our data lies to the left of +1.65 SDs from the mean (the shaded area in yellow above).

Note: You do not need to understand how the `scipy` library or how to use the method yourself.

Question 2.4. This shows that the percentage in a normal distribution that is at most 1.65 SDs above average is about **95%**. Explain why 1.65 is the right number of SDs to use when constructing a **90%** confidence interval. **(6 Points)**

1.65 is the standard criterion for how far from the center a standard normal group should be to encompass the central 90% of the area. In other words, the area between the mean and the mean is 5% less than -1.65 standard deviations and 5% greater than +1.65 standard deviations, for a total of 10%, leaving 90% between them. A 90% confidence level uses the standard value corresponding to this central 90% area.

```
[11]: # Just run this cell, do not change it.
stats.norm.cdf(2.33)
```

```
[11]: 0.99009692444083575
```

Question 2.5. The cell above shows that the proportion that is at most 2.33 SDs above average in a normal distribution is 99%. Assign `option` to the right option to fill in the blank: **(6 points)**

If you start at the estimate and go 2.33 SDs on either side, then you will get a _____% confidence interval for the parameter.

1. 99.5
2. 99
3. 98.5
4. 98

Note: `option` should be assigned to one of 1, 2, 3, or 4 depending on which answer is correct.

```
[14]: option = 4
option
```

```
[14]: 4
```


1.3 Submission

Make sure you have run all cells in your notebook in order before running the cell below, so that all images/graphs appear in the output. The cell below will generate a pdf file for you to submit.

Please save before exporting!

```
[15]: # should change the directory and file name matching to yours
!jupyter nbconvert './DS/lab20(SSU).ipynb' --to pdf
```

```
[NbConvertApp] Converting notebook ./DS/lab20(SSU).ipynb to pdf
[NbConvertApp] Support files will be in lab20(SSU)_files/
[NbConvertApp] Making directory ./lab20(SSU)_files
[NbConvertApp] Writing 65894 bytes to notebook.tex
[NbConvertApp] Building PDF
[NbConvertApp] Running xelatex 3 times: ['xelatex', 'notebook.tex', '-quiet']
[NbConvertApp] Running bibtex 1 time: ['bibtex', 'notebook']
[NbConvertApp] WARNING | bibtex had problems, most likely because there were no
citations
[NbConvertApp] PDF successfully created
[NbConvertApp] Writing 98752 bytes to DS/lab20(SSU).pdf
```