





1 Install new software packages

Tool	Command	Notes
RPM	rpm -i package file	Package file refers to a local .rpm file in the current directory
	rpminstall package file	
	rpm -inodeps package file	Package file refers to a local .rpm file in the current directory; ignore
	rpminstallnodeps package file	package dependencies
	rpm -ihv package file	Package file refers to a local .rpm file in the current directory; instal-
		lation with verbose output, and process bar
YUM	yum groupinstall package group	Install all packages from a package group from a software repository
	yum install <i>package</i>	Install a package from a software repository
	yum localinstall package	Install a package from a local file, http, or ftp resource
	yum reinstall <i>package</i>	Reinstall the current version of a package from a software repository

2 Renew existing software packages

Tool	Command	Notes
RPM	rpm -F package file	Upgrade an already installed package; based on a local file.
	rpmfreshen package file	
	rpm -U package file	Upgrade an already installed package, or install package if not already
	rpmupgrade package file	installed; based on a local file.
YUM	yum update	Update all packages with available updates; based on a software repository
	yum update package	Update the specified package, only; based on a software repository
	yum updatesecurity	Apply security-related package updates, only; based on a software repository
	yum update-to package-version	Update the specified package, or all packages up to a specific version; based on a software repository
	yum upgrade	Update all installed packages taking obsoletes into account; based on a software repository
	yum upgrade <i>package</i>	Update the specified package taking obsoletes into account; based on a software repository







3 Reinstall an existing software package

Tool	Command	Notes
RPM	rpmreinstall package file	Package file refers to a local file
YUM	yum reinstall package	Package is obtained from the package repository

4 Install a previous version of a software package (downgrade)

Tool	Command	Notes
YUM	yum downgrade <i>package</i>	The previous version of the package is installed

5 Download software packages, only

Tool	Command	Notes
YUM	yum installdownloadonly package	The package is obtained from the package repository, and stored in the package cache. After that it can be installed using the command ${\tt rpm}$ -i ${\tt filename}$.
	yumdownloader package	The package is obtained from the package repository, and stored in the current directory. After that it can be installed using the command $rpm -i \ filename$.
	yumdownloaderresolve $package$	The package, and its dependencies are obtained from the package repository, and are stored in the current directory. After that these packages can be installed using the command ${\tt rpm}$ -i ${\tt filename}$.

6 Remove software packages as well as the configuration files

Tool	Command	Notes
RPM	rpm -e package	
	rpmerase package	
	rpm -enodeps package	Remove the package without a dependency check
	rpmerasenodepspackage	
YUM	yum erase <i>package</i>	Remove the package (and possibly dependencies)
	yum remove <i>package</i>	







7 List installed software packages

Tool	Command	Notes
RPM	rpm -qa	List all installed packages
	rpmqueryall	
	rpm -qalast	List all installed packages, display the most recent ones first
	rpmqueryalllast	
YUM	yum list installed	List all installed packages
	yum list all	List all installed, and available packages
	yum list package	Show installed version for this package

8 Display information about a single software package

Tool	Command	Notes
RPM	rpm -q package	Display installation status for the package
	rpmquery package	
	rpm -qp package file	Display installation status for the local package file
	rpmquerypackage package file	
	rpm -qi package	Display detailed package information
	rpmqueryinfo package	
	rpm -qpi package file	Display detailed information for the local package file
	rpmquerypackageinfo package file	
YUM	yum info package	Display detailed package information, and installation status

9 Display package dependencies

Tool	Command	Notes
RPM	rpm -qR <i>package</i>	Display required packages for an installed package
	rpmqueryrequires package	
	rpm -qpR package file	Display required packages for a package available as a local file
	rpmquerypackagerequires package	
YUM	yum deplist package	Display dependencies for a package
	repoqueryrequires package	
	yumdownloaderresolve package	