


Farm Health & Safety Training Pack

Truleigh Manor Farm · Summer Hay & Haylage Season

Truleigh Manor Farm — Field Map



For a young worker (16) operating tractors, telehandlers, tedders,
rakes, mowers, balers and associated equipment.

Edburton Road, Henfield, BN5 9LL

Trainee: _____ Start date: _____

Farm Health & Safety Training Pack

Truleigh Manor Farm — Summer Hay & Haylage Season

A complete health and safety induction and training pack for a young worker (16 years old) operating tractors, telehandlers, tedders, balers, wrappers and associated equipment during haymaking and haylage.

Trainee details

Field	Detail
Trainee name	_____
Date of birth	_____
Age at start	16
Start date	_____
Supervisor / responsible person	_____
Farm	Truleigh Manor Farm

This worker is legally a "young person" (under 18). The law requires a specific written risk assessment that takes account of their inexperience, immaturity and lack of awareness of risk. See Module 12.

How to use this pack

This pack is designed to be **worked through in order, with a supervisor**, before the trainee operates any machinery unsupervised. It mixes reading, discussion ("toolbox talks"), practical demonstration and sign-off.

The rule is simple: read the module → discuss it with your supervisor → watch it demonstrated → do it under supervision → get signed off. No one operates a machine alone until they are signed off as competent for that machine.

#	Module	What it covers
00	Trainer's guide & the law	For the employer/supervisor: legal duties, age rules, how to run the pack
01	Farm induction & golden rules	First-day induction, site layout, the non-negotiable rules
02	The big killers & Safe Stop	What actually kills people on farms, and the Safe Stop procedure
03	Tractors	Daily checks, mounting/dismounting, driving, slopes, road use, trailers

#	Module	What it covers
04	Telehandlers & loaders	Lift truck law, stability, load charts, bale handling
05	PTO & field machinery	Tedders, mowers, balers, wrappers; guarding; clearing blockages
06	Hay & haylage operations	The full job, field-to-stack, bale stacking, fire & heating risk
07	Manual handling, PPE, noise, dust & vibration	Lifting, hearing, dust masks, HAVS, sun & heat
08	Site hazards	Working at height, electricity & overhead lines, fire, slurry/confined spaces, livestock, chemicals
09	Emergencies, first aid & reporting	What to do in an accident, who to call, RIDDOR, near-miss reporting
10	Knowledge check (quiz)	40-question assessment the trainee completes
11	Answer key	For the supervisor to mark
12	Young person risk assessment template	The legally required assessment — fill in before work starts
13	Practical competency checklist & sign-off	Per-machine demonstration and sign-off record
14	Training record & certificate	Proof of completion to keep on file
15	Machinery handbook	Safe operation & maintenance for our specific kit (tractors, telehandlers, tedder, rake, baler, mowers, attachments, trailers) — incl. fuelling & greasing
16	Farm map & field names	The farm map, all 33 field names, and the hazard-markup exercise
—	Emergency Information Card	Print & keep in the cab: 999 info, what3words, emergency contacts

A note on what this pack is and isn't

This pack is built on current **UK Health and Safety Executive (HSE)** guidance for agriculture and young people, plus recognised good practice. It is a strong, practical foundation — but it does **not** replace:

- **Accredited operator training** (e.g. **Lantra** or **City & Guilds NPTC**) for telehandlers/rough-terrain lift trucks, ATVs, chainsaws and pesticide application. These should be booked where the trainee will use that kit.
- A **site-specific risk assessment** for Trleigh Manor Farm (Module 12 is your template).
- The **operator's manual** for each individual machine — always the final word on that machine.

Keep the completed pack on file. It is your evidence that you provided information, instruction, training and supervision as the law requires.

See [SOURCES.md](#) for the guidance this pack is based on.

Module 00 — Trainer's Guide & The Law

For the employer / supervisor. Read this before you start the trainee on the pack.

1. Your legal duties as the employer

If a young person works on your farm — paid, unpaid, family member or not — you have legal duties under:

- **Health and Safety at Work etc. Act 1974** — the general duty to ensure, so far as reasonably practicable, the health, safety and welfare of workers.
- **Management of Health and Safety at Work Regulations 1999, regulation 19** — the specific duty regarding **young persons (under 18)**.
- **Prevention of Accidents to Children in Agriculture Regulations 1998** — age limits for riding on/driving machines.
- **Provision and Use of Work Equipment Regulations 1998 (PUWER)** — equipment must be suitable, maintained, guarded, and only used by people who have had adequate training.
- **Lifting Operations and Lifting Equipment Regulations 1998 (LOLER)** — for lifting (telehandler forks, bale grabs, etc.).

The young-person rule that matters most

Before the young person starts work you **must** carry out (and act on) a **risk assessment that specifically takes account of:**

- their **inexperience, immaturity** and **lack of awareness** of risks;
- the work, equipment and substances involved;
- the layout of the workplace;
- the extent of health and safety training to be provided.

A blank template is provided in **Module 12** — completing it is not optional.

2. Age rules — what a person of each age may legally do

These are legal minimums. Being old enough is not the same as being competent. Competence = training + supervision + demonstrated ability. The width/road rules below apply to **public roads**; on private land the duty is to be trained, competent and adequately supervised.

Activity	Under 13	13-15	16	17	18+
Ride on / drive a tractor or self-propelled machine	No (illegal)	Drive on private land only after certified training	Yes (trained)	Yes	Yes
Drive a tractor on a public road	No	No	Yes — Category F licence ; tractor ≤ 2.45 m wide , trailer ≤ 2.45 m wide (2 wheels, or 4 close-coupled)	Yes — width limits lifted	Yes
Operate balers, harvesters, mowers, tedders, PTO-driven machines, processors	No (illegal)	No (illegal)	Yes, if trained, competent and supervised	Yes	Yes
Operate a lift truck / telehandler	No (illegal)	No (illegal)	Private land only , and never without training, competence, maturity and adequate supervision	As 16, plus may take the test for road use	Yes (trained/certified)
Drive a telehandler on a public road	No	No	No	Cat B test possible at 17; in practice usually 21 for insurance/road use	Yes
Use ATV / quad bike	No (illegal)	No (illegal)	Yes, with appropriate training	Yes	Yes
Apply pesticides	No	No	Generally 16+ with a recognised certificate of competence	Yes	Yes

Bottom line for a 16-year-old at Truleigh Manor: they may legally drive tractors and operate field machinery (tedders, mowers, balers, wrappers) and a telehandler on the farm's own land **provided they are properly trained, demonstrably competent, and supervised to a degree that matches their experience.** Telehandler and ATV use should be backed by **accredited (Lantra/NPTC) training.**

3. The level of supervision

Supervision is not "in the same field somewhere." For a young, inexperienced worker it means, in the early stages:

- **Direct supervision** (supervisor present and watching) for any new machine or new task;

- progressing to **general supervision** (checked frequently, can summon help) only once competence is signed off;
- **never** lone working on high-risk tasks until experienced — and arguably not for telehandler/bale-stacking work for some time.

Match the supervision to the task and the person, and **write down** in the risk assessment what level applies to what.

4. How to run this pack

1. **Complete Module 12 (risk assessment) first** — before any work.
 2. Do **Module 01 (induction)** on day one, on site, walking the actual farm.
 3. Work through **Modules 02-09** as classroom/yard sessions mixed with practical demonstration. Don't rush — a module a session is fine.
 4. For each machine, use **Module 13** to demonstrate, observe, and sign off competence **before** unsupervised use.
 5. Have the trainee complete the **Module 10 quiz**; mark it with **Module 11**. Aim for 100% on the safety-critical questions (Safe Stop, PTO, telehandler stability, overhead lines, emergencies) — re-teach anything missed.
 6. Complete **Module 14 (training record & certificate)** and keep the whole pack on file.
 7. **Refresh** key points regularly — a 5-minute toolbox talk at the start of busy days.
-

5. Records to keep on file

- Completed Module 12 risk assessment (reviewed if anything changes).
- Completed Module 13 competency sign-offs.
- Marked Module 10 quiz.
- Module 14 training record + certificate.
- Copies of any external certificates (Lantra/NPTC telehandler, ATV, etc.).
- Employer's Liability insurance certificate (check young/family workers are covered).

These records are what you produce if HSE ever asks, or if there is an incident.

Module 01 — Farm Induction & Golden Rules

Do this on day one, on site, walking the actual farm with your supervisor.

Welcome — why this matters

Farming is one of the **most dangerous jobs in the UK**. Agriculture has a fatal injury rate around **21 times higher** than the average across all industries. Most people who are killed or seriously hurt were doing a routine job they'd done many times. The difference between a normal day and a disaster is usually one rushed decision, one skipped check, or one moment standing in the wrong place.

You are 16. You are legally allowed to do this work, but you are new to it. **There is no job on this farm so urgent that it's worth your life or your hands.** If you are ever unsure, **stop and ask**. Nobody will think less of you for asking — but everybody will care if you get hurt.

Your right to a safe day

- You can **say no** to a task you haven't been trained for.
 - You can **stop work** if you think something is unsafe.
 - You can **ask questions** as many times as you need.
 - You will be **supervised** until you are signed off as competent — that is normal and required.
-

The induction walk-round (tick as you go)

Your supervisor will walk you round and show you:

- ☐ The farm layout: fields, yard, tracks, gateways, the route hay/haylage takes from field to stack.
- ☐ Where vehicles and machines move, and where pedestrians are safe to stand/walk.
- ☐ Overhead power lines and their routes (**mark them on the farm map — Module 16** as part of the markup exercise).
- ☐ The **field names and layout** ([Module 16](#)) — so you can say exactly where you are.
- ☐ Slopes, ditches, ponds, soft ground, and known tipping/overturn risks (e.g. Sands Hill, The Hill, Banky Sands, The Lakes, The Brooks).
- ☐ The fuel store, chemical/pesticide store, and any gas/oxy-acetylene.
- ☐ Where the **first aid kit(s)** are, and where the **eye wash** is.
- ☐ Where the **fire extinguishers** are (in buildings and on machines).
- ☐ The **assembly point** if there's a fire or emergency.
- ☐ The farm's **address and what3words** for calling 999 (also on the [Emergency Information Card](#) and Module 09):
- **Truleigh Manor Farm, Edburton Road, Henfield, BN5 9LL**

- Farm entrance: `///chicken.airless.hazy` · Truleigh Sands: `///playback.poker.touched`
 - ☐ Welfare: toilet, hand-washing, drinking water, breaks, somewhere to shelter.
 - ☐ Who your supervisor is, and how to contact them at any moment (save these numbers): **Ben Hogan 07876 683949, Sandra Windus 07901 521832, Office 01903 816065.**
-

The Golden Rules (non-negotiable)

These apply to everyone, every day, no exceptions:

1. **SAFE STOP before you leave the seat or anyone approaches.** Handbrake on → controls in neutral → engine off → key out. (Full detail in Module 02.)
 2. **Never clear a blockage, adjust or touch a machine while the engine is running or the PTO is turning.** Stop it. Wait for ALL moving parts to stop.
 3. **No passengers** on tractors, telehandlers or in/on trailers unless there is a proper, fitted instructor seat. Never ride on a load, drawbar, linkage or in a raised bucket.
 4. **Never go under a raised load, raised trailer body, or raised loader/forks** that isn't physically propped/locked. Hydraulics can fail.
 5. **Stay clear of the PTO shaft** and all guarded moving parts. Tie up loose clothing, no dangling cords, no loose long hair, no jewellery.
 6. **Wear the right PPE** for the job: steel-toe boots always; ear and dust protection in noise/dust; gloves, eye protection and hi-vis as needed.
 7. **Mind overhead power lines** — telehandlers, tipping trailers and high loads can reach them. Know where they are.
 8. **Don't use a machine you haven't been trained and signed off on.** Ask.
 9. **Phone:** never use it while driving/operating. Pull over, Safe Stop, then use it.
 10. **If you're tired, ill, or it's getting dark and you're rushing — stop.** Fatigue and "just one more load" cause accidents. Tell your supervisor.
 11. **No alcohol or drugs.** They have no place anywhere near this machinery.
 12. **If in doubt — STOP and ASK.**
-

Discussion (do this out loud with your supervisor)

- Point to where the nearest first aid kit and fire extinguisher are, right now.
- Say the full address and postcode you'd give to 999.
- Name three places on this farm where a machine could tip over.
- Where are the overhead power lines?

Sign-off: Trainee has completed the induction walk-round and understands the Golden Rules.

Trainee signature: ____ **Date:** _

Supervisor signature: ____ **Date:** _

Module 02 — The Big Killers & Safe Stop

The single most important module. If you remember nothing else, remember Safe Stop.

What actually kills and injures people on farms

Across recent years, HSE's fatal injury data for agriculture shows the same causes coming up again and again. In the 2023/24 reporting year there were around **23 agriculture-related deaths**. The main categories were:

Cause	What it looks like in real life
Transport (the biggest)	Being run over by a tractor/telehandler, vehicles overturning on slopes, people crushed against walls/gates, runaway machines
Struck by moving/falling objects	Falling bales , collapsing stacks, loads dropping from loaders, raised trailer bodies coming down
Livestock	Crushed, knocked down or trampled (especially cattle, and cows with calves)
Machinery contact	Entanglement in PTO shafts and moving parts; reaching into running machines to clear blockages
Falls from height	Falling from machines, trailers, stacks, fragile roofs; falls while working off a telehandler

Notice the pattern: almost all of these involve a machine that was moving or could move, or a load that could fall. And a large share happen during a quick "I'll just sort that" moment — clearing a blockage, hopping off to open a gate, nipping under a raised body.

HSE has found that around 60% of all "run over" deaths on farms could have been prevented simply by putting the handbrake on. That is how powerful one habit is.

SAFE STOP — the four steps

Do this **every single time** before you leave the operating position, before anyone approaches the machine, and before any adjustment, maintenance or blockage clearing:

1. Handbrake ON

2. Controls in NEUTRAL (and lower any raised attachment to the ground)

3. Engine OFF

4. Key OUT (and pocket it — or lock off the power)

A simple way to remember it: "**Brake — Neutral — Off — Out.**"

If you're getting off even for ten seconds to open a gate, pick something up, or talk to someone: **Safe Stop**. Machines have rolled and killed people in the time it takes to walk round to the back.

When you **MUST Safe Stop**

- Before getting off the seat for **any** reason.
- Before **anyone** approaches the machine or steps near moving parts.
- Before clearing a **blockage** (baler, mower, tedder — anything).
- Before any **adjustment, greasing, refuelling or maintenance**.
- Before checking, touching, or photographing anything on the machine.
- Before walking away from it — even "just for a minute."

The deadly shortcut to never take

The classic fatal accident: a machine blocks, the operator leaves it running ("it'll only take a second"), reaches in, and a sleeve, glove or hand is caught by a still-turning part. **PTO shafts spin fast and have no mercy**. Moving parts can keep turning for several seconds after you disengage drive. **Stop everything. Wait until ALL movement has completely stopped. Then clear it.**

Parking up safely

- Park on **firm, level ground** where you can.
 - Lower all attachments (loader, forks, linkage) **to the ground**.
 - Handbrake on, in gear/park as the manual says, chock wheels if on any slope.
 - Never leave a machine **running and unattended**.
 - Never leave a machine where it could roll, or where children could reach it.
-

Discussion / demonstration

- Recite the four Safe Stop steps from memory.
- Demonstrate Safe Stop on a tractor to your supervisor.
- Explain why you wait for moving parts to stop before clearing a blockage, even after disengaging the PTO.

Sign-off: Trainee can recite and correctly demonstrate Safe Stop.

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 03 — Tractors

Tractors are the most-used machine on the farm and involved in the most deaths. Respect them.

Before you drive: the law for a 16-year-old

- On **private farmland**: you may drive a tractor at 16 once you are **trained and competent**, and while you are **supervised** to a level that matches your experience.
 - On a **public road**: you need a **Category F licence** (you can get this at 16). At 16 you may only drive a tractor **up to 2.45 m wide**, towing a trailer up to 2.45 m wide (two wheels, or four close-coupled wheels). The width restriction lifts at 17.
 - Always wear the **seatbelt** if one is fitted — it keeps you within the protective cab/frame (ROPS) if the tractor overturns.
-

Daily pre-start checks ("POWER" + walk-round)

Walk around the tractor before you start. A quick check catches most problems:

- ☐ **Tyres** — condition and pressure, no big cuts, wheel nuts present.
- ☐ **Fuel & fluids** — diesel, engine oil, coolant, hydraulic oil; look for leaks under the tractor.
- ☐ **Lights, beacon, indicators, brake lights, mirrors** — working and clean.
- ☐ **Guards** — PTO shaft guard and all guards present and secure.
- ☐ **Cab** — clean glass, working wipers, nothing loose rolling around the floor, fire extinguisher present.
- ☐ **Steps and handholds** — clean of mud so you don't slip.
- ☐ **Linkage / drawbar / pickup hitch** — sound, pins and clips in place.
- ☐ **Brakes** — including that the **brake pedals are latched together** for road work.
- ☐ **Seatbelt** — present and working.
- ☐ **Controls** — know where everything is before you move.

Report anything wrong to your supervisor. Don't use a defective tractor.

Getting on and off — the right way

- Use the **steps and handholds**, always **three points of contact** (two hands + one foot, or two feet + one hand).
 - Face the tractor when climbing down. **Never jump down** — twisted ankles, slips and falls are common.
 - Keep steps clean of mud.
 - **Never get on or off a moving tractor.**
-

Driving safely

- **Seatbelt on, doors closed.**
 - Start only from the **driver's seat**, in neutral, PTO off. Never start by bridging the starter from the ground — people are crushed every year by tractors starting in gear.
 - Keep speed **sensible for the conditions** — wet grass, slopes, loads and the yard all need slowing down.
 - Watch your **width and length**, especially with mounted/towed kit and in gateways.
 - **No passengers** unless there's a proper instructor seat with a seatbelt.
 - Take corners slowly; a raised load or full trailer changes how the tractor handles.
 - In the yard, assume someone could step out — go slow, use the beacon, sound the horn at blind corners.
-

Slopes and overturning — a top killer

Tractors **overturn sideways** and **roll backwards**. Both kill.

- Know the ground. **Drive up and down slopes, not across**, where possible.
 - Slow right down on slopes; **never change direction sharply** on a slope.
 - Be very careful near **ditches, banks and soft edges** — a wheel dropping in can flip the tractor.
 - Keep loaders and mounted implements **low** when moving — a high load raises the centre of gravity and makes tipping far easier.
 - Pulling a stuck load: hitch only to the **drawbar/proper hitch point at the correct height** — never high up. Hitching too high causes the tractor to rear up and flip over backwards.
 - If the tractor starts to tip and you have a cab/ROPS and seatbelt: **stay in the seat, hold on, lean away from the direction of fall**. Jumping out usually means being crushed under it.
-

Trailers

- Match trailer and load to the tractor; don't overload.
 - Make sure the **brakes and lights** on the trailer work.
 - Check the **hitch is locked** and the safety pin/clip is in.
 - Connect the **brake line and breakaway/safety chain**.
 - Never stand between tractor and trailer while hitching with the engine running.
 - Load evenly and within limits; secure loose loads.
 - **Never let anyone ride in or on a trailer.**
 - When tipping: tip only on **firm, level ground**, watch for **overhead power lines**, and **never go under a raised body**.
-

Discussion / demonstration

- Carry out a full pre-start walk-round and tell your supervisor what you're checking and why.
- Mount and dismount correctly (three points of contact).
- Explain why you drive up/down a slope rather than across, and why you never hitch high.
- Demonstrate hitching a trailer and connecting brakes/lights/safety chain.

Sign-off: Trainee can safely check, mount, drive, and hitch a tractor under supervision.

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 04 — Telehandlers & Loaders

Telehandlers are involved in serious crush, overturn, falling-load and overhead-line deaths every year. This is high-risk work — treat the training seriously.

The law and training — read this first

- A telehandler is a **rough-terrain lift truck**. Lift trucks are covered by the HSE **Approved Code of Practice "Rideable lift trucks"** and by **PUWER** and **LOLER**.
- **Anyone under 16 must never operate a telehandler.**
- A **young person (under 18)** must **not** operate one unless they have the **necessary competence and maturity** and have completed **appropriate, accredited training** and are **adequately supervised**.
- **On a public road**, telehandlers are treated as agricultural vehicles needing a car (Category B) licence — possible from 17, but in practice most operators are **21+** for road and insurance reasons. **Assume road use is not for a 16-year-old.**

Action for Truleigh Manor: book **accredited operator training (Lantra or NPTC)** before the trainee uses the telehandler. This pack prepares them for it and reinforces it — it does not replace it. Early use must be **directly supervised**.

Why telehandlers are dangerous

- They are **heavy and can tip** — sideways or forwards — especially with a raised, extended or heavy load.
- The **boom reaches up and out**, so it can hit **overhead power lines** and unbalance the machine.
- **Loads can fall** — bales especially — onto people nearby.
- People get **crushed** between the machine and walls/gates, or struck while it reverses.
- Using one as a **work platform** (lifting people on the forks or in an unapproved cage) has killed people — **never lift a person except in a proper, tested man-basket designed and rated for that telehandler.**

Pre-use checks

- ☐ Tyres, condition and pressure.
- ☐ Hydraulic hoses and rams — no leaks, no damage.
- ☐ Boom, forks/attachment, and the **quick-hitch locked and pinned**.
- ☐ Load chart / **rated capacity indicator** present and working.
- ☐ Brakes, steering, lights, beacon, horn, reversing alarm, mirrors/camera.
- ☐ Seatbelt — **wear it**.
- ☐ Cab clean, controls understood, nothing loose.

- ☐ Attachment correct for the job (bale spike/grab for round bales — **not the bucket**).
-

Stability — the rules that keep it upright

- **Know the load chart.** Capacity drops sharply as you raise and extend the boom. Stay within it — never guess.
 - **Travel with the load LOW** and the boom retracted, tilted back. A raised load while driving is how telehandlers tip.
 - **Travel and turn slowly.** Most overturns happen turning with a raised load or on a slope.
 - On slopes: keep the **load on the uphill side**, travel up/down rather than across, and keep the load low.
 - Use the machine on **firm, level ground** for lifting. Soft or uneven ground can let it tip.
 - **Don't exceed the reach** — extending forward shifts the centre of gravity past the front wheels.
 - If fitted, watch the **longitudinal stability indicator** and stop before it warns.
-

Loading, lifting and placing

- Approach the load square, forks level, at the right width.
- Lift smoothly; tilt back slightly to cradle the load.
- Make sure the load is **stable and won't roll/slide** before you move.
- Keep **people well clear** — nobody under a raised load or in the swing/travel path, ever.
- Place loads on **firm, level ground** and build stacks square (see Module 06 for bale stacking).
- Lower the boom fully and tilt forks down to release; reverse out straight.

Overhead power lines — a telehandler special

The raised boom can reach lines you'd never touch with a tractor. **Electricity can jump (arc) to the boom without touching it.**

- Know where every overhead line on the farm runs (Module 08).
 - **Never raise the boom near lines.** Plan stacking and tipping away from them.
 - If you ever contact a line: **stay in the cab**, lower/reverse clear if you can, and **don't let anyone touch the machine**. If you must get out (e.g. fire), **jump clear with both feet together and don't touch machine and ground at the same time**, then shuffle away.
-

Getting on and off / parking

- Three points of contact, face the machine, never jump.
 - Park on level ground, **forks/attachment flat on the ground**, boom retracted, Safe Stop (brake, neutral, off, key out).
 - Never leave it with the boom raised or a load up.
-

Discussion / demonstration (then accredited training)

- Read the **load chart** and explain how capacity changes as the boom raises and extends.
- Explain why you travel with the load low.
- Show where the overhead lines are and how you'd plan a stacking job to avoid them.
- Demonstrate (supervised) picking up, carrying low, and placing a round bale with the correct attachment.

Sign-off (interim — full sign-off requires accredited certificate):

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Accredited (Lantra/NPTC) telehandler certificate obtained? ☐ Yes — date: _ ☐ Booked: _

Module 05 — PTO & Field Machinery (Tedders, Mowers, Balers, Wrappers)

This module covers the spinning, cutting, gathering machines used to make hay and haylage. They are unforgiving. The rule is: stop everything before you go near it.

The PTO shaft — treat it like a live danger

The **Power Take-Off (PTO)** shaft transfers power from the tractor to the machine. It spins at high speed (typically 540 or 1000 rpm). People are **entangled and killed or dismembered** by PTO shafts every year — usually after their clothing catches.

- The PTO shaft **must have its full guard** fitted, in good condition, and the **anti-rotation chains** attached at both ends so the guard doesn't spin. **Never run a machine with a damaged or missing PTO guard.**
 - **Never step over, lean over, or reach across** a turning PTO shaft.
 - **Tie up loose clothing.** No dangling cords, scarves, untucked shirts, loose sleeves. No jewellery. Long hair tied up and tucked away. A loose drawstring is all it takes.
 - **Disengage the PTO and Safe Stop before connecting/disconnecting** the shaft or going anywhere near it.
 - Connect the PTO with the **engine off**; make sure it's locked on at both ends.
-

Guards — never defeat them

Every guard on every machine is there because someone was hurt without it.

- Guards must be **in place and secure** before the machine runs.
 - **Never remove, tie back, or wedge open a guard** to make a job easier.
 - If a guard is **missing or broken, take the machine out of use** and tell your supervisor.
 - Replace guards **before** restarting after any maintenance.
-

Clearing blockages — the rule that saves hands and lives

Blockages are the **most common reason people reach into running machines** — and one of the most common ways they're killed.

The procedure, every time:

1. **Safe Stop** — handbrake, neutral, PTO **disengaged**, engine **off**, key **out and in your pocket**.
2. **Wait** until **all** moving parts have **completely stopped** — flywheels, rotors and tines coast on for several seconds.
3. Only then clear the blockage, using a **tool, not your hands** where possible.
4. Watch for **stored energy** — tensioned springs, raised parts, hydraulic pressure, a pick-up

reel under load can spring back. Release/secure it safely.

5. Replace any guard, stand clear, then restart.

Never clear a blockage with the engine running. **Never** ask, or let anyone, hold/feed material while the machine runs.

Tedders & rakes

- Fast-spinning tines fling debris — keep people clear and wear **eye protection**.
- Tines are sharp and the rotors carry momentum — **wait for them to stop** before touching.
- Fold/unfold the wings exactly as the manual says; keep clear of the folding path (crush points).
- Watch width on the road and through gateways.

Mowers (disc/drum mowers, conditioners)

- Blades are razor-sharp and spin extremely fast; they can **throw stones and broken blade pieces** a long way — keep bystanders well back and never stand in front.
- Check blades/skids before use; replace damaged blades as a set.
- The mower **coasts** after the PTO stops — wait fully before approaching.
- Engage the **breakback/safety device** correctly when transporting.

Balers (round and conventional)

- The **pick-up, rollers, knotter/wrapping mechanism and chamber** are all entanglement and crush hazards. **Never** reach into the pick-up or chamber while anything moves.
- **Bale ejection:** the tailgate and ejected bale can strike/crush. **Stand clear of the rear** when ejecting; make sure no one is behind.
- On slopes, balers are tall with a **high centre of gravity** — go slow, avoid holes and drop-offs, never turn sharply across a slope.
- Twine/net wrap: thread it with the machine **stopped**. Don't feed it by hand while running.
- Fire risk: balers run hot and dusty — see Module 06.

Bale wrappers (for haylage)

- The **rotating ring/arms and table move fast and unpredictably** — stay outside the working radius. People have been struck by the wrapping arm.
 - Reload film with the machine **stopped**.
 - Watch the **drop zone** where the wrapped bale is set down — keep clear, mind toes.
 - Stacking wrapped bales: see Module 06.
-

General machinery good practice

- **Read the operator's manual** for each machine — it's the final word.

- Hitch/unhitch on **firm, level ground**; mind crush points between tractor and machine.
 - Don't adjust, grease or unblock with it running.
 - Keep bystanders out of the working area entirely.
-

Discussion / demonstration

- Point to the PTO guard and anti-rotation chains and explain what they do.
- Recite the blockage-clearing procedure from memory.
- Explain "stored energy" and give an example on a baler/mower.
- Show how you'd connect a PTO shaft safely.

Sign-off: Trainee understands PTO/guarding dangers and can correctly clear a blockage (engine off, parts stopped, tool used).

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 06 — Hay & Haylage Operations (Field to Stack)

Putting it all together: the actual job you'll be doing this summer, and the specific risks at each stage.

What we're making, and why it changes the risks

- **Hay** is grass cut, dried in the field (turned/tedded over several days), then baled dry. Risks: long hot days, dust, fire, machinery, bale handling.
- **Haylage** is grass cut, wilted for a shorter time, baled at higher moisture, then **wrapped airtight in plastic film** so it ferments. Extra risks: the **wrapper**, **heavier wetter bales**, and handling/stacking **film-wrapped** bales that can roll.

Both involve the same chain: **mow → ted/turn → row up (rake) → bale → (wrap, for haylage) → cart → stack**. Every stage has a tractor and a PTO machine, and every stage ends with **heavy bales that must be moved and stacked**.

Stage-by-stage safety

1. Mowing

- Pre-start checks (Module 03), sharp undamaged blades.
- **Walk/check the field** for hazards first: people, animals, ground nesting, debris, hidden ditches, soft ground, slopes.
- Keep bystanders **well clear** — mowers throw stones and blade fragments.
- Mind the slopes (Module 03) — drive up/down, slow, no sharp turns.

2. Tedding & raking

- Watch folding wings (crush points) and flung debris (eye protection).
- Wait for tines to **stop** before clearing tangled grass.

3. Baling

- Tall machine, **high centre of gravity** — slow on slopes, avoid holes/drop-offs.
- **Never** clear the pick-up or chamber while running (Module 05).
- **Stand clear of the rear** when a round bale is ejected.

4. Wrapping (haylage)

- Stay **outside the rotating arm/ring radius**.
- Reload film with the machine **stopped**.
- Haylage bales are **heavier** (more moisture) — factor that into telehandler load limits.

5. Carting & stacking — where bales fall on people

This stage causes many of the "struck by / falling object" deaths.

- Move bales with the **right attachment** (bale spike or grab) on the telehandler — **never the loader bucket**, which lets bales roll back toward the cab/operator.
 - Carry bales **low**; travel and turn slowly (Module 04).
 - **No one walks or stands near the telehandler** while it's working or in the stacking area. Falling and rolling bales kill.
 - Don't overload trailers; secure loads; **no riding on the load**.
-

Stacking bales safely

- Build stacks on **firm, level ground**, square and stable, **bonded** (overlapping) like brickwork so they don't topple.
 - **Don't stack too high** for the base — tall narrow stacks collapse. Follow the farm's agreed maximum.
 - Keep stacks **away from overhead power lines**, buildings you don't want to risk, and field edges/slopes.
 - **Never climb on a bale stack**. People fall from stacks and are crushed by collapsing stacks. If you must reach height, use proper access — not the stack itself.
 - When taking a stack down, work from the **top down**, never pull from the bottom (the classic fatal collapse).
 - Round bales **roll** — chock them or stack so they can't run away, especially on any slope. A loose round bale can crush someone.
-

Fire & spontaneous heating — a real hay risk

Hay baled **too damp** can heat up internally and **spontaneously catch fire** days or weeks later. Dry, dusty conditions plus hot machinery also start field fires.

- Bale hay at the **right moisture** — your supervisor will check.
 - **Monitor stacked hay** for heating in the first weeks: a hot, "caramel/burning" smell, steam, or a stack that's hot to a probe is a danger sign — tell your supervisor immediately and **do not** disturb a hot stack (letting air in can cause it to burst into flame).
 - Keep a **fire extinguisher on the tractor/baler** and know how to use it.
 - Carry a **phone** to call 999. Know the farm's location to give them (Module 09).
 - Clear chaff/dust build-up off hot machine parts (manifold, brakes) during long baling days.
 - No smoking anywhere near hay, fuel or machinery.
-

Long days, heat and fatigue

Haymaking means **long hours racing the weather**. That's exactly when accidents spike.

- Drink water regularly; you sweat more than you think in a hot cab.

- Use **sun protection** (hat, sunscreen, cover up) — see Module 07.
 - Take **breaks**. Eat. Tiredness slows reactions and judgement.
 - **"One more load" in the dark while exhausted** is when people get hurt. If you're too tired, say so. The weather is not worth your safety.
-

Discussion / demonstration

- Walk through the whole hay/haylage process and name a key hazard at each stage.
- Explain why you use a bale spike/grab and not the bucket.
- Explain how you'd build a safe, stable stack and why you never climb it.
- Describe the signs of a hay stack heating up, and what you'd do.

Sign-off: Trainee understands the end-to-end hay/haylage job and its specific hazards.

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 07 — Manual Handling, PPE, Noise, Dust, Vibration & Heat

The injuries that build up slowly — your back, your hearing, your lungs, your hands — matter just as much as the dramatic ones.

Manual handling — protect your back

Farm work means lifting, carrying and dragging. Your body at 16 is still developing — bad lifting now can cause problems for life.

Before you lift, think:

- **Can a machine do it?** Use the telehandler/loader for anything heavy. Don't lift what a machine should.
- **Is it too heavy or awkward?** Get help, split the load, or use an aid.
- **Clear the route** — no trip hazards, know where you're putting it down.

Good lifting technique:

- Feet apart, stable base, close to the load.
- **Bend your knees, not your back** — keep the back's natural curve.
- Get a secure grip; lift smoothly with your legs.
- Keep the load **close to your body**.
- **Don't twist** while lifting — turn with your feet.
- Put it down the same way — knees, not back.

On the farm specifically: twine bales, fence posts, feed bags, drums, machine parts. If you're straining, stop — that's the warning, not a challenge.

PPE — what to wear and when

PPE is the **last line of defence**, but it matters. Your supervisor provides it; you wear it.

PPE	When
Safety boots (steel toe, good grip)	Always , every day
Ear protection (plugs or muffs)	Noisy machines, long cab time, anything where you'd have to raise your voice
Dust mask (FFP2/FFP3)	Mouldy/dusty hay, dusty cab work, sweeping
Eye protection	Tedding/mowing (flung debris), grinding, anything that could flick into your eyes
Gloves	Handling twine/wire, rough materials, chemicals (correct type)
Hi-vis	Around moving vehicles, road work, poor light
Sun protection	Long days in the open (see below)
Hard hat	Where there's a risk of falling objects

Loose clothing is a hazard around machinery — keep it **fitted and tucked in** (Module 05).

Noise — you only get one set of ears

Tractors, balers and PTO machines are loud, and **hearing loss is permanent and painless** as it happens — you won't notice until it's gone.

- If you have to **raise your voice** to be heard at arm's length, it's loud enough to need ear protection.
 - Wear plugs or muffs and **keep them in** — taking them out "just for a minute" repeatedly defeats them.
 - Keep cab doors/windows closed where practical.
-

Dust & mould — protect your lungs

Hay and haylage are dusty, and mouldy hay carries spores that cause "**Farmer's Lung**" and other serious, sometimes permanent, lung disease.

- Wear an **FFP3 dust mask** when handling dusty or mouldy hay, or working in dust.
 - Work **upwind** of dust where you can; keep cab filters in good order and windows shut in heavy dust.
 - Don't disturb visibly mouldy bales without a mask.
-

Vibration — HAVS and whole-body

- **Hand-Arm Vibration (HAVS):** from vibrating tools — causes painful, permanent nerve and circulation damage ("white finger"). Limit time on vibrating tools; keep hands warm; report tingling/numbness early.
 - **Whole-body vibration:** from bouncing around in the cab on rough ground all day causes back problems. Keep the **seat suspension set for your weight**, drive at sensible speed for the ground, and take breaks.
-

Heat, sun & dehydration

Summer haymaking = long hours in the sun and hot cabs.

- **Drink water often** — don't wait until you're thirsty. Keep a bottle in the cab.
 - Cover up, wear a hat, use **sunscreen** on exposed skin (skin cancer is a real long-term farm risk).
 - Recognise **heat exhaustion**: headache, dizziness, feeling sick, cramps, heavy sweating then clammy/pale — get into shade, cool down, drink, tell someone. Heatstroke (confusion, hot dry skin, collapse) is a **999 emergency**.
 - Take breaks in the shade.
-

Discussion / demonstration

- Demonstrate a correct lift (knees not back, load close, no twist).
- Say when you'd put on ear protection, a dust mask, and eye protection.
- Explain what Farmer's Lung is and how you avoid it.
- Describe the early signs of heat exhaustion.

Sign-off: Trainee can lift safely and knows what PPE to use when, and the health risks PPE protects against.

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 08 — Site Hazards (Height, Electricity, Fire, Slurry, Livestock, Chemicals)

The wider farm hazards beyond the machine you're driving. Even if you're "just" haymaking, you share the site with all of these.

Working at height

Falls — from machines, trailers, stacks, ladders and fragile roofs — are a major cause of farm deaths.

- **Avoid working at height** where you can. Don't climb on bale stacks, trailers or machines to reach things.
 - Use a **proper ladder or platform**, secured, on firm ground, three points of contact.
 - **Fragile roofs (asbestos cement, fibre-cement, rooflights) kill** — people fall straight through. **Never walk on a barn roof.** It's a job for specialists with proper equipment.
 - Never use telehandler forks as a platform or to lift a person except in a **purpose-made, tested cage**.
-

Electricity & overhead power lines

A telehandler boom, tipping trailer, or a high load can hit overhead lines — and **electricity can arc across a gap without contact**. This is one of the most preventable farm deaths.

- **Map every overhead line on the farm** and know the safe working clearances. Mark them at the induction (Module 01).
 - Plan stacking, tipping and high-reach work **well away** from lines.
 - Watch for **underground cables** when digging.
 - **If a machine contacts a line:**
 - **Stay in the cab** — you're safest there.
 - If you can, **drive clear** of the line.
 - **Warn everyone to keep back** and not touch the machine.
 - Call the emergency number on the nearest pole / 105 (UK power network) and 999.
 - Only if there's fire and you must get out: **jump clear with feet together, don't touch machine and ground at once**, then **shuffle/bunny-hop** away with small steps (the ground itself is live in a gradient).
 - Damaged fallen lines: assume **live**, keep everyone **well back**, call for help.
-

Fire

- Know where **extinguishers** are (buildings and machines) and how to use them (pull pin, aim at base, sweep).
- Biggest farm fire risks: machinery (hot parts + dust/chaff), fuel, **hay spontaneously heating** (Module 06), and electrical faults.

- Keep dust/chaff cleared off hot machine parts on long days.
 - No smoking near fuel, hay or machinery.
 - If fire breaks out: get clear, raise the alarm, call **999**, only fight a small fire if safe and you have an escape route behind you. **People before property.**
-

Slurry, silage effluent & confined spaces

Even on a hay/haylage farm there may be slurry stores, tanks, pits or grain stores.

- **Slurry gas** (especially hydrogen sulphide, released when slurry is mixed/agitated) can **kill in seconds** and has killed whole families. **Stay away from slurry stores during mixing**; keep clear of the area.
 - **Confined spaces** (tanks, pits, silos, augers, grain bins) can have **no oxygen or toxic gas**, and grain/material can **engulf and suffocate**. **Never enter a confined space** — it is a specialist job with permits, gas testing and rescue plans. This is **not** a job for a young, inexperienced worker.
-

Livestock

Cattle are a leading cause of farm deaths — they crush, trample and charge, especially **cows with calves** and **bulls**.

- Don't enter fields/pens with cattle unless told to, and never alone if you're inexperienced.
 - Keep an **escape route**; stay near the edge, never get cornered.
 - Move calmly and quietly; never get between a cow and her calf.
 - Treat **every bull as dangerous**.
 - Watch out when crossing fields with stock during haymaking — close gates, keep stock and machinery apart.
-

Chemicals & fuel

- **Pesticides** require training and certification (16+ with a recognised certificate). Don't handle or apply them without it.
 - Diesel, oils, AdBlue, two-stroke: store correctly, avoid skin contact, wash hands before eating, no eating/drinking around chemicals.
 - Read labels and **safety data sheets**; wear the PPE the label specifies.
 - Know where the **eye wash / first aid** is for splashes (Module 09).
-

Discussion / demonstration

- Point out (or mark on a map) every overhead power line on the farm.
- Say exactly what you'd do if the telehandler touched a power line.
- Explain why you must never walk on an old barn roof.
- Explain why you never enter a slurry tank or grain store.

- Describe how to behave around cattle.

Sign-off: Trainee understands the wider site hazards and the correct responses.

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 09 — Emergencies, First Aid & Reporting

When something goes wrong, the first few minutes matter most. Know this before you need it.

In an emergency — the order of actions

1. **Stop the danger if you safely can.** Safe Stop any machine. Don't rush into danger and become a second casualty — that's how rescuers get killed (slurry gas, electricity, machinery).
2. **Make the area safe** — switch off power/PTO, keep others back.
3. **Check the casualty** — are they responsive? Breathing?
4. **Call 999** (or 112). Ask for **Ambulance** (and Fire/Police if needed).
5. **Give first aid** within your training. Don't move someone with a possible spinal injury unless they're in immediate danger.
6. **Send someone to meet the ambulance** at the road/gate to guide them in — farms are hard to find.

Calling 999 from the farm — have this ready NOW

Fill this in during induction and keep it in the cab / on your phone:

Farm name	Truleigh Manor Farm
Full address & postcode	Edburton Road, Henfield, BN5 9LL
what3words — farm entrance	///chicken.airless.hazy (https://w3w.co/chicken.airless.hazy)
what3words — Truleigh Sands	///playback.poker.touched (https://w3w.co/playback.poker.touched)
Field name/number	Give the field you're in (see Module 16)
Nearest road / gate to direct ambulance to	Farm entrance off Edburton Road (///chicken.airless.hazy)
Nearest defibrillator (if any)	_____
Emergency contacts	Ben Hogan 07876 683949 · Sandra Windus 07901 521832 · Office 01903 816065

See the printable [Emergency Information Card](#) — keep one in every cab.

When you call: stay calm, say **where** (postcode + what3words), **what happened**, **how many** hurt, and **what injuries**. Don't hang up until told to. If you can, send someone to the gate to flag the ambulance down.

Mobile signal can be poor in fields. Know the spots with signal. In a real emergency, **112** works on any network and can use any mast. A 999 text service exists if you've pre-registered.

Common farm injuries — quick first aid pointers

(These are pointers only — a proper first aid course is strongly recommended. The farm should have a trained first aider and a stocked kit.)

- **Severe bleeding:** press hard directly on the wound with a clean pad, keep pressing, raise the limb if you can, call 999. Don't remove a soaked pad — add more on top.
- **Crush / entanglement / amputation:** call 999 immediately. Control bleeding. **Keep any severed part** — wrap in clean material, put in a bag, keep cool (not directly on ice) and send with the casualty.
- **Broken bones:** don't move unnecessarily; support the limb; 999.
- **Unconscious but breathing:** put in the **recovery position**, monitor breathing, 999.
- **Not breathing:** start **CPR** if trained; 999 will talk you through it; use a defibrillator if available.
- **Chemical in eyes/skin:** flush with lots of clean water for at least 10–15 minutes; take the product label/safety data sheet to hospital.
- **Suspected slurry gas / electric shock:** **do not approach** until the area is confirmed safe — call 999 and keep clear.
- **Heatstroke:** move to shade, cool rapidly, 999 if confused/collapsed.

First aid kit & welfare

- Know where the **first aid kit** and **eye wash** are (yard and, ideally, in the tractor/telehandler).
- Tell your supervisor if anything is used up so it can be restocked.
- Clean water, soap and a place to rest should be available.

Reporting — accidents AND near misses

- **Report every accident, injury and near miss** to your supervisor straight away — even if no one was hurt. A near miss is a free warning; reporting it stops the next one being a tragedy.
- The farm should record incidents in an **accident book**.
- Some incidents must be reported to HSE by the **employer** under **RIDDOR** (Reporting of Injuries, Diseases and Dangerous Occurrences Regulations) — e.g. deaths, specified serious injuries, injuries causing more than 7 days off work, and certain dangerous occurrences. **That's the employer's duty — your job is to tell your supervisor everything.**

- Never hide a mistake or a near miss out of embarrassment. Speaking up is exactly what a good worker does.
-

Discussion / demonstration

- Say the full 999 information for this farm from the card above, out loud.
- Show the recovery position (on a willing volunteer or describe it).
- Explain what you'd do if you found someone caught in a baler.
- Explain why you don't rush straight in to a slurry/electrical incident.

Sign-off: Trainee knows the emergency procedure, can call for help with farm location, and will report all incidents and near misses.

Trainee signature: ____ **Supervisor signature:** ____ Date: ____

Module 10 — Knowledge Check (Quiz)

Trainee name: ____ Date: _

Complete this **after** working through Modules 01–09. Answer in your own words / circle the answer. Your supervisor will mark it using Module 11. The **safety-critical questions are marked ★ — you must get these right**. Anything missed will be re-taught before you work unsupervised.

Section A — Farm safety basics

1. Why is farming considered one of the most dangerous industries in the UK?
 2. Name **three** of the main causes of death on UK farms.
 3. ★ List the **two** most important things you must do before you operate any machine you haven't been trained on. (Clue: it involves asking and being signed off.)
 4. True or false: "There's no job on the farm urgent enough to be worth getting hurt for." Explain.
 5. Name three things you should locate during your first-day induction.
-

Section B — Safe Stop & the big killers ★

1. ★ Write out the **four steps of Safe Stop**, in order.
 2. ★ Name **three** situations where you must perform Safe Stop.
 3. ★ A baler is blocked. Describe exactly what you do, step by step, before clearing it.
 4. ★ Why do you wait after switching off, even though you've disengaged the PTO?
 5. Roughly what percentage of run-over deaths on farms could be prevented just by using the handbrake?
-

Section C — Tractors

1. At 16, on a public road, what licence do you need to drive a tractor, and what width limit applies?
2. ★ Why do you drive **up and down** a slope rather than across it?
3. ★ Why must you never hitch a load high up on the tractor instead of at the drawbar?
4. What is "three points of contact" and when do you use it?
5. If a tractor with a cab and seatbelt starts to overturn, should you jump out or stay in? Why?

6. Name three things you check in a pre-start walk-round.
 7. True or false: it's fine to give a mate a lift in the trailer across the field. Explain.
-

Section D — Telehandlers & loaders ★

1. ★ Can a 16-year-old operate a telehandler? Under what conditions?
 2. ★ Why must you travel with the load **low** and the boom retracted?
 3. ★ What document tells you the maximum safe load, and what happens to capacity as you raise and extend the boom?
 4. ★ Why must you never use the loader bucket to move round bales?
 5. ★ The telehandler boom contacts an overhead power line. What do you do?
 6. Can you lift a person on the forks? Explain.
-

Section E — PTO & machinery ★

1. ★ What is the PTO shaft and why is it so dangerous?
 2. ★ Why must loose clothing, cords and jewellery be tied up or removed around machinery?
 3. ★ A guard is broken. What do you do? Can you run the machine?
 4. What is "stored energy" and give one example on a baler or mower.
 5. Where should you stand when a round bale is being ejected from the baler? Why?
-

Section F — Hay & haylage ★

1. List the stages of making hay/haylage from field to stack.
 2. ★ How do you build a bale stack so it doesn't collapse, and why must you never climb on it?
 3. ★ What are the warning signs that stacked hay is heating up, and what must you do?
 4. Why are haylage bales heavier than hay bales, and why does that matter for the telehandler?
 5. Why are long days and "one more load in the dark" a particular danger?
-

Section G — Health, PPE & site hazards

1. ★ Describe how to lift a heavy object correctly.

2. When must you wear (a) ear protection (b) a dust mask (c) eye protection?
 3. What is "Farmer's Lung" and how do you avoid it?
 4. ★ Why must you never walk on an old farm building roof?
 5. ★ Why must you never enter a slurry tank or grain store?
 6. How should you behave around cattle, especially cows with calves?
-

Section H — Emergencies ★

1. ★ Someone is seriously injured in the far field. Describe what you do, in order, including exactly what information you give to 999 and how you help the ambulance find the farm.
-

Trainee — anything in this pack you're still unsure about? Write it here so we cover it:

Module 11 — Knowledge Check Answer Key

For the supervisor. ★ = safety-critical: the trainee must get these right before unsupervised work. Re-teach anything missed.

Section A

1. Heavy machinery, working alone, vehicles, livestock, working at height, time pressure; fatal injury rate ~21× the all-industry average.
2. Any three: transport (run-over/overtake/crush), being struck by moving/falling objects (e.g. bales), livestock, machinery entanglement (incl. PTO), falls from height.
3. ★ **Ask your supervisor, and be trained and signed off as competent — never use a machine you haven't been trained on.**
4. True. No task is worth a serious injury; if unsure or unsafe, stop and ask.
5. Any three: first aid kit, fire extinguishers, assembly point, overhead power lines, fuel/chemical stores, farm address for 999, welfare facilities, supervisor contact.

Section B ★

1. ★ **1) Handbrake on 2) Controls in neutral 3) Engine off 4) Key out.** ("Brake-Neutral-Off-Out.")
2. ★ **Any three:** before leaving the seat; before anyone approaches; before clearing a blockage; before any adjustment/maintenance/refuelling/greasing; before walking away.
3. ★ Safe Stop (handbrake, neutral, PTO disengaged, engine off, key out and pocketed) → **wait for all moving parts to fully stop** → clear with a tool, watching for stored energy → replace guard → stand clear → restart.
4. ★ Moving parts (flywheels, rotors, tines) **coast on for several seconds** after drive is disengaged and can still entangle/injure.
5. About **60%**.

Section C

1. **Category F licence;** tractor up to **2.45 m wide** (and trailer ≤ 2.45 m, two wheels or four close-coupled). Width limit lifts at 17.
2. ★ Driving across a slope risks a **sideways overturn**; up/down keeps the tractor's centre of gravity stable.
3. ★ Hitching high makes the tractor **rear up and roll over backwards** when it pulls; always use the drawbar/proper hitch at the correct (low) height.
4. Two hands + one foot (or two feet + one hand) in contact when getting on/off; used every time mounting/dismounting — never jump.
5. **Stay in**, hold on, lean away from the fall. The cab/ROPS + seatbelt protect you; jumping out means being crushed.
6. Any three: tyres, fluids/leaks, lights/beacon, PTO and guards, brakes, seatbelt, steps/handholds, hitch/linkage.
7. **False** — no passengers in/on trailers, ever. They can fall and be run over/crushed.

Section D ★

1. ★ **Yes, but only on private land, and only if trained (ideally accredited), demonstrably competent and mature, AND adequately supervised.** Never on a public road at 16.
2. ★ A raised/extended load raises the centre of gravity and the machine **tips** (sideways or forwards), especially turning or on slopes.
3. ★ The **load chart / rated capacity indicator**. Capacity **drops sharply** as the boom is raised and extended forward.
4. ★ Bales can **roll back** down the loader arms toward the cab/operator; use a bale spike or grab designed for the job.
5. ★ Stay in the cab; if possible drive clear of the line; warn everyone to keep back and not touch the machine; call 999 and the network emergency line (105). Only if forced out by fire: **jump clear feet together, don't touch machine and ground at once, shuffle away.**
6. Only in a **purpose-made, tested man-basket/cage rated for that telehandler** — never on the bare forks.

Section E ★

1. ★ The Power Take-Off shaft transfers engine power to the implement, spinning at 540/1000 rpm; it **entangles clothing/limbs** and kills/dismembers. It must be fully guarded with anti-rotation chains.
2. ★ Loose items can be **caught by rotating parts** and drag the person in. Tie up/remove; tuck in clothing; tie back hair.
3. ★ **Take the machine out of use and report it — do NOT run it.** Replace/repair the guard before use.
4. Energy held in tensioned springs, hydraulic pressure, raised parts or a loaded pick-up reel that can spring back when released; e.g. a baler pick-up under tension, a raised mower.
5. **Stand well clear of the rear** — an ejected bale and the tailgate can strike/crush you.

Section F ★

1. Mow → ted/turn → rake (row up) → bale → (wrap, for haylage) → cart → stack.
2. ★ Build square, **bonded/overlapping**, on firm level ground, not too tall for the base, away from lines/edges; **never climb it** — falls and collapses kill; take stacks down top-down.
3. ★ Hot/"burning caramel" smell, steam, stack hot to a probe; **tell supervisor immediately, do not disturb the hot stack** (adding air can ignite it), be ready to call 999.
4. They contain **more moisture**, so they're heavier; this must be within the telehandler's **load limits** for the boom position used.
5. Fatigue slows reactions and judgement; rushing in poor light causes mistakes — most accidents cluster in long, pressured days.

Section G

1. ★ Stable base, close to load, **bend knees not back**, secure grip, lift with legs, keep load close, **don't twist**, set down with knees. Use a machine/help for heavy loads.

2. (a) Noisy machines / when you'd raise your voice to be heard; (b) dusty or mouldy hay/dust; (c) tedding/mowing/grinding or anything that could flick into eyes.
3. A serious, sometimes permanent lung disease from breathing **mould spores** in hay; avoid by wearing an FFP3 mask, working upwind, not disturbing mouldy bales unmasked.
4. ★ Roofs (fibre/asbestos cement, rooflights) are **fragile** — you fall straight through. Specialist job only.
5. ★ Risk of **toxic gas / no oxygen** (slurry gas kills in seconds) and **engulfment/suffocation** in grain. Confined-space entry needs permits, testing and rescue — never for an inexperienced young worker.
6. Calm and quiet, keep an escape route, never get cornered or between a cow and calf, treat bulls as dangerous, don't enter alone if inexperienced.

Section H ★

1. ★ Make it safe without becoming a second casualty (Safe Stop, isolate power); check the casualty; **call 999/112 — give postcode + what3words/grid ref, what happened, how many hurt, injuries**; give first aid within training (recovery position / control bleeding / CPR if trained); **send someone to the gate/road to guide the ambulance in**; report to supervisor.

Marking note: Treat any ★ question answered wrongly as a re-teach before the trainee works unsupervised on the relevant task. Record completion in Module 14.

Module 12 — Young Person Risk Assessment (Template)

Complete this before the young person starts work. It is a legal requirement under the Management of Health and Safety at Work Regulations 1999 (reg. 19) and must take account of the young person's inexperience, immaturity and lack of awareness of risk. Review it whenever tasks, equipment or the worker's experience change.

Details

Business / farm	Truleigh Manor Farm
Assessment carried out by	_____
Date	_____
Young person's name	_____
Tasks they will do	Haymaking & haylage: tractor driving, tedding, raking, baling, wrapping, carting, telehandler/bale handling, general yard work
Supervisor(s)	_____

How to use the grid

For each hazard: rate the **risk before controls** (Low / Med / High), list the **controls** you will actually put in place, then rate the **residual risk**. Add anything specific to your farm. The "young person factors" column is the legal extra you must consider — their inexperience and how you'll manage it.

#	Hazard	Who's at risk & how	Risk (before)	Controls (what you will do)	Young-person factors	Residual risk	Action / by whom
1	Tractor — overturn/run-over	Crush, run-over, rollover	High	Trained & signed off (Mod 03); seatbelt; Safe Stop; up/down slopes; no high hitching; no passengers; speed limits	Inexperience on slopes/ yard → direct supervision early; build up gradually		

#	Hazard	Who's at risk & how	Risk (before)	Controls (what you will do)	Young-person factors	Residual risk	Action / by whom
2	Telehandler — tip/crush/ falling load/ lines	Operator & bystanders	High	Accredited (Lantra/NPTC) training; load low; load chart; right attachment; lines mapped; direct supervision; LOLER-inspected attachments	Immaturity/ over-confidence with reach & load → strict supervision; defer lone use		
3	PTO & machinery entanglement	Operator	High	Full PTO guard + chains; no loose clothing; blockages cleared only after Safe Stop & all motion stopped (Mod 05); guards never defeated	Lack of awareness of coasting parts → drill the stop procedure; supervise		
4	Mower/tedder — thrown objects & blades	Operator & bystanders	High	Bystanders kept clear; eye protection; blades checked; wait for stop			
5	Baler/ wrapper — ejection, crush, rotating arm	Operator & bystanders	High	Stand clear of rear/arm radius; no hand feeding; slow on slopes			
6	Bale handling & stacking — falling/rolling bales, stack collapse	Operator & those nearby	High	Correct attachment; carry low; exclusion zone; bonded stable stacks; no climbing stacks; round bales chocked	Tendency to take shortcuts → supervise stacking; agree max stack height		

#	Hazard	Who's at risk & how	Risk (before)	Controls (what you will do)	Young-person factors	Residual risk	Action / by whom
7	Manual handling	Back/ musculoskeletal injury	Med	Use machines for heavy loads; good technique (Mod 07); split loads; get help	Still developing physically → limit heavy lifting		
8	Noise	Permanent hearing loss	Med	Ear protection provided & worn; doors shut			
9	Dust / mould (Farmer's Lung)	Lung disease	Med	FFP3 masks; work upwind; don't disturb mouldy hay unmasked			
10	Vibration (HAVS / whole-body)	Nerve, circulation, back damage	Med	Seat set for weight; limit tool time; report symptoms			
11	Heat / sun / dehydration	Heat illness, sunburn, skin cancer	Med	Water; breaks; sunscreen/ hat; recognise heat exhaustion	Won't always self-manage → supervisor prompts breaks/fluids		
12	Working at height / fragile roofs	Fatal falls	High	Avoid height; no climbing stacks/roofs; proper access only			
13	Overhead/ underground electricity	Electrocution	High	Lines mapped; high-reach work kept clear; emergency procedure known			
14	Fire (machinery, fuel, hay heating)	Burns, property	Med	Extinguishers on machines; clear chaff; monitor stacks; no smoking			

#	Hazard	Who's at risk & how	Risk (before)	Controls (what you will do)	Young-person factors	Residual risk	Action / by whom
15	Slurry gas / confined spaces	Asphyxiation, poisoning	High	Prohibited for this worker; keep clear during agitation	Must be an absolute no-go area	Low	
16	Livestock	Crush/trample	Med/High	Keep clear unless directed; escape routes; never alone if inexperienced			
17	Chemicals/ fuel	Poisoning, burns	Med	No pesticide handling without certificate; PPE per label; wash before eating			
18	Fatigue / long hours / time pressure	Errors, all of the above	High	Reasonable hours; breaks; "no rushing in the dark"; can always say stop	Young workers feel pressure to please → make stopping explicitly OK		
19	Lone working	Delayed help if hurt	High	Restrict lone working on high-risk tasks; check-in routine; phone & location card	Not for an inexperienced 16-yr-old on machinery initially		
20	Public roads	Collision	High	Road use only within licence/ competence; width rules; hi-vis; many tasks kept off-road	Defer road work until competent		

(Add farm-specific hazards: ponds, specific slopes, particular gateways, weak bridges, electric fences, etc.)

| 21 | | | | | | |
| 22 | | | | | | |

Working hours for under-18s (note)

Young workers (school-leaving age to 18) generally have limits on working hours and rest breaks under the Working Time Regulations (typically not more than 8 hours/day or 40/week, with daily and weekly rest), with limited exceptions in agriculture. **Check current rules and agree reasonable hours** — especially important during pressured haymaking. Fatigue is itself a major hazard (row 18).

Sign-off

I confirm this risk assessment has been completed, the controls are in place, and the young person has been informed of the risks and the controls.

Assessor: ____ **Signature:** ____ Date: ____

Young person — I have had the risks and controls explained to me and I understand them.

Name: ____ **Signature:** ____ Date: ____

Module 13 — Practical Competency Checklist & Sign-Off

Knowing the theory is not the same as being able to do it safely. For each machine/task, the trainee must be observed doing it correctly before unsupervised use. Tick when consistently competent. Don't sign until you'd be comfortable with them doing it on their own (where their age/competence and the risk assessment allow).

Trainee: _____

Rating: **D** = needs demonstration to them · **A** = assisted/practising under direct supervision · **C** = competent, can do under general supervision

General

Skill observed	D	A	C	Supervisor initials	Date
Recites & performs Safe Stop correctly, every time					
Three points of contact mounting/dismounting					
Correct PPE selected and worn for the task					
Recognises and reports hazards / defects					
Clears a blockage correctly (Safe Stop, parts stopped, tool)					
Knows emergency procedure & farm 999 location info					

Tractor

Skill observed	D	A	C	Initials	Date
Full pre-start walk-round & defect check					
Safe starting (from seat, neutral, PTO off)					
Smooth driving, appropriate speed, awareness of width					
Slopes handled correctly (up/down, slow)					
Hitching trailer/implement (drawbar, brakes, lights, chain)					
Tipping a trailer safely (level ground, clear of lines)					
Reversing with awareness of people/obstacles					

Telehandler / loader (also requires accredited certificate)

Skill observed	D	A	C	Initials	Date
Pre-use checks incl. attachment locked					
Reads & applies the load chart					
Travels with load low, boom retracted					

Skill observed	D	A	C	Initials	Date
Picks up / carries / places a bale safely					
Maintains exclusion zone around the machine					
Plans work clear of overhead lines					
Parks correctly (attachment down, Safe Stop)					
Accredited (Lantra/NPTC) certificate held ☐ Yes (date ____) ☐ No					

Field machinery (hay/haylage)

Skill observed	D	A	C	Initials	Date
Connects/disconnects PTO safely (engine off, guarded)					
Tedder/rake: operates, folds, clears safely					
Mower: operates with bystanders clear, blades checked					
Baler: operates; stands clear of ejection; slopes					
Wrapper: operates clear of rotating arm; reloads film stopped					

Bale handling & stacking

Skill observed	D	A	C	Initials	Date
Uses correct attachment (not bucket)					
Builds a stable, bonded stack to agreed max height					
Keeps people clear; never climbs the stack					
Manages rolling round bales / chocks on slopes					

Authorisation to operate

The trainee is authorised to operate the following **under the supervision level stated**, having been assessed as competent:

Machine / task	Supervision level (direct / general / solo)	Authorised by	Date
Tractor (field)			
Tractor (road)			
Telehandler			
Tedder / rake			
Mower			
Baler			
Wrapper			
Bale stacking			

Review authorisation if performance slips, after any incident, or if conditions change. Nothing here overrides the legal age rules in Module 00.

Module 14 — Training Record & Certificate

Keep this on file as evidence that information, instruction and training were provided. Update the competency checklist (Module 13) separately as skills develop.

Training record

Trainee: _____ **Farm:** Truleigh Manor Farm **Age:** 16

Module	Topic	Date completed	Trainee initials	Supervisor initials	Notes / re-teach
01	Induction & golden rules				
02	Big killers & Safe Stop				
03	Tractors				
04	Telehandlers & loaders				
05	PTO & field machinery				
06	Hay & haylage operations				
07	Manual handling, PPE, noise, dust, vibration, heat				
08	Site hazards				
09	Emergencies, first aid & reporting				
10/11	Knowledge check (quiz) — score: ____ / 40; ★ all correct? ☐				
12	Young person risk assessment completed & explained				
13	Practical competency sign-offs	(ongoing)			

External / accredited training

Course	Provider	Date	Certificate ref	Expiry
Telehandler / rough-terrain lift truck	Lantra / NPTC			
ATV / quad (if used)	Lantra / NPTC			
Emergency first aid at work (recommended)				
Other				

Toolbox talks / refreshers

Date	Topic (e.g. Safe Stop, slopes, lines, fatigue)	Given by	Notes

Certificate of completion

This is to certify that

_____ (trainee)

has completed the Truleigh Manor Farm Health & Safety Training Pack covering farm safety, Safe Stop, tractors, telehandlers, PTO and field machinery, hay & haylage operations, manual handling and occupational health, site hazards, and emergency procedures; has passed the knowledge check; and has been assessed against the practical competency checklist for the machines/tasks authorised in Module 13.

The young-person risk assessment (Module 12) has been completed and the controls put in place.

Trainee signature	____ Date: _
Supervisor signature	____ Date: _
Employer / responsible person	____ Date: _

Next review date: ____ (review at least annually, after any incident, or when tasks/equipment change.)

Keep on file together

- This record + certificate
- Completed risk assessment (Module 12)
- Completed competency checklist (Module 13)
- Marked quiz (Module 10)
- Copies of external certificates
- Employer's Liability insurance certificate (confirm young/family worker is covered)

Module 15 — Machinery Handbook

Truleigh Manor Farm — safe operation & maintenance of our kit

This is the machine-by-machine reference for the equipment used in our hay and haylage operation.

It builds on the general machine modules — read those **first**, because the rules in them apply to everything here:

- **Module 02 — Safe Stop** (handbrake → neutral → engine off → key out)
- **Module 03 — Tractors**
- **Module 04 — Telehandlers**
- **Module 05 — PTO & field machinery**

Three rules that apply to every machine in this handbook

1. **The operator's manual is the final word.** This handbook gives the safe routine and the key numbers; the manual in the cab gives the exact figures, intervals and warnings for that machine.
If they ever disagree, follow the manual and tell your supervisor.
2. **Only operate a machine you have been trained and signed off on** (Module 13).
Being shown once is not being signed off.
3. **Safe Stop before you leave the seat, before anyone approaches, and before you touch anything**
— for checks, fuelling, greasing, clearing a blockage, or adjusting.

How to use this handbook

For each machine: read the page → have it demonstrated → operate it under supervision → get the sign-off line filled in. Do the **daily checks, fuelling** and **greasing** as part of the routine, not as an afterthought.

Page	Machine	Type
A1 — Fuelling up	Shared procedure — diesel & AdBlue	All
A2 — Greasing & daily maintenance	Shared procedure	All
B1 — Case IH Puma 240 CVX	Tractor (~240 hp, CVT)	Tractor
B2 — John Deere 6150R	Tractor (~150 hp)	Tractor
C1 — JCB 541-70 Loadall	Telehandler (4.1 t / 7.0 m)	Telehandler
C2 — JCB 516-40	Compact telehandler (1.6 t / 4.0 m)	Telehandler
D1 — Kuhn GF 8501	Rotary tedder (~8.5 m)	Field machine

Page	Machine	Type
D2 — Kuhn GA twin rotor rake	Twin-rotor rake	Field machine
D3 — New Holland BB940A	Large square baler	Field machine
D4 — Kuhn front & rear 3 m mowers	Disc mower combination (~6 m)	Field machine
E1 — Bale grabs & squeeze	Telehandler attachments	Attachment
E2 — Bale trailers	Trailed transport	Trailer

What this handbook does NOT cover

This is an **operator's safety handbook**, not a workshop service manual. It deliberately does not give engine internals, exact torque values, fluid grades or full service schedules — those come from each machine's manufacturer manual and are the job of an experienced mechanic or the dealer. Your maintenance role as a young operator is **daily checks, fuelling and greasing** done safely.

A1 — Fuelling Up (Diesel & AdBlue)

Shared procedure for all tractors and telehandlers. Refuelling is routine — which is exactly why people get careless. Diesel is a fire and environmental hazard, and a slip/trip hazard around the fuel store.

Before you fuel

- **Engine OFF. Safe Stop** (handbrake, neutral, key out). Never refuel a running engine.
 - **No smoking, no naked flames, no phones** at the fuel store or pump.
 - Park on **firm, level ground** by the fuel store.
 - Know where the **spill kit** and **fire extinguisher** are at the fuel store.
 - Wear **gloves**; avoid breathing fumes; don't get diesel on your skin or clothes.
-

Diesel — the routine

1. Open the fuel store / bowser as instructed; check the **nozzle and hose** are sound.
2. Wipe around the filler cap so dirt doesn't drop into the tank; remove the cap.
3. Put the nozzle **fully into the filler** and keep hold of it the whole time — **don't walk away**.
4. Fill **steadily**; listen and watch for the level. **Stop before it overflows** — don't "top off" to the brim, especially on a hot day (diesel expands and will overflow).
5. Replace the cap firmly. Wipe up any drips with the spill kit/rag.
6. Log the fuel taken if the farm keeps a fuel book.

Static electricity can ignite fuel vapour. Keep the nozzle in contact with the filler neck while filling. Never fill a container on the back of a plastic-lined truck bed.

AdBlue / DEF (Puma 240 CVX, 6150R, modern telehandlers)

Modern diesel engines use **AdBlue** (a urea solution, also called DEF) in a **separate blue-capped tank** to clean the exhaust. It is **not fuel** and must never go in the diesel tank — and diesel must never go in the AdBlue tank. Getting them mixed up causes expensive engine/exhaust damage.

- Use the **blue AdBlue filler** only, with the correct nozzle.
- AdBlue is mildly corrosive and crystallises — **wipe up spills with water** and rinse, don't leave white deposits on paint/connectors.
- Keep it clean — dirt in AdBlue blocks the system. Don't decant it through a dirty funnel.

- Wash hands after handling.

Spills & the environment

A diesel spill that reaches a ditch, drain or watercourse is a **pollution offence** and can kill fish and wildlife — and Truleigh Manor has brooks, lakes and water features (see the field map).

- **Contain any spill immediately** with the spill kit (granules/socks). Don't hose it into a drain.
- Tell your supervisor about **every** spill, however small.
- Never refuel right next to a ditch, pond or drain if it can be avoided.

Fuel store good practice

- Keep the store **locked** and the area free of trip hazards and clutter.
- Report low fuel, leaks, or a damaged hose/nozzle.
- Don't fill jerry cans unless shown how, and only in **approved metal/plastic fuel containers**,
 ▪ on the ground, never in a vehicle. x

Quick do / don't

Do	Don't
Engine off, Safe Stop, before fuelling	Refuel a running or hot-restart engine
Hold the nozzle the whole time	Walk away mid-fill
Stop before the brim	Overfill / top off on a hot day
Use the blue filler for AdBlue only	Mix diesel and AdBlue
Contain spills, tell supervisor	Hose fuel toward a ditch or drain

Sign-off: Trainee can refuel diesel and top up AdBlue safely, and deal with a spill.

Trainee: ____ Supervisor: ____ Date: ____

A2 — Greasing & Daily Operator Maintenance

Shared procedure for all machines. Greasing and daily checks are the maintenance jobs a young operator does — and most maintenance deaths happen because a machine was running, or moved, while someone worked on it. Get the safety routine right every time.

The golden rule of any maintenance: **SAFE STOP** first

Before you grease, check, or touch any machine — even for "just a second":

1. **Handbrake on**
2. **Controls in neutral; lower all attachments** (loader, forks, linkage, mower beds) **to the ground**
3. **Engine off**
4. **Key out and in your pocket** (so no one can start it while you're at the sharp end)
5. **Wait** for any rotating part to **completely stop**

If you must work under something raised (rare — avoid it), it **must be physically propped or locked** — never trust hydraulics to hold it up.

Greasing — how and where

Grease keeps pins, pivots and bearings from seizing and wearing out. A grease gun pushes grease through a **nipple** into the joint.

How to use a grease gun:

- Wipe the **grease nipple** clean first so you don't push grit in.
- Push the coupler squarely onto the nipple; pump until you feel/see fresh grease reach the joint (a little squeezing out is normal — wipe the excess).
- If a nipple won't take grease, **don't force it** — tell your supervisor (it may be blocked or the joint damaged).
- Use the **correct grease**; don't mix random types.

Typical points to grease (check each machine's page and manual for the exact list):

Area	Examples
PTO shafts	Universal joints at each end, the sliding inner tube, and the guard bearings — these are high-wear and often missed

Area	Examples
Three-point linkage / drawbar	Pins, top-link, lift arms, pickup hitch
Loader / telehandler	Boom pivot pins, ram pin ends, headstock/quick-hitch, axle pivots
Tedder / rake	Rotor gearbox arms, wheel pivots, folding rams' pins
Mower	Cutterbar (per manual), pivot points, breakback pivot
Baler	Many points — pickup, plunger area, knotter (per manual/auto-lube), bale chamber rollers
Trailer	Hitch eye, brake linkages, tipping ram pins, axle points

Many balers and bigger machines have **auto-lube** or grease banks (a row of nipples on one block)
 — your supervisor will show you the bank and the schedule.

Daily checks (do before first use each day)

A quick walk-round catches most faults before they bite:

- ☐ **Oil** — engine oil on the dipstick within marks (engine cold/level ground).
- ☐ **Coolant** — level in the expansion tank (only check when **cold** — never open a hot cap).
- ☐ **Hydraulic oil** — sight glass/dipstick level.
- ☐ **Diesel & AdBlue** — enough for the job (see A1).
- ☐ **Tyres** — condition, no big cuts, pressures look right, wheel nuts present.
- ☐ **Leaks** — look under the machine for oil/coolant/hydraulic/fuel pooling.
- ☐ **Guards** — all present and secure, especially **PTO guards and chains**.
- ☐ **Lights, beacon, indicators, brake lights, mirrors, horn** — clean and working.
- ☐ **Steps, handholds, glass** — clean of mud (slip prevention / visibility).
- ☐ **Attachment / implement** — pins, clips and quick-hitch locked.

After maintenance — before you restart

- **Replace every guard** you removed.
- Remove any tools, rags or grease guns from the machine.
- Make sure **no one is near** moving parts.
- Then, and only then, start up.

Report defects — don't just live with them

If something is worn, leaking, loose, missing a guard, or "not quite right":

- **Take the machine out of use** if it's a safety item (brakes, guards, steering, hitch).
- **Tell your supervisor** and, if the farm has one, write it in the **defect/maintenance log**.
- Never "make do" with a broken guard or a dodgy brake to get the job finished.

Quick do / don't

Do	Don't
Safe Stop + key in pocket before greasing	Grease/adjust with the engine running
Wait for all parts to stop	Reach into a coasting machine
Wipe nipples, use correct grease	Force grease into a blocked nipple
Prop/lock anything raised you work under	Trust hydraulics to hold a load up
Replace guards before restarting	Run a machine with a guard off
Report and log defects	"Make do" with a known fault

Sign-off: Trainee can carry out daily checks and grease a machine safely (Safe Stop, correct points, guards replaced).

Trainee: ____ Supervisor: ____ Date: ____

B1 — Case IH Puma 240 CVX (Tractor)

Read [Module 03 — Tractors](#) first. This page adds the points specific to the Puma 240 CVX, our biggest tractor.

At a glance

Type	High-horsepower tractor, ~240 hp
Transmission	CVX = continuously variable transmission (CVT) — no gears to change; speed is stepless via the throttle/drive lever
Fuel	Diesel + AdBlue/DEF (blue cap) — see A1
Why extra care	It's heavy, powerful and wide — big PTO machines (baler, mowers), heavy draft, and more momentum than the 6150R

The CVX has no clutch pedal to "stall" it — it can creep or surge if you're heavy on the drive control. Learn the controls **stationary, in a safe space**, before working with it.

Pre-start daily checks

Do the [A2 daily checks](#), plus on the Puma:

- ☐ Diesel **and AdBlue** levels.
- ☐ CVX transmission / hydraulic oil level (sight glass).
- ☐ Front linkage/PTO (if fitted, for the front mower) — pins, guard, hoses.
- ☐ Cab clean, **seatbelt** working, fire extinguisher present.
- ☐ Wheel weights / ballast and tyre pressures suit the job (heavy draft work).

Safe operation

Start-up

- Get in using **three points of contact**; settle the **seat suspension** to your weight.
- **Seatbelt on**. Start only from the seat, drive lever in neutral/park, PTO off.
- Let it warm up; watch the dash for warnings (AdBlue/DEF, hydraulics, engine).

Driving the CVT

- Move off **gently** — the CVX responds smoothly but instantly; no gear changes, so small inputs make big differences at first.
- Set a **speed limit / cruise** appropriate to the yard, field or road and stick to it.
- Use the **handbrake/park** every time you stop — don't rely on the transmission holding it.

In work (PTO machines)

- Match **PTO speed** (540/1000) to the implement — wrong speed damages kit and is dangerous.
- Engage PTO at **low revs**, build up gently. Never engage at full throttle.
- Keep everyone clear of the PTO shaft and implement (Module 05).

Transport / road

- Latch the **brake pedals together** for the road.
- Mind the **width and length** with mounted/towed kit, especially in our gateways (see field map).
- Beacon on; obey the tractor-on-road rules in Module 03 (licence, width limits at 16).

Slopes

- Heavy + high loader/load = higher tipping risk. Up/down not across, slow, no sharp turns (Module 03). Take extra care on Sands Hill, The Hill and banky ground.

Fuelling & AdBlue

Engine off, Safe Stop, no smoking. Diesel in the standard filler; **AdBlue only in the blue filler**.

Don't run the AdBlue tank dry — the engine may de-rate. See [A1](#).

Greasing & operator maintenance

Safe Stop, key in pocket. Grease the **front and rear linkage pins, top link, pickup hitch, loader**

pins (if loader fitted), and both ends + sliding tube of any PTO shaft in use. Check oil, coolant

(cold only), hydraulic level, tyres and that all guards are on. See [A2](#).

Shutdown / parking

Firm level ground, lower linkage/loader to the ground, drive lever to neutral/park, **handbrake on, engine off, key out**. Don't leave it running unattended.

Quick do / don't

Do	Don't
Seatbelt on, learn CVT controls stationary first	Move off sharply / surge in the yard
Handbrake every stop	Rely on the transmission to hold on a slope
Match & gently engage PTO speed	Slam the PTO in at full revs
AdBlue in blue filler only	Put AdBlue in diesel tank (or vice-versa)
Up/down slopes, slow	Turn across a slope with a high load

Sign-off: Trainee is competent to operate the Case IH Puma 240 CVX under the supervision level set in Module 13.

Trainee: ____ **Supervisor:** ____ Date: ____

B2 — John Deere 6150R (Tractor)

Read [Module 03 — Tractors](#) first. This page adds the points specific to the John Deere 6150R.

At a glance

Type	Mid-large tractor, ~150 hp
Transmission	Powershift / AutoQuad-type (depending on spec) — know whether yours has a clutch pedal and how the ranges work
Fuel	Diesel + AdBlue/DEF (blue cap) — see A1
Typical jobs here	Tedding, raking, front + rear mowing, carting bales, general work

Confirm your exact transmission type and control layout with your supervisor — Deere offers several. Learn **where every control is before you move**.

Pre-start daily checks

Do the [A2 daily checks](#), plus on the 6150R:

- ☐ Diesel **and AdBlue** levels.
 - ☐ Transmission/hydraulic oil level.
 - ☐ Front linkage & front PTO (for the front mower) — pins, guard, hydraulics.
 - ☐ **Seatbelt** and **ROPS/cab** sound; fire extinguisher present.
 - ☐ Tyres and any ballast/wheel weights suited to the implement.
-

Safe operation

Start-up

- Three points of contact in; set seat suspension; **seatbelt on**.
- Start from the seat only, transmission in neutral/park, PTO off.
- Watch the display for warnings (AdBlue/DEF, DPF/regen, hydraulics).

Driving

- Move off smoothly; select range/speed appropriate to the task.
- **Handbrake/park at every stop.**
- Know how the **hitch/SCV (spool) controls** work before connecting implements and hydraulics.

In work (PTO machines — tedder, rake, mower, baler)

- Set the correct **PTO speed** (540/1000) for the implement.
- Engage PTO at **low revs** and build up; never at full throttle.
- For the **front + rear mower combination**, both front and rear PTOs run — keep everyone well clear of both ends (see [D4](#)).

Transport / road

- Brake pedals **latched together** for road.
- Mind width/length through our gateways; beacon on; follow Module 03 road rules.

Slopes

- Up/down not across, slow, no sharp turns, especially with a loader or full kit. Extra care on the steeper ground (see field map).

Fuelling & AdBlue

Engine off, Safe Stop, no smoking. Diesel in the main filler, **AdBlue in the blue filler only**. Don't let AdBlue run dry. See [A1](#).

Greasing & operator maintenance

Safe Stop, key in pocket. Grease **front and rear linkage pins, top link, pickup hitch, loader pins if fitted, and the PTO shaft joints + sliding tube** of the implement in use. Daily oil/coolant (cold)/hydraulic/tyre checks; guards on. See [A2](#).

Shutdown / parking

Firm level ground, lower linkage/loader, neutral/park, **handbrake on, engine off, key out**.

Quick do / don't

Do	Don't
Learn the controls before moving	Guess which lever does what under load
Seatbelt + handbrake every stop	Rely on transmission to hold on a slope
Front + rear mower: keep clear of both ends	Stand near a running front mower
AdBlue in blue filler only	Mix AdBlue and diesel
Gentle PTO engagement	Engage PTO at full throttle

Sign-off: Trainee is competent to operate the John Deere 6150R under the supervision level set in Module 13.

Trainee: ____ Supervisor: ____ Date: ____

C1 — JCB 541-70 Loadall (Telehandler)

Read [Module 04 — Telehandlers](#) first — the law, training and stability rules there are essential. This page adds the JCB 541-70 specifics.

Reminder: a 16-year-old may use this **only on private farmland**, only if **trained (accredited Lantra/NPTC), competent, mature AND adequately supervised** — and **not on a public road**. This is our biggest, longest-reach machine; treat it with the most respect.

At a glance

Type	Agricultural telehandler (Loadall)
Max lift capacity	~4,100 kg (4.1 t)
Max lift height	~7.0 m
Capacity falls to	~1.5 t at full forward reach, ~2.25 t at full height
Machine weight	~8.2 t
Fuel	Diesel (+ AdBlue on newer models)

The key safety fact: the load it can lift **drops sharply as the boom goes up and out**. 4.1 t is only with the boom low and retracted. Always work to the **load chart in the cab**.

Pre-start daily checks

[A2 daily checks](#), plus:

- ☐ Tyres (big, high-pressure) and wheel nuts.
- ☐ **Boom, hoses, rams** — no leaks, no damage, no cracks.
- ☐ **Quick-hitch / headstock:** attachment (bale spike or grab) **locked and pinned**.
- ☐ **Load chart** present and readable; **boom/load stability indicator** working.
- ☐ Brakes, steering, **reversing alarm**, beacon, horn, lights, mirrors/camera.
- ☐ **Seatbelt** — wear it.
- ☐ Forks/attachment correct for the job (see [E1](#)).

Safe operation

Start-up

- Three points of contact in; **seatbelt on**; familiarise yourself with the joystick functions.

Picking up & travelling

- Approach the load square; engage the attachment fully.
- **Lift, then tilt back slightly** to cradle the load.
- **Carry LOW** — boom down and retracted — whenever travelling. A raised load while moving is the classic way to tip a telehandler.
- Travel and **turn slowly**; the machine is long and the back end swings wide.

Lifting & placing

- Position on **firm, level ground**, square to the stack.
- Lift smoothly; **watch the load chart and stability indicator** — stop before any warning.
- **Never extend beyond the chart** for the height/reach you're at.
- Keep **everyone out of the working area** — nobody under or near a raised load.
- Place on firm ground, lower, release, **reverse out straight**.

Overhead power lines (a telehandler killer)

- The 7 m boom can reach lines a tractor never would, and **electricity can arc across a gap**.
- **Know where every line on the farm runs** (mark them on the [field map](#)).
- Plan stacking/tipping **well clear** of lines. If you contact one: **stay in the cab**, reverse/lower clear if possible, keep everyone back, call for help (Module 08).

Slopes

- Keep the **load on the uphill side**, travel up/down, load low. Avoid lifting on a slope.

Never

- Never lift a person on the bare forks — only in a **purpose-made, tested cage** rated for this machine.
- Never use the machine beyond the load chart "to save a second."

Fuelling

Engine off, Safe Stop, no smoking. Diesel (and AdBlue if fitted). See [A1](#).

Greasing & operator maintenance

Safe Stop, **boom down on the ground**, key in pocket. Grease the **boom pivot pins, ram pin ends, the headstock/quick-hitch, and axle/steering pivots** — there are many pins; follow the JCB grease schedule and bank. Check hydraulic oil, leaks, tyres, and that the load chart is legible. See [A2](#).

Shutdown / parking

Firm level ground, **attachment flat on the ground, boom fully retracted and lowered**, handbrake on, engine off, key out. Never park with the boom up or a load raised.

Quick do / don't

Do	Don't
Work to the load chart	Guess the weight / over-reach
Travel with the load LOW, boom in	Drive with a raised load
Turn and travel slowly	Swing the long back end into things/people
Plan work clear of power lines	Raise the boom near overhead lines
Lift people only in a tested cage	Lift anyone on bare forks
Park boom down, attachment on the ground	Leave the boom raised

Sign-off: Trainee is competent to operate the JCB 541-70 under the supervision level set in Module 13. (Accredited certificate also required — record in Module 14.)

Trainee: ____ **Supervisor:** ____ Date: ____

C2 — JCB 516-40 (Compact Telehandler)

Read [Module 04 — Telehandlers](#) and the [JCB 541-70 page](#) first — the same telehandler rules apply. This page covers what's different about the compact 516-40.

Same legal position as the 541-70: **private land only**, trained/competent/supervised, **not on a public road** for a 16-year-old.

At a glance

Type	Compact telehandler
Max lift capacity	~ 1,600 kg (1.6 t) — through the full 4 m height
Max lift height	~ 4.0 m
Capacity at reach	~ 1,000 kg at ~2 m forward reach
Machine weight	~3.4 t

Why "compact" matters for safety: it's smaller, lighter and lifts **less than half** what the 541-70 does, and only ~4 m high. It's handy in tight yards and lower buildings — but because it's light, it can feel **tippy** with a load near its limit. **Don't treat it like the big machine** — its limits come sooner.

Pre-start daily checks

Same as the [541-70](#): tyres, boom/hoses/rams, **attachment locked**, **load chart**, brakes/steering/alarm/beacon/horn/lights, **seatbelt**, correct attachment.

Safe operation — the differences

- **Lower limits:** max ~1.6 t and ~4 m. Round/square bales of haylage are **heavy and wet** — check the bale weight against the chart; the 516-40 will reach its limit faster than the 541-70.
- **Lighter machine = easier to tip:** carry the load **low**, travel/turn **slowly**, and be extra careful with the load raised or on a slope.
- **Tight spaces:** great for low/old buildings, but mind the **boom hitting beams/doorways** and people in confined yard areas — use the alarm/horn and go slow.

- Everything else — load chart, exclusion zone, overhead lines, no lifting people on bare forks,
reversing awareness — is **exactly as the 541-70 page**.

Fuelling

Engine off, Safe Stop, no smoking. Diesel (+ AdBlue if fitted). See [A1](#).

Greasing & operator maintenance

Safe Stop, **boom down**, key in pocket. Grease **boom pivot, ram pins, headstock/quick-hitch, axle pivots**. Check hydraulic level, leaks, tyres, load chart legible. See [A2](#).

Shutdown / parking

Firm level ground, attachment flat on the ground, boom retracted and down, handbrake on, engine off,
key out.

Quick do / don't

Do	Don't
Respect the lower 1.6 t / 4 m limits	Assume it lifts like the 541-70
Check heavy haylage bales against the chart	Pick up a bale heavier than the chart allows
Carry low, turn slowly (it's light & tippy)	Rush with a raised load
Mind the boom in low buildings/doorways	Clout beams or people in tight yards

Sign-off: Trainee is competent to operate the JCB 516-40 under the supervision level set in Module 13. (Accredited certificate also required — record in Module 14.)

Trainee: ____ **Supervisor:** ____ Date: ____

D1 — Kuhn GF 8501 (Rotary Tedder)

Read [Module 05 — PTO & field machinery](#) first. The tedder spreads and turns cut grass to dry it. It's a wide machine with fast-spinning tine rotors.

At a glance

Type	Mounted rotary tedder, ~ 8.5 m working width , multiple rotors
Driven by	Tractor PTO (typically 540 rpm)
Main hazards	Fast spinning tines flinging debris; folding wings (crush points); transport width; tines that coast after the PTO stops

Pre-start daily checks

[A2 daily checks](#) on the tractor, plus on the tedder:

- ☐ **Tines** — present, not bent/broken/missing (flying tines are dangerous). Replace as needed.
 - ☐ **PTO shaft** — full guard + anti-rotation chains, both ends locked on.
 - ☐ **Folding rams/locks** — sound; hoses not chafed.
 - ☐ Rotor gearboxes/arms — no obvious damage; greased (see below).
 - ☐ Transport latches/locks for the road.
-

Safe operation

Hitching

- Hitch on firm, level ground, engine off when connecting the **PTO shaft**; check guard and chains.
- Connect hydraulics for folding; know which lever folds/unfolds.

Unfolding / folding

- **Keep everyone clear of the folding path** — the wings are heavy crush hazards.
- Fold/unfold exactly as the manual shows; engage **transport locks** before the road.

In work

- Engage PTO at **low revs**, build up gently.
- The tines **throw grass, stones and debris** — keep bystanders well clear; wear **eye protection** when working near it.
- Watch your **8.5 m width** — through gateways, near hedges, fences and the sand fencing (see field map), and around field obstacles.
- On slopes and rough ground, go at a sensible speed.

Blockages / tangled grass

- **Safe Stop** (PTO disengaged, engine off, key out) and **wait for the rotors to stop** — they coast for several seconds. Then clear, using a tool, watching for spring-back. Never clear it running (Module 05).

Transport

- Folded, locked, within legal width/height; lights/markers visible; beacon on.

Greasing & operator maintenance

Safe Stop, key in pocket. Grease the **rotor arm pivots, wheel/axle pivots, and the folding ram**

pins, plus the **PTO shaft joints and sliding tube** — to Kuhn's schedule. Check tines and guards before every use. See [A2](#).

Shutdown / parking

Lower to the ground (or park folded as designed) on firm level ground; Safe Stop.

Quick do / don't

Do	Don't
Eye protection; keep bystanders clear	Stand near spinning/throwing tines
Keep clear of folding wings	Be under a folding wing
Wait for rotors to stop before clearing	Unblock with the PTO turning
Mind the 8.5 m width & transport locks	Travel unfolded/unlatched on the road
Replace bent/broken tines	Run with missing/damaged tines

Sign-off: Trainee is competent to operate the Kuhn GF 8501 tedder under the supervision level set in Module 13.

Trainee: ____ **Supervisor:** ____ Date: ____

D2 — Kuhn GA Twin Rotor Rake

Read [Module 05 — PTO & field machinery](#) first. The rake gathers the dried/wilted grass into rows ("windrows") ready for the baler. Two rotors with sprung tine arms sweep the grass together.

At a glance

Type	Trailed/mounted twin-rotor rake
Driven by	Tractor PTO + hydraulics for lift/fold
Main hazards	Rotating tine arms at body height; folding rotors (crush + overhead reach); tines that coast on; transport width/height

Pre-start daily checks

[A2 daily checks](#), plus:

- ☐ **Tine arms & tines** — secure, none bent/broken/missing; **tine guards** in place.
 - ☐ **PTO shaft** — full guard + chains, locked both ends.
 - ☐ **Folding rams, hoses, locks** — sound.
 - ☐ Rotor height/working width set correctly.
-

Safe operation

Hitching & folding

- Connect PTO with the **engine off**; check guard/chains.
- When **folding the rotors up**, they swing **wide and high** — keep clear of the folding path, and **watch for overhead power lines** when rotors are raised for transport (see field map / Module 08).

In work

- Engage PTO at **low revs**.
- The **tine arms sweep round at body height** — never reach in or stand close while it turns.
- Keep bystanders clear; thrown debris and a flicked tine can injure.
- Mind ground speed on slopes and around obstacles.

Blockages / wrapped grass

- **Safe Stop, wait for the rotors and tine arms to stop** (they coast), then clear with a tool.

Watch for sprung tine arms snapping back. Never clear it running.

Transport

- Rotors folded and **locked**; within legal width/height; lights/markers; beacon on.

Greasing & operator maintenance

Safe Stop, key in pocket. Grease the **rotor bearings/cam track points, tine-arm pivots, wheel pivots and folding ram pins** to Kuhn's schedule, plus the **PTO shaft**. Check tines, guards and folding locks. See [A2](#).

Shutdown / parking

Lower rotors to the ground on firm level ground (or park folded as designed); Safe Stop.

Quick do / don't

Do	Don't
Stand well clear of the turning tine arms	Reach toward a turning rotor
Watch power lines when rotors are raised	Fold rotors up under a power line
Wait for everything to stop before clearing	Pull wrapped grass out while it runs
Transport folded & locked	Travel with rotors unlatched

Sign-off: Trainee is competent to operate the Kuhn GA twin rotor rake under the supervision level set in Module 13.

Trainee: ____ Supervisor: ____ Date: ____

D3 — New Holland BB940A (Large Square Baler)

Read [Module 05 — PTO & field machinery](#) first. This is a big square baler — a large, powerful machine with a pick-up, a plunger that rams at high force, knotters, and a heavy bale chute. It demands the most care of any field machine here.

At a glance

Type	Large (big) square baler
Bale size	~ 80 × 90 cm , length ~1.2-2.5 m — bales are heavy (can be several hundred kg)
Power needed	Big PTO — needs ~ 75 kW / 100 hp+ (run with the Puma 240 CVX)
Knotting	Twin/double knotters tie each bale
Main hazards	Plunger (huge crushing force), pick-up entanglement, knotter area, flywheel momentum, heavy bale at the chute, fire (hot, dusty), needles/twine under tension

Pre-start daily checks

[A2 daily checks](#), plus:

- ☐ **PTO shaft** — full guard + chains, locked both ends.
- ☐ **All guards/covers** on the plunger, knotter, drive and flywheel areas — **none missing**.
- ☐ **Pick-up** tines/teeth condition; no build-up jamming it.
- ☐ **Twine** correctly threaded (do this with the machine **stopped**) and enough on board.
- ☐ **Knotters** clean; needles move freely (per manual).
- ☐ Bale chute/ramp sound; **fire extinguisher** on the tractor/baler; blow off chaff build-up.

Safe operation

Hitching

- Hitch to the Puma on firm, level ground; connect the **big PTO** with the **engine off**; check guard and chains; connect hydraulics/electrics for the monitor.

Starting baling

- Clear the area of people.
- Engage the PTO at **low revs** — the **flywheel stores huge energy** — then build up to working revs. Let the plunger settle into rhythm.
- Drive to keep a steady, even feed; don't overload the pick-up.

Critical danger zones — keep out while running:

- **Pick-up** — never reach in; it grabs and pulls.
- **Plunger / bale chamber** — the plunger rams with enough force to **kill instantly**. Never put a hand or tool into the chamber while running, and **never** while the flywheel could still turn.
- **Knotter & needles** — under spring tension; **never** poke at a knotter or pull twine while it runs.
- **Bale chute** — the **heavy finished bale** moves out under power; **stand clear of the rear**.

Blockages — the most dangerous moment

1. **Safe Stop** — PTO disengaged, engine off, **key out and in your pocket**.
2. **Wait for the flywheel and all parts to come to a complete stop** — the flywheel coasts a long time.
3. Release any **stored energy / tension** carefully (per manual). Use a tool, not your hands.
4. Replace guards, stand clear, restart at low revs.

Many baler deaths happen when someone clears a chamber or pick-up with the machine running, or before the flywheel stops. **There is no blockage worth your arm or your life.**

Slopes

- The baler is **tall and heavy** — go slow, avoid holes and drop-offs, no sharp turns across a slope (it can tip). Take care on Sands Hill / The Hill and uneven ground.

Fire watch

- Balers run **hot and dusty** — a real fire risk in dry hay. Blow off chaff from hot parts; keep the **extinguisher** to hand; carry a phone with the [emergency card](#); watch for hot bearings / burning smell.

Greasing & operator maintenance

Safe Stop, key in pocket, **flywheel stopped**. The BB940A has **many grease points** — pick-up, plunger slides, knotter mechanism, chamber rollers, drive — often grouped on **grease banks** and some on **auto-lube**. Follow the New Holland schedule and the bank layout your supervisor shows you. Keep the knotter area clean. Replace all guards before running. See [A2](#).

Shutdown / parking

On firm level ground; lower as designed; Safe Stop; let it cool; never leave it running unattended.

Quick do / don't

Do	Don't
Engage PTO at low revs (flywheel!)	Slam the PTO in at full throttle
Stand clear of the rear when a bale ejects	Stand behind during bale discharge
Safe Stop + wait for flywheel to STOP before clearing	Reach into pick-up/chamber/knotter running
Thread twine with the machine stopped	Feed/pull twine while it runs
Keep extinguisher to hand, blow off chaff	Ignore a hot/burning smell
Slow on slopes (tall & heavy)	Turn sharply across a slope

Sign-off: Trainee is competent to operate the New Holland BB940A under the supervision level set in Module 13. (Given the hazards, expect extended direct supervision on this machine.)

Trainee: ____ **Supervisor:** ____ Date: ____

D4 — Kuhn Front & Rear 3 m Mowers (Disc Mower Combination)

Read [Module 05 — PTO & field machinery](#) first. We run a front-mounted 3 m mower and a rear-mounted 3 m mower together (a "combination", ~6 m cut). Disc mowers have razor-sharp discs/blades spinning extremely fast — the biggest "thrown object" risk on the farm.

At a glance

Type	Front + rear mounted disc mowers , ~3 m each (~6 m combined)
Driven by	Front PTO (front mower) and rear PTO (rear mower) — both running together
Main hazards	Razor-sharp fast discs; thrown stones/objects/broken blades (can travel a long way); two cutting units front and rear; discs that coast after the PTO stops; folding for transport

Pre-start daily checks

[A2 daily checks](#), plus on **each** mower:

- ☐ **Blades/knives** — present, sharp, not cracked or worn thin; **replace damaged blades as a set** with the correct bolts/pins (a flying blade is lethal).
 - ☐ **Disc/skid condition** and cutterbar — no damage.
 - ☐ **Protective curtains/guards/covers** around the cutterbar — **all in place** (these stop thrown objects).
 - ☐ **PTO shafts (front and rear)** — full guards + chains, locked on.
 - ☐ **Breakback** device free (lets the mower swing back if it hits an obstacle).
 - ☐ Folding rams/locks and hoses sound.
-

Safe operation

Before cutting — walk the field

- Disc mowers throw whatever they hit. **Check the field for stones, debris, wire, posts and hidden obstacles**, and for people/animals, before you start.

Hitching

- Connect **front and rear PTOs** with the **engine off**; check both guards and chains.

In work

- Engage PTO at **low revs**, build up gently. Both units come up to speed.

- **Keep everyone well clear — front AND rear, and especially out of the line of throw.** Never let

anyone stand in front of, beside, or behind the mowers while running.

- Lower the cutterbars only when clear; raise at headlands.

- Mind the ~6 m total width and the front unit's reach in gateways and near hedges/fences.

- On slopes, go steady (Module 03).

Hitting an obstacle

- If a mower hits something, the **breakback** lets it swing back — **stop, Safe Stop, and inspect**

for damaged blades before continuing. A cracked blade can fly off.

Blockages / clearing grass

- **Safe Stop** (both PTOs disengaged, engine off, key out) and **wait for the discs to STOP** — they

coast for several seconds and the blades are razor-sharp. Then clear with a tool and gloves. Never near a running or coasting disc.

Transport

- Fold and **lock** as designed; guards/curtains down; within legal width/height; lights/beacon.

Greasing & operator maintenance

Safe Stop, key in pocket, **discs stopped**. Grease **pivot points, folding ram pins and the front + rear PTO shaft joints/sliding tubes**; check the **cutterbar oil level** per Kuhn's manual.

Always replace the protective curtains/guards before running. Inspect blades and fixings daily.

See [A2](#).

Shutdown / parking

Lower cutterbars to the ground on firm level ground (or park folded as designed); Safe Stop.

Quick do / don't

Do	Don't
Walk the field for stones/debris first	Mow over unknown debris/wire
Keep everyone clear, front and rear, out of throw line	Let anyone stand near running mowers
Guards/curtains in place before running	Run with a curtain/guard removed
Replace damaged blades as a set	Carry on with a cracked blade
Wait for discs to fully stop before clearing	Touch a coasting/running disc
Fold & lock for transport	Travel unfolded/unlatched

Sign-off: Trainee is competent to operate the Kuhn front & rear 3 m mower combination under the supervision level set in Module 13.

Trainee: __ **Supervisor:** __ Date: __

E1 — Bale Grabs & Squeeze (Telehandler Attachments)

Read [Module 04 — Telehandlers](#) and the telehandler pages (C1, C2) first. These are the attachments that pick up and stack bales — using the right one, fitted correctly, is what keeps bales from rolling back onto the operator.

At a glance

Bale grab / grapple	Hydraulic arms that grip a bale (or several) from above/around
Bale squeeze	Plates that clamp bales from the sides
Spike (for reference)	A spear into a round bale (Module 06 — never use the plain bucket for bales)
Covered by	LOLER — lifting attachments must be inspected; PUWER — suitable & maintained
Main hazards	A dropped/rolling bale ; the hydraulic clamp/crush of the arms; an attachment not properly locked on the headstock falling off

Before use

- ☐ Correct attachment for the bale type (round vs square; grab vs squeeze).
- ☐ **Fitted and locked** onto the telehandler quick-hitch — **pins/locks engaged**, hydraulic couplers connected and clean.
- ☐ Arms/plates, pivots and rams sound; **no cracks, no leaks**.
- ☐ **LOLER inspection in date** (your supervisor keeps the record) — a lifting attachment must be examined periodically by law.
- ☐ Hydraulic function tested (open/close) before lifting a real bale.

Always confirm the quick-hitch is locked. An attachment that drops off under load is a serious falling-object hazard.

Safe use

- Approach the bale square; **grip/clamp firmly** before lifting — make sure it's secure and won't slip or roll.
- **Carry low**, boom retracted; travel and turn slowly (telehandler stability — see [C1](#)).
- **Keep everyone clear** of the load and the machine's path. A bale that slips from a grab/squeeze falls fast and **rolls** — it can crush.
- Watch the **load weight** vs the telehandler's chart — wet haylage bales are heavy, and the grab/squeeze itself adds weight and changes the load centre.
- Place bales gently and squarely when stacking (Module 06 — bonded, stable, not too high, clear of power lines and edges). Round bales **roll** — chock or stack so they can't run away, especially on any slope.
- Release only when the bale is **stable and supported** on the stack/ground.

Crush hazard from the attachment itself

- The arms/plates close with **hydraulic force** — keep **hands and people out** of the closing area.
- Never reach between the arms/plates or between attachment and bale while the engine is running.

Maintenance

Safe Stop, attachment lowered to the ground, key in pocket. Grease the **arm/plate pivots and ram pin ends**; check hydraulic hoses/couplers for leaks; check the **quick-hitch locking mechanism** works. Report any damage and keep the **LOLER inspection** up to date. See [A2](#).

Quick do / don't

Do	Don't
Confirm attachment locked on the hitch	Lift with an unlocked attachment
Grip/clamp firmly, check secure before lifting	Lift a loosely held bale
Keep people clear of load & rolling path	Let anyone near a suspended bale
Mind heavy haylage vs the load chart	Over-reach / overload
Keep hands out of the closing arms	Reach between arms/plates while running
Keep LOLER inspection in date	Use an out-of-test lifting attachment

Sign-off: Trainee can fit and use the bale grab/squeeze safely under the supervision level set in Module 13.

Trainee: ____ **Supervisor:** ____ Date: ____

E2 — Bale Trailers

Read [Module 03 — Tractors \(Trailers section\)](#) first. Bale trailers carry the finished bales from field to stack. The dangers are an unstable load, bales falling, people riding or standing in the wrong place, and hitching/tipping mistakes.

At a glance

Type	Flat / bale trailer, towed behind the tractor
Main hazards	Load toppling or sliding ; bales falling when loading/unloading/in transit; runaway trailer; overturning (top-heavy load, slopes, speed); crush while hitching ; tipping into overhead lines

Before use

- ☐ **Hitch / drawbar eye** sound; correct size for the tractor pickup hitch.
 - ☐ **Brakes** (if braked) and **lights/indicators** working — connect the lines.
 - ☐ **Breakaway cable / safety chain** present and connected.
 - ☐ Tyres and wheel nuts good; bed clear of loose debris.
 - ☐ Within the **load rating** of trailer and tractor — don't overload.
-

Hitching (a crush danger)

- Reverse up squarely; **Safe Stop** before getting between tractor and trailer.
 - **Never stand between the tractor and trailer while the engine is running.** Many people are crushed at the hitch.
 - Lock the hitch, fit the **safety pin/clip**, connect **brakes, lights and breakaway cable**, raise the jack/stand.
-

Loading & securing

- Load **evenly and low** where possible; build the load **stable and bonded** so it can't shift or topple — like stacking (Module 06).
- Don't build the load **too high** for the trailer's width — top-heavy loads overturn.
- **Secure the load** as required (straps/net) so nothing falls in transit.
- **Round bales roll** — load so they can't roll off; chock if needed.
- Keep **clear of the trailer** while the telehandler loads it — never stand on or beside the bed in the loading zone (falling bales).

Towing

- **No passengers** in or on the trailer or load — **ever**.
- Drive to suit the load: **slow on bends, slopes and rough ground**; a loaded bale trailer is heavy and can push or overturn the tractor.
- Allow extra **braking distance**; check brakes early on a hill.
- Mind **width, length and height** through our gateways and lanes (see field map), and watch for **overhead lines** with a high load.
- Take special care on the steeper ground (Sands Hill, The Hill).

Unloading / tipping

- Unload on **firm, level ground**.
- If the trailer tips: tip only on level ground, **look up for overhead power lines first**, keep people clear, and **never go under a raised body** — prop it if you must work near it.
- Watch for the load **shifting or rolling** as straps come off — stand clear.

Parking

- Park on firm, level ground; chock the wheels; lower the jack/stand; if unhitched, ensure it can't roll. Safe Stop the tractor.

Greasing & maintenance

Grease the **hitch eye, brake linkages, tipping ram pins and axle points**; check brakes, lights and tyres. Report worn hitches, dud lights or poor brakes — these are safety-critical. See [A2](#).

Quick do / don't

Do	Don't
Connect brakes, lights, breakaway cable	Tow without lights/brakes/safety chain
Safe Stop before going to the hitch	Stand between tractor & trailer running
Load even, low, stable, secured	Build a tall top-heavy load
Keep clear while it's being loaded	Stand on the bed during loading
Look up for lines before tipping	Tip under/near overhead power lines
Slow on slopes & bends	Carry passengers on the trailer/load


Sign-off: Trainee can hitch, load, tow and unload a bale trailer safely under the supervision level set in Module 13.

Trainee: ____ **Supervisor:** ____ Date: ____

Module 16 — Farm Map & Field Names

Knowing where you are, what the field is called, and where the hazards are is part of working safely. This map is also your induction markup exercise (Module 01) — print it and mark the hazards on it with your supervisor.

Truleigh Manor Farm — field map



Numbers 1–33 are the fields (see the key below). The bold line is the farm boundary; dashed lines are paths/footpaths. A full-resolution vector version for printing is at [Farm-Map/truleigh-manor-farm-map.svg](#). The original source map is [Farm-Map/Truleigh_Manor_Farm_Field_Maps.kml](#) (open in Google Earth).

Field names key

#	Field	#	Field	#	Field
1	Hither Cowfield	12	North East Sands	23	West Lane
2	East Cowfield	13	Sands Hill	24	The Hill
3	West Cowfield	14	The Sands	25	East Lane
4	The Fletchetts	15	Wood Field	26	Browns Meadow
5	South Flacketts	16	Airstrip	27	OX Pasture
6	North Flacketts	17	Nine Acre	28	The Crofts
7	West Sands	18	East Wood	29	Airstrip Meadow
8	Banky Sands	19	Wingfield	30	The Brooks
9	West Meadow	20	Gratlands	31	North Furze Wood
10	The Lakes	21	Gratlands Paddocks	32	South Furze Wood
11	East Meadow	22	Garden Paddock	33	Williams

Use field names/numbers on the radio/phone so everyone knows exactly where you are — vital if you ever need to direct help to you (Module 09).

Markup exercise — do this at induction (with your supervisor)

Print the map (or the SVG) and **mark on it**, walking the farm where you can:

- ☐ **Overhead power lines** and their routes — and any low ones. (Critical for telehandler, rake-folding and tipping work — Modules 04, 08.)
- ☐ **Steep slopes / banky ground** where tractors and loaded trailers could overturn (e.g. around Sands Hill, The Hill, Banky Sands).
- ☐ **Water** — The Lakes, The Brooks, ponds, ditches and any sand/coastal water features.
- ☐ **Soft / boggy ground** that could bog or tip a machine.
- ☐ **Fragile-roof buildings** and structures **never to climb on** (Module 08).
- ☐ **No-go areas** — slurry stores, tanks, pits, grain stores / confined spaces (Module 08).
- ☐ **Main gateways and pinch points** (narrow gates — mind machine width; note the 10 ft & 12 ft gates) and the **public footpath** (members of the public about — Module 08).

- ☐ The **hay/haylage route** from field → yard → stack, and where bales are stacked.
- ☐ The **fuel/chemical store**.
- ☐ The **assembly point, first aid kit** and **fire extinguisher** locations.
- ☐ The **two emergency locations** for 999 (see card below): **farm entrance** and **Truleigh Sands**.

Keep the marked-up copy with this pack and review it if anything changes.

Emergency locations (for 999 / what3words)

Place	what3words	Link
Farm entrance	<code>///chicken.airless.hazy</code>	https://w3w.co/chicken.airless.hazy
Truleigh Sands	<code>///playback.poker.touched</code>	https://w3w.co/playback.poker.touched

Full emergency details are on the [Emergency Information Card](#) — print it and keep it in the cab.

Regenerating the map

If field boundaries change, update the KML and re-run:

```
python3 tools/render_farm_map.py
```

This rewrites `Farm-Map/truleigh-manor-farm-map.svg` and `.png`.

EMERGENCY INFORMATION CARD — Truleigh Manor Farm

Print this, laminate it, and keep a copy in every tractor/telehandler cab and in the trainee's pocket. In an emergency, calm and clear information saves minutes — and minutes save lives.

IN AN EMERGENCY

1. **Make it safe** — Safe Stop machines; don't become a second casualty (electricity, slurry gas, machinery).
2. **Check the casualty** — responsive? breathing?
3. **CALL 999** (or **112**) — ask for **AMBULANCE** (and Fire/Police if needed).
4. **Give first aid** within your training.
5. **Send someone to the gate to guide the ambulance in.**

SAY THIS TO 999

"Ambulance to **Truleigh Manor Farm, Edburton Road, Henfield, BN5 9LL**. what3words **[give the nearest one below]**. [What happened], [how many hurt], [injuries]."

Location on farm	what3words	Link
Farm entrance	<code>///chicken.airless.hazy</code>	https://w3w.co/chicken.airless.hazy
Truleigh Sands	<code>///playback.poker.touched</code>	https://w3w.co/playback.poker.touched

Use the field name/number too (Module 16) so help comes to the right field. Mobile signal can be poor — 112 works on any network. Don't hang up until told to.

EMERGENCY / KEY CONTACTS

Who	Number
Emergency services	999 (or 112)
Ben Hogan	07876 683949
Sandra Windus	07901 521832
Office	01903 816065
Electricity network (power line strike)	105

ADDRESS (for 999 / deliveries / visitors)

Truleigh Manor Farm
Edburton Road
Henfield
BN5 9LL

ON-FARM (fill in at induction)

Nearest first aid kit	_____
Nearest fire extinguisher	_____
Assembly point	_____
Nearest defibrillator (if any)	_____
Trained first aider on site	_____

If someone is caught in machinery: Safe Stop / switch off power, call 999, control bleeding, keep any severed part clean & cool with the casualty. **Power line strike:** stay in the cab, drive clear if you can, keep everyone back, call 999 + 105. **Slurry gas / collapse:** do NOT enter — call 999 and keep clear.

Sources & Further Reading

This training pack is built on current UK Health and Safety Executive (HSE) guidance and recognised agricultural good practice. The employer should use the original HSE materials alongside this pack and carry out a site-specific risk assessment.

Key UK law referenced

- Health and Safety at Work etc. Act 1974
- Management of Health and Safety at Work Regulations 1999 (regulation 19 — young persons)
- Prevention of Accidents to Children in Agriculture Regulations 1998
- Provision and Use of Work Equipment Regulations 1998 (PUWER)
- Lifting Operations and Lifting Equipment Regulations 1998 (LOLER)
- Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 2013 (RIDDOR)
- Working Time Regulations 1998 (limits for under-18s)

HSE guidance (agriculture)

- HSE — Children and public safety on farms: <https://www.hse.gov.uk/agriculture/topics/children.htm>
- HSE — Training, supervision and assessing risks to young people: <https://www.hse.gov.uk/agriculture/experience/young-people-training.htm>
- HSE — Preventing accidents to children on farms (INDG472): <https://www.hse.gov.uk/pubns/indg472.htm>
- HSE — Preventing accidents to children in agriculture (L116)
- HSE — Safe workplace transport in agriculture: <https://www.hse.gov.uk/agriculture/topics/machinery/farm-vehicles-1.htm>
- HSE — Safe maintenance / Safe Stop: <https://www.hse.gov.uk/agriculture/topics/maintenance-1.htm>
- HSE — Working safely with agricultural machinery (INDG241): <https://www.hse.gov.uk/pubns/indg241.pdf>
- HSE — Agriculture fatal injury statistics (annual)

Other good practice

- NFU — Safe Stop, know the procedure: <https://www.nfuonline.com/updates-and-information/safe-stop-know-the-procedure/>
- NFU Cymru — Driving tractors at age 16, the law: <https://www.nfu-cymru.org.uk/news-and-information/driving-tractors-at-age-16-what-is-the-law/>
- Farmers Weekly — Telehandler law: <https://www.fwi.co.uk/machinery/tips-to-stay-on-the-right-side-of-telehandler-law>
- Farmers Weekly — Tractors on the road, rules and regulations: <https://www.fwi.co.uk/machinery/tractors-road-rights-wrongs-rules-regulations>
- Round baler / bale handling safety (extension agricultural safety programmes)

Machine specifications (for the Module 15 handbook)

Operating limits quoted in the handbook are indicative, from manufacturer/spec-sheet data; the

machine's own operator manual and load chart are always the authority.

- JCB 541-70 Loadall — LECTURA Specs: <https://www.lectura-specs.com/en/model/forklifts/telehandlers-jcb/541-70-1048714>

- JCB 516-40 — LECTURA Specs: <https://www.lectura-specs.com/en/model/forklifts/telehandlers-jcb/516-40-1160926> ; Ritchie Specs: <https://www.ritchiespecs.com/model/jcb-516-40-telescopic-forklift>

- New Holland BB940A large square baler — Ritchie Specs: <https://www.ritchiespecs.com/model/new-holland-bb940a-standard-baler>

- Case IH Puma CVX, John Deere 6R/6150R, Kuhn GF tedders / GA rakes / GMD disc mowers — manufacturer product pages and operator manuals

- HSE — Lift trucks ACOP/guidance and PUWER/LOLER; HSE agriculture machinery pages (as above)

Farm data

- Field names, boundaries and map rendered from the farm's own KML (`Farm-Map/Truleigh_Manor_Farm_Field_Maps.kml`).

Recommended accredited training providers

- **Lantra** (telehandler/RTITB, ATV, etc.)
- **City & Guilds NPTC**
- Local agricultural colleges and approved instructors

Guidance and statistics are updated periodically. Check the HSE agriculture pages for the latest version before relying on specific figures or rules.