



EU DECLARATION OF CONFORMITY

**Suzhou Inovance Technology Co., Ltd.**

No. 52, Tian E Dang Road, Wuzhong District, 215104, Suzhou City, Jiangsu Province,
P.R. China declares under sole responsibility conformity of the following products

Product	Industrial Robot
Model	See Annex for model list
Machinery Directive (MD)	2006/42/EC
Electromagnetic Compatibility Directive (EMC)	2014/30/EU
RoHS Directive (RoHS)	2011/65/EU Amended by (EU)2015/863
Applied Harmonized Standards	EN 60204-1:2018 EN ISO 10218-1:2011 EN IEC 61000-6-2:2019 EN IEC 61000-6-4:2019

The product(s) listed above are in conformity with the essential requirements of the EC Directive(s) mentioned above when installed in accordance with the installation instructions contained in the product documentation and manufactured in accordance with the European harmonised standards.

Trade Mark	INOVANCE
The CE-marking was first affixed in	24
Name, Surname	Yuchuan Liu
Position/Title	President, R&D
Signature	<i>Liu Yuchuan</i>
Date	2025-04-30
European Authorised Representative	Inovance Technology Europe GmbH
Address	Gottlieb-Daimler- Straße 17/2, 74385 Pleidelsheim, Germany
Contact	Hans-Peter Abel



ANNEX

Model list:

Model	Manipulator model	Cabinet Model
IR-R10-acd (*)-INT	IRB-R10-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R12-140cd (*)-INT	IRB-R12-140cd (*)-INT	IRCB501-6ND (*)-INT
IR-R13-140cd (*)-INT	IRB-R13-140cd (*)-INT	IRCB501-6ND (*)-INT
IR-R15-145cd (*)-INT	IRB-R15-145cd (*)-INT	IRCB501-6ND (*)-INT
IR-R16-200cd (*)-INT	IRB-R16-200cd (*)-INT	IRCB501-6ND (*)-INT
IR-R20-acd (*)-INT	IRB-R20-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R25-acd (*)-INT	IRB-R25-acd (*)-INT	IRCB501-6ND (*)-INT
IRGF-R10-acd (*)-INT	IRGF-R10-acd (*)-INT	IRCB501-6ND (*)-INT
IRGF-R20-acd (*)-INT	IRGF-R20-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R35-170cd (*)-INT	IRB-R35-170cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR10-acd (*)-INT	IRB-CR10-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR12-140cd (*)-INT	IRB-CR12-140cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR13-140cd (*)-INT	IRB-CR13-140cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR15-145cd (*)-INT	IRB-CR15-145cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR16-200cd (*)-INT	IRB-CR16-200cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR20-acd (*)-INT	IRB-CR20-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR25-acd (*)-INT	IRB-CR25-acd (*)-INT	IRCB501-6ND (*)-INT
IR-S4-40Zbcd (*)-INT	IRB-S4-40Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-S7-aZbcd (*)-INT	IRB-S7-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-GS10-aZbcd (*)-INT	IRB-GS10-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-S10-aZbcd (*)-INT	IRB-S10-aZbcd (*)-INT	IRCB501-4MD (*)-INT



IR-S20-aZbcd (*)-INT	IRB-S20-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-GS20-aZbcd (*)-INT	IRB-GS20-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-S25-aZbcd (*)-INT	IRB-S25-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-GS25-aZbcd (*)-INT	IRB-GS25-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-S30-aZbcd (*)-INT	IRB-S30-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-GS30-aZbcd (*)-INT	IRB-GS30-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-S35-aZbcd (*)-INT	IRB-S35-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-GS35-aZbcd (*)-INT	IRB-GS35-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CS3-40Zbcd (*)-INT	IRB-CS3-40Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CS6-aZbcd (*)-INT	IRB-CS6-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CS10-aZbcd (*)-INT	IRB-CS10-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CS20-aZbcd (*)-INT	IRB-CS20-aZbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CS50-120Zbcd (*)-INT	IRB-CS50-120Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CTS3-35Zbcd (*)-INT	IRB-CTS3-35Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-CTS4-35Zbcd (*)-INT	IRB-CTS4-35Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-C8-62Zbcd (*)-INT	IRB-C8-62Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-TS4-35Zbcd (*)-INT	IRB-TS4-35Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-TS5-55Zbcd (*)-INT	IRB-TS5-55Zbcd (*)-INT	IRCB501-4MD (*)-INT
IRS111-3-aZbTSd (*)-INT	IRB111-3-aZbTSd (*)-INT	IRCB501-4MD (*)-INT
IRS111-10-50ZbTSd (*)-INT	IRB111-10-50ZbTSd (*)-INT	IRCB501-4MD (*)-INT
IRS111-20-aZbTSd (*)-INT	IRB111-20-aZbTSd (*)-INT	IRCB501-4MD (*)-INT
IR-S50-120Zbcd (*)-INT	IRB-S50-120Zbcd (*)-INT	IRCB501-4MD (*)-INT
IR-GS50-120Zbcd (*)-INT	IRB-GS50-120Zbcd (*)-INT	IRCB501-4MD (*)-INT
IRS311-3-60TSd (*)-INT	IRB311-3-60TSd (*)-INT	IRCB501-6ND (*)-INT
IRS311-7-aTSd (*)-INT	IRB311-7-aTSd (*)-INT	IRCB501-6ND (*)-INT
IR-R4-acd (*)-INT	IRB-R4-acd (*)-INT	IRCB501-6ND (*)-INT



IR-R4H-54cd (*)-INT	IRB-R4H-54cd (*)-INT	IRCB501-6ND (*)-INT
IR-R7-acd (*)-INT	IRB-R7-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R7H-acd (*)-INT	IRB-R7H-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R10-acd (*)-INT	IRB-R10-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R10H-acd (*)-INT	IRB-R10H-acd (*)-INT	IRCB501-6ND (*)-INT
IR-R11-90cd (*)-INT	IRB-R11-90cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR4-acd (*)-INT	IRB-CR4-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR4H-54cd (*)-INT	IRB-CR4H-54cd (*)-INT	IRCB501-6ND (*)-INT
IR-CR7-acd (*)-INT	IRB-CR7-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR7H-acd (*)-INT	IRB-CR7H-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR10-acd (*)-INT	IRB-CR10-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR10H-acd (*)-INT	IRB-CR10H-acd (*)-INT	IRCB501-6ND (*)-INT
IR-CR11-90cd (*)-INT	IRB-CR11-90cd (*)-INT	IRCB501-6ND (*)-INT

Remark:

'a' stand for the Manipulator length; special: 54 stands for 54.5cm.

'b' should be 10-60 for the length of the 3axis Lead screw.

'c' should be the installation environment, C: clean, S: standard, P: high protection,
F: die casting, WS: wall+ standard, WC: wall+ clean, WP: wall+ high protection,
EX: explosionproof.

'd' should be 3-20 or blank for the towing cable information.

'(*)' may include a suffix "XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or combination of any alphanumeric and/or symbols that represents customer identity.

Pendant Models: IRTP80-Le (*), RTP81-Le (*), IR-TP200-Le(*).

'e' should be 3-30 or blank for the towing cable information.

'(*)' may include a suffix "XXXXXXXXXX", Where "XXXXXXXXXX" can be blank or combination of any alphanumeric and/or symbols that represents customer identity.

Expansion Board Models:

IRCB501-2ENID-BD, IRCB501-1600END-BD, IRCB501-0016ETND-BD,
IRCB501-FS-01-BD, IRCB501-2PN-BD, IRCB501-6LDI3-BD.