

Sales Enquiry — First Contact

Flow Node Reference

Holar Technologies
Generated: 20 August 2026

Flow ID 4bccf087-bcd0-485d-9ed1-6279887efab3

Status Active

Trigger first_inbound_message

Entry Node start

Total Nodes 24

This document lists every node in the flow, its type, and its purpose.

1. Flow Path Overview

The flow triggers on a contact's first inbound message and guides them through three main paths: Sales qualification, Support, or Human handoff.

Sales path: start !' welcome !' menu !' services_list !' service detail !' qualification (×6) !' qualify_tag !' sales_handoff

Support path: start !' welcome !' menu !' support_msg !' support_handoff

Human path: start !' welcome !' menu !' human_msg !' human_handoff

2. All Nodes

1 **start** start

Entry point of the flow. Automatically routes to the welcome node.

2 **welcome** send_message

Sends the greeting message with a numbered list of 8 services (web design, redesign, e-commerce, SEO, AI, custom platform, marketing, speak to team).

3 **menu** send_list

Main service menu displayed as an interactive WhatsApp list. Four options: Sales (service_sales), Support (service_support), Talk to a human (service_human), Something else (service_other).

4 **services_list** send_list

Detailed services sub-menu with 8 tappable rows. Each row routes to a dedicated message node with a tailored description of that service.

5 **svc_web_design** send_message

Sends a tailored message about Holar's web design services — building new, modern websites from scratch.

6 **svc_redesign** send_message

Sends a tailored message about website redesign — refreshing and improving existing websites.

7 **svc_ecommerce** send_message

Sends a tailored message about e-commerce and online store solutions.

8 **svc_seo** send_message

Sends a tailored message about SEO and Google Business Profile optimisation services.

9 **svc_ai** send_message

Sends a tailored message about business automation and AI-powered solutions.

10 **svc_custom** send_message

Sends a tailored message about custom digital platform development.

11 **svc_marketing** send_message

Sends a tailored message about digital marketing and branding services.

12 **svc_human** send_message

Sends a message offering to connect the contact with a live team member for a personalised conversation.

13 **name** collect_input

Collects the contact's full name. Stored in flow_runs.vars as 'name'.

14 **company** collect_input

Collects the contact's company or organisation name. Stored in flow_runs.vars as 'company'.

15 **requirement** collect_input

Collects a description of the contact's project requirement or need. Stored in flow_runs.vars as 'requirement'.

16 existing collect_input

Asks whether the contact has an existing website or platform. Stored in flow_runs.vars as 'existing'.

17 timeline collect_input

Collects the contact's project timeline. Stored in flow_runs.vars as 'timeline'.

18 budget collect_input

Collects the contact's budget range. Stored in flow_runs.vars as 'budget'.

19 qualify_tag set_tag

Tags the contact as 'qualified' (tag ID: 3dc5f9da-94a5-46cc-9515-f4784f1bad45) after all 6 qualification questions are answered.

20 sales_handoff handoff

Hands the conversation to a sales agent (assigned to fd645531-49bf-469b-98be-891b7e57c51a). Includes an internal note with all captured qualification data: Name, Company, Requirement, Existing platform, Timeline, Budget.

21 support_msg send_message

Sends a support-oriented message: 'Happy to help! Briefly, what are you running into? Our team will take it from here.'

22 support_handoff handoff

Hands the conversation to the support team for resolution.

23 human_msg send_message

Sends a message: 'No problem — connecting you with a live agent now. They'll be with you shortly.'

24 human_handoff handoff

Hands the conversation to a human agent for live assistance.

3. Node Types Reference

start

Entry point of the flow. Exactly one per flow. The engine begins execution here.

send_message

Sends a plain text WhatsApp message to the contact, then advances to the next node.

send_list

Sends an interactive WhatsApp list message with tappable rows. Each row can route to a different next node.

send_buttons

Sends an interactive message with 1–3 quick-reply buttons. Each button routes to a different next node.

send_media

Sends an image, video, or document to the contact, optionally with a caption.

collect_input

Saves the contact's next reply as a variable (`var_key`). Used for qualification data like name, email, budget.

set_tag

Adds or removes a tag on the contact. Tags are used for segmentation, automation triggers, and reporting.

handoff

Transfers the conversation to a human agent. Can include an internal note and agent assignment.

condition

Branches the flow based on a rule: captured variable value, contact field, tag presence, or message content.

end

Terminal node. Marks the flow run as completed. No further actions.

4. Tags Used in This Flow

qualified

ID: 3dc5f9da-94a5-46cc-9515-f4784f1bad45

Applied after the contact completes all 6 qualification questions. Indicates a fully qualified sales lead.

hot

ID: 232f31a0-0ea2-4278-b514-ddb1b53d1868

Applied when a contact selects 'Ready to buy'. Signals an immediate sales opportunity.

warm

ID: 9fb5b1c4-5ecd-444a-b099-ead8a36addc7

Applied when a contact selects 'Within 3 months'. Signals a near-term opportunity.

nurture

ID: 27730a67-413c-413d-98b2-aef7ed7357a2

Applied when a contact selects 'Just exploring'. Triggers a follow-up nurture sequence.