




A Yellowfin Grouper




B




C Global: bs




D W. Atlantic: bs




E Caribbean Sea: bs




F U.S. Caribbean: bs




A Yellowfin Grouper




B




C Global: bt




D W. Atlantic: bt



E Caribbean Sea: bt




F U.S. Caribbean: bt




A


Yellowfin Grouper




B




C




D



E



F



Stnd.
anom
chl


10
0
-10

Stnd.
anom
chl


2
1
0
-1
-2

0.50
0.25
0.00
-0.25
-0.50


A Yellowfin Grouper




B




C Global: mld




D W. Atlantic: mld




E Caribbean Sea: mld




F U.S. Caribbean: mld




A Yellowfin Grouper




B




C Global: msstg




D W. Atlantic: msstg




E Caribbean Sea: msstg




F U.S. Caribbean: msstg




A Yellowfin Grouper




B




C Global: o200




D W. Atlantic: o200




E Caribbean Sea: o200




F U.S. Caribbean: o200




A Yellowfin Grouper




B




C Global: ph




D W. Atlantic: ph




E Caribbean Sea: ph




F U.S. Caribbean: ph




A Yellowfin Grouper




B




C Global: pp




D W. Atlantic: pp




E Caribbean Sea: pp




F U.S. Caribbean: pp




A Yellowfin Grouper




B




C Global: precip




D W. Atlantic: precip




E Caribbean Sea: precip




F U.S. Caribbean: precip




A Yellowfin Grouper




B




C Global: sso



D W. Atlantic: sso




E Caribbean Sea: sso




Stnd.
anom
SSO
-7.5
-5.0
-2.5
0.0
3

F U.S. Caribbean: sso




Stnd.
anom
SSO
-4.2
-4.0
-3.8
-3.6


A Yellowfin Grouper




B




C Global: sss




D W. Atlantic: sss




E Caribbean Sea: sss




F U.S. Caribbean: sss




A Yellowfin Grouper




B




C Global: sst




D W. Atlantic: sst




E Caribbean Sea: sst




F U.S. Caribbean: sst




A Yellowfin Grouper




B




C Global: sswsm



D W. Atlantic: sswsm




E Caribbean Sea: sswsm



Stnd.
anom
sswsm

0 1 2

F U.S. Caribbean: sswsm



Stnd.
anom
sswsm

-1 -0.5 0 0.5 1 2