



































OLL








Case		Algs	Notes
1		$R\ U2'\ (R2'\ F\ R\ F')\ U2\ (R'\ F\ R\ F')$	Same as 55 but without wide moves
2		$f\ (U\ R\ U'\ R')\ S'\ (U\ R\ U'\ R')\ F'$ $(F\ R'\ F'\ R)\ U2\ (F\ R'\ F'\ R2)\ U2'\ R'$	Second alg is inverse of 1. I use it for big cubes
3		$R'\ F2\ R2\ U2'\ (R'\ F\ R)\ U2'\ R2'\ F2\ R$	3 and 4 are inverses and almost identical algs except for one F move
4		$R'\ F2\ R2\ U2'\ (R'\ F'\ R)\ U2'\ R2'\ F2\ R$	
5		$l'\ U2\ L\ U\ L'\ U\ l$	
6		$r\ U2'\ R'\ U'\ R\ U'\ r'$	
7		$r\ U\ R'\ U\ R\ U2'\ r'$	








Case	Algs	Notes
8 	$I' U' L U' L' U^2 I$	
9 	$(R U R' U') R' F (R^2 U R' U') F'$	Inverse of 13
10 	$R U R' U (R' F R F') R U^2 R'$	
11 	$r' (R^2 U R' U R U^2 R') U M'$	M : (sune U)
12 	$S (R' U' R U' R' U^2 R) U^2 S'$ $(U) F (R U R' U') F' U F (R U R' U') F'$	S : (back sune U2)
13 	$F (U R U' R^2) F' R (U R U' R')$	Inverse of 9 Same as 52 except for the last two U moves
14 	$R' F R U R' F' R (F U' F')$	








Case	Algs	Notes
15 	$r' U' r (R' U' R U) r' U r$	
16 	$r U r' (R U R' U') r U' r'$	
17 	$(F R' F' R) U (S' R U' R' S)$ $(U2) R U R' U (R' F R F') U2 (R' F R F')$	First alg is inverse of 19 Second alg is inverse of 18's second alg
18 	$R U2' (R2' F R F') U2 (M' U R U' r')$ $(U') (F R' F' R) U2 (F R' F' R) U' R U' R'$	Second alg is inverse of 17's second alg
19 	$(S' R U R' S) U' (R' F R F')$	Inverse of 17's first alg
20 	$(S' R U R' S) U' (M' U R U' r')$	
21 	$R U R' U (R U' R' U) R U2' R'$ $(U) F (R U R' U')^3 F'$	Second alg is diag COLL



Case	Algs	Notes
22 	$R\ U2'\ R2'\ U'\ R2\ U'\ R2'\ U2'\ R$ $R2'\ (D'\ R\ U\ R'\ D)\ R\ U\ R\ U'\ R'\ U\ R\ U\ R'\ U\ R$	Second alg is diag COLL
23 	$R2'\ D'\ R\ U2\ R'\ D\ R\ U2\ R$ $(U2)\ R2\ D\ R'\ U2\ R\ D'\ R'\ U2\ R'$ $(U)\ R'\ F'\ (R\ U\ R'\ U')\ R'\ F'\ (D'\ R\ U\ R'\ D)\ R2$ $R2'\ (D'\ R\ U\ R'\ D)\ R\ U\ R\ U'\ R'\ U'\ R$	Non-primary algs are COLLs
24 	$(r\ U\ R'\ U')\ (r'\ F\ R\ F')$ $(U2)\ (l'\ U'\ L\ U)\ (l\ F'\ L'\ F)$	Second alg is COLL
25 	$(F\ R'\ F'\ r)\ (U\ R\ U'\ r')$ $(U)\ F'\ (r\ U\ R'\ U)\ R'\ F\ R$ $R\ U2\ R\ D\ R'\ U2\ R\ D'\ R2'$ $(U')\ R'\ U2\ R'\ D'\ R\ U2\ R'\ D\ R2$ $(U2)\ R\ U\ R'\ U\ (R\ U'\ R'\ U)2\ R\ U2'\ R'$	Non-primary algs are COLLs
26 	$L'\ U'\ L\ U'\ L'\ U2\ L$ $(U')\ R\ U2'\ R'\ U'\ R\ U'\ R'$	
27 	$R\ U\ R'\ U\ R\ U2'\ R'$	

Case	Algs	Notes
28 	$(R' F R) S (R' F' R) S'$ $(r U R' U') M (U R U' R')$	Both algs are inverses of 57
29 	$r2' (D' r U r' D) r2 U' r' U' r$ $(U) (R U R' U') R U' R' (F' U' F) R U R'$	Second alg is for big cubes
30 	$r' (D' r U' r' D) r2 U' r' U r U r'$ $(U') F U (R U2 R' U')2 F'$	Second alg is for big cubes
31 	$R' U' F U R U' R' F' R$	Inverse of 40
32 	$S (R U R' U') (R' F R f')$	Mirror inverse of 39
33 	$(R U R' U') (R' F R F')$ $F R U' R' U R U R' F$ $(U2) (L' U' L U) (L F' L' F)$	Second and third algs are diag OLLCP All are inverses of 37
34 	$(f R f') U' (r' U' R U M')$	

Case	Algs	Notes
35 	$R\ U2'\ (R2'\ F\ R\ F')\ R\ U2'\ R'$	
36 	$L'\ U'\ L\ U'\ L'\ U\ L\ U\ (L\ F'\ L'\ F')$	Mirror of 38
37 	$(F\ R'\ F'\ R)\ (U\ R\ U'\ R')$ $F\ R\ U'\ R'\ U'\ R\ U\ R'\ F$	Second alg is diag OLLCP Both are inverses of 33
38 	$R\ U\ R'\ U\ R\ U'\ R'\ U'\ (R'\ F\ R\ F')$	Mirror of 36
39 	$f'\ (r\ U\ r'\ U')\ (r'\ F\ r\ S)$	Mirror inverse of 32
40 	$R'\ F\ R\ U\ R'\ U'\ F'\ U\ R$	Inverse of 31
41 	$(R\ U\ R'\ U\ R\ U2'\ R')\ F\ (R\ U\ R'\ U')\ F'$	

Case	Algs	Notes
42 	$(F R' F' R) U^2 R' U' R^2 U' R^2' U^2' R$	
43 	$F' (U' L' U L) F$ $(U') R' U' (F' U F) R$ $(U^2) f' (L' U' L U) f$	
44 	$F (U R U' R') F'$ $(U^2) f (R U R' U') f'$	
45 	$F (R U R' U') F'$	
46 	$R' U' R' F R F' U R$	
47 	$(F R' F' R) U^2 (R U' R' U) R U^2' R'$	
48 	$F (R U R' U')^2 F'$	

Case	Algs	Notes
49 	$r\ U'\ r2'\ U\ r2\ U\ r2'\ U'\ r$	
50 	$l'\ U\ l2\ U'\ l2'\ U'\ l2\ U\ l'$	
51 	$F\ (U\ R\ U'\ R')^2\ F'$ $(U2)\ f\ (R\ U\ R'\ U')^2\ f'$	
52 	$F\ (U\ R\ U'\ R2')\ F'\ R\ (U2\ R\ U2'\ R')$	Same as 13 except the last two U moves are U2
53 	$l'\ U'\ L\ U'\ (L'\ U\ L\ U')\ L'\ U2\ l$	
54 	$r\ U\ R'\ U\ (R\ U'\ R'\ U)\ R\ U2'\ r'$	
55 	$R'\ F\ R\ U\ R\ U'\ R2'\ F'\ R2\ U'\ R'\ U\ R\ U\ R'$ $(U)\ r\ U2'\ (R2'\ F\ R\ F')\ U2\ (r'\ F\ R\ F')$	Second alg is OLLCP, and is same as 1 but with wide moves

Case	Algs	Notes
56 	$L F L' (U R U' R')^2 L F' L'$	
57 	$S (R' F R) S' (R' F' R)$ $(U) (R U R' U') M' (U R U' r')$	Both algs are inverses of 28