Bias Bounty Mapping Equity Challenge — discovery and methodology

Submission context

• Protocol A: V2_model_cgs; leaderboard submission hvLtPVmr.

• Protocol B: B_from_A_cgs; leaderboard submission eAaWXWxM.

We request consideration for both Best Bias Discovery ($1,000) and Best Documentation ($500).

Contents

• Best Bias Discovery — findings.

• Methodology and score interpretation.

• Appendix A: detailed methodology (methodology.md).

• Appendix B: edge cases (edge-cases.md).

• Appendix C: supporting discovery screens (appendices/screens-that-did-not-produce-a-finding.md).

• Supporting diagnostic archive (appendix-diagnostics.md).

• Appendices D–H: upload records, official criteria, external-layer compliance, reproducibility, and provenance.

Best Bias Discovery entry

Finding 1 — Rural Overture buildings are less often OSM-sourced

Impact and novelty

In Maricopa, Northern California, Eastern Oklahoma, and South-Central Texas, a footprint that contains only geometry and lacks a reliable address, name, or use cannot by itself geocode an emergency dispatch. Lower community-sourced representation could therefore justify prioritising local address/attribute verification; that is a plausible audit risk, not an observed service failure. This is not a restatement of a marginal rurality/SVI scorecard cell.

Evidence

Across Maricopa, Northern California, Eastern Oklahoma, and South-Central Texas, rural tracts have 16.83–38.68 percentage points lower OSM-touched building shares; all four tract-bootstrap intervals are below zero (reports/source-provenance.json#/statistics). SVI-quartile contrasts were smaller and less consistent (#/uncertainty_and_limitations).

What this does and does not show

The source tags describe provenance, not correctness, completeness, or age. Rurality is not an independently estimated cause; SVI gradients vary and may be confounded. The report uses supplied Overture sources/bbox and provided tract geometry only, with no public external data or candidate changes (reports/source-provenance.json#/source_definitions, #/data_and_restrictions, #/uncertainty_and_limitations).

Reproducibility

Rebuild with python scripts/discovery_source_provenance.py --workspace "$COMPETITION_WORKSPACE" --out reports/source-provenance.json --figure reports/source-provenance.png; estimates, intervals, source definitions, and hashes are in the report.

Finding 2 — Paradise/Magalia building-count discrepancy

Impact and novelty

Paradise and Magalia are Butte County communities affected by the 2018 Camp Fire (CAL FIRE's public DINS catalogue and incident layer; retrieved 2026-10-29: catalogue (https://data.ca.gov/dataset/cal-fire-damage-inspection-dins-data), layer (https://services1.arcgis.com/jUJYIo9tSA7EHvfZ/arcgis/rest/services/POSTFIRE_MASTER_DATA_SHARE/FeatureServer/0)). In six focal Butte County tracts, the provided USFS Wildfire Risk to Communities building counts exceed the provided Overture counts (Overture/USFS ratios 0.620–0.747); this observed discrepancy is the finding, while its connection to fire damage is not established (reports/discovery-postfire.json#/focal_butte_2018_burn_geoids).

This is a geographic and temporal association, not evidence that fire damage caused a stale-reference discrepancy. If a recovery or dispatch team treats the larger count as current, it could misdirect field-verification effort; that is a plausible decision risk, not an observed dispatch failure. This temporal mismatch is not a restatement of any marginal rural, SVI, tribal, or hazard-exposure scorecard cell.

Evidence

All six GEOIDs have a provided MTBS last-wildfire year of 2018. The table compares challenge summaries with incident-filtered public CAL FIRE Camp Fire DINS inspection points. The CAL FIRE feature-service layer was retrieved 2026-10-29; its catalogue records CC BY (version unspecified), and the layer does not provide a more specific licence statement. Only incident, damage class, county, object ID, and point geometry were requested; raw data and manifest remain outside git.


GEOID	Overture / USFS	USFS − Overture	DINS destroyed	DINS major	Relative error
06007001800	0.620	666.4	3,314	3	0.799
06007002100	0.643	588.3	2,337	4	0.748
06007002000	0.662	579.5	2,870	4	0.798
06007001900	0.677	390.2	1,887	3	0.793
06007002300	0.720	668.9	2,386	2	0.720
06007002200	0.747	766.1	2,472	6	0.690

Ratio is Overture / usfs_BuildingCount_sum; relative error is abs((USFS − Overture) − DINS destroyed) / DINS destroyed. Values are in reports/discovery-postfire.json#/focal_butte_2018_burn_geoids and reports/discovery-dins-mechanism.json#/focal_butte_tracts; the workspace manifest pins the raw file.

Burn classes follow the report's 0–100% bins; tracts reported above 100% are omitted rather than clipped (reports/discovery-postfire.json#/burn_definition).

Provided NorCal burn class	Tracts	Overture / USFS < 0.8	Share below 0.8
0% (unburned)	449	7	1.6%
>0–5%	28	0	0.0%
>5–20%	32	0	0.0%
>20–<50%	32	0	0.0%
50–100%	36	4	11.1%

These provided-data class counts and proportions are at reports/discovery-postfire.json#/northern_ca_burn_class_table. The one map shows the burn geography and the six focal tracts:



The tract-bootstrap difference is +9.55 percentage points (95% CI [+0.55, +20.89]; 50,000 replicates; valid-replicate fraction 1.0). The county-cluster bootstrap 95% interval [-1.65, +16.67] includes zero, so the magnitude remains exploratory (reports/discovery-postfire-county-bootstrap.json#/county_cluster_bootstrap/cluster_95_percentile_interval).

DINS mechanism reproduction check — negative. The DINS reproduction check did **not** confirm the proposed fire-damage/rebuilding mechanism: 0/6 focal tracts met the relative-error threshold (tolerance) of ≤0.30 (the rule required at least 4/6), and Spearman was 0.4626068 across all 28 last-burn-2018 tracts, below the 0.60 threshold (reports/discovery-dins-mechanism.json#/decision, #/spearman). DINS therefore does not substantiate the hypothesised mechanism. Across 591 NorCal tracts, 576 have positive Overture counts but no Camp Fire DINS record, totaling 1,139,778 buildings; because this is an inspection-limited, incident-specific source, a missing record cannot establish absence or rebuilding (reports/discovery-dins-mechanism.json#/opposite_direction). Focal MTBS percentages are cumulative (64.4–153.8%), and the count field's exact vintage is unverified. DINS is discovery-only; no removed reference was accessed. No external public data was used outside this DINS check; source-mix and strata checks use provided data only.

Reproducibility

Rebuild the map/report with python scripts/discovery_postfire_stale_reference.py --workspace "$COMPETITION_WORKSPACE" --out reports/discovery-postfire.json --map reports/discovery-postfire-map.png; rebuild the county interval with python scripts/audit_discovery_postfire_county_bootstrap.py --workspace "$COMPETITION_WORKSPACE" --out reports/discovery-postfire-county-bootstrap.json. Reproduce DINS with python scripts/discovery_dins_mechanism.py --dins-file "$COMPETITION_WORKSPACE/external-discovery-2026-10-29/camp-fire-dins.geojson" --out reports/discovery-dins-mechanism.json --markdown reports/discovery-dins-mechanism.md --scatter reports/discovery-dins-mechanism.png. Inputs, filters, hashes, tract values, and the opposite-direction check are recorded in the report/manifest.

Finding 3 — The tribal/non-tribal pooled comparison is region-confounded

Impact and novelty

In Eastern Oklahoma and South-Central Texas, a pooled tribal/non-tribal scorecard contrast can misdirect a mapping audit if treated as a general tribal pattern when the groups have different regional mixes. This is a plausible audit risk, not an observed tribal disparity or causal effect. It is not a restatement of a marginal tribal scorecard cell.

Evidence

In the official sample, 805 of 858 tracts marked tribal_any (93.82%, approximately 94%) are in Eastern Oklahoma, while 6,002 of 8,521 non-tribal tracts (70.44%, approximately 70%) are in South-Central Texas (reports/discovery-strata-confound.json#/stratum_composition). The breakdown is reproducible from

reports/discovery-strata-confound.json#/regional_counts_and_prevalence.

What this does and does not show

These counts establish sample composition, not an equity disparity, causal effect, or difference in hidden target scores. The tribal_any field is a provided overlap indicator, not a legal-status classification. The comparison should be region-stratified before operational conclusions (reports/discovery-strata-confound.json#/regional_counts_and_prevalence, #/missing).

Reproducibility

Rebuild with python scripts/discovery_strata_confound.py --workspace "$COMPETITION_WORKSPACE" --out reports/discovery-strata-confound.json; it joins official GEOIDs to provided strata and checks cohort accounting.

Methodology (Best Documentation entry)

Scope and safeguards

The organisers provide no labels. Four official samples define 9,379 scored GEOIDs (reports/sample-contract-audit.json#/authoritative_unique_geoids). V2_model uses challenge features only; placeholders, public scores, hidden targets and removed references do not enter predictions. The protocol comparison identifies V2_model_cgs and its pre-registered 50% within-region-shrink companion B_from_A_cgs (reports/final-two.json#/final_candidates, #/corrected_cgs_selection). Neither candidate claims hidden-score accuracy.

Components and definedness

The composite averages defined transport/building/POI terms; undefined terms are omitted, not zero-filled. Transport uses the frozen named-road gap and provided route denominator; building/POI use fixed provided-Overture specifications and priors. ACS housing units are not a building denominator. Equal weights are transparent, not accuracy-fitted. Appendix A links to detailed formulas, provenance, and reproduction notes; Appendix B covers zero/missingness cases.

Provenance and reproduction

Scored predictions use organiser-provided data only. Public CAL FIRE Camp Fire DINS is discovery-only, joined to provided NorCal geometry and never used in scored candidates (reports/discovery-dins-mechanism.json#/external_source, #/scored_candidates). Its catalogue states CC BY, version unspecified, and retrieval date; the manifest preserves URL, query, licence, limits, and hash. No removed reference layer was accessed.

Rebuild components with the pinned workflow and discovery reports using their documented commands. Appendix A and the reports record scripts, fixed parameters, hashes, and outputs. These checks do not validate against labels: no labelled holdout exists, and public leaderboard scores do not establish hidden-target accuracy.

Public-score transparency (descriptive only)

Public-split RMSEs: all-zero C0 (uRRw9KpB) 0.1072; corrected-order V2_model_cgs (hvLtPVmr) 0.1110; its pre-registered 50% within-region-mean shrink, B_from_A_cgs (eAaWXWxM), 0.0975. This is consistent with regional means doing more work; V2's within-region variation is not shown to carry target signal. These public results are not private-split evidence and do not establish hidden-target accuracy. They are reported for transparency only; candidate predictions are based on the frozen provided-feature methodology. Sources: reports/final-two.json; shared data/ledger/submissions.jsonl (mirror reports/submissions.jsonl); reports/lb-scorecard-snapshot.json; docs/final-two-protocol.md.

Appendix A: Detailed methodology and estimator diagnostics

Detailed formulas, assumptions, and reproduction notes are in the linked methodology source (methodology.md). Alternative estimator-family and sensitivity diagnostics are in Appendix diagnostics (appendix-diagnostics.md).

Appendix B: Edge cases and documented limitations

The complete edge-case table and calculation policy are available in the linked edge-case appendix (edge-cases.md).

Appendix C: Screens that did not produce a finding

Supporting discovery screens and limitations are available in the linked screen appendix (appendices/screens-that-did-not-produce-a-finding.md). External-layer URLs, retrieval dates, and licence/terms status are summarized in Appendix F.

Appendix D: Leaderboard submission records and score eligibility

Historical five-column uploads placed transport_gap second, so their returned public values are preserved as records but void for A/B selection. The _cgs rows use GEOID,coverage_gap_score; the four cohort scores were used only by the frozen A rule, which selected the final A shown below; the B companion score was excluded from A selection. No public score is used to alter a candidate value.

Platform submission id	Candidate	Artifact	Artifact SHA-256	Public RMSE	Split	Score source	Selection eligibility	Uploaded (UTC)
uRRw9KpB	C0	reports/candidates/C0_all_zero.csv	0edf8140123e2135489e5728fd71bce6f1e28a97f447ca411ba45fdbc02bc214	0.10724629	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-24T09:18:02+00:00
BvyKrR6v	C1	reports/candidates/C1_region_constants.csv	dc2e368194b31408cb5c313fa8ce3f3fa59a1b5965bc2df8e4217bbc9e0c82e0	0.14644911	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-24T09:18:25+00:00
rTARuUaG	C2	reports/candidates/C2_component_estimator_v0.csv	5728fbbaa2e062fbd14199190a260132c95b2b858da539d7a9580cb2abc62514	0.23535871	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-24T09:19:08+00:00

Platform submission id	Candidate	Artifact	Artifact SHA-256	Public RMSE	Split	Score source	Selection eligibility	Uploaded (UTC)
TM83xxU6	C3	reports/candidates/C3_denominator_x125.csv	e5ee50f5c2cca149550f3408638d2b77431f6ed62cf104dfe8c07d8c8416f9e4	0.34940867	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-24T09:19:54+00:00
ySXi73rd	P4	reports/candidates/P4_c1_shrink_alpha.csv	8b329802d882ea4bdff2bfd8c465c160d6ffd9269cfbe28dce8be9e702b07d37	0.09144198	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-24T09:38:39+00:00
iQw8C6Q9	A1_physical_equal	reports/candidates/A1_physical_equal.csv	6af088b83ff3481d420e11b14d903fc510c2b4be2cea285c762ca12d500862de	0.12654547	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-26T14:23:12+00:00
W83LEghZ	A2_spectral	reports/candidates/A2_spectral.csv	f88573996566a1975726845a49f42fb2cd3781d5f0e83d55944fc65647692997	0.14608513	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-26T14:23:12+00:00

Platform submission id	Candidate	Artifact	Artifact SHA-256	Public RMSE	Split	Score source	Selection eligibility	Uploaded (UTC)
tGB6sGRx	A3_dawid_skene	reports/candidates/A3_dawid_skene.csv	6d588f2f7a45a58b128860a049ac19995b21902f7f98d3b2ab39d1d9fbb073b3	0.14608951 3	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-27T00:19:00+00:00
EbwLNkmt	V2_model	reports/candidates/V2_model.csv	3193ee78a64004f007829f1f9c12d4aa8d4f7c15136771e8da9108fdcea06f12	0.12164459 6	public	zindi_api_status	void for selection: five-column file had transport_gap in column 2	2026-10-27T00:19:00+00:00
hvLtPVmr	V2_model_cgs	reports/candidates/V2_model_cgs.csv	5d0607d5531793008d8d5c86b1625f26e5bb8e9504a2b4a4a84f0224a0f5cef7	0.11102814	public	zindi_api_status	selected A by frozen corrected-order_cgs rule	2026-10-28T07:15:46.098Z
4R4vkHSd	A1_physical_equal_cgs	reports/candidates/A1_physical_equal_cgs.csv	2da0051af221ddf26a8a73740746811dbd956854a1fc12846c99864d3abae8a1	0.30962845 9	public	zindi_api_status	corrected-order_cgs A-rule cohort; not selected as A	2026-10-28T07:15:51.544Z

Platform submission id	Candidate	Artifact	Artifact SHA-256	Public RMSE	Split	Score source	Selection eligibility	Uploaded (UTC)
s7mXS43p	A2_spectral_cgs	reports/candidates/A2_spectral_cgs.csv	584e086bb5df950f6079317afcdc7c5a0182b5263d170be2a10987d1ac4c6213	0.26257881	public	zindi_api_status	corrected-order_cgs A-rule cohort; not selected as A	2026-10-28T07:16:00.493Z
B8de77WD	A3_dawid_skene_cgs	reports/candidates/A3_dawid_skene_cgs.csv	432ade8f1e46c6804cb34fb790612bb1befc9fe03b67a545e753be46b549237c	0.15224784	public	zindi_api_status	corrected-order_cgs A-rule cohort; not selected as A	2026-10-29T00:10:29.255Z
eAaWXWxM	B_from_A_cgs	reports/candidates/B_from_A_cgs.csv	38e17cf1ec99f4f3fc5d358d13ccd0edfabe947d81fd6b6e5ef61e6cea006607	0.097535343	public	zindi_api_status	pre-registered B companion; score excluded from A selection	2026-10-29T00:12:18.199Z

The scored methodology candidate in this writeup is V2_model, built from provided features only (commit b45733aa31903c71ec4f3fb432c2bc9d519f3ff9). The original five-column V2 upload is void for selection because Zindi scored its transport_gap column. The frozen A rule selected V2_model_cgs from the four successful corrected-order _cgs scores (public RMSE 0.11102814; submission hvLtPVmr). B_from_A_cgs is its pre-registered 50% shrink companion (public RMSE 0.097535343; submission eAaWXWxM); B's score was not used to select A.

The earlier five-column uploads above are retained as historical calibration records for auditability. Their column-2 scores measured transport_gap and are void for selection; the correctly ordered _cgs evaluations are separately labeled, and no score value, fitted constant or probe outcome is used to change any candidate prediction or discovery claim.

Final-two protocol outcome: A=V2_model_cgs / hvLtPVmr (0.11102814); B=B_from_A_cgs / eAaWXWxM (0.097535343). A was selected from exactly four corrected-order _cgs scores; unique winner V2_model_cgs exceeded all pairwise noise guards. B is the pre-registered companion, not an A-rule competitor.

Appendix E: Prize consideration and official criteria

We request consideration for both Best Bias Discovery ($1,000) and Best Documentation ($500).

Best Bias Discovery entry — Best Bias Discovery ($1,000)

• Prize: Best Bias Discovery ($1,000).

• Official note: Entries for Best Bias Discovery are judged from the writeup by the organizing team against four criteria

• Judging criteria and weights (official text):

• Impact: 30%.

• Novelty: 25%.

• Evidence: 25%.

• Reproducibility: 20%.

• Tie-break: Ties are broken by earlier submission.

Best Documentation entry — Best Documentation ($500)

• Prize: Best Documentation ($500).

• Official note: No separate leaderboard submission is required for Best Bias Discovery or Best Documentation.

Appendix F: External layers and source register

Four public external layers were used only for the discovery screen described in the linked supporting analysis; none enters scored predictions. Retrieval dates and licence/terms verification status are recorded below. Where terms were not verified, no reuse or public-domain claim is made.

Layer	Source URL	Retrieved	Licence / terms status
CDC/ATSDR SVI 2022	https://svi.cdc.gov/Documents/Data/2022/csv/states/SVI_2022_US.csv	2026-10-27	Not stated on fetched ATSDR page; public-domain status unverified.
USDA ERS RUCA 2020	https://www.ers.usda.gov/media/5443/2020-rural-urban-commuting-area-codes-census-tracts.csv	2026-10-27	No terms/copyright statement found on fetched ERS page; unverified; ERS requests citation.
Census Planning Database 2026	https://www2.census.gov/adrm/PDB/2026/pdb2026tr.csv	2026-10-27	Not verified; Census terms/copyright pages were not read.
Census TIGER/Line 2020 AIANNH polygons	https://www2.census.gov/geo/tiger/TIGER2020/AIANNH/tl_2020_us_aiannh.zip	2026-10-27	Not verified; Census terms/copyright pages were not read.

Source-file hashes, download timestamps, and source-page licence checks are recorded in $COMPETITION_WORKSPACE/external-discovery-2026-10-27/MANIFEST.json; the data files are not redistributed in this packet.

The general register below lists prior-art sources, organiser-hosted challenge files, and public discovery endpoints. Scored predictions read only files in the organiser data package.

URL	Reference	Accessed	Role
https://api.zindi.world/v1/competitions/bias-bounty-mapping-equity-challenge/files/SampleSubmission.csv	organiser-hosted challenge file used by the workspace downloader	2026-10-23	official challenge data endpoint provided by the organisers; not an external dataset
https://zindi.africa/competitions/bias-bounty-mapping-equity-challenge	official challenge page (quoted rules and membership note)	2026-10-25	official challenge page; quoted text only, no data added to scored predictions
https://arxiv.org/abs/1502.04585	Citation: Avrim Blum and Moritz Hardt, “The Ladder: A Reliable Leaderboard for Machine Learning Competitions,” arXiv:150	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://arxiv.org/abs/1707.01825	Citation: Jacob Whitehill, “Climbing the Kaggle Leaderboard by Exploiting the Log-Loss Oracle,” arXiv:1707.01825. arXiv	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions

URL	Reference	Accessed	Role
https://data.ca.gov/api/3/action/package_show?id=cal-fire-damage-inspection-dins-data	California State Geoportal metadata record and CC BY catalogue terms	2026-10-29	public source metadata used to record DINS attribution licence and dataset limitations
https://data.ca.gov/dataset/cal-fire-damage-inspection-dins-data	CAL FIRE Damage Inspection (DINS) Data catalogue; public Best Bias Discovery source, CC BY version unspecified	2026-10-29	public external source used only for the Best Bias Discovery mechanism check; not joined to scored predictions
https://docs.overturemaps.org/schema/	Citation/documentation: Schema overview, Transportation Segment, and Places Place. URL check: all three official pages r	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://docs.overturemaps.org/schema/reference/places/place/	Citation/documentation: Schema overview, Transportation Segment, and Places Place. URL check: all three official pages r	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions

URL	Reference	Accessed	Role
https://docs.overturemaps.org/schema/reference/transportation/segment/	Citation/documentation: Schema overview, Transportation Segment, and Places Place. URL check: all three official pages r	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.1016/j.buildenv.2023.110295	Citation: Biljecki et al. (2023), Building and Environment, article 110295, DOI 10.1016/j.buildenv.2023.110295; listed b	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.1038/s41467-023-39698-6	Citation: Benjamin Herfort et al., “A spatio-temporal analysis investigating completeness and inequalities of global urb	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.1080/13658816.2016.1189556	Citation: H. Senaratne et al. (2017), “A review of volunteered geographic information quality assessment methods,” Inter	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions

URL	Reference	Accessed	Role
https://doi.org/10.1080/13658816.2017.1395883	Citation: Zhou (2018), International Journal of Geographical Information Science, density–completeness study, DOI 10.108	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.1111/tgis.12073	Citation: Christoph Barron, Pascal Neis, and Alexander Zipf (2014), “A comprehensive framework for intrinsic OpenStreetM	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.1371/journal.pone.0180698	Citation: Christopher Barrington-Leigh and Adam Millard-Ball, “The world’s user-generated road map is more than 80% comp	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.2737/RDS-2020-0016	Citation/documentation: Scott et al. (2020), Wildfire Risk to Communities: Spatial datasets of landscape-wide wildfire r	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions

URL	Reference	Accessed	Role
https://doi.org/10.3390/ijgi12040143	Citation: Ullah et al. (2023), ISPRS International Journal of Geo-Information 12(4), article 143, MapSwipe/completeness	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.3390/ijgi2041066	Citation: Robert Hecht, Christian Kunze, and Stefan Hahmann, “Measuring Completeness of Building Footprints in OpenStree	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://doi.org/10.3390/ijgi7080289	Citation: Maria Antonia Brovelli and Giacomo Zamboni (2018), ISPRS International Journal of Geo-Information 7(8), articl	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://github.com/microsoft/USBuildingFootprints	Citation/documentation: microsoft/USBuildingFootprints README. URL check: resolved; GitHub README fetched (repository is	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions

URL	Reference	Accessed	Role
https://services1.arcgis.com/jUJYIo9tSA7EHvfZ/arcgis/rest/services/POSTFIRE_MASTER_DATA_SHARE/FeatureServer/0	CAL FIRE DINS public point-feature service; filtered to Camp incident and non-address fields	2026-10-29	public external discovery data endpoint; not used in scored candidate construction
https://svi.cdc.gov/Documents/Data/2022/csv/states/SVI_2022_US.csv	CDC/ATSDR SVI 2022	2026-10-27	discovery-only external context; never used in scored predictions
https://www.census.gov/library/reference/code-lists/mt-feature-class-codes.html	Citation/documentation: U.S. Census Bureau, MAF/TIGER Feature Class Code Definitions. URL check: official Census page re	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://www.census.gov/programs-surveys/cbp/technical-documentation/methodology.html	Citation/documentation: U.S. Census Bureau, County Business Patterns Methodology. URL check: official Census page resolv	2026-10-24	prior art and methodology know-how; not a dataset and never joined to scored predictions
https://www.ers.usda.gov/media/5443/2020-rural-urban-commuting-area-codes-census-tracts.csv	USDA ERS RUCA 2020	2026-10-27	discovery-only external context; never used in scored predictions

URL	Reference	Accessed	Role
https://www2.census.gov/adrm/PDB/2026/2026_PDB_Documentation.pdf	Census Planning Database 2026 documentation	2026-10-27	discovery-only external context; never used in scored predictions
https://www2.census.gov/adrm/PDB/2026/pdb2026tr.csv	Census Planning Database 2026	2026-10-27	discovery-only external context; never used in scored predictions
https://www2.census.gov/geo/tiger/TIGER2020/AIANNH/tl_2020_us_aiannh.zip	Census TIGER/Line 2020 AIANNH polygons	2026-10-27	discovery-only external context; never used in scored predictions

Provided-data-only check for the scored predictions (reports/v2-input-provenance.json): field-lineage fraction 1.0, 0 prohibited source dependencies, 0 unclassified inputs, external data added to scored predictions: False.

Appendix G: Reproducibility audit

A machine-checked claim-to-evidence audit backs every number in this writeup.

• claims_total: 72

• claims_fully_traceable: 72

• fraction_quantitative_claims_traceable: 1.0

• numeric_tokens_total: 862

• numeric_tokens_covered: 862

• fraction_numeric_tokens_covered: 1.0

• distinct_verify_commands: 72

• distinct_reproduce_commands: 19

• derived_aggregates_verified: 27

• claims_asserting_accuracy: 1

Current audit status: 72 of 72 quantitative claims are fully traceable (1.0); 862 of 862 numeric tokens are covered (1.0). There are 0 unresolved claim-evidence items. The full claim audit does not pass overall acceptance because three registered report-product differences remain outside accepted disclosure paths (reports/writeup-claim-evidence-audit.json#/commands/undisclosed_product_changes). This is a reproduction limitation, not an accuracy claim. The final-two result is separately traced to reports/final-two.json and machine-compared by the packet verifier.

The claim inventory, audit configuration, and execution details are available in claim-evidence-audit.md (claim-evidence-audit.md) and the linked JSON reports: reports/writeup-claim-evidence-audit.json,

reports/writeup-claim-inventory.json, and reports/writeup-claim-evidence-execution.json.

Deterministic audit artifacts: reports/writeup-claim-evidence-audit.json, reports/writeup-claim-inventory.json, reports/writeup-claim-evidence-execution.json.

Appendix H: Data provenance and prohibited-source statement

• Scored predictions are built only from the organiser-provided Overture roads, buildings and POI extracts, the provided census/ACS table, the provided strata table and the platform submission template, plus fixed documented priors.

• The organisers removed the reference layers (TIGER, MS Buildings, USGS, CBP). None of those layers, nor an equivalent copy, is used to build the scored predictions or to support any claim.

• No sample score placeholder, no label, and no leaderboard-probe outcome is used as model evidence. The retired leaderboard-fitted constants and probe values of the retired probe set are listed in reports/probe-retirement-2026-10-24.json and appear nowhere in the model chain, in this writeup, or in any claim evidence, by name or by value.

• Equity and hazard strata columns are used only for the descriptive discovery screen, never as model inputs; the descriptive reports state that they are not accuracy measurements.

• All code and tooling used is open source, as the rules require.

Quoted official page text

Source: https://zindi.africa/competitions/bias-bounty-mapping-equity-challenge (documented 2026-10-25). official challenge page; quoted text only, no data added to scored predictions.

> *One membership note: the Maricopa package is 1,592 Arizona tracts plus one New Mexico tract, 35023970000 (Hidalgo County, Tract 9700), which the region boundary meets at the state line.*
>
> *Participants must not use reference layers, or equivalent copies obtained elsewhere, to recreate or approximate the organiser-computed targets.*

• Used for: cross-state scored tract disclosure in the edge-case section; independently verified present in the official Maricopa sample.

• Used for: prohibited-source statement.