
Creation Date : November 29, 2023 (GMT)

Multilayer Ceramic Chip Capacitors

C1608X5R1A226M080AC

RoHS REACH Halogen Free Lead Free

TDK item description	C1608X5R1A226MT****
Applications	Commercial Grade
Feature	General (Up to 75V)
Series	C1608 [EIA 0603]
Status	Production
Brand	TDK



Size	
Length(L)	1.60mm ±0.20mm
Width(W)	0.80mm ±0.20mm
Thickness(T)	0.80mm ±0.20mm
Terminal Width(B)	0.20mm Min.
Terminal Spacing(G)	0.30mm Min.
Recommended Land Pattern (PA)	0.70mm to 1.00mm(Flow Soldering) 0.60mm to 0.80mm(Reflow Soldering)
Recommended Land Pattern (PB)	0.80mm to 1.00mm(Flow Soldering) 0.60mm to 0.80mm(Reflow Soldering)
Recommended Land Pattern (PC)	0.60mm to 0.80mm(Flow Soldering) 0.60mm to 0.80mm(Reflow Soldering)

Electrical Characteristics	
Capacitance	22µF ±20%
Rated Voltage	10VDC
Temperature Characteristic	X5R(±15%)
Dissipation Factor (Max.)	10%
Insulation Resistance (Min.)	4MΩ

Other	
Operating Temp. Range	-55 to 85°C
Soldering Method	Wave (Flow) Reflow
AEC-Q200	NO
Packing	Punched (Paper)Taping [180mm Reel]
Package Quantity	4000pcs

! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Copyright(c) TDK Corporation. All rights reserved.


Multilayer Ceramic Chip Capacitors

C1608X5R1A226M080AC

RoHS REACH Halogen Free Lead Free


Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)

Impedance




C1608X5R1A226M080AC

ESR




C1608X5R1A226M080AC

Capacitance




C1608X5R1A226M080AC

DC Bias Characteristic




C1608X5R1A226M080AC

Temperature Characteristic



C1608X5R1A226M080AC(No Bias) C1608X5R1A226M080AC(DC Bias = 5V)

Ripple Temperature Rising



C1608X5R1A226M080AC(100kHz) C1608X5R1A226M080AC(500kHz) C1608X5R1A226M080AC(1MHz)

! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.


Copyright(c) TDK Corporation. All rights reserved.

C1608X5R1A226M080AC

RoHS REACH Halogen Free Lead Free

Associated Images

Land Pattern (Terminal Connection)



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

Copyright(c) TDK Corporation. All rights reserved.