```
Last login: Wed Oct 21 08:42:12 on console
ne01l0346s22:~ a00926500$ PATH=$PATH:/Applications/MAMP/Library/bin
ne01l0346s22:~ a00926500$ export PATH
ne01l0346s22:~ a00926500$ mysql -h localhost -u root -p root <BD_Tables1.txt
-bash: BD_Tables1.txt: No such file or directory
ne01l0346s22:~ a00926500$ mysql -h localhost -u root -p root <DB_Tables1.txt
-bash: DB Tables1.txt: No such file or directory
ne01l0346s22:~ a00926500$ mysql -u root -p
Enter password:
Welcome to the MySQL monitor. Commands end with; or \g.
Your MySQL connection id is 2
Server version: 5.5.42 Source distribution
Copyright (c) 2000, 2015, Oracle and/or its affiliates. All rights reserved.
Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.
Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
mysql> CREATE DATABASE DATENITE;
Query OK, 1 row affected (0.01 sec)
mysql> SHOW DATABASES
   -> ;
+----+
| Database
+----+
| information_schema |
| DATENITE |
| mysal
| performance_schema |
+----+
4 rows in set (0.00 sec)
mysql> USE DATENITE;
Database changed
mysql> SHOW TABLES;
Empty set (0.00 sec)
mysql> CREATE TABLE user (
    -> ID int NOT NULL AUTO_INCREMENT,
    -> user_name VARCHAR(50),
    -> first_name VARCHAR(50),
    -> last_name VARCHAR(50),
    -> password VARCHAR(50),
    -> email VARCHAR(50),
    -> PRIMARY KEY (ID)
    -> );
Query OK, 0 rows affected (0.01 sec)
mysql> SHOW TABLES;
+----+
| Tables_in_datenite |
1 row in set (0.00 sec)
```

mysql> DESCRIBE USER;

Field	+ Type	+ Null	+ Key	Default	+ Extra
ID user_name first_name last_name password email	int(11) varchar(50) varchar(50) varchar(50) varchar(50) varchar(50)	YES YES YES	PRI 	NULL NULL NULL NULL NULL	auto_increment

6 rows in set (0.00 sec)

mysql> INSERT INTO USER (user_name, first_name, last_name, password, email) VALUES ('admin
1','Ellyl Faith','Llavore','laksjdo74, lilfaith.llavore@gmail.com');
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql> INSERT INTO USER (user_name, first_name, last_name, password, email) VALUES ('admin
1','Ellyl Faith','Llavore','laksjdo74', 'lilfaith.llavore@gmail.com');
Query OK, 1 row affected (0.00 sec)

mysql> select * from user;

ID user_name	first_name	last_name	password	email
1 admin1 ++			•	lilfaith.llavore@gmail.com

1 row in set (0.00 sec)

mysql> INSERT INTO USER (user_name, first_name, last_name, password, email) VALUES ('admin
2','Alina','Zong','oashdwip20', 'alinazong@gmail.com');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO USER (user_name, first_name, last_name, password, email) VALUES ('admin
3','Erika','Lundrigan','qpalsidf37', 'erikalundrigan@gmail.com');
Query OK, 1 row affected (0.00 sec)

mysql> INSERT INTO USER (user_name, first_name, last_name, password, email) VALUES ('admin
4','Holly-Mae','Villamin','msodiase85', 'maevill@gmail.com');
Query OK, 1 row affected (0.00 sec)

mysql> select * from user;

	7 - 4 -		+			
İ	ID	•	•		password	email
 	1 2 3 4	admin1 admin2 admin3 admin4	Ellyl Faith Alina Erika Holly-Mae	Llavore Zong Lundrigan Villamin	laksjdo74 oashdwip20 qpalsidf37 msodiase85	lilfaith.llavore@gmail.com alinazong@gmail.com erikalundrigan@gmail.com maevill@gmail.com

4 rows in set (0.00 sec)

mysql> INSERT INTO USER (user_name, first_name, last_name, password, email) VALUES ('guest
','Hello','Guest','bosdifa52', 'guest2053l@gmail.com');
Query OK, 1 row affected (0.00 sec)

mysql>