

# HOLMFIRTH CONSERVATION AREA

## DRAFT APPRAISAL

### Appendix I Schedule of listed Buildings

HCG Ref	Heritage England Reference	Heritage England Listing details	A %	C %
1  <b>BRM</b>	Legacy System: LBS UID: 340385 SE 1408 <b>HUDDERSFIELD ROAD 12/158 (&amp; NORRIDGE BOTTOM)</b> (Holmfirth) Listing NGR: SE1419308227	<i>Part of terrace with underdwellings. Early C19 (north-west elevation rebuilt later). Hammer dressed stone. Pitched tiled roof. Two and 4 storeys. North-west elevation of 3 bays with central door and sash windows. Shop window to right. South-east elevation: ground floor has large doorway with deep lintel, small doorway and <u>one single light</u>. First, second and third floors each have one 10-light mullioned window.</i>	79 50	75 75
2  <b>BQR</b>	SE 1408 <b>HUDDERSFIELD ROAD 12/159 (&amp; NORRIDGE BOTTOM)</b> (Holmfirth)  No 64 GV II Listing NGR: SE1419708241	<i>Shop and underdwelling part of terrace. Early to mid C19 with mid C19 frontage. Hammer dressed stone. Stone slate roof. Two and 4 storeys. North-west elevation: ground floor: entrance and one 2-light stone mullioned window. First floor: 2 single light sash windows. South-east elevation: ground floor: entrance and one 4-light stone mullioned window. First floor: later loading door and one 4-light window. Second and third floors each have one 6-light stone mullioned window.</i>	65 70	78 70
3  <b>BQS</b>	<b>Name:</b> 66,68, NORRIDGE BOTTOM, 66,68, HUDDERSFIELD ROAD <b>List entry Number:</b> 1313597 Location 66,68, HUDDERSFIELD	<i>Shops and underdwellings - part of terrace. Early to mid C19 (later alterations to frontage of No 66). Hammer dressed stone. Pitched tiled roof. Two and 4 storeys. North-west elevation: ground floor: 2 entrances and 2 large, single light shop windows. First floor: one 3-light stone mullioned window and one <u>single light</u>. South-east elevation: ground floor: entrance and one 4-light stone mullioned window. First floor: one 3-light and one 2-light window with later 2-light window between. Second floor: one 4-light window with mullions removed. Third floor: two 3-light stone mullioned windows.</i>	43 79	63 69

	ROAD 10 NORRIDGE BOTTOM <b>SE 1408 HUDDERSFIELD ROAD 12/160 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b> Listing NGR: SE1419908248  Nos 66 and 68 GV II			
4	Location 70,72, HUDDERSFIELD ROAD 11 NORRIDGE BOTTOM  <b>BQT</b> Grade: II Date first listed: 04-Aug-1983 Date of most recent amendment: Not applicable to this List entry. Legacy System: LBS UID: 340388 <b>SE 1408 HUDDERSFIELD ROAD 12/161 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b>  Nos 70 and 72 GV II Listing NGR: SE1420008253	<i>Shops and underdwellings - part of terrace. Early to mid C19 with mid C19 frontage to No 70. Hammer dressed stone. Pitch tiled roof. Two and 4 storeys. North-west elevation (No 70): ground floor: 2 entrances and 2 large shop windows. First floor: 2 large single light windows. South-east elevation: ground floor: entrance and one 4-light stone mullioned window. First floor: one 2-light and one 3-light window with later larger 2-light window between. Second floor: two 2-light windows to second floor. One 4-light and one 3-light window to third floor.</i>	58 45  71	72 69  52
5	NORRIDGE BOTTOM, 74,76, HUDDERSFIELD ROAD List entry Number: 1134850 Location Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340389 Asset Groupings <b>SE 1408 HUDDERSFIELD ROAD 12/162 (&amp; NORRIDGE</b>	<i>Shop and underdwelling - part of terrace. Early to mid C19 (mid C19 frontage to north-west). Hammer dressed stone. Stone slate roof. Two and 4 storeys. North-west elevation: ground floor: entrance and large shop window. First floor: one 8-light stone mullioned window (4 lights blocked). South-east elevation: entrance first and second floors. One 7-light window to third floor. Some of lights have sliding sashes.</i>	76 75	75 75

	<b>BOTTOM) (Holmfirth)</b> Listing NGR: SE1420308260			
6	<b>ACM</b> <b>Name:</b> 84, NORRIDGE BOTTOM, 84, HUDDERSFIELD ROAD <b>List entry Number:</b> 1313598 <b>Location</b> 84, HUDDERSFIELD ROAD 84, NORRIDGE BOTTOM <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>SE 1408 HUDDERSFIELD ROAD 12/163 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b> No 84 GV II Listing NGR: SE1421508279	<i>Part of terrace with underdwellings. Early to mid C19. Hammer dressed stone. Pitched tiled roof. Two and 4 storeys. North-west elevation part obscured by extension to No 86. Entrance to ground floor and one 3-light window to first floor. South-east elevation: ground floor: later large doorway and entrance. One 2-light stone mullioned window. First floor: one 10-light stone mullioned window with 4 lights blocked. Second floor: one 4-light and one 2-light window. Third floor: one 10-light stone mullioned window with 4 lights blocked.</i>	75	70
7	<b>CLF</b> 86, NORRIDGE BOTTOM, 86, HUDDERSFIELD ROAD <b>List entry Number:</b> 1134851 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340391 <b>Asset Groupings</b> <b>SE 1408 HUDDERSFIELD ROAD 12/164 (&amp; NORRIDGE BOTTOM) (Holmfirth)</b> No 86 GV II Listing NGR: SE1421208285	<i>Part of terrace. Early-mid C19 with mid C19 frontage. Hammer dressed stone. Stone slate roof. Four storeys. North-west elevation: ground floor: 2 doorways and 3 large single windows. Extension to south-west with hipped stone slate roof and large single window. First floor: 3 single sash windows. South-east elevation: ground floor: entrance and one 2-light stone mullioned window. First and third floors each have one 4-light window. Second floor has one 3-light window.</i>	85	53
8	<b>APX</b> <b>APY</b> <b>APL,</b> <b>20-32, VICTORIA STREET</b> <b>List entry Number:</b> 1279170 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340606 <b>Details</b> <b>SE 1408 VICTORIA STREET</b>	<i>Terrace, used as shops and banks. Early to mid C19 altered. Ashlar. Stone slate roof with moulded eaves cornice. Three storeys. Sill band to second floor and to first floor where surviving. Recent shop and bank frontages to ground floor. The 1920s or 30s frontage to No 28 extends to first floor. The rest of the first floor remains intact as does the second floor. The surviving facade is symmetrical with 11 sashes with glazing bars to second floor, and 5 sashes to first floor. The 2-storey frontage to No 28 consists of 6 moulded round arched openings with glazed bars with doorway in opening to left.</i>	100 46 46 77 76 82	89 83 67 79 75 59



		<p>shows as well as films, and there were two small dressing rooms behind the stage.</p> <p>The external projection room was removed in the 1920's and replaced with one inside the building: this survives but with no equipment. The first sound feature was presented in 1930, when a new screen was installed and projection and sound systems improved. By 1952 the seating capacity had been reduced to 779, and the cinema closed in 1967. It was opened as a Bingo hall and used as such until c.1993. It then remained closed until 1998 when after refurbishment it reopened as the Picturedrome. The building is still in use as a cinema with occasional live shows.</p> <p>There are strong historical connections with the Bamforth family who originated in Holmfirth and were very early film makers. The firm was founded in 1870, making magic lantern slides, and by 1898 Bamforths were making films with Riley Brothers of Bradford. Some of their early films were shown at the Valley Theatre, and it has been suggested that professional members of the company also appeared live on the stage. Bamforths, whose studio was nearby in Holmfirth, went on to specialise in postcards, calendars and birthday cards, but their films are acknowledged as important in the early history of cinema, providing the earliest examples of British comic film. The financial involvement of the Bamforths in the theatre at its opening is unclear. Hawthorne and King are described as the proprietors, but Harry Vernon is variously described as manager and proprietor. Vernon knew the Bamforths and his obituary states that he gave the firm their first commission to film the Holmfirth Whitsuntide procession. Bamforths may have provided financial backing to the first owners, and the firm acquired an interest in the cinema after the First World War.</p> <p>SOURCES: The Theatres Trust: Guide to British Theatres 1750-1950 (2000), p.79 Richard Brown: Film and Postcards : Cross-Media Symbiosis in Early Bamforth Films, 236-252. Bamforth, James, Oxford Dictionary of National Biography, 2004</p> <p>SUMMARY OF IMPORTANCE The Picturedrome in Holmfirth was built in 1912, and is a small but little altered example of an early purpose built cinema. Its major features including gallery, proscenium, foyer and a rare pressed tin ceiling remain intact. Additionally, it has strong historical associations with the firm of James Bamforth of Holmfirth who was an important early film maker whose locally made films were shown here and who had some financial stake in the building. It is still in use as a cinema, despite an interval of use as a bingo hall and a period of closure.</p> <p>The national criteria for buildings of this type focus on architectural quality, quality of decoration, rarity and novelty, historic associations and intactness. Any pre-1914 building should be seriously considered for listing. This cinema, although not of the highest architectural quality, has a rare feature in its pressed tin ceiling, is almost entirely intact, and has strong and important historical connections. It therefore meets the national criteria for designation. SE1422208200</p> <p>Selected Sources Books and journals Oxford Dictionary of National Biography: James Bamforth, (2004) Brown, R, Film and Postcards: Cross-Media Symbiosis in Early Bamforth Films 236-252 Earl, J, Sell, J, The Theatres Trust Guide to British Theatres 1750 - 1950, (2000), 79</p>		
--	--	--	--	--

10	<p>NEW ROW</p> <p><b>Name:</b> NEW ROW</p> <p><b>List entry Number:</b> 1134884</p> <p>1,3, HOLLOWGATE</p> <p>NEW ROW, 2,3, HOLLOWGATE</p> <p><b>Grade:</b> II</p> <p><b>Date first listed:</b> 04-Aug-1983</p> <p><b>UID:</b> 340365</p> <p><b>SE 1408 HOLLOWGATE 12/138 (Holmfirth)</b></p> <p><b>Nos 1 and 3 and Nos 2 and 3 (New Row) GV II</b></p> <p>Listing NGR: SE1417608115</p>	<p><i>Part of terrace with underdwellings. Early to mid C19. Hammer dressed stone. Stone slate roof with gable coping to north-east and stone brackets. Stone gutter to north-west. Four and 2 storeys. North-west elevation has 3 entrance and 3 single lights (part is shop frontage). First, second and third floors each have 3 single light windows. South-east elevation is of 3 terraced dwellings each with entrance and 3-light window to ground floor and two 5-light windows and one 4-light window to first floor. Two further blocked lights.</i></p>	69	54
			62	63
11	<p>4, TOWNGATE</p> <p><b>Name:</b> 4, TOWNGATE</p> <p><b>List entry Number:</b> 1134758</p> <p><b>4, TOWNGATE</b></p> <p><b>Grade:</b> II</p> <p><b>Date first listed:</b> 04-Aug-1983</p> <p><b>Legacy System:</b> LBS</p> <p><b>UID:</b> 340586SE 1408</p> <p>TOWNGATE 12/358 (Holmfirth)</p> <p>No 4 GV II</p> <p>Listing NGR: SE1426908163</p>	<p><i>House, part of group. Mid C19. Ashlar frontage. Hipped stone slate roof with dentilled eaves cornice. Three storeys. Three bay frontage with first and second floor sill band. Central 3-light bow to all floors, the ground and first floor windows with glazing bars. To left and right is single bay each consisting of panelled door with fanlight and single sash to first and second floors.</i></p> <p><i>Rear elevation is of 3 bays the first and second floors having single sashes to left, large 3-light windows to centre and single light and slender round arched window to right.</i></p>	72	56
			61	52
12	<p><b>Church of the Holy Trinity Church, Towngate</b></p> <p><b>List entry Number:</b> 1313632</p> <p><b>Grade:</b> II</p> <p><b>Date first listed:</b> 16-Jan-1967</p> <p><b>Date of most recent amendment:</b> Not applicable to this List entry.</p> <p>Legacy System Information</p> <p>The contents of this record have been generated from a legacy data system.</p> <p><b>Legacy System:</b> LBS</p> <p><b>UID:</b> 340588</p> <p>Details</p>	<p><i>Church. Circa 1780. By Joseph Jagger. Ashlar. Stone slate roof with modillioned eaves cornice. Square 2 tier tower at east end over chancel with gothic battlements and pinnacles. Two storeys. Three by 5 bays. Ground floor impost band. First floor sill band. Segmental headed windows to first floor. Round arched windows to ground floor. Entrance on south side, right hand bay, with segmental pediment on consoles. Moulded doorcase, double doors with rectangular leaded fan. Interior: Gallery on 3 sides on slender Doric columns. Flat ceiling with applied panel moulding and ogee bracket cornice. Early C19 wall memorials. 'The Buildings of England: Yorkshire West Riding', N Pevsner, 1959.</i></p>	95	63

	SE 1408 TOWNGATE 12/360 (Holmfirth)  16.1.67 Church of the Holy Trinity Listing NGR: SE1428208187 Selected Sources Books and journals Pevsner, N, The Buildings of England: Yorkshire - The West Riding, (1959)			
13  BVU , BVS	<b>Name:</b> 8,10, BUNKERS HILL <b>List entry Number:</b> 1313554 <b>8,10, BUNKERS HILL</b> <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340242 SE 1408 BUNKERS HILL 2/15 (Holmfirth) Listing NGR: SE1432508215	<i>Symmetrical pair. Early C19 with later alterations. Hammer dressed stone. Quoins to No 10. Stone slate roof. Coped gable and moulded to south-west. Two and 3 storeys. North-west elevation: ground and first floors: each have two 3-light stone mullioned windows. Second floor: one 14-light stone mullioned window with 5 blocked lights giving one 4-light and one 5-light window. Altered rear elevation.</i>	82  82	81  81
14  AUX , AU W, AUV , AUU Nee d chec king	<b>Name:</b> 12,14,16,18, BUNKERS HILL <b>List entry Number:</b> 1134920 Location <b>12,14,16,18, BUNKERS HILL</b> <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340243 SE 1408 BUNKERS HILL 12/16 (Holmfirth) NGR SE 14338 08226	<i>Terrace of dwellings. Early C19. Hammer dressed stone. Quoins to south-west. Stone slate roof. Three storeys. House to left has one 3-light window to each floor and entrance to right, which adjoins doorway to next dwelling, which has one 4-light window to each floor. House to right has central door in recent porch. One 4-light window to left to ground and first floors. Single sash to right, ground floor, with 2-light window to first floor. Three 2-light windows to second floor.</i>	74 74 74 74	66 66 66 66
15  AUS , AUT chec	38, 38A, BACK LANE <b>Name:</b> 38, 38A, BACK LANE <b>List entry Number:</b> 1134913 <b>38, 38A, BACK LANE</b> <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983	<i>Part of row. Early to mid C19. Hammer dressed stone. Quoins to north-west between 38 and 38A. Stone slate roof. Three storeys (one to rear).</i>  <i>South-east elevation: blocked doorway with 5-light stone mullioned window to each side and further doorway to right.</i>	94  94	94  94



<b>k</b>	Legacy System: LBS UID: 340229 Listing NGR: SE1434808236	North-west elevation: ground floor: 2 doorways. One 4-light and one 2-light stone mullioned window. First floor: 3 pairs of 2-light stone mullioned windows, and 2 later or altered windows. Second floor: continuous 13-light stone mullioned window.		
16 <b>APQ</b>	OLD LOCK UP Name: OLD LOCK UP List entry Number: 1313578 <b>OLD LOCK UP, DAISY LANE</b>  Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340282 SE 1408 DAISY LANE 12/55 (Holmfirth) Old Lock Up Listing NGR: SE1430208197	Former detached lock up. Early C19. Hammer dressed stone. Stone slate roof. Two storeys. North elevation: large carriage doorway with massive stone lintel supported on rounded padstones. Doorway to east and south elevations (the latter blocked). West elevation: first floor has narrow slit opening with vertical bar.	92	80
17 <b>ACF</b> , <b>ACE</b> ,	<b>Name: 25,27, HOLLOWGATE</b> List entry Number: 1227741 Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340366 SE 1408 HOLLOWGATE 12/139 (Holmfirth) Nos 25 and 27 GV II Listing NGR: SE1411108089	Two dwellings, part of row. Early C19. Hammer dressed stone. Stone slate roof with one part gable coping on cut kneeler to rear. Moulded stone brackets to gutter. Three storeys. The 2 dwellings are terraced with additional bay to left which consists of modern ground floor casement window, and one 2-light window to first and second floors. The main dwellings each have entrance and 3-light window to ground floor, and one 5-light window to first and second floors. Part blocked loading door to rear at second floor level.	78          100	63          97
18 <b>AQV</b>	Name: 12, NEW FOLD List entry Number: 1134830 Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340446 NGR SE 14087 08064	Part of terrace. Early to mid C19 though possible earlier origin. Coursed rubble and hammer dressed stone. Rendered to south. Plinth. Tabling to east gable. Some quoins. Stone slate roof. North elevation has quoins to ground and first floors. Ground floor: one 4-light stone mullioned window. First floor: one 3-light window. Second floor: one 3-light and one 2-light window. South elevation: ground floor: panelled door. First and second floors each have one 2-light stone mullioned window.	29	74
19 <b>AQU</b>	Name: 13, NEW FOLD List entry Number: 1228273 Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340447 SE 1408 NEW FOLD 12/220	Part of terrace. C19. Hammer dressed stone. Rendered to south. Some quoins. Stone slate roof. Three storeys. Ground floor: two 2-light stone mullioned windows. Central store lean-to extension. One 9-light stone mullioned window to first and second floors, the latter with 2 blocked.	34	74

	(Holmfirth)  No 13 GV II <b>National Grid Reference: SE 14081 08061</b>			
20 MON	<b>Name: HOLLOWGATE BRIDGE</b> <i>List entry Number:</i> 1134885 HOLLOWGATE BRIDGE, HOLLOWGATE <i>Grade:</i> II <i>Date first listed:</i> 04-Aug-1983 <i>Legacy System:</i> LBS <i>UID:</i> 340367 SE 1408 HOLLOWGATE 12/140 (Holmfirth)  Listing NGR: SE1408408098	<i>Road bridge. Early C19. Hammer dressed stone with ashlar parapet on string course. Shallow segmental arch.</i>		
21 MON	MILE POST, HOLLOWGATE BRIDGE <b>Name: MILE POST, HOLLOWGATE BRIDGE</b> <i>List entry Number:</i> 1227749 <i>Grade:</i> II <i>Date first listed:</i> 04-Aug-1983 <i>UID:</i> 340368 SE 1408 HOLLOWGATE 12/141 (Holmfirthh)  <b>National Grid Reference: SE 14085 08101</b>	<i>Mile post. Mid-late C19. Flat cast iron front with rounded top. Reads: GREENFIELD &amp; SHEPLEY LAND HEAD ROAD HOLMFIRTH DENBY GREEN DALE FIELD 6½ MILES 10½ MILES CAWTHORNE OLDHAM 10 MILES 14¼ MILES BARNSELY 14 MILES</i>		
22  CHH CHG	<b>Name:</b> 10,12,14, HUDDERSFIELD ROAD (new fold?) <i>List entry Number:</i> 1134847 <i>Grade:</i> II <i>Date first listed:</i> 04-Aug-1983 <i>Legacy System:</i> LBS <i>UID:</i> 340384	<i>Part of terrace with underdwellings. Early to mid C19 with mid C19 frontage. Hammer dressed stone. Stone slate roof with moulded stone brackets to gutter. Large central stone stack. Two and four storeys. C20 shop frontage to left with 2 single sashes to first floor. House to right comprises 2 doorways to right and single sash to left, and 2 single sashes to first floor. Rear elevation is symmetrical and handed. Each dwelling consisting of near central doorway with one 3-light window to one side and single light to other. To first floor each has one 9-light window: that to left with each end light blocked, and that to right with 3 centre lights blocked. To second floor each has one 3-light and one single light. One 9-light stone mullioned window to each at third floor level (some blocked lights). Third and first floors have continuous sill bands.</i>	56	53

	.SE 1408 HUDDERSFIELD ROAD 12/157 (Holmfirth)  <b>National Grid Reference: SE 14022 08075</b>			
23  <b>BDN BDM</b>	<b>Name:</b> 1,3,5,7,9, WOODHEAD ROAD <b>List entry Number:</b> 1229721 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Date of most recent amendment:</b> 14-Oct-1993 <b>UID:</b> 340653 SE 10 NW HOLME VALLEY  <b>Nos. 1, 3, 5, 7 &amp; 9 4/8/83</b> <b>(Formerly Listed as: WOODHEAD ROAD, Holmfirth, Nos. 1 &amp; 3)</b> <b>National Grid Reference: SE 13978 08045</b>	<i>Two houses, part of terrace. Early C19 though north elevation rebuilt c.1900. Hammer dressed stone. Some quoins to south. Stone slate roof with gable coping and moulded kneeler to south-east. Four storeys. The 2 dwellings are symmetrical to ground and first floors, with entrance and 3 large casements to ground floor and continuous 10-light window to first floor (some blocked lights). House to left has one 3-light and one 2-light window to second floor and 10-light window to third floor with 4 blocked lights. House to right: two 3-light windows to second and third floors.</i>	35  40	75  36
24  <b>AJN, BUK</b>	<b>Name:</b> 25,27, WOODHEAD ROAD <b>List entry Number:</b> 1134745 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340654 SE 10 NW WOODHEAD ROAD 4/426 (Holmfirth) Listing NGR: SE1379707945	<i>Two cottages. Early C19. Hammer dressed stone. Stone slate roof. Coped gables. Two stacks (one ashlar). Two storeys. North-west elevation: No 25: ground floor: central doorway with one 3-light stone mullioned window to one side, and one small single light to other. First floor: one 2-light stone mullioned window, one single light, and one 3-light stone mullioned window.</i>  <i>No 27: doorway to left. Three large single light windows with large separating 'mullions'. Central light probable former doorway. First floor: one 3-light stone mullioned window with one light blocked and one 2-light stone mullioned window.</i>	71  74	73  73
25  <b>ARH</b>	<b>Name:</b> CHURCH OF ST JOHN <b>List entry Number:</b> 1229162 <b>Date first listed:</b> 04-Aug-1983 <b>Grade:</b> 11 <b>Legacy System:</b> LBS <b>UID:</b> 340599	<i>Gothic Revival Church. 1848. Hammer dressed stone with ashlar dressings and plinth. Buttresses. Pitched slate roof with gable copings. North and south transepts, the latter with 3 tier square tower over. Lower chancel. Nave of 4 bays to north and 5 bays to south, each side with doorway the one to south in stone porch. Windows are 2-light with traceried heads, some with stained glass. North transept of 2 bays with window as before. North window is 3-light with stained glass. Tower of 3 tiers with bell chamber with pair of 2-light traceried and louvered lights to each elevation. Five-sided stair turret, to first tier level, on east side. Chancel of 2 bays with windows as before. East window of 4-lights with tracery and stained</i>	96	78

	SE 10 NW UPPERTHONG LANE 4/371 (Holmfirth) Listing NGR: SE1368408065	<i>glass. Interior: chancel arch. Roof trusses supported on engaged colonnettes.</i>		
26 <b>BAB BAA</b>	<b>Name:</b> 11,13, UPPERTHONG LANE <b>List entry Number:</b> 1134764 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340598 SE 10 NW UPPERTHONG LANE 4/370 (Holmfirth) <b>National Grid Reference:</b> SE 13886 08072	<i>End of terrace. Early to mid C19. Hammer dressed stone. Stone slate roof. Central stack. Occasional stone brackets to gutter. Two storeys. Two central doorways (one blocked) and one later doorway to left. Two 3-light stone mullioned windows. First floor: one 4-light stone mullioned window. (2 lights blocked) and three 2-light windows. Rear elevation: one 2-light stone mullioned window to first floor of each dwelling.</i>	69  51	75  75
27 <b>CIW CNF CSS</b>	<b>Name:</b> BON ACCORD, CARRLEIGH AND CARRFIELD TERRACE <b>List entry Number:</b> 1215567 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983.  <b>Date of most recent amendment:</b> 05-Jul-1984 <b>UID:</b> 340248 Bon Accord and Carr Leigh  <b>The address and item shall be amended to read:</b> <b>COOPER LANE (Holmfirth)</b> <b>Bon Accord, Carrleigh and Carrfield terrace</b> <b>SE 1408 CARR HOUSE</b> <b>LANE 12/21 (Holmfirth)</b> Listing NGR: SE1415308305	<i>Terrace of 3 large houses. Mid C19. Ashlar fronted. Pitched slate roof with gable copings. Four ashlar stacks with plinth and cap. Two storeys. Symmetrical facade. Seven bay frontage with alternative bays breaking forward slightly. Three doorways with ashlar surround and semi-circular fanlight, each with a pair of engaged columns supporting full entablature and pediment. Sash windows have architrave surround. Moulded eaves cornice and blocking course. Round arched landing windows to rear and 4 small pitched dormers.</i>	55 28 63	74 68 70
28 <b>ACO</b>	<b>Name:</b> BEECH HOUSE <b>List entry Number:</b> 1134852	<i>Large detached house. Mid C19. Ashlar frontage with plinth and moulded string course. flipped slate roof with heavily moulded eaves cornice. Two storeys. Three bay symmetrical facade, with central bay</i>		

	<p>Location BEECH HOUSE, HUDDERSFIELD ROAD Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340395 SE 1408 HUDDERSFIELD ROAD 12/168 (Holmfirth) Listing NGR: SE1420908346</p>	<p><i>breaking forward slightly. Slender central, open porch with frieze, cornice, and blocking course which ties in with string course. Round arched openings with keystone. Square columns. Sunk panel decoration to columns and spandrels. Panelled door with semi-circular fanlight. Sash windows with architrave surround. Ground floor square bay to left and right elevations. Rear part is of hammer dressed stone.</i></p>	83	68
29  <b>AAA</b>  <b>BZB</b>	<p>Name: 81,83, HUDDERSFIELD ROAD List entry Number: 1227967 Location 81,83, HUDDERSFIELD ROAD Grade: II Date first listed: 04-Aug-1983 Legacy System: LBS UID: 340392 SE 1408 HUDDERSFIELD ROAD 12/165 (Holmfirth) Listing NGR: SE1423708384</p>	<p><i>Handed pair. Mid C19. Ashlar fronted. Stone slate roof with moulded eaves cornice and blocking course. Three storeys. Four bays with first and second floor sill bands. A flight of stone steps leads to 2 central 6 panelled doors with ashlar surrounds and semi-circular fanlight with glazing bars. Three engaged slender Doric columns support frieze, cornice and blocking course. To each side is single sash set in round arched recess. Four single sashes to first and second floors.</i></p>	100 100	54 59
30  <b>CTO</b>	<p><b>Name: CIVIC HALL, BOUNDARY WALL AND GATE PIERS</b> List entry Number: 1227986  The building may lie within the boundary of more than one authority. County: District: Kirklees District Type: Metropolitan Authority Parish: Holme Valley National Park: Not applicable to this List entry. Grade: II Date first listed: 04-Aug-1983</p>	<p><i>Civic Hall. 1842. Ashlar. Flat roof with moulded eaves cornice and blocking course. Two storeys. South-east elevation: 3 central bays of tall windows, with glazing bars, to each floor, the upper floor having stone surrounds and set in shallow recessed panels. Between floors is deep ashlar string course. To each side of central part of side wings of one bay which breaks forward and has a single light to each floor. Two entrances: one to inside of each projecting wing. North-east elevation: ground floor has 5 blind window openings. First floor has tall, central, 3-light window with moulded decoration. Boundary wall returns to building. Two massive, square ashlar corner posts with moulded caps. Two similar gate piers with iron overthrow.</i></p>	82	63

	<b>Legacy System:</b> LBS <b>UID:</b> 340396 SE 1408 HUDDERSFIELD ROAD 12/169 (Holmfirth) Listing NGR: SE1426308452			
31 <b>CMC</b> , <b>CMB</b> , <b>CMA</b>	<b>Name:</b> 142-150, HUDDERSFIELD ROAD <b>List entry Number:</b> 1270289 <b>Grade:</b> II <b>Date first listed:</b> 08-Jun-1992 <b>Legacy System:</b> LBS <b>UID:</b> 459787 Listing NGR: SE1434608558	Row of 4 houses, formerly 5 houses. c1830. Coursed rubble with ashlar dressings and slate roofs with 4 stacks. Street front, 2 storey over basement, 6 window range. Ground floor has central window with glazing bar sash, in raised ashlar surround, to the left a similar window and beyond a former doorway with a window inserted. Set back to the left a round headed doorway with rusticated surround and 2 panel door with fanlight. To the right a pair of doorways with raised ashlar surrounds and plain doors with overlights, beyond a further glazing bar sash and beyond again a further set-back round headed doorway with rusticated surround and C20 glazed door with fanlight. Above a moulded first floor band and 4 glazing bar sashes in raised ashlar surrounds with eitherside single narrow sashes, that to right plain. <b>INTERIOR:</b> Ashlar stone staircase, with ladder type stairs to attics First floor rooms have wooden plank partitions with glazed over-lights. Some original fireplaces on the upper floors.	97 97 84	75 75 75
32 <b>AUR</b> <b>CNY</b>	<b>Name:</b> 25,27, STATION ROAD <b>List entry Number:</b> 1134822 Location <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340530 SE 1408 STATION ROAD 12/303 (Holmfirth) Listing NGR: SE1434908301	Part of row. Early to mid C19. Hammer dressed stone. Stone slate roof. Two and 3 storeys. North-west elevation: ground floor: two 3-light stone mullioned windows (one window has all lights blocked). First and second floors each have two 4-light stone mullioned windows.	60 71	66 69
33 <b>CLM</b>	<b>Name:</b> RAILWAY STATION BUILDING <b>List entry Number:</b> 1228523 <b>Grade:</b> II <b>Date first listed:</b> 04-Aug-1983 <b>Legacy System:</b> LBS <b>UID:</b> 340531 SE 1408 STATION ROAD 12/304 (Holmfirth)	Former Station Master's house, now disused. Mid C19. Rock faced stone with ashlar dressings. Quoins. Part rendered. Steeply pitched slate roofs with gable copings on large kneelers. Central stack with triple, hexagonal ashlar chimneys with caps. Stack to each gable with double ashlar chimneys, as before. Two storeys and attic. Gabled cross wing at each end. East elevation has central bay, slightly set back, with doorway in large Tudor arched surround with deep hood mould. Above this is gabled dormer with 2-light window. Each cross wing has 6-light mullioned and transomed window to ground floor, and cross window to first floor. Small single light in apex of each gable. West elevation has central single storey canted bay and 3-lights.	76	53

	Listing NGR: SE1446508524			
34 BW Y, CXR	<p><b>Name:</b> 13 AND 15, CLIFF LANE, HOLMFIRTH</p> <p><b>List entry Number:</b> 1313550</p> <p>Location 13 AND 15, CLIFF LANE, HOLMFIRTH (Formerly listed under BANK HOUSE LANE)</p> <p><b>Grade:</b> II</p> <p><b>Date first listed:</b> 04-Aug-1983</p> <p><b>Date of most recent amendment:</b> Not applicable to this List entry.</p> <p><b>Legacy System:</b> LBS</p> <p><b>UID:</b> 340230</p> <p>SE 140 12/3</p> <p>Listing NGR: SE1449908405</p>	Two dwellings. Late C18-early C19. Hammer dressed stone. Quoins. Bitumen covered stone slate roof with gable copings. Large central ashlar stack. Two storeys and basement. East elevation: small lights to basement in light well. At ground floor level: entrance to left and right, both in later porch, and two 3-light windows. To first floor are two 5-light windows one with 2 lights blocked. Possible further 2-lights between, now blocked. West elevation: one 3-light window to ground floor and 3-light window to ground floor and modern bow in former 3-light opening. To first floor is former 7-light window with 3 blocked lights to centre, and one 6-light window. To south is slightly later addition, altered, with single light windows to west.		
35 CPB	<p><b>Name:</b> THE VICARAGE</p> <p><b>List entry Number:</b> 1313549</p> <p><b>THE VICARAGE, 23, BACK LANE</b></p> <p><b>Grade:</b> II</p> <p><b>Date first listed:</b> 04-Aug-1983</p> <p><b>Legacy System:</b> LBS</p> <p><b>UID:</b> 340228</p> <p>SE 1408 BACK LANE 12/1 (Holmfirth)</p> <p>Listing NGR: SE1439608168</p>	Large detached house. Mid C19. Ashlar fronted. Hipped stone slate roof with 2 large ashlar stacks. Two storeys. Three bay symmetrical facade with string course. Central door with architrave surround and semi circular fanlight with glazing bars, and small cornice over. Giant pilasters to each side of door and giant clasping pilasters to each corner. Tall sash windows with glazing bars to ground floor and 3 single sashes to first floor, all with ashlar panel below. Deep moulded eaves cornice. The giant pilasters are taken round onto right side. To left elevation is single storey extension with central gable with cross finial and modern garage door. Two small round arched windows with traceried glazing bars.	64	86
36 BVQ , BVP , BVO	<p><b>Name:</b> 23,25,27, SOUTH LANE</p> <p><b>List entry Number:</b> 1134820</p> <p>Location 23,25,27, SOUTH LANE</p> <p><b>Grade:</b> II</p> <p><b>Date first listed:</b> 04-Aug-1983</p> <p><b>Legacy System:</b> LBS</p> <p><b>UID:</b> 340523</p> <p>SE 1408 SOUTH LANE 12/296 (Holmfirth)</p> <p>Listing NGR: SE1433308128</p>	Row of 3 dwellings. Early C19. Hammer dressed stone. Stone slate roof with gable copings and carved kneelers. Three storeys. No 23 to left is of single bay, with 2-light window to each floor and ground floor entrance to right. Nos 25 and 27 are as a pair, each with one 5-light stone mullioned window to first and second floors, (3 with centre light blocked). No 25 has entrance and 2-light window to ground floor, and No 27 has entrance with single sash to each side. Recently built lean-to to right gable which was formerly an internal wall.	70 84 66	95 100 80



