Computational Poetry Workshop: Making Sense of Work in Progress

J. Corneli*
Goldsmiths College

A. Jordanous University of Kent

R. Shepperd Goldsmiths College

M. T. Llano Goldsmiths College

J. Misztal Jagiellonian University

S. Colton Goldsmiths College

C. Guckelsberger
Goldsmiths College

Abstract

Creativity cannot exist in a vacuum; it develops through feedback, learning, reflection and social interaction with others. However, this perspective has been relatively under-investigated in computational creativity research, which typically examines systems that operate individually. We develop a thought experiment showing how structured dialogues can help develop the creative aspects of computer poetry. Centrally in this approach, we ask questions of a poem, inviting it to tell us in what way it may be considered a "creative making."

Keywords: computer poetry, social creativity, flow-charts, Writer's Workshops

'We can talk,' said the Tiger-lily: 'when there's anybody worth talking to.'

Through the Looking Glass, Lewis Carroll

Introduction

We are writing in a large part to champion Alan Turing's proposal that intelligent machines should "be able to converse with each other to sharpen their wits" (Turing, 1951). The formalism that we propose builds on the notion of social cybernetics that flows from the following propositions of Heinz von Foerster's, which he uses to theorise systems in which participants can responsibly specify their own roles in relationship to other system participants:

"Anything said is said by an observer."

"Anything said is said to an observer."

(Von Foerster, 2003 [1979])

According to Jaako Seikkula and Tom Arnkil, who draw on the philosophical and literary analysis of Mikhail Bakhtin (Bakhtin, 2010 [1986], 1984 [1963]) in their approach to psychosocial work,

"Dialogues could be called 'the art of crossing boundaries'. Instead of trying to control others, the parties reach out towards each other to hear their views better, to generate shared languages and to join resources."

(Seikkula and Arnkil, 2014, p. 23)

This paper outlines a study of social creativity with a dialogical emphasis, taking computer poetry as our working domain. It uses the Writer's Workshop model (Gabriel, 2002) as the virtual laboratory in which to conduct a thought experiment. The findings of our study are applied to the FloWr system (Charnley, Colton, and Llano, 2014). We focus on the following questions in turn:

- How has the social dimension of creativity been explored in CC to date?
- How can a created artefact tell us about its making, and what can this contribute to CC?
- How can computer poetry contribute to developing a process-based theory of poetics?
- What would have to change about the FloWr system to implement the computational poetry workshop approach?
- What are the pros and cons of the workshop approach?
- What might be the future role of dialogue in CC?

Background

Social creativity in CC

Minsky noted that computers need to be social if they are to deal with problems of any great complexity (Minsky, 1967, 1988). We believe that this is particularly true for challenges in computational creativity, since the essence of creativity lives in its appreciation by the creative entity itself and its audience. With creativity in 'the eye of the beholder' (Cardoso, Veale, and Wiggins, 2009), the ability to respond to evaluation during the creative process (Poincaré, 1929 [1908]; Csikszentmihalyi, 1988) becomes pivotal. Social creativity expands this paradigm by introducing co-creators to the process, and creating works that rely on dialogue, reflection, and multiple perspectives (e.g. the stages suggested by (Gervás and Leon, 2014)). 'Results' may be steeped in process and are not always based on consensus.

The Four Ps of creativity – the creative Person, Product, Process and Press (i.e. environment) (Rhodes, 1961) – have been emphasised in general creativity research. *Pluralising* these terms (Persons, Products, Processes) calls further attention to a social dimension of creativity, and would emphasise the way the "Press" accommodates multiple multidirectional perspectives akin to a social network in both the modern and original senses. The Pluralised Ps remind us

^{*}Corresponding author. Email: j.corneli@gold.ac.uk

that in order to understand creativity it is not sufficient to model a lone creator or to generate an attractive artwork.

To date, computational creativity research has achieved many successes in computational generation of creative products, but the question of how these systems could adapt and learn from feedback to improve their creativity is less-explored in computational creativity (Jordanous, 2015). Evaluation has been advanced as a pivotal contributory part of the creative process, but researchers often give priority to generating artefacts that could be seen as creative over the task of incorporating feedback and evaluation within the processing of a creative system (Jordanous, 2011).

At the previous year's International Conference on Computational Creativity (ICCC 2014) the opening session had the theme "co-creation." However in the main proceedings of the conference, 36 out of 49 papers (approximately 3 in 4 papers) do not appear to mention social interaction or the ability to respond to feedback. Some notable exceptions highlight the usefulness of interaction and feedback for creative systems (McGraw and Hofstadter, 1993; Colton, Bundy, and Walsh, 2000; Sosa, Gero, and Jennings, 2009; Pérez y Pérez, Aguilar, and Negrete, 2010; Pease, Guhe, and Smaill, 2010; Saunders, 2012). Some of this work is influenced by the DIFI (Domain-Individual-Field-Interaction) framework (Csikszentmihalyi, 1988). However, social interaction between creative agents and their audience is often overlooked or relatively simplified: some examples in the domain of computer poetry presented below give the flavour. Increased development of the interactivity of creative systems, especially where this affects the way these systems works, has been highlighted as deserving more attention (Colton and Wiggins, 2012).

FloWr is a framework for implementing creative systems as scripts over processes that can be manipulated visually as flowcharts (Charnley et al., 2014). Its general approach consists of linking the inputs and outputs of code modules, called *ProcessNodes*, together to create a linear flow of data. The resulting Flowcharts can be constructed and executed visually through a GUI; however, they are ultimately represented as scripts, which are the main medium of FloWr. Experiments with automatic process generation in FloWr, reported in (Charnley et al., 2014), highlight the ability of the tool to do meta-programming and modify its own flowcharts. This suggests that FloWr has potential as an environment for modelling social creativity, where the observers are nodes and flowcharts, and their languages are, respectively, programming and meta-programming instructions.

... and in computer poetry

In the domain of poetry-generation, there have already been several attempts to simulate social creativity by incorporating multi-agent systems. In WASP (Gervás, 2010), social behavior is simulated by incorporating a cooperative society of readers/critics/editors/writers consisting of specialized families of experts that cooperate during the poetry-generation process. The McGONAGALL system (Manurung, Ritchie, and Thompson, 2012) incorporates diverse modules as operators in evolutionary algorithms that produce poems fulfilling the constraints on grammar, meaning







A. how to become a writer1

B. "the Other"

C. proto-workshop

Figure 1: (A) gives a simple recipe for the growth and development of a writer; (B) *response* always has dimensions that goes beyond the utterance that is overheard; (C) adds a *reader* who shares the context with the writer and responds.

and poeticity. This approach facilitates the pursuit of several alternative solution paths in parallel, focusing on more promising results or coming back to former ideas. However McGONNAGALL does not provide any communication between modules. In the MASTER system for computeraided poetry generation (Kirke and Miranda, 2013) a society of agents in various emotional states influences each other's moods with their pieces of poetry. The poetry-generation process is based on social learning as the agents interact by reciting their own pieces of poetry to each other. The generated poems are based on repeated words and sounds, and are closer in some ways to music than to typical language. Montfort, Pérez y Pérez, Harrell, and Campana (2013) and Misztal and Indurkhya (2014) use blackboard approaches to poetry-generation, in which independent specialized modules cooperate via a shared global workspace, à la (Baars, 1997). "Experts" exchange information using the blackboard, but without direct communication and without feedback about the reception of their created artifacts.

In connection with our work in the current paper, we did a limited proof-of-concept reimplementation of some of the core methods of blackboard poetry system inside of FloWr; we include one of the generated poems and the corresponding flowchart.

Methods

"What are the proposed 'lab rats'?"

The generative side of the cycles in Figure 1 has been studied more than the reflective side. Our "lab rats" are, accordingly, not poems per se, but rather, *instances of reading and responding to poetry*. Naturally, such responses could be more or less "canned" (as with Michael Cook's humorously nonspecific AppreciationBot²), so the question becomes: what constitutes an interesting and useful response, and how will these be developed? The idea of responses is useful at various levels. We focus here on staging an encounter between writer and reader.

Writer's Workshops

Quoting (Gabriel, 2002, pp. 2–3):

The original idea behind the writers' workshop was to do a *close reading* of a work... looking at the words on

¹According to (King, 2000).

²https://twitter.com/appreciationbot

the page rather than the intentions of the author or the historical and aesthetic context of the work. Under this philosophy, the workshop doesn't care much what the author feels about what he or she wrote, only what's on the page.

Framing and any other contextualisation of the work as it is intended to be presented is permitted, and receives critical attention. We define a Workshop closely following Gabriel's outline, to be an activity consisting of these steps: presentation, listening, feedback, questions, and reflections. The first and most important feature of feedback is for the listener to say what they heard; in other words, what, for them, is in the work. In some settings this is augmented with suggestions. After any questions from the author, the commentators may make replies to offer clarification. In (Corneli and Jordanous, 2015) we used the Workshop framework to expand several patterns of serendipity described by (Van Andel, 1994), showing how they could be used to foster discovery and invention in a social context.

Content as creative process

Giving agency to the poem rather than the poet's intentions, the poem illuminates its own creative process. This informs our approach to Workshop interactions, which are focusing on the poem observing its own construction. We're interested in context not in the literary or historical sense but in the micro-history of the poem's creative evolution. The originary and therefore unpredetermined nature of the creative process means that the outcome represents a more accurate and objective evidence of the process than the poet's attempt to explain the process. Moreover, to the extent that a creator knows what is expressed through the creative process, even he or she learns this only in the course of doing the work. Observers are only able to consider after the fact how a creator may have selected and rejected various possibilities. The *content* of the poem is no more and no less than how the poem was made.

"In a poem, objective material becomes the content and the matter of the emotion and not just its evocative occasion." (Dewey, 1958 [1934], p. 69)

P. G. Whitehouse writing on Dewey's *Art as Experience* suggests that Dewey joins Collingwood in separating aesthetic emotion from any notion of inspiration that could be considered to be something like raw materials. An emotion is *aesthetic* when it "adheres to an object formed by an expressive act" (Whitehouse, 1978, pp. 149–156). However, "the art object does not have emotion for its significant content"; rather, the emotion "belongs to the self that is concerned in the movement of events toward an issue that is desired or disliked" (Dewey, 1958 [1934], p. 14).

Aspects of the creative process

Doug Anderson and Carl Hausman take Collingwood's study further and map the creative process roughly as follows (Anderson and Hausman, 1992, pp. 299-305):

Disturbance \rightarrow aesthetic emotion \rightarrow response \rightarrow artist's decision on components of expression \rightarrow feeling of easement plus a simultaneous emerging of a unique imaginative expression \rightarrow alleviation \rightarrow realising and converting prior psychical emotion \rightarrow unique aesthetic experience including new conscious emotion

The poem is a *work of progress* before it is a *work in progress*. The purpose of a poetry workshop that attends to the content of the poem as process is to illuminate what the poet is exploring through his/her creative process and through the poem. The process of reading a poem is also a process of *poiesis* – and in the Workshop, the reader joins the writer in the process of creation. Asking questions like those listed in in Table 1 tells us what the constituent parts of the poem are doing.

Relevance for CC research

From a CC standpoint, asking what the work tells us about the creative process gives an objective and critical focus on "creative evolution" (Bergson, 1911 [1907]) and provides an antidote to the seductions of mere generation. A poetry workshop gives participants the opportunity to read the drafts and final versions of poems by other Workshop participants, a shared culture of critique that can be applied to previously existing poems, and a structured way to gather feedback on one's own work in progress. These analyses, unbiased by the explanations of the (software) creator, will allow participants to explore and extend the conceptual space around poetry, or in practical terms, the toolbox the agents can access. "Extending" expresses both a refinement of the tools used and the introduction of entirely new tools. Moreover, reverse-engineering of the creative process from artefacts will help to teach agents participating in the workshop at which stage of *their* creative process these new tools or extensions could potentially be used. Dialogue in the workshop involves "respecting the voices of each of the participants" (Seikkula and Arnkil, 2014), be they agents, poems, or individual words – and suggests that we look at the "art of boundary crossing" that is to be found inside poems.

Bridges between 'theory' and 'practice'

Our *ansatz* is that the Workshop could serve as a way to develop a process-based theory of poetics. There are certain prerequisites: in particular, an underlying context is required, shared (with respect to differing points of view) by the poet and the reader/listener (see Figure 1). Participants are assumed to have relatively stable, enduring but evolving, identities – either might be able to ask "Who am *I*?" and "Who are *you*?" (Bakhtin, 1984 [1963], p. 251). Answers would acknowledge a prepared mind with certain prior questions, abilities, involvements, and so on. However, within the Workshop dialogues, the discussion focuses solely on the work itself. Persistent identities allow participants to learn from these exchanges.

Table 1 contains a list of questions that a reasonably sophisticated poetry reader might ask about poems. This is complemented by a list of questions that could be addressed, in a

Question	Examples	Question	Agent concerned
What are the register(s) of the poem? Who is addressed?	cliched, instructive, imperative reader, poet, friend,	Word level What is are dictionary definitions of this word?	WordNet expert
What position(s) are present in the poem? What is the poem doing with the	rival, confidante pleading, remonstrat- ing, ephemeral accuse, bewilder, ali- enate "the falconer", "you", narrator, "two men" "the sea", "a bicycle"; multiple meanings communication, sub- verted cliche	What are its etymological roots? Where did this word come from? What pronouns are used in the poem? Phrase level	Etymology expert Provenance expert Pronoun expert
reader? Who are the characters in the poem? What is the role of image(s) in the poem?		What are the components? Do the components have a negative or positive connotation? What are the modifiers attached to the components?	Keywords expert Association expert Modifer expert
What functions, mechanics, and paradigms are present for the reader to engage with?		Sentence level What is the parse tree?	Grammar expert
What problems, discomforts, or diseasements are invoked in the poem? How do these evolve?	horror, self-loathing, rejection, desire E.g. an image may start to take over from a register	Line level How long is the line? Where does it break? Where is there white space?	Counting expert Breathing expert Position expert
What is the world of the poem, and how does the poem distinguish between this and its perception of this?	"Surely", "must"; sacred vs mundane; perspectival vs sur- real; tale vs telling	Poem level How are terms that exhibit emotion distributed within the poem? Where is there alliteration (rhyme,	Distribution expert Phonics expert
What are the overlaps, transitions, implicit dialogues?	"twinned" lines/ideas, juxtaposed parts of the poem	consonance) in the poem? Does the poem have a metrical structure?	Rhythm expert
What role does the chronology of reading play, versus references to chronology and chronological positions within the poem?	flagged development, evolution, movement, stasis	How repetitive is the poem? Does the poem cohere? Does the poem have a progression? Where are the various elements of	Repetition expert Thematic expert Narrative expert
How are lexical categories used?	solid nouns, tortuous adjectives, indistinct	the poem concentrated?	Entropy expert
Are there discernible allusive effects?	adverbs illustrating the literary apprenticeship of the	Table 2: Questions we imagine a computer would curre be capable of answering when reading a poem	

urrently

- 2. The use of the word attention is not being interrogated or acknowledged for its importance. Its qualifying word is startle, used here as an adjective; acknowledging the fact that the attention is noted, but is not yet part of the transformative of the poem.
- 3. This is repeated in the next references to the aesthetic experience as a lonely encounter, exclusive ruler, horrible glimpse and introspective consciousness.
- 4. The contact made between the poem and its own construction is qualified in negative terms attached to the words demon, encounter and consciousness.
- 5. This poem does not welcome the intimacy of bringing anything to aesthetic consciousness so that it might be expressed. Why do I say that? Because the words are generalised and *horribly* imprecise.
- 6. The poem does not move toward a better understanding of the ideas it alludes to. The vocabulary seems to associate exploration with fear and isolation and this is (paradoxically) quite an interesting acknowledgment of the poem's refusal to go anywhere i.e. to become a thing transformed by a creative process.

Question	Examples
What are the register(s) of the poem?	cliched, instructive, imperative
Who is addressed?	reader, poet, friend, rival, confidante
What position(s) are present in the poem?	pleading, remonstrat- ing, ephemeral
What is the poem doing with the reader?	accuse, bewilder, ali- enate
Who are the characters in the poem?	"the falconer", "you", narrator, "two men"
What is the role of image(s) in the poem?	"the sea", "a bicycle"; multiple meanings
What functions, mechanics, and paradigms are present for the reader to engage with?	communication, sub- verted cliche
What problems, discomforts, or diseasements are invoked in the poem?	horror, self-loathing, rejection, desire
How do these evolve?	E.g. an image may start to take over from a register
What is the world of the poem, and how does the poem distinguish between this and its perception of this?	"Surely", "must"; sacred vs mundane; perspectival vs sur- real; tale vs telling
What are the overlaps, transitions, implicit dialogues?	"twinned" lines/ideas, juxtaposed parts of the poem
What role does the chronology of reading play, versus references to chronology and chronological positions within the poem?	flagged development, evolution, movement, stasis
How are lexical categories used?	solid nouns, tortuous adjectives, indistinct adverbs
Are there discernible allusive effects?	illustrating the literary apprenticeship of the author (or reader)
Where is the poet presented with re-	Confidence, determ-

Table 1: Questions that we ask when reading a poem

ination, exploration

straightforward programmatic manner (Table 2). Each of the examples listed in the right-hand column of Table 1 (and a plethora that are not listed) present a way of thinking about the poem. We can see these as roughly analogous to the agents in Table 2 (Minsky, 2006).

To illustrate, in response to a computer-generated poem:

Oh dog the mysterious demon Why do you feel startle of attention? Oh demon the lonely encounter ghostly elusive ruler Oh encounter the horrible glimpse helpless introspective consciousness

spect to the poem?

A human critic might offer the following feedback:

1. The use of the word mysterious in the first line has no resolution, real or attempted, or quest to find one. Each of these six points is *dual-voiced* in the sense that the critic is relaying the words of the poem with a new emphasis. Each such statement is one side of a micro-dialogue (Bakhtin, 1984 [1963], p. 73). The challenge is, of course, to bring the observations into the awareness of the computer poet, across the "analogue divide." Care should be taken not just to blythely program the computer with more rules, but rather to give attention to facilitating the process of learning new rules contextually. We continue with the example from this point of view in the following section.

First we will consider a reversal of roles, with the computer in the position of critic, looking at a passage from an historical piece of poetry. We have selected a passage from Robert Burns that might have – but in fact did not – serve as a model for the poem generated above.

I'm truly sorry man's dominion Has broken Nature's social union, An' justifies that ill opinion Which makes thee startle At me, thy poor, earth born companion An' fellow mortal!

Naturally, the first problem is for the computer to *read* the poem. One of the approaches that is most appealing from our point of view is the automatic generation of a semantic network from the input text (Harrington and Clark, 2007). We could straightforwardly extend the methods of Harrington and Clark with notions drawn from Table 2.

- 1. The passage begins with *I/me*, locating the *poor*, *earth born* poet
- 2. *theelthy* is another person, possibly the reader, who becomes *startled*
- 3. Singular I contrasts with the class man
- 4. sorry is a sad emotion
- 5. truly exaggerates sorry
- 6. dominion is large
- 7. broken and union are opposites
- 8. sorry and justifies are opposites
- 9. *union*, *companion*, and *fellow* are positive words about relationship and joining
- 10. broken, ill, poor, startle and mortal are related to frailty
- 11. born and mortal are related
- 12. There are a lot of rhymes in the poem, at the end of the lines, enjambed.

These comments are very different from the other reading above, and are differently interesting.

We've demonstrated that the computer is capable of asking objective questions of a poem. A similar semantic network approach would allow it to listen to feedback and take it on board, even when it doesn't understand the ways of thinking that generate this feedback. Again, this links the process of reading and writing poetry to a process of dialogue.




Figure 2: Schematic diagram for a workshop built in the FloWr system

Seeds for a FloWr Garden

Keeping in mind the current limitations of FloWr – no looping or conditionals, only running one flowchart at a time and in one direction - a conversation between ProcessNodes or flowcharts is not immediately feasible. Figure 2 represents a hypothetical design in which a Workshop could take place with a minimally-altered version of FloWr. As shown in Figure 2, each participant in the Workshop would be represented by a single node. One of these nodes is a *moderator* in charge of dictating the interaction between the participants of the Workshop, while the rest represent flowcharts that have the ability to modify their own connections according to the discussions from the Workshop – this can be achieved by exploiting the scripting mechanism of FloWr and dynamically loading the new structure of the flowchart. Moreover, a shared log would contain the history of the messages exchanged during the Workshop and a queue of messages waiting to be delivered. We define four different types of messages that can be exchanged:

- *comments* about specific elements of a poem, or more general statements about how the poem affects this reader.
- questions to facilitate comprehension of this commentary; for instance, the questions can vary from simple requests of sources of information (e.g. files, input from another node, which resources a flowchart uses, etc.) to process-specific details (e.g. current conditions, purpose, other outstanding questions, etc.)
- answers would be associated to previous questions and may contain simple text such as an url for the source of information, or a piece of script representing a node used by a flowchart.
- *suggestions* are changes proposed by one participant to another. Similar to the answer, this can be as simple as suggesting the change of an information source, or more complex, such as suggesting the replacement of a node for an alternative node.

A Workshop session follows this communication protocol:

- The moderator initialises an empty log and sends a message to the flowcharts to indicate that the session has started.
- 2. The flowcharts start writing messages in the log.
- 3. The moderator checks the current state of the workshop by reading the log.
- 4. The moderator selects the next message in the queue and pass it to the target flowchart.
- 5. The flowchart reads the message and acts accordingly by either (i) modifying its connections or (ii) sending a message back; i.e. writes in the log.
- 6. Step 3 is repeated until no further message are left in the queue.

Example. Figure 3 shows the poetry generator flowchart that generates the poem about the "demon dog" presented above. The flowchart uses two linguistic resources: ConceptNet (Liu and Singh, 2004), a semantic network of common knowledge, and Disco (Kolb, 2008), a semantic similarity words retrieval system. Let us assume the human critic **A** has access to the system through a "UI flowchart" like a Read-Eval-Print Loop (REPL), and the poetry generator **B** is mainly concerned with maintaining a generative flowchart like the one shown in the figure. The following exchange of messages can occur:

- 1. Comment from participant A to participant B: The words "lonely encounter" and "elusive ruler" in lines 2 and 3 are generalised and imprecise.
- 2. **Question from participant** B **to participant** A: I identify the processes Disco3 and Disco4 as the source of the problem. Can you suggest an alternative to Disco?
- 3. Suggestions from participant A to participant B: Use WordNet or the Historical Thesaurus to find more expressive and specific terms for the core concepts in the poem; try to link the core concepts together by chaining together related concepts in ConceptNet or WordNet.
- 4. **Action executed by participant B**: Receives suggestions, creates several alternative versions of the script, executes them and decides which one is most coherent and which conveys a sense of narrative.

From this exchange, the computer might learn (without ever being explicitly told) that expressive terms and narratives are related, and it might begin to discover a way to produce coherent poems with a narrative structure.

Since the computer has source code instead of a brain, we can use it to do control studies with process. However, in general source code does not uniquely determine process: contextual effects are what make an experiment an experiment. As described in (Cook and Colton, 2013), code may include hints about its expected operating context. This is related to our theme of embedding process within an artefact. In this connection, one extension to FloWr that would help to facilitate dialogue between flowcharts would be to add machine-readable *commentary* to ProcessNodes. Commentaries would label a node's inputs and outputs, describe




Figure 3: The flowchart that created the "demon dog" poem

its basic purpose, and provide information about procedure, conditional behaviour, mappings between processes and elements of a generated poem (like the mapping between Disco3 and "lonely encounter").

Altered versions of a flowchart (Charnley et al., 2014) can be seen as parallel solutions that could be executed and compared on a population basis with respect to some prespecified metrics in order to make an informed decision on which suggestion(s) to follow, as hinted in the last step of the example. In (Colton, Pease, Corneli, Cook, and Llano, 2014) we explored the related idea of modelling system progress over time. Learning new rules contextually would offer one clear measure of progress. Caveat lector: considerable work would be required to realise the ideas we've described in FloWr or any other platform we're aware of.

Discussion

Potential applications. The paradigm advanced in this paper would not remove the "generation" aspects of CC, but would pair them more closely with reflection. The same skills that support learning in a writers workshop may support a form of dialogue with the work itself, leading to richer creative artefacts that show us more about how creativity works. Focusing on social creativity does not suggest that we should devalue works from lone creatives, but it does suggest that we think about how we knit individuals together in the social fabric of the CC community. The current model at the International Conference for Computational Creativity (ICCC) is similar to many other academic conferences: we present our work to one another and build our sense of community in that way. But what about a track for computers to present their work? The idea of computers interacting in a workshop-like setting is not unprecendented. As Turing (1951) foresaw, computational software has become highly competent at Chess and reasonably competent at Go, partly through continuous practice pitting programs against each other. Poetry could be approached in a similar way, reviving the *floral games* of the troubadours. Other creative arts may also be amenable to the same sort of approach. Gabriel mentions "brainstorms, critiques, charrettes, pair programming, open-source software projects, and even master classes" (Gabriel, 2002, p. 11). The sort of thinking we have developed here might be adapted to contexts like these.

Potential criticisms. It can be challenging and timeconsuming to invite and process feedback, and the Workshop would often be seen as unnecessary for standardised production cycles that can already produce artefacts that are 'good enough." Furthermore, since we often seem to get the computer to do just what we have in mind when we're programming, it might not make sense to treat it as a distinct other and invite it to participate in a dialogue. (Some REPL users may disagree, and may already think of programming as a dialogue.) From our read/write perspective on computational creativity, the most immediate problem is that appreciation of works of art is rather hard. Consider the difference between creating a video game (for example) and playing a video game. In the first case, the designer has full control over the rule-set, game mechanics, interaction devices and so forth. At least one computational video game designer can play its own games (Cook, Colton, Raad, and Gow, 2013), and an experiment shows that it is possible for an artificial game player to learn how to play classic video games using reinforcement learning, starting from raw pixels (Mnih et al., 2013) - but both are quite far from general-purpose game playing. This is itself a topic of contemporary research, and it serves to illustrate that coping with feedback is a major challenge for AI research. Finally, we are not in a position to make strong claims about the quality of workshopped artefacts, although our experience with poetry has shown us that high-quality poems are often exactly the ones which teach us about the creative process. We hope future research will explore this connection further.

Conclusions

The ideas of social interaction, feedback, and evaluation have frequently been discussed in CC, but implementation and theorisation around these topics have been more limited. In the current paper, we suggest giving artefacts more agency, designing computer programs with more autonomy, and focusing research effort on creative evolution. We have shown that in principle computers can engage in dialogue about poems, which points to a theory of poetics rooted in the making of boundary-crossing objects and processes. In order to move from thought experiment to computational simulation, FloWr could be helpfully extended with further programmer facilities including loops, subroutines, and commentaries, along with the ability to generate-and-test in a population-based manner, and the ability to learn over time. Workshops and related approaches are suitable for autonomous learning and development of the creative process, but they face technical and also some theoretical limitations. Dialogue may offer a way to creatively push these limits, empowering both programs and programmers.

Acknowledgements

This research has been supported by EPSRC grants EP/L00206X and EP/J004049, and the Future and Emerging Technologies (FET) programme within the Seventh Framework Programme for Research of the European Commission, under FET-Open Grant numbers: 611553 (COIN-VENT) and 611560 (WHIM).

References

- Anderson, D. R., and Hausman, C. R. (1992). The Role of Aesthetic Emotion in RG Collingwood's Conception of Creative Activity. *Journal of Aesthetics and Art* Criticism, 299–305.
- Baars, B. J. (1997). In the Theater of Consciousness: The Workspace of the Mind. *Journal of Consciousness Studies*, 4.
- Bakhtin, M. (1984 [1963]). *Problems of Dostoevsky's poetics*. Translated by Caryl Emerson. University of Minnesota Press.
- Bakhtin, M. (2010 [1986]). *Toward a Philosophy of the Act*. University of Texas Press.
- Bergson, H. (1911 [1907]). *Creative evolution*. Henry Holt and Company.
- Cardoso, A., Veale, T., and Wiggins, G. A. (2009). Converging on the divergent: the history (and future) of the international joint workshops in computational creativity. *AI Magazine*, *30*(3), 15–22.
- Charnley, J., Colton, S., and Llano, M. T. (2014). The FloWr framework: automated flowchart construction, optimisation and alteration for creative systems. In D. Ventura, S. Colton, N. Lavrac, and M. Cook (Eds.), *Procs. of the 5th International Conference on Computational Creativity*.
- Colton, S., Bundy, A., and Walsh, T. (2000). Agent based cooperative theory formation in pure mathematics. In *Procs. of AISB symposium on creative and cultural aspects & applications of AI and cognitive science.*
- Colton, S., Pease, A., Corneli, J., Cook, M., and Llano, T. (2014). Assessing Progress in Building Autonomously Creative Systems. In D. Ventura, S. Colton, N. Lavrac, and M. Cook (Eds.), Procs. of the 5th International Conference on Computational Creativity.
- Colton, S., and Wiggins, G. A. (2012). Computational Creativity: The Final Frontier? In *Procs. of 20th European Conference on Artificial Intelligence (ECAI)* (pp. 21–26). Montpellier, France.
- Cook, M., and Colton, S. (2013). From Mechanics to Meaning and Back Again: Exploring Techniques for the Contextualisation of Code. In *Procs. of the AIIDE Workshop on Artificial Intelligence and Game Aesthetics*.
- Cook, M., Colton, S., Raad, A., and Gow, J. (2013). Mechanic Miner: Reflection-Driven Game Mechanic Discovery and Level Design. In *Procs. of EvoGames Workshop*.
- Corneli, J., and Jordanous, A. (2015). Implementing feedback in creative systems: a workshop approach. arXiv:

- XXXX .XXXX [cs.AI]. Retrieved from http://
 arxiv.org/abs/XXXX.XXXX
- Csikszentmihalyi, M. (1988). Society, culture, and person: a systems view of creativity. In R. J. Sternberg (Ed.), *The Nature of Creativity* (Chap. 13, pp. 325–339). Cambridge, UK: Cambridge University Press.
- Dewey, J. (1958 [1934]). Art as experience. Capricorn Books.
- Gabriel, R. P. (2002). Writer's Workshops and the Work of Making Things: Patterns, Poetry... Addison-Wesley Longman Publishing Co., Inc.
- Gervás, P. (2010). Engineering Linguistic Creativity: Bird Flight and Jet Planes. In *NAACL HLT 2010 Second Workshop on Computational Approaches to Linguistic Creativity*. Los Angeles: Association for Computational Linguistics.
- Gervás, P., and Leon, C. (2014). Reading and writing as a creative cycle: the need for a computational model. In D. Ventura, S. Colton, N. Lavrac, and M. Cook (Eds.), *Procs. of the 5th International Conference on Computational Creativity*.
- Harrington, B., and Clark, S. (2007). ASKNet: Automated Semantic Knowledge Network. In A. Howe, and R. Holte (Eds.), *Procs. of the Twenty-Second AAAI Conference on Artificial Intelligence* (Vol. 2, pp. 889–895). AAAI Press.
- Jordanous, A. (2011). Evaluating Evaluation: Assessing Progress in Computational Creativity Research. In *Procs. of the Second International Conference on Computational Creativity (ICCC-11)*. Mexico.
- Jordanous, A. (2015). Four PPPPerspectives on computational creativity. In *Procs. of the AISB Symposium on Computational Creativity*.
- King, S. (2000). On writing. Simon and Schuster.
- Kirke, A., and Miranda, E. (2013). Emotional and Multiagent Systems in Computer-aided Writing and Poetry. In *Procs. of the Artificial Intelligence and Poetry Symposium (AISB'13)* (pp. 17–22). Exeter University, Exeter, UK.
- Kolb, P. (2008). DISCO: A Multilingual Database of Distributionally Similar Words. In *Procs. of the 9th Conference on Natural Language Processing*.
- Liu, H., and Singh, P. (2004). Commonsense Reasoning in and Over Natural Language. In *Procs. of the 8th International Conference on Knowledge-Based Intelligent Information and Engineering Systems* (Vol. 3215). LNCS. Springer.
- Manurung, R., Ritchie, G., and Thompson, H. (2012). Using Genetic Algorithms to Create Meaningful Poetic Text. *Journal of Experimental and Theoretical Artificial Intelligence*, 24, 43–64.
- McGraw, G., and Hofstadter, D. (1993). Perception and creation of diverse alphabetic styles. *AISB Quarterly*, 85, 42–49.
- Minsky, M. (1967). Why programming is a good medium for expressing poorly understood and sloppily formulated ideas. *Design and Planning II-Computers in Design and Communication*, 120–125.

- Minsky, M. (1988). *The Society of Mind*. New York: Simon and Schuster.
- Minsky, M. (2006). The Emotion Machine: Commonsense Thinking, Artificial Intelligence, and the Future of the Human Mind. New York: Pantheon.
- Misztal, J., and Indurkhya, B. (2014). Poetry generation system with an emotional personality. In *Procs. of 5th International Conference on Computational Creativity*.
- Mnih, V., Kavukcuoglu, K., Silver, D., Graves, A., Antonoglou, I., Wierstra, D., and Riedmiller, M. (2013). Playing Atari with Deep Reinforcement Learning. arXiv: 1312.5602 [cs.LG]. Retrieved from http://arxiv.org/abs/1312.5602
- Montfort, N., Pérez y Pérez, R., Harrell, D. F., and Campana, A. (2013). Slant: A Blackboard System to Generate Plot, Figuration, and Narrative Discourse Aspects of Stories. In *Proceedings of the fourth international conference on computational creativity*.
- Pease, A., Guhe, M., and Smaill, A. (2010). Some Aspects of Analogical Reasoning in Mathematical Creativity. In *Procs. of the International Conference on Computational Creativity* (pp. 60–64). Lisbon, Portugal.
- Pérez y Pérez, R., Aguilar, A., and Negrete, S. (2010). The ERI-Designer: A Computer Model for the Arrangement of Furniture. *Minds and Machines*, 20(4), 533–564.
- Poincaré, H. (1929 [1908]). Mathematical Creation. In *The Foundations of Science: Science and Hypothesis, The Value of Science, Science and Method* (Chap. III of Book I. Science and the Scientist, Vol. Science and Method, pp. 383–394). New York: The Science Press.
- Rhodes, M. (1961). An analysis of creativity. *Phi Delta Kappan*, 42(7), 305–310.
- Saunders, R. (2012). Towards Autonomous Creative Systems: A Computational Approach. *Cognitive Computation*, 4(3), 216–225.
- Seikkula, J., and Arnkil, T. E. (2014). *Open Dialogues and Anticipations Respecting Otherness in the Present Moment.* Helsinki: National Institute for Health and Welfare.
- Sosa, R., Gero, J., and Jennings, K. (2009). Growing and destroying the worth of ideas. In *Procs. of the 7th ACM Creativity and Cognition conference* (pp. 295–304). Berkeley, California.
- Turing, A. (1951). Intelligent machinery, a heretical theory. A lecture given to '51 Society' at Manchester.
- Van Andel, P. (1994). Anatomy of the Unsought Finding. Serendipity: Orgin, History, Domains, Traditions, Appearances, Patterns and Programmability. *The British Journal for the Philosophy of Science*, 45(2), 631–648
- Von Foerster, H. (2003 [1979]). Cybernetics of cybernetics. In *Understanding understanding* (pp. 283–286). Springer.
- Whitehouse, P. (1978). The Meaning of 'Emotion' in Dewey's Art as Experience. *Journal of Aesthetics and Art Criticism*, 149–156.