

Ankle Boots

Footwear construction study

A high-ankle boot studied from upper through outsole, including reinforcement, lining, cushioning, sole direction and cemented/direct-injection construction.

FULL GRAIN LEATHER
SHEEP NAPPA
NITRILE RUBBER
EVA





SPECIFICATION SHEET/ BILL OF MATERIAL

PRODUCT DETAILS		BOM			
CATEGORY	HIGH ANKLE BOOTS	Component	Material	Specification	Cost (₹)
STYLE NAME	ESCAPE ROOMS	Upper	Full Grain/ Oil Pull-up Leather	1.6–2.0 mm thickness	330.00
SEASON	A/W '26	Toe Puff/ Heel Counter	Stiffener	Thermoplastic 0.6mm	40.00
SIZE	UK 9 / EU 43-44	Lining	Sheep Nappa Leather	0.6mm	100.00
COLOR	Dark Green/ Black Finish	Collar Padding	PU Foam	8 mm	20.00
Construction	Cemented / Direct Injection	Insole	EVA + Fabric	4–6 mm	40.00
Stitching	Double stitch, reinforced panels	Midsole	Cellulose Fiber Board	2.0 mm	40.00
Toe Spring	10–15 mm	Outsole	PU	0.45 g/cm³	110.00
Heel Height	25–35 mm	Laces	Polyester	5mm dia	60.00
Ankle Height	~6–7 inches	Eyelets	Leather loops	NA	
Tongue Type	Closed gusset (dust resistant)	Thread	Nylon	Bonded	40.00



TOTAL (₹)	
MATERIAL	780.00

