Rx PRESCRIPTION MEDICINE · EASY GUIDE FOR PATIENTS

ausrastin™ Gold 10

Rosuvastatin, Aspirin & Clopidogrel Capsules

10 mg + 75 mg + 75 mg | 1 × 10 Capsules




Three medicines. One capsule. Once a day.

Helps stop another heart attack or stroke — by keeping your blood flowing and your cholesterol down.

WHAT'S INSIDE EACH CAPSULE

Three small tablets packed inside one capsule



10 mg
Rosuvastatin
Cholesterol medicine (a "statin") — lowers "bad" cholesterol

75 mg
Aspirin
Blood thinner — stops blood cells from sticking together

75 mg
Clopidogrel
Blood thinner — blocks clots in a second, different way

HOW IT WORKS · IN SIMPLE STEPS

Based on Lippincott Illustrated Reviews: Pharmacology

A · Rosuvastatin, in the liver

1. Your liver makes cholesterol
2. **Cholesterol "factory"** (HMG-CoA reductase) — ✕ SWITCHED OFF BY ROSUVASTATIN
3. Liver makes less cholesterol
4. Liver pulls more "bad" cholesterol out of the blood

Result: less "bad" cholesterol, calmer fatty deposits

B · Aspirin, in the blood

1. Blood cells called platelets make a "stick together" signal
2. **Signal maker** (COX-1 enzyme) — ✕ SWITCHED OFF BY ASPIRIN. Stays off for as long as each platelet lives
3. Less "stick together" signal
4. Platelets stay apart

Result: fewer clots

C · Clopidogrel, on the platelet

1. Your liver turns clopidogrel into its working form
2. **Platelet "docking port"** (P2Y12 receptor) — ✕ BLOCKED BY CLOPIDOGREL. Stays blocked for as long as each platelet lives
3. Platelets cannot lock together

Result: fewer clots

All three together: blood flows smoothly to the heart and brain, and fatty deposits are less likely to burst and cause a clot.

HOW TO TAKE

1. **Swallow whole** with water — do not open, chew or crush.
2. **With or after food** to protect the stomach.
3. **Same time every day**, exactly as your doctor told you.
4. **Missed a dose?** Take it when you remember that day. If the next dose is almost due, skip it. Never take two at once.

SAFETY AT A GLANCE

Alcohol AVOID	**Driving** AVOID IF DIZZY	**Children** NOT UNDER 12*
Pregnancy ASK DOCTOR**	**Breastfeeding** ASK DOCTOR	**Age over 65** ASK DOCTOR
Liver problems TELL DOCTOR	**Kidney problems** TELL DOCTOR	**Heart patients** SAFE IF PRESCRIBED

ausrastin™ Gold 10

Rosuvastatin 10 mg + Aspirin 75 mg + Clopidogrel 75 mg

10 medicines that are dangerous to mix

Tell every doctor and dentist you take this capsule — some medicines mixed with it can cause serious bleeding.

DANGEROUS DO NOT TAKE TOGETHER UNLESS YOUR DOCTOR SAYS SO

Other blood thinners & clotting medicines

Rivaroxaban · Argatroban · Dicoumarol · Protamine

Too much blood thinning can cause serious bleeding.

Eye drops for glaucoma

Brinzolamide · Dorzolamide

Tell your eye doctor you take this capsule.

Other medicines

Deferasirox · Modafinil · Darunavir · Panobinostat

Used for iron overload, excess sleepiness, HIV and some cancers.

EVERYDAY MEDICINES TO BE CAREFUL WITH · AND WHICH PART OF THE CAPSULE CLASHES

Other blood thinners — ASPIRIN + CLOPIDOGREL

e.g. warfarin, heparin

Bleeding risk goes up sharply. Your doctor must check you regularly.

Common painkillers — ASPIRIN + CLOPIDOGREL

like ibuprofen, diclofenac, naproxen

Can cause stomach ulcers and bleeding. Ask before buying any painkiller.

Cyclosporine — ROSUVASTATIN

Used after organ transplants and for some immune conditions

Should not be taken together. Raises rosuvastatin levels and can seriously damage muscles.

Acidity / gas tablets — CLOPIDOGREL

like omeprazole

Can make clopidogrel work less well. Your doctor may pick another, like pantoprazole.

DO NOT TAKE IF YOU HAVE

✕ Bleeding right now, a bleeding disorder (like haemophilia) or a stomach ulcer

✕ Liver disease, or abnormal liver blood tests

✕ Allergy to any ingredient

! Serious kidney problems — your doctor must check you closely

FOOD & LIFESTYLE

Alcohol — raises the risk of stomach bleeding. Avoid.

Smoking — damages blood vessels and clogs arteries faster.

Diet — less salt and saturated fat; more vegetables and whole grains.

Small cuts — use a soft toothbrush; take care with razors.

Call your doctor right away if you notice

- **Unexplained muscle pain or weakness**
- **Dark urine (tea or cola coloured)**
- **Severe stomach pain**
- **Bleeding that will not stop**
- **Large bruises or red spots**
- **Black stools or vomiting blood**

Took too many? Go to the hospital emergency room at once. Warning signs: severe stomach pain, vomiting, ringing in the ears, confusion or bleeding.

This is not a full list. Show all your medicines — including eye drops and shop-bought ones — to **your doctor or pharmacist**.

Sources: Apollo Pharmacy drug–drug interaction data, Rosuvastatin + Clopidogrel + Aspirin (accessed Oct 2026); Ausrastin Gold 10 carton artwork ART/26/07/7489-01 (2026); Lippincott Illustrated Reviews: Pharmacology (Wolters Kluwer).

AUSPHARMA
Marketed by Auspharma Pvt. Ltd., Hyderabad
Toll free 1800 890 5877

ausrastin™ Gold 10

Rosuvastatin 10 mg + Aspirin 75 mg + Clopidogrel 75 mg

Most are mild. Know the signs that are not.


What you might notice — and how to ease it. Not everyone gets these.



Stomach discomfort

A mild burning or upset feeling in the stomach.


Ease it: take with or right after food



Nausea

Feeling like you might vomit.

Ease it: swallow whole, with a meal



Easy bruising

Your blood is thinner, so bruises appear more easily.

Tell your doctor about big bruises with no clear reason



Bleeding gums & small cuts

Small cuts may bleed a little longer than usual.


Ease it: soft toothbrush, careful shaving



Mild muscle aches

Can come from the cholesterol medicine (rosuvastatin).

Tell your doctor about any new pain with no clear reason



Dizziness or sleepiness

You may feel light-headed, sleepy, or see less clearly.

Don't drive or use machines if affected

WHEN MILD BECOMES SERIOUS · CALL YOUR DOCTOR RIGHT AWAY

Mild: muscle aches	**Mild:** stomach discomfort	**Mild:** easy bruising
Serious: pain or weakness with no clear reason, or dark urine	**Serious:** severe stomach pain	**Serious:** unusual bleeding that will not stop

Not a complete list of side effects. Never stop the medicine on your own — **consult your doctor or pharmacist**.

Sources: Apollo Pharmacy drug information, Rosuvastatin + Clopidogrel + Aspirin (accessed Oct 2026); Ausrastin Gold 10 carton artwork ART/26/07/7489-01 (2026); Lippincott Illustrated Reviews: Pharmacology (Wolters Kluwer). Illustrations: original artwork.

AUSPHARMA
Marketed by Auspharma Pvt. Ltd., Hyderabad
Toll free 1800 890 5877