1710693 渡辺大智

2018年5月16日

1 first

Listing 1: example

```
\documentclass[11pt]{ ltjsarticle}
                   \usepackage { luatexja }
                   \usepackage{listings} % for source codes
                   \usepackage [dvipsnames, svgnames, x11names, dvipdfmx, table, xcdraw
                                          | { xcolor }
                   \usepackage { graphics }
                    \usepackage{caption, subcaption}
                   % ### macro ### {{{
                    \newcommand{\ln and}[1]{\mu arrow{#1}}
                    \normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootnote{\normalfootn
                    10
                    \ \operatorname{Im} \{ \operatorname{Im} \} \{ \operatorname{operatorname} \{ \operatorname{Im} \} \}
11
                    \label{lem:lemmand} $$\operatorname{ParBox} [2][10zw] = % \end{manufactors of the property of the proper
12
                                                                           \footnotemark \footnotemark \footnotemark \footnotemark \footnotemark
13
                   \% \# \# for graphic \# \# \{ \{ \{ \} \} \} \}
15
                   % Usage
16
                   \% \setminus fig \mid width = 3cm \mid \{FNAME\} \{CAPTION\} \{REFNAME\}
17
                   % If you write
18
                   \% \setminus fig \{FNAME\} \{CAPTION\} \{REFNAME\}
19
                   % is show image whose width is 5cm
20
                    \mbox{newcommand} \{ \ fig \} [4] [ \ width = 5cm ] \{ \% \}
21
                                                                           \begin{figure}[htbp]
22
                                                                                                                                  \centering
23
                                                                                                                                   24
```

```
\colon {#3} \ \label{fig:#4}
25
             \end{ figure }%
26
27
   \mbox{newcommand} \{ \tfig \} [5] \{ \% \}
28
             \begin { figure }
29
                       \centering
30
                       \subcaptionbox{A}{\subcaptionbox{A}}{\subcaptionbox{4}}
                       \subcaptionbox{B}{\subcaptionbox{B}}
32
33
                       \subcaptionbox \{C\}\{\includegraphics \{\#3\}\}\%
34
                       \subcaptionbox{D}{\subcaptionbox{D}}{\cite{Lincludegraphics}}
35
                       \setminus caption \{ \#5 \}
36
             \end{ figure }%
37
38
   % }}}
39
   % programming documents macros for listings {{{
40
   \newcommand{\code}[4]{\%}
41
             \lstinputlisting [language=#1,
42
             breaklines=true,
43
             caption=#3,
             label=code#4,
45
             frame=single,
46
             numbers=left, stepnumber=1, numberstyle=\tiny,
47
             ]{#2}%
48
             }
   % }}}
50
   % }}}
51
   \begin {document}
52
   \title {}
53
   \author {1710693 渡辺大智}
   \ maketitle
55
56
   \section { first }
57
   \code{tex}{./t_tex.tex}{example}{t_tex.tex}
58
59
   \begin{thebibliography}{99}
```

```
\bibitem\biok1\\
\end\thebibliography\\
\end\document\\
```

参考文献

[1]