

MODS Control Panel (MCP) User Guide

Version 03.23.00



Privacy Act Statement

This is documentation for a DOD web site. The security accreditation level of the site is classified as FOUO and below. Do not process, store, or transmit information classified above the accreditation level of the system. DOD web sites may be monitored for all lawful purposes, including to ensure their use is authorized, for management of the system, to facilitate protection against unauthorized access, and to verify security procedures, survivability, and operational security. Monitoring includes, but is not limited to, active attacks by authorized DOD entities to test or verify the security of this system. During monitoring, information may be examined, recorded, copied and used for authorized purposes. All information, including personal information, placed on or sent over this system may be monitored. Use of this DOD web site, authorized or unauthorized, constitutes consent to monitoring. Unauthorized use of the DOD web site may subject you to criminal prosecution. Evidence of unauthorized use collected during monitoring may be used for administrative, criminal, or other adverse action. Use of this system constitutes consent to monitoring for all lawful purposes.

Table of Contents

What's New in MCP	8
SECTION I: Getting Started	9
1 Introduction	10
1.1 About MODS	10
1.2 About MCP	10
1.2.1 MCP Users	11
1.3 MCP Permissions	11
1.3.1 Roles	11
1.3.2 Properties	13
1.3.3 Approval Authorities	14
2 Access MCP	16
3 Basic Navigation	19
3.1 MCP Homepage	19
4 Search Users & Access the User Control Panel	22
4.1 Search Users	22
4.2 Access the User Control Panel	23
SECTION II: Program Access	25
5 Request Program Access	27
5.1 Update Your Information	27
5.2 Select Program(s) and Role(s)	29
5.2.1 Select Program	29
5.2.2 Select Role(s)	30
5.2.3 Provide Access Reason	32
5.3 Select Properties	34
5.3.1 Select Properties via Search	35
5.3.2 Select Properties without Search	36
5.3.3 Save Property Assignments	36

5.4 Review and Submit Your Request	37
6 Approve Access Request	38
6.1 Search for User	38
6.2 View Pending Access Requests	38
6.3 Activate Access Request	39
6.4 Resolve Duplicate Assignment Errors	40
6.4.1 Inactivate Property for Other User	41
6.4.1.1 Open the User Control Panel	41
6.4.1.2 Inactivate Property	41
6.4.2 Reattempt Approval	42
7 Add Access to User	43
7.1 Search for User	43
7.2 Verify Role(s) Assigned and Status	43
7.3 Activate Role(s)	44
7.4 Assign Role(s)	45
7.4.1 Select Program	47
7.4.2 Select Role(s)	47
7.4.3 Save Role(s)	49
7.5 Assign Properties	50
7.5.1 Assign Properties via Search	52
7.5.2 Assign Properties without Search	53
7.5.3 Save Property Assignments	53
7.6 Prevent and Resolve Duplicate Assignment Errors	54
7.6.1 Prevent Errors	55
7.6.1.1 Open the User Property Report Dialog and Find Property	56
7.6.1.1.1 Comprehensive Report	57
7.6.1.1.2 Filtered Report	58
7.6.2 Resolve Errors	60
7.6.2.1 Inactivate Property for Other User	61

7.6.2.1.1 Open the User Control Panel	61
7.6.2.1.1.1 Method 1: Open from the User Property Report Dialog	61
7.6.2.1.1.2 Method 2: Open from Quick Search Results	61
7.6.2.1.2 Inactivate Property via the User Control Panel	62
7.6.2.2 Reattempt Assigning Properties	62
8 Remove Properties	63
8.1 Option 1: View Program Access	63
8.1.1 Search for User	63
8.1.2 Deny Program Access	63
8.2 Option 2: Manage Access	65
8.2.1 Search for User	65
8.2.2 Inactivate Role(s)	65
SECTION III: Messages	68
9 Access the Messaging Tool	69
10 Manage Messages	71
10.1 Review the Messaging List	71
10.1.1 Sort Messages	72
10.1.2 Filter Messages	73
10.1.2.1 Filter by Program	73
10.1.2.2 Filter by Status, Severity Level, or Message Type	74
10.1.2.3 Filter by Date	75
10.1.2.4 Filter by Message Details	76
10.2 Manage Individual Messages	77
10.2.1 Change Message Details	77
10.2.2 Delete Message	78
10.2.3 End Message	79
10.2.3.1 Undo Ending Message	80
11 Send Messages	82
11.1 Create and Send a New Message	82

11.1.1 Set Your Programs and Message Type	83
11.1.2 Set Your Sender Name, Severity Level, and Dates	84
11.1.3 Set Your Delivery Methods	85
11.1.4 Create Your Subject and Message	85
11.1.5 Send Your Message	86
11.2 Copy and Modify an Existing Message	87
11.3 Test and Manage Your Sent Message	88
SECTION IV: User Records & Reports	89
12 User Management Reports	90
12.1 About Statuses	90
12.2 Access UM Reports	91
12.3 Program Access Summary Report	92
12.3.1 Customize Report	92
12.3.1.1 Report Options	93
12.3.2 Drill Down in Report	93
12.3.2.1 Drilldown Report Options	94
12.4 User Property Report	94
12.4.1 Customize Report	95
12.4.1.1 Select Properties	96
12.4.2 Create Report	96
12.4.2.1 Report Options	97
12.5 Program Access By Role Report	98
12.5.1 Customize Report	98
12.5.1.1 Select Properties	99
12.5.1.1.1 Select Properties via Search	100
12.5.1.1.2 Select Properties without Search	101
12.5.2 Create Report	102
12.5.2.1 Report Options	103
13 Manage Course Completions	104

13.1 Required Courses	104
13.2 Search for User	104
13.3 Add Course Completions	105
14 Manage Email Addresses	108
14.1 About Email Addresses in MCP	108
14.1.1 Primary Email Address Sources	108
14.2 Update Primary Email Address	108
14.3 Update Alternate Email Address	109
SECTION V: Acronyms & FAQs	111
15 Acronym List	112
16 MCP FAQs	114
Accessing MCP	114
What is the link to MCP?	114
Can I have my MODS User ID deleted since I have multiple, unique FASC-N accounts? ..	115
Searching and Researching Users	115
Why can't I find a certain user in MCP?	115
How do I find an MCP user's EDI?	115
Search in MCP	116
Search in Excel	116
Determining User Access	117
How can I see all the users who have access to a specific program?	117
How can I determine if someone is an approval authority?	117
Granting User Access	118
I'm getting an error when I try to grant MEDPROS access. What should I do?	118
Managing Your Certificates	118
How do I upload my training certificates to MCP?	118
Managing Your Information	119
How do I update my email address in MCP?	119

What's New in MCP

Version 03.23.00

Production Release Date: 03/28/24

MODS Control Panel (MCP) 03.23.00 is the latest production release of the MCP application.

Resolved Issues

- Updated the process of activating user requests for the MODS Unit Commander role to include an error message to prevent multiple MODS Unit Commanders from being assigned to the same UIC. This update applies to activating user requests through the Pending Actions option in the User Control Panel and through the Mass Access Request Process menu option.

New Features

- Eliminated all references to SSN in MCP and replaced SSN with EDI as a unique identifier.

SECTION I: Getting Started

- 1 Introduction 10
 - 1.1 About MODS 10
 - 1.2 About MCP 10
 - 1.2.1 MCP Users 11
 - 1.3 MCP Permissions 11
 - 1.3.1 Roles 11
 - 1.3.2 Properties 13
 - 1.3.3 Approval Authorities 14
- 2 Access MCP 16
- 3 Basic Navigation 19
 - 3.1 MCP Homepage 19
- 4 Search Users & Access the User Control Panel 22
 - 4.1 Search Users 22
 - 4.2 Access the User Control Panel 23

1 Introduction

This user guide is intended to support administrators, supervisors, approval authorities, and other users of the MODS Control Panel (MCP) application under the Medical Operational Data System (MODS).

**Note:**

- This user guide does not contain any Personally Identifiable Information (PII); all screenshots display test data.
- The scale of some screenshots in this user guide has been altered for legibility.
- Though users sometimes refer to this application as User Management (UM), its official name is MODS Control Panel (or MCP).

1.1 About MODS

MODS equips the Army Medical Department (AMEDD) with an integrated automation system that supports all phases of Human Resource Life-Cycle Management, both in peacetime and during mobilization. This online system provides commanders, staffs, and functional managers of AMEDD organizations with real-time information on the qualifications, training, special pay, and readiness of AMEDD personnel. Currently, MODS maintains sixty applications, including MCP.

1.2 About MCP

MCP provides user management tools that apply within MCP or across MODS applications. Users can request program access and update personal information; approve, deny, or activate user access requests; and manage users, programs, and applications, depending on their permissions.

User management in MCP encompasses the following capabilities:

- Approve, deny, or activate user access requests
- Update user roles and properties and assign new ones
- Renew user program access and restore expired user program access
- Update user Visitor Access Requests (VARs) and create new ones
- Update basic user person information
- Update program expiration dates for users

Program and application management in MCP includes the following capabilities:

- Update the applications displayed on the *MODS Homepage* and in other groups
- Update the messages currently shared with users or user groups, and submit new messages

- Modify existing MODS programs and create new ones
- View, organize, upload, and archive documents for MODS applications



Note - The capabilities in MCP to which you have access depend on your role and permissions.

1.2.1 MCP Users

Four types of users access MCP: administrators, approval authorities, supervisors, and all other users.

- Administrators are users who can grant access to other users.
- Approval authorities are users who can grant access to supervisors and administrators. These users manage the managers.
- Supervisors are users who may be able to grant access at the administrator level, the approval authority level, or both, depending on their permissions.
- All other users of MCP do not occupy any administrator, approval authority, or supervisor role.

1.3 MCP Permissions

In MCP, permissions comprise three layers: a user's roles, a user's properties, and whether a user is an approval authority. Two users with the same role might have different permissions within MCP or across MODS applications due to differences in their properties. For example, both of these users might hold the Approval Authority role, but one might be assigned to MCP as their sole program, while the other might be assigned to the entire MODS program.



Note - All MODS users are MCP users by default.

1.3.1 Roles

The following table alphabetically lists all the roles that are currently defined for MCP. Some of these roles are limited to MCP, while others are MODS roles. This second set of global roles allows approval authorities to provide the same permissions to a user across all MODS applications.



Note:

- Some roles require you to grant properties. MCP automatically prompts you to add these.
- Role Administrators, System Administrators, and all approval authorities together are referred to as *User Administrators*. Only User Administrators can use Quick Search and access the *User Control Panel*.

MCP Roles	
Role	Description
Approval Authority	This user can approve access requests within their assigned program(s).
Guest User	This user can access user reports, without any administrator functionality.
Message Administrator	This user can create messages for the programs to which they have access.
Message Admin Approval Authority	This user can grant permission to Message Administrators.
Program Administrator	This user can manage program and application information, as well as create and manage approval authorities.
Readiness Access Reports	This user can view the custom reports developed to support readiness access reporting.
Role Administrator	This user can perform all user management functionality. This role is typically applied to MODS Help Desk members.
Role Notifications	This user receives notifications of role changes.
Site Administrator	This user can manage news creation and the display of <i>MODS Homepage</i> programs.
System Administrator	This user has full access to all functionality.

MODS Roles	
Role	Description
Battalion Commander	This user is the senior commander at the battalion level.
Battalion Senior Enlisted Advisor	This user is the senior enlisted person who supports the Brigade Commander.
Battalion Support Staff	This user is the person who supports the Battalion Commander.
Brigade Commander	This user is the senior commander at the brigade level.
Brigade Senior Enlisted Advisor	This user is the senior enlisted person who supports the Brigade Commander.
Brigade Support Staff	This user is the person who supports the Brigade Commander.
Commander Portal Access	This user can grant and approve unit and senior Commander

MODS Roles	
Manager (CPAM)	Portal users.
Commander Portal Approval Authority (CPAA)	This user can create CPAMs and is responsible for training CPAMs and managing their access.
General Officer Commander	This user is a senior commander at the Army, corps, and division levels.
General Officer Senior Enlisted Advisor	This user is the senior enlisted person who supports the General Officer Commander.
General Officer Support Staff	This user is the person who supports the General Officer Commander.
Message Administrator	This user can create messages for the programs to which they have access under <i>Manage Messages</i> .
MODS Administrator	This user can access the User Management module as an administrator. This role is typically applied to MODS Help Desk members.
MODS AKO Middle Tier Notifications	This user receives notifications about changes to the AKO/CAC middle tier.
MODS Employee	This user is a MODS employee.
MODS Help Desk	This user has MODS Help Desk permissions within MODS applications.
MODS Unit Command Staff	This user is the person who supports their UIC Commander; they grant access and set preferences within MODS applications.
MODS Unit Commander	This user is the UIC Commander; they grant access and set preferences within MODS applications.
Unit Commander Designee	This user is the person appointed by the UIC Commander to assist in fulfilling command duties.

1.3.2 Properties

Properties refine the permissions granted to users through their roles by defining the scope of their responsibilities. For example, a user might be assigned the role of Program Administrator, allowing them to manage program and application information, but the person assigning them that role might want to limit this capability to a specific program, such as Behavioral Health Data Portal (BHDP). That person could then assign BHDP as the sole property for the Program Administrator role for that user.

MCP includes three main types of properties that can be assigned to users, outlined in the following alphabetized table: (1) Defense Medical Information System (DMIS) provider properties, (2) program properties, as used in the example in the preceding paragraph, and (3) Unit Identification Code (UIC) properties.

**Note:**

- Given the nature of roles, you will not see the option to add multiple types of properties to one role; however, within any one type of property, you will likely have the option to assign multiple properties to a given role for each user. For example, for the Message Administrator role, you're able to assign the user more than one program as properties.
- When you assign a user a property under a role, that property displays wherever roles display for that user.
- MODS Distinct UICs do not use command codes; therefore, they do not link directly to the MODS UIC tree.

MCP Properties	
Property Type	Description and Example Properties
DMIS provider	DMIS provider properties represent MODS location keys provided by DMIS. These locations may be Army DMIS clinics, Army Medical Readiness Commands (MRCs), Department of Defense (DoD) Army Medical Treatment Facilities (MTFs), etc. <i>Example properties: BETHESDA-PDMIS (0067) Army MTF; MRC, East</i>
Program	Program properties represent MODS and MODS-interfacing applications. <i>Example properties: Medical Operational Data System; TRICARE</i>
UIC	The UIC properties available in MCP are MODS Distinct UICs. <i>Example properties: W2DH02; WBSBAA</i>

1.3.3 Approval Authorities

The approval authority permission functions very differently from the role permissions available for assignment in MCP. Once a user is granted approval authority access, MCP automatically assigns them an approval authority role. The following table lists those roles. Two roles apply within MCP only, while the other two roles apply across all MODS applications.



Note - Role Administrators, System Administrators, and all approval authorities together are referred to as *User Administrators*. Only User Administrators can use Quick Search and access the *User Control Panel*.

Approval Authority Roles		
Role	Description	Designation
Approval Authority	This user can approve access requests within their assigned program(s).	MCP
Message Admin Approval Authority	This user can grant permission to Message Administrators.	MCP
Commander Portal Access Manager (CPAM)	This user can grant and approve unit and senior Commander Portal users.	MODS
Commander Portal Approval Authority (CPAA)	This user can create CPAMs and is responsible for training CPAMs and managing their access.	MODS

2 Access MCP

This section details how to access the MCP application from MODS Home.



Tip - You can reach MCP directly [here](#).

From the homepage of [MODS Home](#), under **Applications**, find the **MODS Control Panel** application card.



Fig. 1 - MODS Home (Non-Authenticated View)



Note - When you're not logged in, the MODS application cards are sorted from most to least popular. After login, they are sorted by your last access date.




Fig. 2 - MCP Application Card on MODS Home (Non-Authenticated View)

Click the link or graphic for MCP; the application launches in a new tab in your browser.



Note - Your options for MCP in *MODS Home* will differ depending on whether you're logged into *MODS Home* and your roles and permissions.



Tip:

- If you log into MODS Home, you can access direct links to various pages in MCP. To access these links, click the *Links* accordion in the application card.
- For help using MODS Home, refer to the MODS Home User Guide. To access this guide from MODS Home, click **Help** in the *Navigation Bar* and then click **User Guide** from the **Help** drop-down menu, or click [here](#).

After you log in, the *MCP Homepage* opens.



Fig. 3 - *MCP Homepage (User Administrator View)*



Reference - The options you see in MCP depend on your role and permissions. For more information on view differences, see [Basic Navigation](#) on the next page.

3 Basic Navigation

MCP has a basic organizational scheme of a banner, header, footer, and suite of menu options. This suite is accessible from the *MCP Homepage* and differs between administrators and non-administrators. User Administrators will also see Quick Search in the header of MCP.



Note:

- The options you see in MCP depend on your role and permissions.
- Role Administrators, System Administrators, and all approval authorities together are referred to as *User Administrators*. Only User Administrators can use Quick Search and access the *User Control Panel*.

3.1 MCP Homepage

The *MCP Homepage* includes four main elements, as well as one element exclusive to all administrators and another element exclusive to User Administrators. The following figure, which shows the User Administrator view of the homepage, is annotated with these elements:

1. **Banner:** Click anywhere in this banner to return to the *MCP Homepage*.
2. **Header:** See the account under which you're logged in and log out.
3. **Quick Search:** If you're a User Administrator, you can search for a user in MCP and ultimately access their *User Control Panel*.
4. **User Guide link:** Click to open a PDF of the MCP User Guide in a new browser tab.
5. **Suite of menu options:** Choose an action to initiate:
 - a. **Request Program Access:** Request access to one or more MODS programs.
 - b. **Supervisor Approval:** If you're a supervisor, you can approve or deny user access requests here.
 - c. **Update Your Information:** Update your contact and personal information.
 - d. **Administrative Tools:** If you're an administrator, you can manage users and applications through this menu.
6. **Footer:**
 - a. Confirm the current version number for MCP.
 - b. Click the email address provided to email the MODS Help Desk.



Note - The banner, header, User Guide link, and footer appear across all pages of MCP. For User Administrators, Quick Search also appears across all pages.



Fig. 4 - MCP Homepage - User Administrator View

The non-administrator view of the *MCP Homepage* includes the banner, the header, the User Guide link, the footer, and a user-/supervisor-level suite of menu options, as shown in the following figure. This suite is the same as the administrator-level suite, with the exception of **Administrative Tools**.



Note - Only User Administrators have access to Quick Search and the *User Control Panel*.

3 Basic Navigation



Fig. 5 - MCP Homepage - Non-User Administrator View

4 Search Users & Access the User Control Panel

This section details how User Administrators would search for users and, from there, access their *User Control Panel* in MCP.

 **Note** - Role Administrators, System Administrators, and all approval authorities together are referred to as *User Administrators*. Only User Administrators can use Quick Search and access the *User Control Panel*.

4.1 Search Users

With Quick Search in MCP, you can search for users based on EDI, FASC-N, PUN, last name, or MODS User ID.

 **Note** - Only User Administrators have access to Quick Search and the *User Control Panel*.

After setting the search criterion with the Quick Search drop-down, type your search term in the search bar. Click **Search**. In the following figure, Quick Search has been set to return users with the last name "Doe."




Fig. 6 - Quick Search

On the records results page, you can take several actions:

- To export the results to Excel, click **Export to Excel**.
- To open their *User Control Panel*, click **Manage** for a given user.

 **Note** - Clicking **Manage** redirects you to the *User Control Panel*; the page does not automatically open in a new browser tab.

- To mark them as a contractor, select the **Contractor** checkbox for a given user.
- To advance forward or backward to other pages of records results, click a page number.

Search By LastName: Doe

 [Export to Excel](#)

Records: 176

	Id	First Name	Last Name	FASCN	EDI	Email	UIC	Location	Contractor
Manage	11089153	Jane	Doe	1006440381818181	1006440381	Jane.Doe.ctr@army.mil			☐
Manage	11089154	John	Doe	1006440382828282	1006440382	John.Doe.ctr@army.mil			☐

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

Fig. 7 - Quick Search Results



Note - The records shown in the preceding figure have been truncated to show the page numbers.



Reference - For more information on the *User Control Panel*, see [Access the User Control Panel](#) below.

4.2 Access the User Control Panel

To open the *User Control Panel* for a given user, first search for them using Quick Search.



Note - Only User Administrators have access to Quick Search and the *User Control Panel*.



Reference - For instructions on using Quick Search, see [Search Users](#) on the previous page.

From the Quick Search results, click **Manage** (highlighted in the following figure) for the user.

Search By LastName: Doe

 [Export to Excel](#)

Records: 176

	Id	First Name	Last Name	FASCN	EDI	Email	UIC	Location	Contractor
Manage	11089153	Jane	Doe	1006440381818181	1006440381	Jane.Doe.ctr@army.mil			☐
Manage	11089154	John	Doe	1006440382828282	1006440382	John.Doe.ctr@army.mil			☐

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#)

Fig. 8 - Quick Search Results - Manage User



Note:

- Clicking **Manage** redirects you to the *User Control Panel*; the page does not automatically open in a new browser tab.
- The records shown in the preceding figure have been truncated to show the page numbers.

The *User Control Panel* for that user opens.

User Control Panel for John Doe			
Pending Actions Renewal Editor VARs Manage Access New Program Access View Program Access Expiration Dates			
User Information for John Doe			
	ID	DOD ID	FASCN
	11089154	1006440382	1006440382828282
	Duty Title	Primary Email Address	Phone Number
		John.Doe.ctr@army.mil	
	DSN	Contractor?	AOC/MOS
		False	
	UIC	Compo	Rank
	-	-	

Fig. 9 - *User Control Panel*

SECTION II: Program Access

5 Request Program Access	27
5.1 Update Your Information	27
5.2 Select Program(s) and Role(s)	29
5.2.1 Select Program	29
5.2.2 Select Role(s)	30
5.2.3 Provide Access Reason	32
5.3 Select Properties	34
5.3.1 Select Properties via Search	35
5.3.2 Select Properties without Search	36
5.3.3 Save Property Assignments	36
5.4 Review and Submit Your Request	37
6 Approve Access Request	38
6.1 Search for User	38
6.2 View Pending Access Requests	38
6.3 Activate Access Request	39
6.4 Resolve Duplicate Assignment Errors	40
6.4.1 Inactivate Property for Other User	41
6.4.1.1 Open the User Control Panel	41
6.4.1.2 Inactivate Property	41
6.4.2 Reattempt Approval	42
7 Add Access to User	43
7.1 Search for User	43
7.2 Verify Role(s) Assigned and Status	43
7.3 Activate Role(s)	44
7.4 Assign Role(s)	45
7.4.1 Select Program	47
7.4.2 Select Role(s)	47
7.4.3 Save Role(s)	49
7.5 Assign Properties	50
7.5.1 Assign Properties via Search	52
7.5.2 Assign Properties without Search	53
7.5.3 Save Property Assignments	53
7.6 Prevent and Resolve Duplicate Assignment Errors	54
7.6.1 Prevent Errors	55

7.6.1.1 Open the User Property Report Dialog and Find Property	56
7.6.1.1.1 Comprehensive Report	57
7.6.1.1.2 Filtered Report	58
7.6.2 Resolve Errors	60
7.6.2.1 Inactivate Property for Other User	61
7.6.2.1.1 Open the User Control Panel	61
7.6.2.1.2 Inactivate Property via the User Control Panel	62
7.6.2.2 Reattempt Assigning Properties	62
8 Remove Properties	63
8.1 Option 1: View Program Access	63
8.1.1 Search for User	63
8.1.2 Deny Program Access	63
8.2 Option 2: Manage Access	65
8.2.1 Search for User	65
8.2.2 Inactivate Role(s)	65

5 Request Program Access

This section details how a user would request access to one or more MODS programs through the **Request Program Access** menu option in MCP. When you request program access, you can request one or more roles, as well as any associated properties, within the same program or across programs.



Note:

- No permissions are required to request access to a given program.
- For this section of the user guide, Medical Operational Data System and MODS Control Panel have been selected as example programs.

To request program access, first go to the *MCP Homepage* and click **Request Program Access** from the suite of menu options.




Fig. 10 - MCP Homepage: Request Program Access (Non-User Administrator View)



Tip - To return to the homepage, click anywhere in the banner.



Reference - The options you see in MCP depend on your role and permissions. For more information on view differences, see **Basic Navigation** on page 19.

5.1 Update Your Information

After you click **Request Program Access**, the *Update Your Information* page opens. Through this page, you can update the following fields:

- Alternate email address
- Duty title*
- DSN (Defense System Number)

- DSN Extension
- Phone Number
- Phone Number Extension
- Receive Notifications

If you are a healthcare provider, you can also update your medical specialty and signature block.



Note - *This field is required for you to submit any other updates.



Tip - Hover over any field for information about it.

If you need to make updates, enter your new information and then click **Update!** when you're done. If you don't need to make updates, click **Update!** to continue.

[Home](#) :: **Update Your Information**

Please update your contact information below and click **Update!**. Note that some information is automatically updated from DMDC and AMID, and cannot be modified here.

Note: You can mouse over a field to receive more information about that field

John Doe

First Name John	Last Name Doe	ID 11089154	FASCN 1006440382828282
Primary Email Address	Duty Title 	Phone Number (123456789)	Phone Number Extension (1234)
Alternate Email Address 	DSN (1234567)	DSN Extension (1234)	Receive Notifications ☐

Note: If provided, Alternate Email Address will be used for email notifications. Otherwise, Primary Email Address will be used.

Healthcare Providers

Note: Non-Medical providers do not need to select a medical specialty or enter a signature block.

Medical Specialty ---Select Medical Specialty---	Signature (Smith, John, M.D.)
---	---

Update!

Fig. 11 - Request Program Access: Update Your Information Page

The *Role Selection* page opens. A message confirms your information updated successfully.



Note - The confirmation message also displays if you clicked the button without making updates.

✓ Your information was updated successfully! [User Guide](#)

Home :: Role Selection

Program Selection

Roles are being selected from the program in the drop down below.

Medical Operational Data System ▼
Medical Operational Data System

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

MODS Unit Commander
MODS Unit Command Staff
Unit Commander Designee
Battalion Senior Enlisted Advisor
Battalion Support Staff
Brigade Senior Enlisted Advisor

Add Selected Role

Roles you have selected

As roles are added using the list and button above, they will appear in the table below. To remove a role from the list, click the **Delete** button.

Program Name	Role Name	Role Description
You have not selected any roles yet. Please choose the roles you wish to request access to from the list above.		

Once all desired roles have been selected, click **Continue** below.

Continue

Fig. 12 - Request Program Access: Role Selection Page

5.2 Select Program(s) and Role(s)

The *Role Selection* page lets you select one or more roles from one or more programs for your access request.

5.2.1 Select Program

The *Program Selection* panel includes a drop-down and a description of the program. Select a program from the drop-down.



Note - A particular program may be selected by default.




Fig. 13 - Role Selection: Program Selection Panel

Depending on the program you select, you may see registration instructions in the *Program Selection* panel and in a dialog that pops up. Read these instructions carefully before continuing. When you're done reading the instructions in the dialog, click the  **Close** icon to close it.




Fig. 14 - Role Selection - Program Registration Instructions (68W)

5.2.2 Select Role(s)

In the *Role Selection* panel, select a program role from the list box. The role's name and description display in the panel to help you confirm your selection.



Tip - To scroll the list box, use your mouse or trackpad, or click the list box's up and down arrows, as needed.

Home :: Role Selection

Program Selection

Roles are being selected from the program in the drop down below.

Medical Operational Data System ▼

Medical Operational Data System (MODS) equips the Army Medical Department (AMEDD) with an integrated automation system that supports all phases of Human Resource Life-Cycle Management, both in peacetime and during mobilization. This online system provides commanders, staffs, and functional managers of AMEDD organizations with real-time information on the qualifications, training, special pay, and readiness of AMEDD personnel.

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

MODS Unit Commander
MODS Unit Command Staff
Unit Commander Designee
Battalion Senior Enlisted Advisor
Battalion Support Staff
Brigade Senior Enlisted Advisor

MODS Unit Commander
The Unit Commander role is used to identify this person as a UIC commander, granting access and setting preferences within MODS applications.

Add Selected Role

Roles you have selected

As roles are added using the list and button above, they will appear in the table below. To remove a role from the list, click the **Delete** button.

Program Name	Role Name	Role Description
--------------	-----------	------------------

Once all desired roles have been selected, click **Continue** below.

Continue

Fig. 15 - Role Selection - Program and Role Selected

To confirm your selection, click **Add Selected Role**. At this point, you can add more roles, if needed:

- To add other roles from the same program, repeat this process.
- To add roles from a different program, select another program from the *Program Selection* panel drop-down and then repeat this process.



Reference - For help with the *Program Selection* panel, see [Select Program](#) on page 29.

After you click **Add Selected Role**, the button grays out and the role disappears from the list. You can see the role(s) you've selected confirmed in the *Roles you have selected* panel. If you made a wrong selection, click **delete** for a given role in this panel and add the correct role.

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

MODS Unit Command Staff
Unit Commander Designee
Battalion Senior Enlisted Advisor
Battalion Support Staff
Brigade Senior Enlisted Advisor
Brigade Support Staff

Add Selected Role

Roles you have selected

As roles are added using the list and button above, they will appear in the table below. To remove a role from the list, click the **Delete** button.

Program Name	Role Name	Role Description	
Medical Operational Data System	MODS Unit Commander	The Unit Commander role is used to identify this person as a UIC commander, granting access and setting preferences within MODS applications.	delete

Once all desired roles have been selected, click **Continue** below.

Continue

Fig. 16 - Role Selection - Selected Role Added

**Note:**

- Some roles are mutually exclusive, so you cannot add both at the same time. Once you have added the one role, a dialog pops up preventing you from adding the other.
- You can select roles you already hold or have requested only if you can request additional properties for them. If the roles include no properties, all available properties have been assigned to you, or you have requested all available properties, then the roles are missing from the list box.

When you're done adding roles, click **Continue**. The *Access Request Security* page opens.

5.2.3 Provide Access Reason

On the *Access Request Security* page, type a reason for your access request.



Note - You must provide an access reason to continue.



Tip - If you'd like to re-size the text box, hover over its **Re-size** handle; your mouse cursor turns into a re-size arrow cursor. Drag its corner right, left, up, or down until the text box is the size you want. When condensed enough, you can also scroll up and down the text box by clicking its up and down arrows.

Fig. 17 - Request Program Access: Access Request Security Page

Depending on the role(s) you selected, you may see a *Supervisor Information* panel, which includes fields for your supervisor's name and contact information. Fill out these fields.



Note - You must fill out the *Supervisor Duty Title*, *Supervisor Phone Number*, and *Supervisor Email Address* fields to continue.

Fig. 18 - Access Request Security: Supervisor Information Panel

When you're done filling out this page, click **Continue**:

- If one or more roles you selected include properties, the *Role Property Assignment Selection* page opens.



Reference - If you see the *Role Property Assignment Selection* page, see [Select Properties](#) on the next page.

- If no roles you selected include properties, the *Confirm Access Request* page opens.



Reference - If you see the *Confirm Access Request* page, see [Review and Submit Your Request](#) on page 37.

5.3 Select Properties

The *Role Property Assignment Selection* page lets you request properties for your requested role(s). Some property types display all options by default, while others require performing a search, as shown in the following figure.

Role Property Assignment Selection

Property Assignments
Select/Enter property values below for each property associated with the program role

Medical Operational Data System: MODS Unit Commander: Distinct MODS UIC

MODS Control Panel: Message Administrator: Message Administrator Program Property

☐ 68W
☐ AMEDD Human Resources
☐ AMEDD Web Reporting
☐ ASM Research, Inc.
☐ Behavioral Health Data Portal
☐ CMS
☐ Commander Portal
☐ Contingency Battle Roster
☐ Continuing Medical Education
☐ Directed Military Overstrength (DMO)
☐ EDUCATION

Fig. 19 - Request Program Access: Role Property Assignment Selection Page

**Note:**

- Depending on the role(s) you selected, you may not see the *Role Property Assignment Selection* page, as not all roles include properties for assignment. To skip this subsection, go to [Review and Submit Your Request](#) on page 37.
- If you see the *Role Property Assignment Selection* page, selecting properties for each role that appears there is required.

**Reference:**

- For information on the types of properties available for assignment in MCP, see [Properties](#) on page 13.
- For help selecting properties via search, see [Select Properties via Search](#) below.
- For help selecting properties without search, see [Select Properties without Search](#) on the next page.

5.3.1 Select Properties via Search

When a search bar is presented, type a property or property keyword and click **Search** to generate options. From the available options, find the property or properties you want and select their checkboxes. Click the right arrow button to select all checked properties for assignment.

Role Property Assignment Selection

Property Assignments
Select/Enter property values below for each property associated with the program role

Medical Operational Data System: MODS Unit Commander: Distinct MODS UIC

wct Search

☒ 0000 AG BND AUG (WCTP99)	> 0000 AG BND AUG (WCTP99) 0000 AG BND US ARMY FLD AUG (WCTS99) <
☐ 0000 AG BND BND AA REAR DET (WCTPHD)	
☐ 0000 AG BND BND AA REAR DET (WCTRHD)	
☐ 0000 AG BND BND AA REAR DET (WCTSHD)	
☒ 0000 AG BND US ARMY FLD AUG (WCTS99)	
☐ 0000 AG BND US MILITARY ACA (WCTRAA)	
☐ 0000 AG BND USA BAND PERSHI (WCTPAA)	
☐ 0000 AG BND USA FIELD BAND (WCTSAA)	
☐ 0003 MP DET DET AA REAR DET (WCTUHD)	
☐ 0003 MP DET HHD CID GROUP (WCTUA2)	
☐ 0003 MP DET HHD CID GROUP (WCTUA3)	

Fig. 20 - Role Property Assignment Selection: Search Properties (UICs)

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options, and then deselect their checkboxes to fully clear the selection.

**Note:**

- You can start new searches to find additional properties to assign, but you must click the right arrow button for each search separately.
- If a property is already assigned to you, its checkbox will be grayed out and unavailable for selection.
- If you'd like to remove a property that you have selected, but it resulted from a search that you have moved on from, you can use the left arrow button to return it to the list of options, but you cannot deselect its checkbox. In this case, click one of the properties that you still have selected on the right before saving. This step prevents a validation error from interfering with your save.

5.3.2 Select Properties without Search

From the options available, find the property or properties you want and select their checkboxes. Click the right arrow button to select all checked properties for assignment.

Fig. 21 - Role Property Assignment Selection: Select Properties (Programs)

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options, and then deselect their checkboxes to fully clear the selection.



Note - If a property is already assigned to you, its checkbox will be grayed out and unavailable for selection.

5.3.3 Save Property Assignments

When you're done selecting properties, click **Save Property Assignments**. The *Confirm Access Request* page opens.

Save Property Assignments

Fig. 22 - Role Property Assignment Selection: Save Property Assignments

5.4 Review and Submit Your Request

On the *Confirm Access Request* page, review your request details.

Role Selection :: Confirm Access Request

Confirm Access Request

Below is a summary of your access request. Please review this carefully before proceeding!

Requested Roles:	
Program Name	Program Role
Medical Operational Data System	MODS Unit Commander
MODS Control Panel	Message Administrator

Access Reason

I need the requested access to perform my duties.

Requested Program Role Properties:			
Program Name	Program Role	Property	Value
Medical Operational Data System	MODS Unit Commander	Distinct MODS UIC	0000 AG BND AUG (WCTP99)
Medical Operational Data System	MODS Unit Commander	Distinct MODS UIC	0000 AG BND US ARMY FLD AUG (WCTS99)
MODS Control Panel	Message Administrator	Message Administrator Program Property	Medical Operational Data System

Finish

Fig. 23 - Request Program Access: Confirm Access Request Page

If you need to make changes to your request, click **Role Selection** in the breadcrumb trail. You are redirected to the *Update Your Information* page. From there, repeat the process.

If you're ready to submit your request, click **Finish**. You are directed back to the *MCP Homepage*. A message confirms that your request was submitted successfully.

6 Approve Access Request

This section details how an approval authority would approve a user access request in MCP. Access requests involve requests for specific program roles and, when relevant, associated properties.



Note:

- Permissions required to approve access requests: CPAA or CPAM.
- For this section of the user guide, Medical Operational Data System has been selected as an example program.



Tip - As an alternative to following the full steps outlined here, you as an approval authority might click on the link in the email and go directly to [Activate Access Request](#) on the next page.

6.1 Search for User

First, search for the given user and open their *User Control Panel*.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

6.2 View Pending Access Requests

From the *User Control Panel*, click **Pending Actions** (highlighted in the following figure).

User Control Panel for John Doe			
Pending Actions	Renewal Editor	VARs	Manage Access
New Program Access	View Program Access	Expiration Dates	
User Information for John Doe			
ID 11089154	DOD ID 1006440382	FASCN 1006440382828282	PUN
Duty Title	Primary Email Address John.Doe.ctr@army.mil	Alternate Email Address	Phone Number
DSN	Contractor? False	AOC/MOS	Rank
UIC -	Compo -		

Fig. 24 - User Control Panel: Pending Actions

The *User Pending Access Requests* page opens. In the records results, you should see the most recent access request sent to you by this user, including the date of the request, the role requested, and the property requested.

User Management :: User Pending Access Requests

[Return to the user control panel](#) [Program Access Summary Report Drilldown](#)

Program:

Status: Number of Records:

Total Record Count: 2

☐	☐	☐	Id	EDI	First Name	Last Name	Rank	Title	Contractor	Program	Role Requested	Property Requested	Date Requested	Comments	Manage User	Status
☐	☐	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander	0000 AG BND AUG (WCTP99)	12/29/2023	View	Edit	Requested
☐	☐	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander	0000 AG BND US ARMY FLD AUG (WCT599)	12/29/2023	View	Edit	Requested

Comments

These comments will be included in the change record and will also be sent to the user regarding their access change

[Return to the user control panel](#)

Fig. 25 - Pending Actions: User Pending Access Requests Page



Tip - To ensure you see the request, use the *Program* drop-down to select the program related to the access request. Then, in the additional drop-downs, select **Requested** for *Status* and **All** for *Number of Records*. Click **Search**.

6.3 Activate Access Request

On the *User Pending Access Requests* page, select the **Activate** checkbox within the records results for any access requests you intend to activate. In the *Comments* panel, you may enter a comment for the change of record if you'd like.

When you're ready, click **Update Selected**.

Total Record Count: 2

Update Selected

☐ Approve	☒ Activate	☐ Deny	Id	EDI	First Name	Last Name	Rank	Title	Contractor	Program	Role Requested
☐	☒	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander
☐	☒	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander

Comments

These comments will be included in the change record and will also be sent to the user regarding their access change

[Return to the user control panel](#)

Fig. 26 - User Pending Access Requests Page - Activate Request(s)

A message appears alerting you that the selected pending requests have been processed successfully. The request(s) should now be active and no longer appear on this page.



Tip - If you want to confirm the request(s) activated, see [Verify Role\(s\) Assigned and Status](#) on page 43.



Reference - If upon trying to save, you receive an error message about a property already being assigned to another user, see [Resolve Duplicate Assignment Errors](#) below for help.

6.4 Resolve Duplicate Assignment Errors

Some properties cannot be assigned simultaneously to multiple users holding the same program role. For example, only one MODS Unit Commander at a time can be assigned to any given UIC. If you try to add another MODS Unit Commander to a UIC, a dialog pops up and prevents your save. This dialog lets you know that errors need to be corrected before you can save the user's access.

authentication.modsdev.com says

This user's access has not been saved. Please correct the errors listed at the top of the page.

OK

Fig. 27 - Dialog Directing You to Error Message

If this dialog pops up and prevents your save, click **OK** to be directed to the error message.

The error message describes both the problem and the solution. It also provides the MODS User ID of the user(s) already associated with one or more properties that you tried to save, as well as the name of the property or properties.

Please correct the errors and try again.

- There is already an active Unit Commander assigned to 0000 AG BND US ARMY FLD AUG (WCTS99) . You must inactivate 0000 AG BND US ARMY FLD AUG (WCTS99) from MODS User Id 11089154 before activating this UIC for this user.

[Return to the user control panel](#)

Fig. 28 - Sample Duplicate Assignment Error Message



Note - This dialog and error message also display if you try to approve the user's access request via the **Mass Access Request Process** menu option.



Reference - You can prevent trying to assign an unavailable property to a user by consulting a User Property Report. For help creating this report, see [User Property Report](#) on page 94.

6.4.1 Inactivate Property for Other User

As the error message explains, to assign an unavailable property to the current user, you first need to inactivate that property for the other user associated with it.



Note - Repeat this process for additional roles, properties, and other users, if needed.

6.4.1.1 Open the User Control Panel

Use Quick Search to find the other user based on their MODS User ID. Then, open their *User Control Panel* from the records results.




Fig. 29 - Quick Search - Search for Other User



Tip - To find the other user's MODS User ID, consult the error message.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

6.4.1.2 Inactivate Property

Once you've opened the other user's *User Control Panel*, follow the inactivation process for the property.



Reference - For instructions on inactivating properties, see [Remove Properties](#) on page 63.

6.4.2 Reattempt Approval

After inactivating one or more properties as needed for the other user(s), return to the current user's pending access requests via their *User Control Panel*. You can now approve the requested property or properties that you inactivated for the other user(s).

7 Add Access to User

This section details how an approval authority in MCP would add one or more roles and associated properties to a user who has not requested them.



Note:

- Permissions required to add access to users: CPAA or CPAM.
- For this section of the user guide, Medical Operational Data System and MODS Control Panel have been selected as example programs.

7.1 Search for User

First, search for the given user and open their *User Control Panel*.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

7.2 Verify Role(s) Assigned and Status

First, you need to confirm whether the user already holds the role(s) that you intend to assign to them, and, if so, whether the role(s) are active.

From the *User Control Panel*, click **View Program Access** (highlighted in the following figure).

User Control Panel for John Doe			
Pending Actions	Renewal Editor	VARs	Manage Access
New Program Access	View Program Access	Expiration Dates	
User Information for John Doe			
ID 11089154	DOD ID 1006440382	FASCN 1006440382828282	PUN
Duty Title	Primary Email Address John.Doe.ctr@army.mil	Alternate Email Address	Phone Number
DSN	Contractor? False	AOC/MOS	Rank
UIC -	Compo -		

Fig. 30 - User Control Panel: View Program Access

The *User Program Access* page opens. In the records results, check for the role(s) that you intend to assign to the user.

User Management :: User Program Access

[Return to the user control panel](#) [Program Access Summary Report Drilldown](#)

Program:

Status: Number of Records:

Total Record Count: 4

☐	☐	☐	Id	EDI	First Name	Last Name	Rank	Title	Contractor	Program	Role Requested	Property Requested	Date Requested	Comments	Manage User	Status
☐	☐	☐	11089154	1006440382	John	Doe			False	MODS Control Panel	MODS Control Panel Program User -		1/3/2023	View	Edit	Active
☐	☐	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander	0000 AG BND AUG (WCTP99)	1/3/2023	View	Edit	Active
☐	☐	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander	0000 AG BND US ARMY FLD AUG (WCTS99)	1/3/2023	View	Edit	Active
☐	☐	☐	11089154	1006440382	John	Doe			False	MODS Control Panel	Message Administrator	Medical Operational Data System	1/3/2023	View	Edit	Active

Comments

These comments will be included in the change record and will also be sent to the user regarding their access change

[Return to the user control panel](#)

Fig. 31 - User Program Access Page



Tip - To ensure you see relevant records, select the program related to the role(s) from the *Program* drop-down. Then, in the additional drop-downs, select **Active** for *Status* and **All** for *Number of Records*. Click **Search**. If you're looking to add more than one role to the user, and those roles span multiple programs, repeat this process for each additional program.

If you see the role(s) listed here, then the user has already been assigned the role(s). At this point, refer to the *Status* column to check whether the role(s) are active:

- If the role(s) are assigned and the status is active, then go to [Assign Properties](#) on page 50.
- If the role(s) are assigned but the status is inactive, then go to [Activate Role\(s\)](#) below.

Program	Role Requested	Property Requested	Date Requested	Comments	Manage User	Status
MODS Control Panel	MODS Control Panel Program User -		1/3/2023	View	Edit	Active
Medical Operational Data System	MODS Unit Commander	0000 AG BND AUG (WCTP99)	1/3/2023	View	Edit	Active
Medical Operational Data System	MODS Unit Commander	0000 AG BND US ARMY FLD AUG (WCTS99)	1/3/2023	View	Edit	Active
MODS Control Panel	Message Administrator	Medical Operational Data System	1/3/2023	View	Edit	Active

Fig. 32 - User Program Access Page - Status Column

If you do not see the role(s) listed here, then they are not assigned to the user. In this case, go to [Assign Role\(s\)](#) on the next page.

7.3 Activate Role(s)

If the user already holds the role(s) that you intended to assign to them, but the role(s) are inactive, then you need to activate the role(s).

On the *User Program Access* page, select the **Activate** checkbox within the records results for the given role(s) (and any other program access you'd like to activate).

Total Record Count: 4

Update Selected

☐ Approve	☒ Activate	☐ Deny	Id	EDI	First Name	Last Name	Rank	Title	Contractor	Program	Role Requested
☐	☒	☐	11089154	1006440382	John	Doe			False	MODS Control Panel	MODS Control Panel Program User
☐	☒	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander
☐	☒	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander
☐	☒	☐	11089154	1006440382	John	Doe			False	MODS Control Panel	Message Administrator

Comments

These comments will be included in the change record and will also be sent to the user regarding their access change

[Return to the user control panel](#)

Fig. 33 - *User Program Access Page - Activate Role(s)*

In the *Comments* panel, you may enter a comment for the change of record if you'd like.



Tip - If you'd like to re-size the *Comments* panel, hover over its **Re-size** handle; your mouse cursor turns into a re-size arrow cursor. Drag its corner right, left, up, or down until the text box is the size you want. When condensed enough, you can also scroll up and down the text box by clicking its up and down arrows.

When you're ready, click **Update Selected** (highlighted in the following figure).

Total Record Count: 4

Update Selected

☐ Approve	☒ Activate	☐ Deny	Id	EDI	First Name
☐	☒	☐	11089154	1006440382	John
☐	☒	☐	11089154	1006440382	John

Fig. 34 - *User Program Access - Update Selected*

A message appears alerting you that the selected program access has been processed successfully. The role(s) should now be active.

Go to [Assign Properties](#) on page 50 next.

7.4 Assign Role(s)

If the user does not currently hold the role(s) that you intended to assign to them, then you need to assign the role(s) to them.

From the *User Control Panel*, click **New Program Access** (highlighted in the following figure).

User Control Panel for John Doe

[Pending Actions](#) | [Renewal Editor](#) | [VARs](#) | [Manage Access](#) | [New Program Access](#) | [View Program Access](#) | [Expiration Dates](#)

User Information for John Doe



ID

11089154

Duty Title

DSN

UIC

-

DOD ID

1006440382

Primary Email Address

John.Doe.ctr@army.mil

Contractor?

False

Compo

-

FASCN

1006440382828282

Alternate Email Address

AOC/MOS

PUN

Phone Number

Rank

Fig. 35 - User Control Panel: New Program Access

The *Role Selection* page opens.

Home :: Role Selection

Program Selection

Roles are being selected from the program in the drop down below.

68W

This application links you the 68W Tracking System which manages the sustainment of the 68W MOS.

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

68W Administrator

68W AIT Access

68W EMS Access

68W Individual Access

68W Maintenance

68W Power User Administrator

Add Selected Role

Roles you have selected

As roles are added using the list and button above, they will appear in the table below. To remove a role from the list, click the **Delete** button.

Program Name

Role Name

Role Description

You have not selected any roles yet. Please choose the roles you wish to request access to from the list above.

Once all desired roles have been selected, click **Continue** below.

Continue

Fig. 36 - New Program Access - Role Selection Page

- 46 -

MCP 03.23.00 5/10/2024

7.4.1 Select Program

The *Program Selection* panel includes a drop-down and a description of the program. Select a program from the drop-down.



Note - A particular program may be selected by default.

Home :: Role Selection

Program Selection

Roles are being selected from the program in the drop down below.

Medical Operational Data System ▼

Medical Operational Data System (MODS) equips the Army Medical Department (AMEDD) with an integrated automation system that supports all phases of Human Resource Life-Cycle Management, both in peacetime and during mobilization. This online system provides commanders, staffs, and functional managers of AMEDD organizations with real-time information on the qualifications, training, special pay, and readiness of AMEDD personnel.

Fig. 37 - Role Selection: Program Selection Panel

Depending on the program you select, you may see registration instructions in the *Program Selection* panel and in a dialog that pops up. Read these instructions carefully before continuing. When you're done reading the instructions in the dialog, click the **Close** icon to close it.

Home :: Role Selection

Program Selection

Roles are being selected from the program in the drop down below.

68W ▼

This application links you the 68W Tracking System

68W Registration Instructions

Note that the 68W MODS Write access is restricted to two (2) writers per UIC authorized by the Commander/1SG. Appointed individuals must be in rank of SGT (E-5) or above, or a GS employee of equivalent rank. Personnel chosen must fill a position to directly influence the Command with all Medical Training documentation and have a minimum of one (1) year left within the position.

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

68W Read Access
68W Write Access

Add Selected Role

Fig. 38 - Role Selection - Program Registration Instructions (68W)

7.4.2 Select Role(s)

In the *Role Selection* panel, select a program role from the list box. The role's name and description display in the panel to help you confirm your selection.



Tip - To scroll the list box, use your mouse or trackpad, or click the list box's up and down arrows, as needed.

Home :: Role Selection

Program Selection

Roles are being selected from the program in the drop down below.

Medical Operational Data System ▼

Medical Operational Data System (MODS) equips the Army Medical Department (AMEDD) with an integrated automation system that supports all phases of Human Resource Life-Cycle Management, both in peacetime and during mobilization. This online system provides commanders, staffs, and functional managers of AMEDD organizations with real-time information on the qualifications, training, special pay, and readiness of AMEDD personnel.

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

MODS Unit Commander
MODS Unit Command Staff
Unit Commander Designee
Battalion Senior Enlisted Advisor
Battalion Support Staff
Brigade Senior Enlisted Advisor

MODS Unit Commander
The Unit Commander role is used to identify this person as a UIC commander, granting access and setting preferences within MODS applications.

Add Selected Role

Roles you have selected

As roles are added using the list and button above, they will appear in the table below. To remove a role from the list, click the **Delete** button.

Program Name	Role Name	Role Description
--------------	-----------	------------------

Once all desired roles have been selected, click **Continue** below.

Continue

Fig. 39 - Role Selection - Program and Role Selected

To confirm your selection, click **Add Selected Role**. At this point, you can add more roles, if needed:

- To add other roles from the same program, repeat this process.
- To add roles from a different program, select another program from the *Program Selection* panel drop-down and then repeat this process.



Reference - For help with the *Program Selection* panel, see [Select Program](#) on the previous page.

After you click **Add Selected Role**, the button grays out and the role disappears from the list. You can see the role(s) you've selected confirmed in the *Roles you have selected* panel. If you made a wrong selection, click **delete** for a given role in this panel and add the correct role.

Role Selection

Roles that are available for the program selected in the drop down above will appear below. To learn what a role will grant, click on it once and a description will appear to the right above **Add Selected Role**. If that is the desired role, click **Add Selected Role**.

MODS Unit Command Staff
Unit Commander Designee
Battalion Senior Enlisted Advisor
Battalion Support Staff
Brigade Senior Enlisted Advisor
Brigade Support Staff

Add Selected Role

Roles you have selected

As roles are added using the list and button above, they will appear in the table below. To remove a role from the list, click the **Delete** button.

Program Name	Role Name	Role Description	
Medical Operational Data System	MODS Unit Commander	The Unit Commander role is used to identify this person as a UIC commander, granting access and setting preferences within MODS applications.	delete

Once all desired roles have been selected, click **Continue** below.

Continue

Fig. 40 - Role Selection - Selected Role Added

**Note:**

- Some roles are mutually exclusive, so you cannot add both at the same time. Once you have added the one role, a dialog pops up preventing you from adding the other.
- You can select roles that the user already holds or has requested only if you can assign additional properties to those roles. If the roles include no properties, all available properties have been assigned to the user, or the user has requested all available properties, then the roles are missing from the list box.

When you're done adding roles, click **Continue**. The *Add Program Access* page opens.

7.4.3 Save Role(s)

On the *Add Program Access* page, ensure the **Activate** circle is filled for each role, as shown in the following figure. Click each circle if it isn't filled already.

Add Program Access

Activate	Approve	Program Name	Program Role Name	Comment
☒	☐	Medical Operational Data System	MODS Unit Commander	
☒	☐	MODS Control Panel	Message Administrator	

Save Roles

Fig. 41 - Add Program Access Page

Note that you're able to add a comment per role if you'd like. When you're ready, click **Save Roles**.

You are directed back to the *User Control Panel*. A message confirms that the user's new program access saved successfully.



Tip - If you want to verify that the user now holds the role, see [Verify Role\(s\) Assigned and Status](#) on page 43 for help.

7.5 Assign Properties

Once you've confirmed that the role is assigned and active, it's time to assign properties.



Note - Not all roles include properties for assignment, so you may be able to skip this last step.



Reference - To verify whether the role is assigned and active, see [Verify Role\(s\) Assigned and Status](#) on page 43.

From the *User Control Panel*, click **Manage Access** (highlighted in the following figure).

The screenshot shows the 'User Control Panel for John Doe'. At the top, there is a navigation bar with the following tabs: 'Pending Actions', 'Renewal Editor', 'VARs', 'Manage Access' (highlighted with a red box), 'New Program Access', 'View Program Access', and 'Expiration Dates'. Below the navigation bar, there is a section titled 'User Information for John Doe' which contains a table of user details.

User Information for John Doe			
ID 11089154	DOD ID 1006440382	FASCN 1006440382828282	PUN
 Duty Title	Primary Email Address John.Doe.ctr@army.mil	Alternate Email Address	Phone Number
DSN	Contractor? False	AOC/MOS	Rank
UIC -	Compo -		

Fig. 42 - User Control Panel: Manage Access

On the *Manage Access* page, find the available property assignments area (highlighted in the following figure) following the *Available Roles* section.



Note - The available roles shown in the following figure have been truncated to show the available property assignments area.

Available Roles

The roles/property below are roles that can be assigned to this user based on your access permissions

Active	Inactive	Program Name	Role Name	Property Name	Remarks
☐	☒	AMEDD Web Reporting	Basic User Access	-	
☐	☒	Behavioral Health Data Portal	Clerk	-	
☐	☒	Behavioral Health Data Portal	Provider	-	
☐	☒	CMS	CMS Administrator	-	

Below are the property assignments available for the user

Behavioral Health Data Portal: Clerk: DoD DMIS MTF

- ☐ ALTUS AFB-PDMIS (0097) Air Force MTF
- ☐ ANDERSEN JB-PDMIS (0802) Air Force MTF
- ☐ ANDREWS JBA-PDMIS (0066) Air Force MTF
- ☐ ANNAPOLIS-PDMIS (0306) Navy MTF
- ☐ AVIANO AB-PDMIS (0808) Air Force MTF

[View Assignments](#)

Fig. 43 - Manage Access: Available Property Assignments Area

Note that the properties are organized alphabetically by program name, then by the role(s) associated with them. To find the properties tied to your role(s) of interest, find the role(s).



Tip - To quickly find a specific role, use the Ctrl+F keyboard shortcut to search the page.

Once you've found the role(s), you can assign properties. Some property types display all options by default, while others require performing a search, as shown in the following figure.

68W: 68W Write Access: 68W Access UIC

[View Assignments](#)

Behavioral Health Data Portal: Clerk: DoD DMIS MTF

- ☐ TINKER AFB-PDMIS (0096) Air Force MTF
- ☐ TRAVIS AFB-PDMIS (0014) Air Force MTF
- ☐ TWENTYNINE PALMS-PDMIS (0030) Navy MTF
- ☐ TYNDALL AFB-PDMIS (0043) Air Force MTF
- ☐ USAF ACADEMY-PDMIS (0033) Air Force MTF
- ☐ USAF-AIR FORCE LINE MEDICAL UNITS-PDMIS (5537) Air Force MTF
- ☐ VANCE AFB-PDMIS (0338) Air Force MTF
- ☐ VANDENBERG SFB-PDMIS (0018) Air Force MTF
- ☐ VILSECK-PDMIS (0609) Army MTF
- ☐ WEST POINT-PDMIS (0086) Army MTF

[View Assignments](#)

Fig. 44 - Available Property Assignments - Property Type Examples



Note - If you want to remove properties currently assigned to the user, you must do this from the *Available Roles* section of the *Manage Access* page. For instructions on removing properties, see [Remove Properties](#) on page 63.



Reference:

- For information on the types of properties available for assignment in MCP, see [Properties](#) on page 13.
- For help assigning properties via search, see [Assign Properties via Search](#) below.
- For help assigning properties without search, see [Assign Properties without Search](#) on the next page.

7.5.1 Assign Properties via Search

When a search bar is presented, type a property or property keyword and click **Search** to generate options. From the available options, find the property or properties you want and select their checkboxes. Click the right arrow button to select all checked properties for assignment.

The screenshot displays the 'Medical Operational Data System: MODS Unit Commander: Distinct MODS UIC' interface. At the top, there is a search bar containing the text 'wct' and a 'Search' button. Below the search bar, a list of properties is shown, each with a checkbox. The first property, '0000 AG BND AUG (WCTP99)', is selected with a checked checkbox. To the right of the list, there are two arrow buttons: a right arrow (>) and a left arrow (<). The right arrow button is currently disabled. Below the arrow buttons, there is a text box containing the text '0000 AG BND US ARMY FLD AUG (WCTS99)'. Below the text box, there is a link labeled 'View Assignments'.

Fig. 45 - Available Property Assignments: Search Properties (UICs)

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options, and then deselect their checkboxes to fully clear the selection.

**Note:**

- You can start new searches to find additional properties to assign, but you must click the right arrow button for each search separately.
- Any properties currently assigned to the user under this role appear as already assigned on the right.
- If you'd like to remove a property that you have selected, but it resulted from a search that you have moved on from, you can use the left arrow button to return it to the list of options, but you cannot deselect its checkbox. In this case, click one of the properties that you still have selected on the right before saving. This step prevents a validation error from interfering with your save.

7.5.2 Assign Properties without Search

From the options available, find the property or properties you want and select their checkboxes. Click the right arrow button to select all checked properties for assignment.

MODS Control Panel: Message Administrator: Message Administrator Program Property

Available Properties	Assigned Properties
☐ ATTAIN	
☐ AVS	
☐ Bank of America	
☒ Behavioral Health Data Portal	
☐ CAPS-W	
☐ CCQAS	
☐ CDA	
☐ Civilian Web Reporting	
☐ CMR	
☐ CMS	
☐ Combat Related Injury Pay	

Buttons: > (Right Arrow), < (Left Arrow)

Assigned Properties: Medical Operational Data System

Links: [Assignments](#), [View](#)

Fig. 46 - Available Property Assignments: Assign Properties without Search (Programs)

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options, and then deselect their checkboxes to fully clear the selection.



Note - Any properties currently assigned to the user under this role appear as already assigned on the right.

7.5.3 Save Property Assignments

Once you reach the end of the available property assignments area, you can add a comment for the change of record before saving, if you'd like.



Tip - If you'd like to re-size the text box, hover over its  **Re-size** handle; your mouse cursor turns into a re-size arrow cursor. Drag its corner right, left, up, or down until the text box is the size you want. When condensed enough, you can also scroll up and down the text box by clicking its up and down arrows.

These comments will be included in the change record and will also be sent to the user regarding their access change

Save Property Assignments

Fig. 47 - Available Property Assignments - Add Comment and Save Property Assignments

When you're ready to save, click **Save Property Assignments**. The page reloads, and a message confirms that the property assignments saved successfully.



Note - If you'd like to remove a property that you have selected, but it resulted from a search that you have moved on from, you can use the left arrow button to return it to the list of options, but you cannot deselect its checkbox. In this case, click one of the properties that you still have selected on the right before saving. This step prevents a validation error from interfering with your save.



Reference:

- If upon trying to save, you receive an error message about a property already being assigned to another user, see [Prevent and Resolve Duplicate Assignment Errors](#) below for help.
- If, as you assigned properties to the user, you tried to remove any of their currently assigned properties before clicking **Save Property Assignments**, MCP saved your additions but not your removals. If you want to remove properties currently assigned to the user, you must do this from the *Available Roles* section of the *Manage Access* page. For instructions on removing properties, see [Remove Properties](#) on page 63.

7.6 Prevent and Resolve Duplicate Assignment Errors

Some properties cannot be assigned simultaneously to multiple users holding the same program role. For example, only one MODS Unit Commander at a time can be assigned to any given UIC. If you try to add another MODS Unit Commander to a UIC, a dialog pops up and prevents your save. This dialog lets you know that errors need to be corrected before you can save the user's access.



Fig. 48 - Dialog Directing You to Error Message



Reference:

- To learn how to prevent duplicate assignment errors, see [Prevent Errors](#) below.
- If you see this dialog and need help resolving the errors, see [Resolve Errors](#) on page 60.

7.6.1 Prevent Errors

You can prevent trying to assign an unavailable property to a user by consulting a User Property Report, which you can open in a dialog right from the *Manage Access* page.

For each given program role that includes properties, this report presents an alphabetized list of properties that are already associated with other users. Each property listed includes a table of associated users, arranged in ascending order by MODS User ID. Through the *Role Status* column, this table indicates the status of each user role tied to the property: active, inactive, or requested.

You open the *User Property Report* dialog by clicking **View Assignments**. Depending on how you open it, the report is either comprehensive or filtered.

7.6.1.1.1 Comprehensive Report

To open a comprehensive report, click **View Assignments** (highlighted in the following figure) immediately. This version of the report presents an alphabetized list of *all* the properties for this specific program role that are already associated with other users.




Fig. 51 - Available Property Assignments for Specific Role - View Assignments

With this report open, try to find the property of interest:

- If you can't find the property, or if the user role is inactive or requested in status, this property is available for you to assign to the current user.



Reference - For help assigning properties, see [Assign Properties](#) on page 50.

- If you instead see that the property is already assigned to another user, and that user's role is active, trying to save that property assignment would trigger an error. To assign the property to the current user, you first need to inactivate it for the other user.



Reference - For help inactivating properties, see [Inactivate Property for Other User](#) on page 61.

User Property Report							
Program: Medical Operational Data System		Role: MODS Unit Commander		Property: 0000 AG BND AUG (WCTP99)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status
Manage 11089154	John	Doe	1006440382	N/A	N/A	Active	Active
Program: Medical Operational Data System		Role: MODS Unit Commander		Property: 0000 AG BND BND AA REAR DET (WCTPHD)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status
Manage 11089151	Samantha	Barks	1591808989	N/A	N/A	Active	Requested
Program: Medical Operational Data System		Role: MODS Unit Commander		Property: 0000 AG BND BND AA REAR DET (WCTRHD)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status
Manage 11089119	Anya	Ayoung-Chee	1234567894	N/A	N/A	Active	Active
Program: Medical Operational Data System		Role: MODS Unit Commander		Property: 0000 AG BND BND AA REAR DET (WCTSHD)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status
Manage 11089154	John	Doe	1006440382	N/A	N/A	Active	Active
Program: Medical Operational Data System		Role: MODS Unit Commander		Property: 0000 AG BND US ARMY FLD AUG (WCTS99)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status
Manage 11089154	John	Doe	1006440382	N/A	N/A	Active	Active
Program: Medical Operational Data System		Role: MODS Unit Commander		Property: 0000 AG BND USA BAND PERSHI (WCTPAA)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status
Manage 11089150	Armando	Guerra	1234567890	N/A	N/A	Active	Active

Fig. 52 - User Property Report Dialog - Comprehensive Report



Note - Repeat this process for additional roles, properties, and other users, if needed.



Tip:

- To quickly find a specific property, click the dialog to engage it and then use the Ctrl+F keyboard shortcut to search the report. Note that the report may span multiple pages, so you may need to search each.
- When you're done with the report, click the x for the dialog or click away from it.

7.6.1.1.2 Filtered Report

To open a filtered report, you need to specify one or more properties for the report to focus on. First, select all properties of interest so that they appear in the right list box.

Medical Operational Data System: MODS Unit Commander: Distinct MODS UIC

wctp99

☒ 0000 AG BND AUG (WCTP99)

0025 HQ HQ REAR (WTCDDH)
0025 HQ HQ REAR OPNS CENTE (WTCDA)
0000 AG BND AUG (WCTP99)

[View Assignments](#)

Fig. 53 - Available Property Assignments - Properties Selected for Specific Role



Reference - For help selecting properties, see [Assign Properties via Search](#) on page 52 or [Assign Properties without Search](#) on page 53, depending on the property type you're working with.

Next, choose which properties you'd like to include in the report. To include these properties, click them in the right list box.



Note - You know a property is selected when it turns blue, as seen in the following figure. As you engage a different part of the page, it turns gray.



Tip:

- To select sequential properties, select the first one you want to include, and then, holding the Shift key, select the last one you want to include.
- To select non-sequential properties, select the first one you want to include, and then, holding the Ctrl key, select the others you want to include.

When you're ready to generate the report, click **View Assignments** (highlighted in the following figure).




Fig. 54 - Available Property Assignments - Properties Selected for User Property Report

With this report open, try to find each property of interest:

- If you can't find the property, if the report is blank, or if the user role is inactive or requested in status, this property is available for you to assign to the current user.



Reference - For help assigning properties, see [Assign Properties](#) on page 50.

- If you instead see that the property is already assigned to another user, and that user's role is active, trying to save that property assignment would trigger an error. To assign the property to the current user, you first need to inactivate it for the other user.



Reference - For help inactivating properties, see [Inactivate Property for Other User](#) on page 61.

User Property Report								
Program: Medical Operational Data System			Role: MODS Unit Commander		Property: 0000 AG BND AUG (WCTP99)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status	
Manage	11089154	John	Doe	1006440382	N/A	N/A	Active	Active
Program: Medical Operational Data System			Role: MODS Unit Commander		Property: 0025 HQ HQ REAR (WTCDDHD)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status	
Manage	11089113	Uli	Herzner	1234567890	N/A	N/A	Active	Active

Fig. 55 - User Property Report Dialog - Filtered Report



Tip - When you're done with the report, click the **x** for the dialog or click away from it.

7.6.2 Resolve Errors

If a dialog pops up and prevents your save, click **OK** to be directed to the error message.



Fig. 56 - Dialog Directing You to Error Message

The error message describes both the problem and the solution. It also provides the MODS User ID of the user(s) already associated with one or more properties that you tried to save, as well as the name of the property or properties.




Fig. 57 - Sample Duplicate Assignment Error Message

7.6.2.1 Inactivate Property for Other User

As the error message explains, to assign an unavailable property to the current user, you first need to inactivate that property for the other user associated with it.



Note - Repeat this process for additional roles, properties, and other users, if needed.

7.6.2.1.1 Open the User Control Panel

To inactivate the property for the other user, first open their *User Control Panel* through either the *User Property Report* dialog or Quick Search results.

7.6.2.1.1.1 Method 1: Open from the User Property Report Dialog

In the *User Property Report* dialog, click **Manage** (highlighted in the following figure) for the other user.

User Property Report								
Program: Medical Operational Data System			Role: MODS Unit Commander		Property: 0000 AG BND AUG (WCTP99)			
Id	First Name	Last Name	EDI	Expiration Date	Days Until Expiration	Program Status	Role Status	
Manage	11089154	John	Doe	1006440382	N/A	N/A	Active	Active

Fig. 58 - User Property Report Dialog - Manage User



Reference - For help accessing and using this report dialog, see [Open the User Property Report Dialog and Find Property](#) on page 56.

You are redirected to this user's *User Control Panel* in the same dialog.

7.6.2.1.1.2 Method 2: Open from Quick Search Results

Use Quick Search to find the other user based on their MODS User ID. Then, open their *User Control Panel* from the records results.

The image shows the 'user management' header with a 'Quick Search' section. It includes a dropdown menu set to 'MODS User Id', a text input field containing '11089154', and a 'Search' button. The login status 'Logged in as: Jane Doe' with a 'Logout' link is also visible.

Fig. 59 - Quick Search - Search for Other User



Tip - To find their MODS User ID, consult the error message, if available, or find the user in the *User Property Report* dialog and reference the *Id* column.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

7.6.2.1.2 Inactivate Property via the User Control Panel

Once you've opened the other user's *User Control Panel*, follow the inactivation process for the property.



Reference - For instructions on inactivating properties, see [Remove Properties](#) on the next page.

7.6.2.2 Reattempt Assigning Properties

After inactivating one or more properties as needed for the other user(s), return to the *User Control Panel* for the current user. You can now assign the inactivated property or properties to that user.



Reference - To revisit the instructions for assigning properties, see [Assign Properties](#) on page 50.

8 Remove Properties

This section details how an approval authority would remove (or *deactivate* or *inactivate*) a user's currently assigned properties via their *User Control Panel* in MCP.



Note - Permissions required to remove properties from users: CPAA or CPAM.

The *User Control Panel* provides two ways to remove properties: the **View Program Access** option and the **Manage Access** option. This section of the user guide covers both paths.

8.1 Option 1: View Program Access

This subsection details how an approval authority would remove user properties through the **View Program Access** option from the *User Control Panel*.

8.1.1 Search for User

First, search for the given user and open their *User Control Panel*.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

8.1.2 Deny Program Access

From the *User Control Panel*, click **View Program Access** (highlighted in the following figure).



Fig. 60 - *User Control Panel: View Program Access*

The *User Program Access* page opens. In the records results, check for the property or properties that you intend to remove from the user.

8 Remove Properties

User Management :: User Program Access

[Return to the user control panel](#) [Program Access Summary Report Drilldown](#)

Program:

Status: Number of Records:

Total Record Count: 4

☐ Approve	☐ Activate	☐ Deny	Id	EDI	First Name	Last Name	Rank	Title	Contractor	Program	Role Requested	Property Requested	Date Requested	Comments	Manage User	Status
☐	☐	☐	11089154	1006440382	John	Doe			False	MODS Control Panel	MODS Control Panel Program User	-	1/3/2023	View	Edit	Active
☐	☐	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander	0000 AG BND AUG (WCTP99)	1/3/2023	View	Edit	Active
☐	☐	☐	11089154	1006440382	John	Doe			False	Medical Operational Data System	MODS Unit Commander	0000 AG BND US ARMY FLD AUG (WCTS99)	1/3/2023	View	Edit	Active
☐	☐	☐	11089154	1006440382	John	Doe			False	MODS Control Panel	Message Administrator	Medical Operational Data System	1/3/2023	View	Edit	Active

Comments

These comments will be included in the change record and will also be sent to the user regarding their access change

[Return to the user control panel](#)

Fig. 61 - User Program Access Page



Tip - To ensure you see relevant records, select the program related to the property or properties from the *Program* drop-down. Then, in the additional drop-downs, select **Active** for *Status* and **All** for *Number of Records*. Click **Search**.

Once you've found the property or properties, select the **Deny** checkbox in the property row(s) to deny the user's program access.

Total Record Count: 4

☐ Approve	☐ Activate	☐ Deny	Id	EDI	First Name	Last Name	Rank	Title	AKO Username	Contractor	Program	Role Requested	Property Requested
☐	☐	☐	11089154	1006440382	John	Doe			John.Doe	False	MODS Control Panel	MODS Control Panel Program User	-
☐	☐	☐	11089154	1006440382	John	Doe			John.Doe	False	Medical Operational Data System	MODS Unit Commander	0000 AG BND AUG (WCTP99)
☐	☐	☒	11089154	1006440382	John	Doe			John.Doe	False	Medical Operational Data System	MODS Unit Commander	0000 AG BND US ARMY FLD AUG (WCTS99)
☐	☐	☐	11089154	1006440382	John	Doe			John.Doe	False	MODS Control Panel	Message Administrator	Medical Operational Data System

Comments

These comments will be included in the change record and will also be sent to the user regarding their access change

[Return to the user control panel](#)

Fig. 62 - User Program Access - Deny Program Access

In the *Comments* panel, you may enter a comment for the change of record if you'd like.



Tip - If you'd like to re-size the *Comments* panel, hover over its  **Re-size** handle; your mouse cursor turns into a re-size arrow cursor. Drag its corner right, left, up, or down until the text box is the size you want. When condensed enough, you can also scroll up and down the text box by clicking its up and down arrows.

When you're ready, click **Update Selected** (highlighted in the following figure).

Total Record Count: 4					
Update Selected					
☐ Approve	☐ Activate	☐ Deny	Id	EDI	First Name
☐	☐	☐	11089154	1006440382	John
☐	☐	☐	11089154	1006440382	John
☐	☐	☒	11089154	1006440382	John

Fig. 63 - User Program Access - Update Selected

The table refreshes, and a message confirms the denial was successful. The program access you denied no longer displays in the records results.

8.2 Option 2: Manage Access

This subsection details how an approval authority would remove user properties through the **Manage Access** option from the *User Control Panel*.



Note - On the *Manage Access* page, you must remove properties from the *Available Roles* section; the available property assignments area is for adding properties *only*.

8.2.1 Search for User

First, search for the given user and open their *User Control Panel*.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

8.2.2 Inactivate Role(s)

From the *User Control Panel*, click **Manage Access** (highlighted in the following figure).

User Control Panel for John Doe

Pending Actions | Renewal Editor | VARs | **Manage Access** | New Program Access | View Program Access | Expiration Dates

User Information for John Doe

	ID 11089154	DOD ID 1006440382	FASCN 1006440382828282	PUN
	Duty Title	Primary Email Address John.Doe.ctr@army.mil	Alternate Email Address	Phone Number
	DSN	Contractor? False	AOC/MOS	Rank
	UIC -	Compo -		

Fig. 64 - User Control Panel: Manage Access

On the *Manage Access* page, find the *Available Roles* section.

Available Roles

The roles/property below are roles that can be assigned to this user based on your access permissions

Active	Inactive	Program Name	Role Name	Property Name	Remarks
☐	☒	AMEDD Web Reporting	Basic User Access	-	
☐	☒	Behavioral Health Data Portal	Clerk	-	
☐	☒	Behavioral Health Data Portal	Provider	-	
☐	☒	CMS	CMS Administrator	-	

Fig. 65 - Manage Access: Available Roles Section

Note that the roles are organized alphabetically by program name and then role name. Find the role(s) associated with the property or properties that you want to remove.



Tip - To quickly find a specific property, use the Ctrl+F keyboard shortcut to search the page. You could also search by role.

Once you've found the role(s), refer to the role status in the *Active* column; the circle should be filled in, indicating that the role(s) are active. In the following figure, the MODS Unit Commander role associated with the WPDYHD UIC is active, but the MODS Unit Commander roles associated with the WCTRAA and WPDYAA UICs are inactive.

Next, click the circle in the *Inactive* column for the role(s) to inactivate them.

☒	☐	Medical Operational Data System	MODS Unit Commander	0001 AR CO CO AA REAR DET (WPDYHD)
☐	☒	Medical Operational Data System	MODS Unit Commander	0000 AG BND US MILITARY ACA (WCTRAA)
☐	☒	Medical Operational Data System	MODS Unit Commander	0001 AR CO MCP-OD (DIV) (WPDYAA)

Fig. 66 - Available Roles - Inactivate Program Access

Scroll to the end of the page. In the *Comments* panel, you may enter a comment for the change of record if you'd like.

When you're ready, click **Save Property Assignments**.




Fig. 67 - *Manage Access - Add Comment and Save Property Assignments*

The page reloads, and a message confirms that the property assignments saved successfully.

SECTION III: Messages

- 9 Access the Messaging Tool 69
- 10 Manage Messages 71
 - 10.1 Review the Messaging List 71
 - 10.1.1 Sort Messages 72
 - 10.1.2 Filter Messages 73
 - 10.1.2.1 Filter by Program 73
 - 10.1.2.2 Filter by Status, Severity Level, or Message Type 74
 - 10.1.2.3 Filter by Date 75
 - 10.1.2.4 Filter by Message Details 76
 - 10.2 Manage Individual Messages 77
 - 10.2.1 Change Message Details 77
 - 10.2.2 Delete Message 78
 - 10.2.3 End Message 79
 - 10.2.3.1 Undo Ending Message 80
- 11 Send Messages 82
 - 11.1 Create and Send a New Message 82
 - 11.1.1 Set Your Programs and Message Type 83
 - 11.1.2 Set Your Sender Name, Severity Level, and Dates 84
 - 11.1.3 Set Your Delivery Methods 85
 - 11.1.4 Create Your Subject and Message 85
 - 11.1.5 Send Your Message 86
 - 11.2 Copy and Modify an Existing Message 87
 - 11.3 Test and Manage Your Sent Message 88

9 Access the Messaging Tool

This section details how Message Administrators would access the *Messaging List* page (i.e., the *messaging tool*) for message creation and management.



Note - Permissions required to access the messaging tool: Message Administrator. If you lack this permission, you may still have access to the *Messaging List* page, but the table does not generate, even when you set filters.

On the *MCP Homepage*, click **Administrative Tools** from the suite of menu options.




Fig. 68 - MCP Homepage: Administrative Tools

From the *Administration* page that opens, click **Site Administration**.




Fig. 69 - Administrative Tools: Site Administration

The *Site Administration* page opens. Click **Manage Messages**.

Home :: Administration :: Site Administration



[Manage Application Groups](#)
Manage applications displayed on the home page and in other



[Manage Messages](#)
Manage messages sent to users and user groups

Fig. 70 - Site Administration: Manage Messages

The *Messaging List* page opens. From here, you can manage existing messages in the Messaging List, as well as compose new messages.

Home :: Administration :: Site Administration :: Messaging List

[New Message](#)

Filters +

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

BHDPManagement (1)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/24/2023	HRC Brownout	Important	Broadcast	Current	View Delete End

Fig. 71 - Messaging List Page

**Reference:**

- For more information on the Messaging List, see [Manage Messages](#) on the next page.
- For information on creating and sending messages, see [Send Messages](#) on page 82.

10 Manage Messages

This section details how a Message Administrator would manage messages from within MCP via the *Messaging List* page. In general, all messages show up in the specified application(s) as banners color-coded by severity level.



Note:

- Permissions required to manage messages: Message Administrator. If you lack this permission, you may still have access to the *Messaging List* page, but the table does not generate, even when you set filters.
- Once your access request is approved, you'll be able to view and manage messages for the applications for which you were granted access.



Reference:

- To access the *Messaging List* page, first [Access the Messaging Tool](#) on page 69.
- The *Messaging List* page also allows you to compose messages. For information on creating and sending messages, see [Send Messages](#) on page 82.

10.1 Review the Messaging List

The *Messaging List* page includes a table that displays messages that have been deployed across the MODS applications to which you have access. This table, or Messaging List, details the program (i.e., application) where the message is displayed, its start and end dates, its subject, its severity level, its message type, its status, and actions you can take (**View**, **Delete**, or **End**).

By default, the Messaging List includes all current and scheduled (i.e., active) messages of all severity levels and both types.



Tip - *Current* messages are visible to their audience right now. *Expired* messages displayed in the past. *Scheduled* messages will display in the future.

[Home](#) :: [Administration](#) :: [Site Administration](#) :: **Messaging List**

 New Message

Filters +

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

BHDPManagement (1)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/24/2023	HRC Brownout	Important	Broadcast	Current	View Delete End

Fig. 72 - Messaging List Page

To access filters or sorting to apply to the Messaging List, click **Filters**.



Note - If there are no active messages for you to view, you won't see the Messaging List automatically and you need to set filters to view messages.



Reference:

- For guidance on the **View** button, see [Change Message Details](#) on page 77.
- For guidance on the **Delete** button, see [Delete Message](#) on page 78.
- For guidance on the **End** button, see [End Message](#) on page 79.
- For guidance on sorting, see [Sort Messages](#) below.
- For guidance on filters, see [Filter Messages](#) on the next page.

10.1.1 Sort Messages

To sort the Messaging List, click **Filters**, then click the *Sort By* drop-down and select a sorting option: Start Date, End Date, Subject, Severity, Status, or Message Type.

The screenshot shows the 'Filters' section of the Messaging List Page. It includes a 'Programs' dropdown menu currently set to 'All Programs'. Below this are three rows of checkboxes: 'Status' with options 'Expired' (unchecked), 'Current' (checked), and 'Scheduled' (checked); 'Severity Level' with options 'Critical' (checked), 'Important' (checked), and 'Informational' (checked); and 'Message Type' with options 'Broadcast' (checked) and 'Role' (checked). To the right of these filters is a 'Sort By:' dropdown menu which is open, showing options: 'Start Date', 'End Date', 'Subject', 'Severity', 'Status', and 'Message Type'.

Fig. 73 - Messaging List Page - Sort By Drop-Down

Sorting applies the following order to messages per sort option:

- Start Date or End Date: Most to least recent date
- Subject: Alphabetical
- Severity: Critical to Important to Informational
- Status: Current to scheduled to expired
- Message Type: Broadcast to role



Note - Your sorting automatically applies to all messages, per program.



Tip - If you also want to apply filters to the Messaging List, you can apply your filters first and *then* your sorting. This order applies the filters automatically, saving you the need to click **Filter**. For more on filters, see [Filter Messages](#) below.

10.1.2 Filter Messages

You can filter messages by program, status, severity level, message type, date, and/or message details.



Tip - If you want to apply filters for a particular program, you can apply your filters first and *then* select the program. This order applies the filters automatically, saving you the need to click **Filter**.

10.1.2.1 Filter by Program

To filter the Messaging List by program, make a selection from the *Programs* drop-down. By default, this filter is set to include all programs to which you have access. In the following figure, this filter has been set to AMEDD Web Reporting.



Note - The program filter applies automatically; you do not need to click any buttons after making your selection.



Tip - To restore the filter to its default, click **Reset**.

Filters

AMEDD Web Reporting

▼

Sort By: ▼

Status: ☐ Expired ☒ Current ☒ Scheduled

Severity Level: ☒ Critical ☒ Important ☒ Informational

Message Type: ☒ Broadcast ☒ Role

Begin Date:

mm/dd/yyyy

End Date:

mm/dd/yyyy

Subject:

Type any portion of the subject you are looking for. (100 characters maximum)

(0 out of 100 characters.)

Sender Alias:

Type any portion of the name, role or title, etc.

Sender Name:

Type any portion of the user name.

Filter

Reset

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

Fig. 74 - Messaging List Page - Program Filter

10.1.2.2 Filter by Status, Severity Level, or Message Type

You can filter the Messaging List by message status (expired, current, scheduled), severity level (critical, important, informational), and/or message type (broadcast, role).

To set any of these filters, select their respective checkboxes.

Filters

All Programs

Status: ☐ Expired ☒ Current ☒ Scheduled

Severity Level: ☒ Critical ☒ Important ☒ Informational

Message Type: ☒ Broadcast ☒ Role

Fig. 75 - Messaging List Page - Status, Severity Level, and Message Type Filters

As you can see in the figure, by default, the Messaging List includes all current and scheduled (i.e., active) messages of all severity levels and both types.

When you're done making any of these filter selections, click **Filter** to display the results.



Tip:

- *Current* messages are visible to their audience right now. *Expired* messages displayed in the past. *Scheduled* messages will display in the future.
- To restore the filters to their defaults, click **Reset**.

10.1.2.3 Filter by Date

You can filter the Messaging List by start date, end date, or both.

To set a filter based on date, you can either type in the date following the format specified (MM/DD/YYYY) or use the calendar view to select the date.

To bring up the calendar view, click the calendar icon by either date field, as shown in the following figure. From this view, you can select a day of the month to populate the given field. By default, today's date is selected. You can also move between months with the month drop-down and between years with the left and right arrow buttons.

Begin Date:
mm/dd/yyyy

End Date:
mm/dd/yyyy

Nov 2023

Su Mo Tu We Th Fr Sa

1 2 3 4

5 6 7 8 9 10 11

12 13 14 15 16 17 18

19 20 21 22 23 24 25

26 27 28 29 30

Subject you are looking for. (100 characters)

role or title, etc.

Fig. 76 - Messaging List Page - Begin Date and End Filters

When you make a date selection, the calendar view closes and the date field updates accordingly.

 **Tip** - To restore the filters to their defaults, click **Reset**.

When you're done making any of these filter selections, click **Filter** to display the results.

10.1.2.4 Filter by Message Details

You can filter the Messaging List by subject, sender alias, and/or sender name:

- To set the subject filter, type any portion of the subject you are looking for.

 **Note** - The subject filter is limited to 100 characters.

- To set the sender alias filter, type any portion of the sender's name, role, title, etc.
- To set the sender name filter, type any portion of the sender's name.

Subject:
Type any portion of the subject you are looking for. (100 characters maximum)
(0 out of 100 characters.)

Sender Alias:
Type any portion of the name, role or title, etc.

Sender Name:
Type any portion of the user name.



 

Fig. 77 - Messaging List Page - Subject, Sender Alias, and Sender Name Filters

When you're done making any of these filter selections, click **Filter** to display the results.



Tip - To restore the filters to their defaults, click **Reset**.

10.2 Manage Individual Messages

10.2.1 Change Message Details

To make changes to an existing message, find its row in the Messaging List and click **View** in the *Actions* column.

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

Fig. 78 - Messaging List Page - View Message



Reference - You can apply sorting or filters to make the message easier to find. For more information, see [Sort Messages](#) on page 72 or [Filter Messages](#) on page 73.

On the *Messaging* page that opens, click **Edit Message** (highlighted in the following figure).

[Home](#) :: [Administration](#) :: [Site Administration](#) :: **Messaging**

Select Program: *

- 68W
- AMEDD Human Resources
- AMEDD Web Reporting ✓
- Behavioral Health Data Portal
- Contingency Battle Roster
- Directed Military Overstrength (DMO)
- Medical Operational Data System
- Medical Readiness Admin Portal

Fig. 79 - Messaging Page - Edit Message

You can now change any of the fields that are available when you create a message.



Reference - For an overview of the message fields, see [Create and Send a New Message](#) on page 82.

When you're ready to apply your changes to your message, click **Save Message**.



Fig. 80 - Messaging Page - Save Message

A dialog pops up asking you to confirm your submission. To confirm, click **Submit Message**.



Fig. 81 - Messaging Page - Submit Message

After you confirm, a message appears letting you know that the message has been submitted, and you are directed back to the *Messaging List* page.



Note - If you opted for email as a secondary delivery method for your message, a new email is not sent out based on your changes to it.

To instead make further changes to the edited message, or to cancel the edited message altogether, click **Cancel**. You can then either make your additional changes or click **Message List** to return to the *Messaging List*.

10.2.2 Delete Message

To delete an existing message, find its row in the Messaging List and click **Delete** in the *Actions* column.

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

Fig. 82 - Messaging List Page - Delete Message



Reference - You can apply sorting or filters to make the message easier to find. For more information, see [Sort Messages](#) on page 72 or [Filter Messages](#) on page 73.

A dialog pops up asking you to confirm the deletion. To confirm, click **Yes**. To instead cancel the deletion, click **No**.

Are you sure you want to delete this notification?

Yes
No

Fig. 83 - Messaging List Page - Confirm Message Deletion



Warning:

- Message deletions are effective immediately and cannot be undone.
- If the **E-mail (Additional Option)** checkbox was selected when the message was created, note that deleting a sent message does not delete the emailed message.

After you confirm, a message appears letting you know that the message has been deleted.

10.2.3 End Message

You can end an existing message (i.e., make it expire) to permanently or temporarily prevent it from showing to users without needing to adjust its dates. For example, if you want your message to show for 30 days but you need to take it down for a weekend, you can end the message for that span of time without changing the date ranges twice.



Note - Unlike with deleted messages, expired messages still appear in the Messaging List, and you can undo their expiration.

To end an active message, find its row in the Messaging List and click **End** in the *Actions* column.

AWR (5)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End
11/13/2023	11/17/2023	Ensure Your Profile is Up-to-Date	Important	Broadcast	Scheduled	View Delete End

Fig. 84 - Messaging List Page - End Message



Tip - Current and scheduled messages are active. *Current* messages are visible to their audience right now. *Scheduled* messages will display in the future.



Reference - You can apply sorting or filters to make the message easier to find. For more information, see [Sort Messages](#) on page 72 or [Filter Messages](#) on page 73.

A dialog pops up asking you to confirm the expiration. To confirm, click **Yes**. To instead cancel the expiration, click **No**.

Are you sure you want to stop displaying this message immediately?

Yes No

Fig. 85 - *Messaging List Page - Confirm Message Expiration*

After you confirm, a message appears letting you know that the message has expired.

10.2.3.1 Undo Ending Message

To undo ending a message, you first need to make expired messages visible in the Messaging List. Click **Filters** on the *Messaging List* page, select the **Expired** checkbox, and click **Filter**.



Reference - You can apply sorting or filters to make the message easier to find, as shown in the following figure. For more information, see [Sort Messages](#) on page 72 or [Filter Messages](#) on page 73.

Filters

AMEDD Web Reporting

Sort By:

Status: ☒ Expired ☒ Current ☒ Scheduled

Severity Level: ☒ Critical ☒ Important ☒ Informational

Message Type: ☒ Broadcast ☒ Role

Begin Date:
 mm/dd/yyyy

End Date:
 mm/dd/yyyy

Subject:
 Type any portion of the subject you are looking for. (100 characters maximum)
 (0 out of 100 characters.)

Sender Alias:
 Type any portion of the name, role or title, etc.

Sender Name:
 Type any portion of the user name.

Filter

Reset

Fig. 86 - Messaging List Page - Expired Filter Selected

Next, you need to open the expired message and edit its date range so that the range is no longer in the past.



Reference:

- For help editing messages, see [Change Message Details](#) on page 77.
- For help with the date field functionality, see [Filter by Date](#) on page 75.

11 Send Messages

This section details how a Message Administrator would send messages in MCP via the *Messaging List* page. In general, all messages show up in the specified application(s) as banners color-coded by severity level.



Note:

- Permissions required to send messages: Message Administrator role and, to reach the intended programs/users, associated properties. If you lack this permission, you may still have access to the *Messaging List* page, but the table does not generate, even when you set filters.
- Once your access request is approved, you'll be able to send messages to the applications for which you were granted access.



Reference:

- To access the *Messaging List* page, first [Access the Messaging Tool](#) on page 69.
- The *Messaging List* page also allows you to manage existing messages. For information on managing messages, see [Manage Messages](#) on page 71.

11.1 Create and Send a New Message

On the *Messaging List* page, click **New Message** (highlighted in the following figure).

[Home](#) :: [Administration](#) :: [Site Administration](#) :: **Messaging List**

 New Message

Filters +

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

BHDPManagement (1)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/24/2023	HRC Brownout	Important	Broadcast	Current	View Delete End


Fig. 87 - *Messaging List* Page - New Message

A dialog asks you to confirm whether you want to create a new message. Click **Yes** to proceed to the *Messaging* page.



 **Note** - All messaging fields are required, as denoted by the asterisk (*).

11.1.1 Set Your Programs and Message Type

On the *Messaging* page, use the list box to restrict or expand the program reach of your message. By default, all the programs for which you've been granted messaging access appear (in alphabetical order).



[Home](#) :: [Administration](#) :: [Site Administration](#) :: [Messaging](#)

Select Program: *

- 68W
- AMEDD Human Resources
- AMEDD Web Reporting
- Behavioral Health Data Portal** ✓
- Contingency Battle Roster
- Directed Military Overstrength (DMO)
- Medical Operational Data System
- Medical Readiness Admin Portal

Message Type: *

☒ Broadcast

☐ Role

Fig. 88 - Messaging Page - Select Program

To include a program, simply click it. You know it is selected when a green check mark appears, as shown in the preceding figure.

 **Note** - You can select as many programs as you'd like.

To remove an included program, click it again. A message will appear alerting you that all roles associated with that program have been removed.

Next, select which type of message you'd like to send: broadcast or role.

- The broadcast message type is automatically selected, as shown in the preceding figure. This type of message is pushed to all users within the selected program, regardless of their role.
- Role messages are pushed only to users with a specified role within the selected program.

 **Development Note** - Currently, MCP only supports broadcast messages.

11.1.2 Set Your Sender Name, Severity Level, and Dates

Choose how you appear as the sender of the message. You can stay with the default (which is your username, such as Jane.Doe), or you can type in your name, role, title, etc.

Next, select a severity level for your message: Critical (red), Important (amber), or Informational (blue). In the following figure, the informational option is selected, as denoted by its solid background color.



Note - In general, all messages show up as color-coded banners in the specified application(s).

The screenshot shows a web form for configuring a message. It includes fields for 'Message From' (Jane.Doe), 'Severity Level' (with buttons for Critical, Important, and Informational), 'Begin Date' and 'End Date' (both set to 12/27/2022 with calendar icons), 'Send Message As' (with radio buttons for Pop-Up One Time, Pop-Up Until End Date, and Message Board, and a checkbox for E-mail), and a 'Subject' field. A calendar pop-up is visible, showing the month of December 2022 with the 27th highlighted. A character count '(0 out of 100 characters.)' is shown at the bottom right of the subject field.

Fig. 89 - Messaging Page - Set Sender Name, Severity Level, and Dates

Finally, set a begin date and end date for your message. Your message will display starting on the begin date through the end of the end date before it expires.

By default, the begin date and the end date are both today's date. Click the calendar icon by each date field to bring up a calendar view, as shown in the preceding figure. From this view, you can select a day of the month to populate the given field. You can also move between months with the month drop-down and between years with the right arrow button.

When you make a date selection, the calendar view closes and the date field updates accordingly.

11.1.3 Set Your Delivery Methods

Send Message As: *

☒ Pop-Up One Time

☐ Pop-Up Until End Date

☐ Message Board

☒ E-mail (Additional Option)

Fig. 90 - Messaging Page - Set Delivery Method

Choose the delivery method for your message: Pop-Up One Time, Pop-Up Until End Date, or Message Board:

- **Pop-Up One Time:** The message pops up the first time that the user enters the application within the date range, but it does not appear again.
- **Pop-Up Until End Date:** The message pops up every time that the user enters the application until the end date.
- **Message Board:** The message stays until the end date within the Message Board.



Development Note - Currently, MCP only supports the Message Board delivery method.

You can also choose to send your message by email as a *secondary* delivery method. The emailed message will be delivered to your recipients one time. To also send your message as an email, select the **E-mail (Additional Option)** checkbox.



Tip - If you later want to delete your message, you will not be able to delete the email you sent. Keep this in mind as you set your delivery methods.

11.1.4 Create Your Subject and Message

Type a subject line for your message.



Note - The subject will not accompany your message when it displays to users; it is internal only. You are limited to 100 characters for your subject.

The screenshot shows a web form titled "Messaging Page - Create Subject and Message". It contains two main input fields. The first is labeled "Subject: *" and has a placeholder text "Type a Subject. (100 characters maximum)". Below the input field, on the right, it says "(0 out of 100 characters.)". The second field is labeled "Message: *" and has a placeholder text "Type a Message. (5000 characters maximum)". Below this field, on the right, it says "(0 out of 5000 characters.)". At the bottom of the form, there are two buttons: "Save Message" and "Reset Form", both with a right-pointing arrow icon.

Fig. 91 - Messaging Page - Create Subject and Message

Next, type your message.



Note - You are limited to 5,000 characters for your message.



Tip - If you'd like to re-size the *Message* text box, hover over its  **Re-size** handle; your mouse cursor turns into a re-size arrow cursor. Drag its corner right, left, up, or down until the text box is the size you want. When condensed enough, you can also scroll up and down the text box by clicking its up and down arrows.

11.1.5 Send Your Message

When you're satisfied with your field selections and the content of your message, click **Save Message**.

The screenshot shows two buttons side-by-side: "Save Message" and "Reset Form". Both buttons have a right-pointing arrow icon.

Fig. 92 - Messaging Page - Save Message or Reset Form

A dialog asks you to confirm whether you want to submit.

The screenshot shows a dialog box with the text "Are you sure you want to submit?". At the bottom of the dialog, there are two buttons: "Submit Message" and "Cancel". The "Submit Message" button has a right-pointing arrow icon.

Fig. 93 - Messaging Page - Submit Message

To confirm, click **Submit Message**. A message appears letting you know that the message has been submitted, and you are directed back to the *Messaging List* page.

To instead make changes to your message, or to cancel the message altogether, click **Cancel**. You can then either make your changes or click within the breadcrumb trail to return to a previous page.



Tip - You can reset all message fields. To reset them, click **Reset Form**.

11.2 Copy and Modify an Existing Message

You may want to create a new message based on an existing message.

To copy a message, first, look in the Messaging List on the *Messaging List* page and find the message that you would like to copy. Click **View** in its row.

AWR (3)						
Start Date	End Date	Subject	Severity	Message Type	Status	Actions
11/06/2023	11/30/2023	Bug Fixes	Informational	Role	Current	View Delete End
11/07/2023	11/24/2023	Phase 3 Changes	Critical	Broadcast	Current	View Delete End
11/14/2023	11/30/2023	MCP Planned Outages	Critical	Broadcast	Scheduled	View Delete End

Fig. 94 - Messaging List Page - View Message

On the *Messaging* page that opens, click **Copy Message** (highlighted in the following figure).

[Home](#) :: [Administration](#) :: [Site Administration](#) :: **Messaging**

New Message
Message List
Edit Message
Copy Message

Select Program: *

- 68W
- AMEDD Human Resources
- AMEDD Web Reporting
- Behavioral Health Data Portal
- Contingency Battle Roster
- Directed Military Overstrength (DMO)
- Medical Operational Data System
- Medical Readiness Admin Portal

Fig. 95 - Messaging Page - Copy Message

You can now change any of the fields that are available when you create a message.



Reference - For an overview of the message fields, see [Create and Send a New Message](#) on page 82.

When you're finished creating your new message, click **Save New Message**.



Fig. 96 - Messaging Page - Save New Message

A dialog pops up asking you to confirm your submission. To confirm, click **Submit Message**.



Fig. 97 - Messaging Page - Submit Message

After you confirm, a message appears letting you know that the message has been submitted, and you are directed back to the *Messaging List* page.

To instead change your new message, or to cancel the new message altogether, click **Cancel**. You can then either make your changes or click **Message List** to return to the *Messaging List* page.

11.3 Test and Manage Your Sent Message

To see if your message is displaying as intended, log into the program (or programs) included in your message's scope. You can confirm if your message appears in the Message Board.



Reference:

- To apply changes to your message, see [Change Message Details](#) on page 77.
- To delete your message, see [Delete Message](#) on page 78.
- To end your message (i.e., make it expire), see [End Message](#) on page 79.

SECTION IV: User Records & Reports

12 User Management Reports	90
12.1 About Statuses	90
12.2 Access UM Reports	91
12.3 Program Access Summary Report	92
12.3.1 Customize Report	92
12.3.1.1 Report Options	93
12.3.2 Drill Down in Report	93
12.3.2.1 Drilldown Report Options	94
12.4 User Property Report	94
12.4.1 Customize Report	95
12.4.1.1 Select Properties	96
12.4.2 Create Report	96
12.4.2.1 Report Options	97
12.5 Program Access By Role Report	98
12.5.1 Customize Report	98
12.5.1.1 Select Properties	99
12.5.1.1.1 Select Properties via Search	100
12.5.1.1.2 Select Properties without Search	101
12.5.2 Create Report	102
12.5.2.1 Report Options	103
13 Manage Course Completions	104
13.1 Required Courses	104
13.2 Search for User	104
13.3 Add Course Completions	105
14 Manage Email Addresses	108
14.1 About Email Addresses in MCP	108
14.1.1 Primary Email Address Sources	108
14.2 Update Primary Email Address	108
14.3 Update Alternate Email Address	109

12 User Management Reports

This section details how User Administrators would access and use the User Management (UM) reports in MCP. These reports offer data on user access and expiration.



Note:

- You must be a User Administrator to access UM reports, and your options as you build reports are bound by your role and property permissions.
- Role Administrators, System Administrators, and all approval authorities together are referred to as *User Administrators*. Only User Administrators can use Quick Search and access the *User Control Panel*.

MCP offers six UM reports:

- **Program Access Summary Report:** Provides user counts by program, broken out by user access status
- **User Property Report:** Lists all the users assigned to a specific program role property, along with the status of their access
- **Access Expiration Report:** Returns programs that are about to expire and programs that have expired
- **Program Access By Role Report:** Provides a roster by user role and status for a specific program
- **VAR Expiration Summary:** Returns VARs that are about to expire and VARs that have expired
- **Expiration Report:** Lists users whose access has expired



Note - The Access Expiration Report, VAR Expiration Summary, and Expiration Report are not currently covered in this section due to lack of use in production.

12.1 About Statuses

Several reports include the status of user roles, properties, or program access. The following table describes each status.

Statuses Returned in UM Reports	
Status	Description
Active	The user can log in with these roles and has these roles and properties with active status loaded.
Inactive	The roles and properties are deactivated. The user cannot log in with these roles.

Statuses Returned in UM Reports	
Requested	The roles and properties have been requested but have not been approved or activated yet. The user cannot log in with these roles.
Approved	The roles and properties have been approved by a supervisor but have not yet been activated by a role manager. The user cannot log in with these roles.
Denied	A role manager or supervisor has denied the request for the roles and properties. The user cannot log in with these roles.

12.2 Access UM Reports

On the *MCP Homepage*, click **Administrative Tools** from the suite of menu options.




Fig. 98 - MCP Homepage: Administrative Tools

From the *Administration* page that opens, click **User Management**.




Fig. 99 - Administrative Tools: Site Administration

From the *User Management* page that opens, click **Reports**.




Fig. 100 - User Management: Reports

From the *Reports* page, click a report to access it.




Fig. 101 - User Management Reports

12.3 Program Access Summary Report

This subsection details how User Administrators would use the Program Access Summary Report in MCP. This report provides user counts by program, broken out by user access status.

 **Reference** - For help accessing the report, see [Access UM Reports](#) on the previous page.

12.3.1 Customize Report

The Program Access Summary Report shows you the total number of users per program, as well as how many of those users have an access status of active, requested, or approved.

By default, the report includes all programs to which you have access. To restrict the report to a particular program, make a selection with the *Program* drop-down; the report updates automatically.

Reports:: Program Access Summary Report

Program: All

 [Export to Excel](#)

Program Name	Active	Requested	Approved	Total
68W	55		1	56
AMEDD Human Resources	12			12
AMEDD Reporting	1			1
AMEDD Web Reporting	3	1		4
Behavioral Health Data Portal	12		1	13
CMS	18			18
Commander Portal	33			33

Fig. 102 - Program Access Summary Report

12.3.1.1 Report Options

You can export the report to Excel by clicking **Export to Excel**.

Program: All

 [Export to Excel](#)

Program Name
68W

Fig. 103 - Program Access Summary Report - Export to Excel

12.3.2 Drill Down in Report

If you click any count in the Program Access Summary Report, a new report opens dedicated to information on (or, *drilling down to*) that value. In the following example, the 56 total users for 68W were clicked.

Program Access Summary Report :: Program Access Summary Report Drilldown

Click a column header to sort by that field
 [Export to Excel](#)

Total Record Count: 56

	Id	First Name	Last Name	EDI	Rank	UIC	Location	Program Name	Date Last Accessed
	6453410	Henson	ANDREW	1006453410	GS 09	W6UEAA	EDISON	68W	6/7/2023 9:06:00 AM
	6457138	EMELIA	BAGWELL	1006457138	MSG	W8FFAA	WA	68W	7/6/2023 3:19:00 PM
	6450275	JAYVEAN	BARFIELD	1006450275				68W	7/6/2023 3:21:00 PM
	6451645	BERTICE	BECKETT	1006451645	GS 11	W2NVA	FORT SILL	68W	6/5/2023 9:58:00 AM
	11089143	Yogi	Berra	1006440308				68W	5/9/2023 2:51:00 PM
	6451572		BROUGHTON	1006451572				68W	6/7/2023 2:30:00 PM
	6450587	BENNET	BRUMFIELD	1006450587	SGT	IRRKKK	OK	68W	6/21/2023 8:59:00 AM

Fig. 104 - Program Access Summary Report Drilldown

By default, the drilldown records are sorted by last name. To sort by a given column, click its header; to reverse the sorting order, click again.

12.3.2.1 Drilldown Report Options

From the drilldown report, you can open a user's *User Control Panel* or export the report to Excel:

- To open their *User Control Panel*, click the person icon for a given user.
- To export your drilldown report to Excel, click **Export to Excel**.

Program Access Summary Report ::

Click a column header to sort by that field
 [Export to Excel](#)

Total Record Count: 56

	Id	First Name
	6453410	Henson

Fig. 105 - Program Access Summary Report Drilldown - Open the User Control Panel or Export to Excel

12.4 User Property Report

This subsection details how User Administrators would use the User Property Report in MCP. This report lists all the users assigned to a specific program role property, along with the status of their access.

 **Reference** - For help accessing the report, see [Access UM Reports](#) on page 91.

12.4.1 Customize Report

On the *Select Program and Roles* page, in the *Select Programs and Roles* panel, use the *Program* drop-down to select a program. In the following figure, **MODS Control Panel** has been selected.

Reports :: Select Program and Roles

Select Program and Roles

Program:
MODS Control Panel

Roles:
 Role Administrator
 Program Administrator
 Site Administrator
 System Administrator
 Message Administrator
 Approval Authority

Statuses:
 Active
 Inactive
 Requested
 Approved
 Disabled
 Expired (Sliding)

Buttons: >> << (for Roles); >> << (for Statuses)

Buttons: Create Report Select Properties

Fig. 106 - User Property Report - Select Program and Roles

In the *Roles* list box, select one or more user roles that interest you, and then click the right arrow button to apply your selections.

In the *Statuses* list box, select one or more statuses of users that interest you, and then click the right arrow button to apply your selections.

If you accidentally move any roles or statuses over, click them and use the left arrow button to return them to the list of options.



Note - You know a role or status is selected when it turns blue. As you engage a different part of the page, it turns gray.

**Tip:**

- If you'd like to see all current users with your selected role(s) who have access to your selected program, select **Active** in the *Statuses* list box.
- To select sequential roles or statuses, select the first one you want to include, and then, holding the Shift key, select the last one you want to include.
- To select non-sequential roles or statuses, select the first one you want to include, and then, holding the Ctrl key, select the others you want to include.

When you're done making your selections, click **Select Properties**. The *Property Selection* page opens.

12.4.1.1 Select Properties

The *Property Selection* page presents a list box of available properties for each property type associated with the program role(s) that you selected.

In the following example, with MCP selected as the program and all roles included, the only property type is the Message Administrator program property.

Fig. 107 - User Property Report - Property Selection

For each list box, find the property or properties you want and select them. Click the right arrow button to apply all selected properties as filters in generating your report.

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options.



Tip - To include all properties in the report, make no selections.

12.4.2 Create Report

When you're ready to generate your report, click **Create Report** on the *Property Selection* page.

Reports :: User Program Role Selection :: Property Selection

Property Assignments

Select/Enter property values below for each property associated with the program role

MODS Control Panel: Message Administrator: Message Administrator Program Property

68W
ARTS
CMS
Medical Readiness Admin Portal

>
<

AMEDD Human Resources
AMEDD Reporting
AMEDD Web Reporting
Behavioral Health Data Portal
Contingency Battle Roster

Create Report

Fig. 108 - User Property Report - Create Report



Note - If you selected only program roles that don't include properties, and you click **Create Report**, the report does not generate. If that happens, review your role selections and ensure you see properties to select from before generating your report.

Your report generates on a new page.

Reports :: User Program Role Selection :: User Property Report

[Export to Excel](#)

Total Record Count: 73

Program: MODS Control Panel Role: Message Administrator Property: AMEDD Human Resources

	ID	First Name	Last Name	EDI	Compo	Program Status	Role Status	Property Status	UIC	Location	Phone	Email	Date Registered	Date Last Accessed
Manage	11089051	Carlene	Brown	1234567890		Active	Active	Active				Carlene.Brown.ctr@mail.mil	04/30/2020	08/03/2023
Manage	11089053	Bennet	Brumfield	1234567891		Active	Active	Active					05/27/2021	08/03/2023
Manage	11089059	Joseph	Walters	1234567890		Active	Active	Active					10/13/2022	04/15/2023
Manage	11089125	Juan	Ramirez	1019134470		Active	Inactive	Denied				JuanRamirez@gmail.com	02/02/2023	08/01/2023
Manage	11089154	John	Doe	1006440382		Active	Inactive	Inactive					12/29/2022	07/27/2023

Program: MODS Control Panel Role: Message Administrator Property: AMEDD Reporting

	ID	First Name	Last Name	EDI	Compo	Program Status	Role Status	Property Status	UIC	Location	Phone	Email	Date Registered	Date Last Accessed
Manage	11089116	Martha	Albato	1234567891		Active	Active	Active					05/27/2021	08/03/2023
Manage	11089118	Morgan	Novak	1234567891		Active	Denied	Denied					11/11/2022	01/23/2023
Manage	11089119	Asa	Inoue	1234567894		Active	Denied	Denied					11/11/2022	12/27/2022

1 2 3 4

Fig. 109 - User Property Report



Note - The records shown in the example have been truncated to show the page numbers.




Tip - To advance to other pages of records, click a page number.

12.4.2.1 Report Options

From the report, you can open a user's *User Control Panel* or export the report to Excel:

- To open their *User Control Panel*, click **Manage** for a given user.
- To export your report to Excel, click **Export to Excel**.



Export to Excel

Total Record Count: 73

Program: MODS Control Panel Role: Message Administrator Property:

	Id	First Name	Last Name	EDI	Compo
Manage	11089051	Carlene	Brown	1234567890	
Manage	11089053	Bennet	Brumfield	1234567891	

Fig. 110 - User Property Report - Manage and Export to Excel Options

12.5 Program Access By Role Report

This subsection details how User Administrators would use the Program Access By Role Report in MCP. This report provides a roster by user role and status for a specific program.

 **Reference** - For help accessing the report, see [Access UM Reports](#) on page 91.

12.5.1 Customize Report

On the *Program Access By Role Report* page, in the *Select Programs and Roles* panel, use the *Program* drop-down to select a program. In the following figure, **Medical Operational Data System** has been selected.



Note:

- The program selected in the following figure includes properties, but not all programs do.
- Selecting properties is optional.

Reports :: Program Access By Role Report

Select Program and Roles

Program:
Medical Operational Data System

Roles:
MODS ADMINISTRATOR
MODS Help Desk
MODS Employee
Message Administrator
MODS Unit Command Staff
Commander Portal Access Manager

Statuses:
Active
Inactive
Requested
Approved
Disabled

[Show / Hide Property Filter](#)

Medical Operational Data System: Message Administrator: Message Administrator Program Property

- ☐ 68W
- ☐ AMAP EM
- ☐ AMEDD Human Resources
- ☐ AMEDD Reporting
- ☐ AMEDD Web Reporting
- ☐ Army CIV PRO Database
- ☐ ARTS
- ☐ ASM Research, Inc.
- ☐ ASORTS
- ☐ ATRRS
- ☐ ATTAIN
- ☐ ...

Fig. 111 - Program Access By Role Report - Select Program and Roles

In the *Roles* list box, select one or more user roles that interest you.

In the *Statuses* list box, select one or more statuses of users that interest you. If you'd like to see all current users with your selected role(s) who have access to your selected program, select **Active**.



Note - You know a role or status is selected when it turns blue. As you engage a different part of the page, it turns gray.



Tip - To include all roles or statuses in the report, make no selections. If you want to bypass selecting properties, click **Show / Hide Property Filter** to collapse the page for efficiency.



Reference - If you will not be selecting properties, go to [Create Report](#) on page 96.

12.5.1.1 Select Properties

Some property types display all options by default, while others require performing a search, as shown in the following figure.

Medical Operational Data System: Message Administrator: Message Administrator Program Property

☒ AMEDD Web Reporting
☐ Army CIV PRO Database
☐ ARTS
☐ ASM Research, Inc.
☐ ASORTS
☐ ATRRS
☐ ATTAIN
☐ AVS
☐ Bank of America
☒ Behavioral Health Data Portal
☐ CAPS-W
☐ CCAAC

Medical Operational Data System: MODS Unit Command Staff: Distinct MODS UIC

☒ 0025 HQ HQ REAR (WTCDDHD)
☐ 0025 HQ HQ REAR OPNS CENTE (WTCDAAB)
☐ 0025 HQ HQ REAR OPNS FWD (WTCDY1)
☐ 0027 HQ CPS CORPS RAOC (WTC0AA)
☐ 0027 HQ CPS RAOC REAR (WTC0HD)
☐ 0027CSSPT CTR FTS (WTC091)
☐ 0036 AR HQ CO STB FWD 3 (WPDWTC)
☐ 0036 IN HHC 56 BDE FWD (WTC8Y1)
☐ 0036 IN HHC 56 BDE FWD2 (WTC8Y2)
☐ 0036 IN HHC 56 BDE FWD3 (WTC8Y3)
☐ 0036 IN HHC 56 BDE REAR (WTC8HD)
☐ 0036 IN HHC 56 BDE (WTC0AA)

Fig. 112 - Program Access By Role Report - Property Filter

**Reference:**

- For information on the types of properties available for assignment in MCP, see [Properties](#) on page 13.
- For help selecting properties via search, see [Select Properties via Search](#) below.
- For help selecting properties without search, see [Select Properties without Search](#) on the next page.

12.5.1.1.1 Select Properties via Search

When a search bar is presented, type a property or property keyword and click **Search** to generate options. From the available options, find the property or properties you want and select their checkboxes. Click the right arrow button to apply all checked properties as filters in generating your report.

Medical Operational Data System: MODS Unit Command Staff: Distinct MODS UIC

WTC Search

☒ 0025 HQ HQ REAR (WTCDDHD)	>	0025 HQ HQ REAR (WTCDDHD)
☐ 0025 HQ HQ REAR OPNS CENTE (WTCDA)		
☐ 0025 HQ HQ REAR OPNS FWD (WTCDY1)		
☐ 0027 HQ CPS CORPS RAOC (WTC0AA)		
☐ 0027 HQ CPS RAOC REAR (WTC0HD)		
☐ 0027CSSPT CTR FTS (WTC091)		
☐ 0036 AR HQ CO STB FWD 3 (WPDWTC)		
☐ 0036 IN HHC 56 BDE FWD (WTC8Y1)		
☐ 0036 IN HHC 56 BDE FWD2 (WTC8Y2)		
☐ 0036 IN HHC 56 BDE FWD3 (WTC8Y3)		
☐ 0036 IN HHC 56 BDE REAR (WTC8HD)		
☐ 0036 IN HHC 56 BDE (WTC8AA)		

Fig. 113 - Program Access By Role Report - Property Filter (with Search)

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options, and then deselect their checkboxes to fully clear the selection.



Note:

- Select properties only for the role(s) you have selected.
- You can start new searches to find additional properties to assign, but you must click the right arrow button for each search separately.
- If you'd like to remove a property that you have selected, but it resulted from a search that you have moved on from, you can use the left arrow button to return it to the list of options, but you cannot deselect its checkbox. In this case, click one of the properties that you still have selected on the right before saving. This step prevents a validation error from interfering with your report creation.

12.5.1.1.2 Select Properties without Search

From the options available, find the property or properties you want and select their checkboxes. Click the right arrow button to apply all checked properties as filters in generating your report.

Medical Operational Data System: Message Administrator: Message Administrator Program Property

☒ AMEDD Web Reporting	>	AMEDD Web Reporting
☐ Army CIV PRO Database		
☐ ARTS		
☐ ASM Research, Inc.		
☐ ASORTS		
☐ ATRRS		
☐ ATTAIN		
☐ AVS		
☐ Bank of America		
☒ Behavioral Health Data Portal		Behavioral Health Data Portal
☐ CAPS-W		
☐ CCRAC		

Fig. 114 - Program Access By Role Report - Property Filter (without Search)

If you accidentally move any properties over, click them and use the left arrow button to return them to the list of options, and then deselect their checkboxes to fully clear the selection.

 **Note** - Select properties only for the role(s) you have selected.

12.5.2 Create Report

When you're ready to generate your report, click **Create Report**.




Fig. 115 - Program Access By Role Report - Create Report (Hidden Property Filter View)

 **Note** - The message outside the *Select Program and Roles* panel displays even if you have made your selections.

Your report generates on the same page.

 [Export to Excel](#)

Total Record Count: 29

	Id	First Name	Last Name	EDI	FASCN	Role	UIC	Location	Compo	Phone	Email	RMC	Date Last Accessed
Manage	11089119	Asa	Inoue	1234567894	1234567894123456	MODS Unit Commander							12/13/2022 9:07:00 AM
Manage	6449196	Kevin	Cedra	1006449196	1006449196121004	MODS Unit Command Staff	W719AA	CA	3				10/7/2021 7:30:00 PM
Manage	11089153	Jane	Doe	1006440381	1006440381818181	Commander Portal Access Manager					Jane.Doe.ctr@army.mil		2/20/2023 2:48:00 PM
Manage	11089154	John	Doe	1006440382	1006440382828282	MODS Unit Commander							3/9/2023 5:02:00 PM
Manage	6475267	Reggie	Hatcher	1006475267	1006475267121004	Battalion Commander	W18M01	JACKSONVILLE	1				6/7/2023 9:08:00 AM

1 2

Fig. 116 - Program Access By Role Report

 **Note** - The records shown in the example have been truncated to show the page numbers.

 **Tip** - Each page in the report is limited to 20 records. To advance to other pages of records, click a page number.

12.5.2.1 Report Options

From the report, you can open a user's *User Control Panel* or export the report to Excel:

- To open their *User Control Panel*, click **Manage** for a given user.
- To export your report to Excel, click **Export to Excel**.

 Export to Excel						
Total Record Count: 29						
	Id	First Name	Last Name	EDI	FASCN	Role
Manage	11089119	Asa	Inoue	1234567894	1234567894123456	MODS Unit Commander
Manage	6449196	Kevin	Cedra	1006449196	1006449196121004	MODS Unit Command Staff

Fig. 117 - Program Access By Role Report - Manage and Export to Excel Options

13 Manage Course Completions

This section details how User Administrators would manage user Medical Readiness course completions via the *User Control Panel* in MCP.

**Note:**

- Permissions required to manage user course completions: User Administrator role.
- Role Administrators, System Administrators, and all approval authorities together are referred to as *User Administrators*. Only User Administrators can use Quick Search and access the *User Control Panel*.
- This process is a manual workaround in case the automatic feed did not update the user's course completions within 72 hours.

Note that for Medical Readiness Healthcare Portal, Administrative Portal, and Commander Portal required courses, users should wait 72 hours after completing their course before sending administrators their training certificates. Within this time, the given user's course completions might appear in MCP. Once you have their certificates, you as a User Administrator can validate that they completed the courses and you can add their course completions to MCP.

13.1 Required Courses

To access the Medical Readiness Healthcare Portal, users need to complete the following two courses:

- DHA-US298 – Medical Readiness Healthcare Portal Training
- DHA-US1150 – Writing Quality Profiles

To access the Medical Readiness Administrative Portal, users need to complete the following course:

- DHA-US299 – Medical Readiness Administrative Portal Training

To access the Medical Readiness Commander Portal, users need to complete the following course:

- DHA-US062 – Personnel Readiness Transformation Training

13.2 Search for User

To manage a user's course completions, first search for that user and open their *User Control Panel*.



Reference - For instructions on using Quick Search and accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

13.3 Add Course Completions

On the *User Control Panel*, go to the *User Courses Completed* section and click **Upload Completed Course** (highlighted in the following figure).



Note - You must add course completions individually.

User Courses Completed

Below are the most recent courses completed from DTMS and MODS. To see a full history, click the "More..." link

Total Record Count: 0 [Upload Completed Course](#)

Required Course Number	Required Course Name	Completed Course Number	Completed Course Name	Course Institution
More...				

Fig. 118 - *User Control Panel: User Courses Completed Section*

On the *Assign User Course* page that opens, use the *Course Taken* drop-down to select the course that the user completed.

For the *Completion Date* field, fill in the completion date according to the user's training certificate. You can either type in the date following the format specified (MM/DD/YYYY) or use the calendar view to select the date.

To bring up the calendar view, click the calendar icon in the field.

[Return to the user control panel](#)

Assign User Course

Course Taken:

Completion Date:

Fig. 119 - *User Control Panel - Assign User Course Page*




Fig. 120 - Completion Date Field - Calendar View

From this view, you can select a day of the month to populate the field. By default, today's date is selected.



Tip - To re-select today's date at any point, click **Today**. To clear your selection, click **Clear**.

You can move between months and even years with the up and down arrows. Alternatively, you can click the drop-down arrow next to the month and year that you're previewing for a second calendar view, which allows you to quickly select any month for a given year.




Fig. 121 - Completion Date Field - Alternative Calendar View

To use this alternative calendar view, click any month in the current year, or click a future or previous year and select one of their months.



Tip - To access previous years or more future years in the alternate calendar view, scroll up or down.

When you make a date selection via either calendar view, the calendar view closes and the *Completion Date* field updates accordingly.

When you're ready to save the course completion to the user's *User Control Panel*, click **Save User Course**. You are redirected to the user's *User Control Panel*, where a message informs you that the course uploaded successfully.

The course now appears in the *User Courses Completed* section of the user's *User Control Panel*.

13 Manage Course Completions

User Courses Completed				
Below are the most recent courses completed from DTMS and MODS. To see a full history, click the "More..." link				
Total Record Count: 1				Upload Completed Course
Required Course Number	Required Course Name	Completed Course Number	Completed Course Name	Course Institution
MODS-Master-0001	Readiness Provider Training	DHA-US1150	Writing Quality Profiles	JKO
More...				

Fig. 122 - *User Control Panel: User Courses Completed Section with Course Added*

14 Manage Email Addresses

This section details how users would manage their own email addresses in MCP.



Note - No permissions are required to manage your own alternate email address.

14.1 About Email Addresses in MCP

You can have up to two email addresses in MCP: a primary email address and an alternate email address.

Your primary email address is supplied by either Defense Manpower Data Center (DMDC) or Army Master Identity Directory (AMID) Lightweight Directory Access Protocol (LDAP). In contrast, you do not have an alternate email address by default; you must provide this information in MCP.



Note - By default, MCP sends emails to the alternate email address on file. If not provided, MCP sends to the primary email address instead.



Reference - For information on providing or updating your alternate email address, see [Update Alternate Email Address](#) on the next page.

14.1.1 Primary Email Address Sources

If your account in MCP was established *before* October 2022, your primary email address in MCP was supplied by DMDC when you first logged into MCP.

If your account in MCP was established *after* October 2022, your primary email address in MCP was supplied by AMID LDAP when you first logged into MCP.



Reference - Your primary email address does not update automatically after your initial login. For help ensuring that changes are reflected in MCP, see [Update Primary Email Address](#) below.

14.2 Update Primary Email Address

Sometimes your primary email address as provided by DMDC or AMID LDAP is invalid and needs updated. Although you can't update this email address in MCP, you can confirm that your email address is up-to-date with the following two services:

- Real-Time Automated Personnel Identification System (RAPIDS) ID Card Office Online, also called DOD IDCO: <https://idco.dmdc.osd.mil/idco/>

- Army Identity, Credential, and Access Management (ICAM) Portal:
<https://icamportal.us.army.mil/>

Your primary email address in MCP should automatically update based on the changes you make to your email address with these services.

 **Tip** - If you still see problems with your primary email address, ensure that you have entered a viable alternate email address in MCP so that you still receive emails from the application. For help with this process, see [Update Alternate Email Address](#) below.

14.3 Update Alternate Email Address

If you are looking to add or update your alternate email address, first go to the *MCP Homepage* and click **Update Your Information** from the suite of menu options.

 **Tip** - To return to the homepage, click anywhere in the banner.




Fig. 123 - MODS Homepage: Update Your Information (Non-User Administrator View)

On the *Update Your Information* page that opens, in the *Alternate Email Address* field, enter your alternate email address.

Home :: Update Your Information

Please update your contact information below and click **Update!**. Note that some information is automatically updated from DMDC and AMID, and cannot be modified here.

Note: You can mouse over a field to receive more information about that field

John Doe			
	First Name John	Last Name Doe	ID 11089154
	Primary Email Address	Duty Title 	Phone Number (123456789)
	Alternate Email Address 	DSN (1234567)	Phone Number Extension (1234)
		DSN Extension (1234)	Receive Notifications ☐

Note: If provided, Alternate Email Address will be used for email notifications. Otherwise, Primary Email Address will be used.

Healthcare Providers	
Note: Non-Medical providers do not need to select a medical specialty or enter a signature block.	
Medical Specialty ---Select Medical Specialty---	Signature (Smith, John, M.D.)

Update!

Fig. 124 - Update Your Information Page



Note - Type in the field carefully; this field doesn't catch typos.



Tip - Hover over any field for information about it.

When you're ready to save your changes, click **Update!**. The page reloads, and a message informs you the information saved successfully.

SECTION V: Acronyms & FAQs

15 Acronym List	112
16 MCP FAQs	114
Accessing MCP	114
What is the link to MCP?	114
Can I have my MODS User ID deleted since I have multiple, unique FASC-N accounts?	115
Searching and Researching Users	115
Why can't I find a certain user in MCP?	115
How do I find an MCP user's EDI?	115
Search in MCP	116
Search in Excel	116
Determining User Access	117
How can I see all the users who have access to a specific program?	117
How can I determine if someone is an approval authority?	117
Granting User Access	118
I'm getting an error when I try to grant MEDPROS access. What should I do?	118
Managing Your Certificates	118
How do I upload my training certificates to MCP?	118
Managing Your Information	119
How do I update my email address in MCP?	119

15 Acronym List

The following alphabetized table contains the full definition of each acronym found in this user guide.

ACRONYM	DEFINITION
AMEDD	Army Medical Department
AMID	Army Master Identity Directory
AKO	Army Knowledge Online
BHDP	Behavioral Health Data Portal
CAC	Common Access Card
CPAA	Commander Portal Approval Authority
CPAM	Commander Portal Access Manager
DMDC	Defense Manpower Data Center
DMIS	Defense Medical Information System
DoD / DOD	Department of Defense
DSN	Defense Switched Network
EDI	Electronic Data Interchange; short for EDIPI (Electronic Data Interchange Personal Identifier); also called a DoD ID
FAQ	frequently asked question
FASC-N	Federal Agency Smart Credential Number
FIPS	Federal Information Processing Standards
ICAM	Identity, Credential, and Access Management
ID	identification
IDCO	RAPIDS ID Card Office Online
LDAP	Lightweight Directory Access Protocol
MCP	MODS Control Panel
MODS	Medical Operational Data System
MRC	Medical Readiness Command
MTF	Medical Treatment Facility
NIST	National Institute of Standards and Technology
OC	Organizational Category

ACRONYM	DEFINITION
OI	Organizational Identifier
PI	Person Identifier
PII	Personally Identifiable Information
POA	Person-Organization Association
PUN	Persona User Name
RAPIDS	Real-Time Automated Personnel Identification System
TAS	Treasury Agency Symbol
UIC	Unit Identification Code
UM	User Management
U.S.	United States
USAF	United States Air Force
VAR	Visitor Access Request

16 MCP FAQs

This section answers frequently asked questions (FAQs) about MCP from MODS Help Desk employees and MCP users.

FAQ Quick Links

For efficient searching, the FAQs are organized by category and arranged in an interactive table of contents here, no scrolling needed. Simply click a category or question!



Tip - If you're viewing this user guide in a PDF viewer or in-browser, you can use its bookmarks or document outline feature from any point in this section or the user guide to quickly locate both the categories and the specific questions in each.

Accessing MCP	114
What is the link to MCP?	114
Can I have my MODS User ID deleted since I have multiple, unique FASC-N accounts?	115
Searching and Researching Users	115
Why can't I find a certain user in MCP?	115
How do I find an MCP user's EDI?	115
Determining User Access	117
How can I see all the users who have access to a specific program?	117
How can I determine if someone is an approval authority?	117
Granting User Access	118
I'm getting an error when I try to grant MEDPROS access. What should I do?	118
Managing Your Certificates	118
How do I upload my training certificates to MCP?	118
Managing Your Information	119
How do I update my email address in MCP?	119

Accessing MCP

What is the link to MCP?

The direct URL for MCP is <https://authentication.mods.army.mil/mcp>.

Can I have my MODS User ID deleted since I have multiple, unique FASC-N accounts?

In short, no. A MODS user with multiple FASC-Ns should have multiple MODS accounts, one for each FASC-N. If more than one MODS account has the same FASC-N, then one of them needs to be assigned to another FASC-N. It is MODS policy that users with multiple CACs maintain their security access independently for each FASC-N.

If one of your CACs is deactivated, then you will lose access to the associated MODS account. If you no longer need access to one of your accounts, then your security access must be deactivated through removal of all roles and permissions for that FASC-N. This deactivation happens automatically after your account has been inactive for 35 days, or your supervisor can manually deactivate your account.

Valid, inactive MODS user accounts are not deleted, as they are needed for auditing and for maintaining data integrity.

Searching and Researching Users

Why can't I find a certain user in MCP?

Users are automatically added to MCP when they log into a MODS application. If you can't find a user via Quick Search, ask them to log into MCP and to request access to the needed application. Once their request is made, you can search for them.

Alternatively, you can search the user by FASC-N to add them to the system. Then, conduct the same search again to discover the user.

How do I find an MCP user's EDI?

With Quick Search in MCP, you can search for users based on EDI, FASC-N, PUN, last name, or MODS User ID.

If you know searchable PII for a given user other than their EDI, go ahead and search by that criterion. The records results include EDI.

If you know some amount of personal information for a given user, but that personal information is not searchable in MCP (such as the user's email address, location, or UIC), you can still narrow your search in MCP and use Excel to find the user's EDI (or other non-searchable personal information that you're interested in).



Tip - Instead of using Excel, you could use the Ctrl+F keyboard shortcut to search the records results by email address, location, or UIC. However, each results page is limited to 200 records, so you would potentially need to search multiple pages.

Search in MCP

First, search for your intended user and then click **Export to Excel** on the Quick Search results page.



Reference - For instructions on using Quick Search, see [Search Users & Access the User Control Panel](#) on page 22.

Search in Excel

When you open the file in Excel, click **Enable Editing** (highlighted in the following figure).




Fig. 125 - User Search Results Excel File - Enable Editing

In Excel, click the **First Name** column drop-down arrow. In the drop-down menu, select the **(Select All)** checkbox to clear it. Next, type the user's first name in the search bar. Click **OK**.




Fig. 126 - User Search Results Excel File - Search by First Name

The Excel spreadsheet reloads and displays the results of your search. In the example, only one user is named Rebekah Doe, but even if your search yields multiple results, you have reduced the records in play.

A	B	C	D	E	F	G	H
Id	First Name	Last Name	EDI	Email	UIC	Location	Contractor
11089157	Rebekah	Doe	1006440385	scorpio87@att.net	W95GAA	HOUSTON	False

Fig. 127 - User Search Results Excel File - First Name Search Results



Tip - If you're still unable to find the user's EDI, email them and request it.

Determining User Access

How can I see all the users who have access to a specific program?

To generate a roster by user role and status for a specific program, you need to create a Program Access By Role Report. You can find this report through the **Administrative Tools** menu option on the *MCP Homepage*, then the **User Management** menu option.

With your exported report open in Excel, you can drill down to your UIC by enabling editing, clicking the **UIC** column drop-down arrow, and then searching by UIC.



Reference:

- For help accessing and using this report, see [User Management Reports](#) on page 90.
- For help searching in Excel, see [Search in Excel](#) on the previous page.

How can I determine if someone is an approval authority?

The *User Control Panel* for a given user indicates whether they have approval authority permissions and for which programs (highlighted in the following figure).



Reference - For instructions on accessing the *User Control Panel*, see [Search Users & Access the User Control Panel](#) on page 22.

User Control Panel for John Doe

[Pending Actions](#) | [Renewal Editor](#) | [VARs](#) | [Manage Access](#) | [New Program Access](#) | [View Program Access](#) | [Expiration Dates](#)

User Information for John Doe

ID 11089154	DOD ID 1006440382	FASCN 1006440382828282	PUN
 Duty Title John.Doe	Primary Email Address John.Doe.ctr@army.mil	Alternate Email Address	Phone Number
DSN	Contractor? False	AOC/MOS	Rank
UIC -	Compo -		

John Doe is an approval authority for the programs listed below.

Medical Operational Data System

Fig. 128 - User Control Panel - Approval Authority Permissions

Granting User Access

I'm getting an error when I try to grant MEDPROS access. What should I do?

You can grant the user MEDPROS access via the *New Program Access* option from the *User Control Panel* in MCP.



Reference - For instructions on adding access to users, see [Add Access to User](#) on page 43. Choose **MEDPROSNEW** as the program and **MEDPROS User** as the role.

Managing Your Certificates

How do I upload my training certificates to MCP?

Email your certificates to the [.mil MODS Help Desk](#) with the subject line "MODS Ticket #40667."

**Note:**

- For Medical Readiness Healthcare Portal, Commander Portal, and Administrative Portal training certificates, wait 72 hours before sending certificates to the MODS Help Desk.
- Help the MODS Help Desk safeguard your PII by sending all responses to the .mil email address provided.

Managing Your Information

How do I update my email address in MCP?

You can have up to two email addresses in MCP: a primary email address and an alternate email address. You can update your primary email address through DOD IDCO and the Army ICAM Portal for automatic updating in MCP. You can update your alternate email address yourself in MCP through the *Update Your Information* page.



Reference - For more information on email addresses in MCP and how to manage them, see [Manage Email Addresses](#) on page 108.