```
Name = Om Kumar
Email ID = omk5938@gmail.com
Assignment Name = More on Css Assignment
GitHub = Link
```

1. Create a navigation bar similar to the below-mentioned image. The navigation bar must contain 5 navigation links that are properly placed within the navigation bar using the CSS box model. The navigation items must change their text color on hover

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Simple Navigation Bar</title>
 <style>
  body {
   margin: 0;
   font-family: Arial, sans-serif;
  }
  /* Navigation bar container */
  .navbar {
   background-color: #333;
   overflow: hidden;
   padding: 10px 20px; /* Top-Bottom and Left-Right padding */
  }
  /* Navigation links */
  .navbar a {
   float: left;
   color: white:
   text-align: center;
   padding: 14px 16px;
   text-decoration: none;
   font-size: 17px;
   box-sizing: border-box; /* Box model control */
   transition: color 0.3s;
  /* Hover effect */
  .navbar a:hover {
   color: yellow;
 </style>
```

```
</hd>
</head>
</head>
</div class="navbar">

<a href="https://groww.in/stocks/user/explore">Home</a>
<a href="https://groww.in/pages/terms-and-conditions-groww">About</a>
<a href="https://groww.in/pages/policies">Services</a>
<a href="https://groww.in/pages/policies">Portfolio</a>
<a href="https://groww.in/stocks/user/explore">Portfolio</a>
<a href="https://groww.in/pages/privacy-policy">Contact</a>
</div>
</body>
</body>
</html>
```

Output:-

Home About Services Portfolio Contact

2. Create a div centered with an image and paragraph similar to the image mentioned below.

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <title>Centered Div with Image and Text</title>
 <style>
  body {
   margin: 0;
   padding: 0;
   display: flex;
   justify-content: center;
   align-items: center;
   height: 100vh;
   font-family: Arial, sans-serif;
   background-color: #f0f0f0;
  }
  .center-box {
   text-align: center;
   background-color: #fff;
   padding: 20px;
   border-radius: 12px;
   box-shadow: 0 0 10px rgba(0,0,0,0.1);
  }
  .center-box img {
   max-width: 100%;
   height: auto;
   border-radius: 8px;
  .center-box p {
   margin-top: 15px;
   font-size: 16px;
   color: #333;
 </style>
```



This is a sample paragraph below the image. It's centered and styled simply.

3. Create a navigation bar similar to question 1. For each navigation item, use a different border style.

```
<!DOCTYPE html>
<html>
 <head>
  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
  <title>`substitute(Filename(", 'Page Title'), '^.', '\u&', ")`</title>
  <style>
    body{
    margin: 0;
   font-family: arial, sans-serif
   }
    .navbar {
     background-color: skyblue;
     overflow: hidden;
     padding: 10px 20px;
   }
    .navbar a {
     float: left;
     color: Red;
     text-align: center;
     padding: 10px 20px;
     text-decoration: none;
     font-size: 20px;
     box-sizing: border-box;
   }
    .navbar a:hover {
     color: yellow;
  </style>
 </head>
 <body>
 <div class="navbar">
href="https://www.flipkart.com/mobile-phones-store?fm=neo%2Fmerchandising&iid=M 03c96a1
c-9797-4ffa-97cc-aa51405a1dbd_1_372UD5BXDFYS_MC.ZRQ4DKH28K8J&otracker=hp_rich_
navigation 2 1.navigationCard.RICH NAVIGATION Mobiles ZRQ4DKH28K8J&otracker1=hp
rich navigation PINNED neo%2Fmerchandising NA NAV EXPANDABLE navigationCard cc
_2_L0_view-all&cid=ZRQ4DKH28K8J">Mobile</a>
```

href="https://www.flipkart.com/clothing-and-accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal and accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal accessories/topwear/pr?sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facets.ideal accessories/topwear/pr.sid=clo,ash&p[]=facet

_for%255B%255D%3DMen&p[]=facets.ideal_for%255B%255D%3Dmen&otracker=categorytree &fm=neo%2Fmerchandising&iid=M_0fb454ca-1b34-4d66-97b0-b28eb413540b_1_372UD5BXD FYS_MC.AHHHWF67UPNB&otracker=hp_rich_navigation_1_1.navigationCard.RICH_NAVIGA TION_Fashion~Men%27s%2BTop%2BWear~All_AHHHWF67UPNB&otracker1=hp_rich_navigation_PINNED_neo%2Fmerchandising_NA_NAV_EXPANDABLE_navigationCard_cc_1_L2_view -all&cid=AHHHWF67UPNB">Fashion

Electronic

https://www.flipkart.com/travel/flights?otracker=nmenu

</div>

</body>

</html>

Output:-

Mobile Fashion Electronic Filght Booking

4. Create a simple webpage with an image and make the image circular using border-radius.

```
<!DOCTYPE html>
<html>
<head>
        <style>
                img {
                       width: 300px;
                       height: 300px;
                        border-radius: 100%;
                       position: fixed;
       </style>
</head>
<body>
        <img
src="https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcSFUAfyVe3Easiycyh3isP9wDQT
YuSmGPsPQvLIJdEYvQ\_DsFq5Ez2Nh\_QjiS3oZ3B8ZPfK9cZQylStmQMV1IDPLw"\ alt="Circular Property of the context of the
Image">
</body>
</html>
```





5. Create a simple blog website about Google fonts. The webpage must have the heading with "Oswald" font align center to the page, below the heading have an image of Google fonts and a paragraph about Google fonts in font "Montserrat" paragraph font style should be "montserrat" font.

```
<!DOCTYPE html>
<html>
 <head>
  <meta http-equiv="content-type" content="text/html; charset=utf-8" />
  <title>`substitute(Filename(", 'Page Title'), '^.', '\u&', ")`</title>
  <style >
   body{
     background-color: #f9f9f9;
     margin:20px;
     font-family: 'Montserrat', sans-serif;
     color:#333;
   }
   h1{
     font-family: 'Oswald', sans-serif;
     text-align: center;
     font-size: 40px;
   }
   .content{
     text-align: center;
     margin: 0 auto;
     max-width: 700px;
   }
   img{
     width: 100%;
     margin: 20px auto;
     display: block;
     max-width: 500px;
   }
  p{
   font-size: 20px;
   line-height: 1.6;
  </style>
 </head>
 <body>
  <h1> Google Fonts</h1>
  <div class="content">
```

<img

src="https://www.gstatic.com/images/icons/material/apps/fonts/1x/catalog/v5/opengraph_color.p ng" alt="Goolge font logo" />

>

Google Fonts is a library of over 1,400 licensed font families, an interactive web directory for browsing the library, and APIs for using the fonts via CSS and Android. It allows designers and developers to use beautiful typography in their projects without worrying about licensing or hosting. With Google Fonts, it's easy to enhance the look and feel of websites using a wide range of styles and languages.

</div>
</body>
</html>

Output:-

Google Fonts



Google Fonts is a library of over 1,400 licensed font families, an interactive web directory for browsing the library, and APIs for using the fonts via CSS and Android. It allows designers and developers to use beautiful typography in their projects without worrying about licensing or hosting. With Google Fonts, it's easy to enhance the look and feel of websites using a wide range of styles and languages.

6.Create a simple website as mentioned in the below image. You can get the assets by visiting https:// pwskills.com/about-us.

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
 <title>About Us - PW Skills</title>
 <style>
   body {
     font-family: Arial, sans-serif;
     background-color: #fff;
     margin: 0;
     padding: 20px;
    .container {
     max-width: 900px;
     margin: 0 auto;
     text-align: center;
   h2 {
     margin-bottom: 20px;
   p {
     font-size: 16px;
     line-height: 1.6;
     color: #333;
     margin-bottom: 30px;
    .about-img {
     width: 100%;
     border-radius: 15px;
     box-shadow: 0 4px 8px rgba(0,0,0,0.1);
```

```
</style>
</head>
<body>
 <div class="container">
   <h2>About Us</h2>
      PW Skills' mission is to permeate through every student's/professional's
outlook towards jobs
      and change their attitude and perspective from "How Can I Do It?" to "Of
Course I Can Do It".
     We aim to do this by providing exceptional upskilling courses at affordable
rates, while being
      tech-forward so anyone, anywhere can access and improve their ability to be
successful in life.
   <img
src="https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcTx4IbRBnDI4q66ph-GLGUG
Y_vn4qtfErYjHg&s" alt="PW Skills Event" class="about-img" />
 </div>
</body>
</html>
```

Output:-

About Us


PW Skills' mission is to permeate through every student's/professional's outlook towards jobs and change their attitude and perspective from "How Can I Do It?" to "Of Course I Can Do It". We aim to do this by providing exceptional upskilling courses at affordable rates, while being tech-forward so anyone, anywhere can access and improve their ability to be successful in life.




7. Create a simple webpage with a card similar to question number 2. The card must be semi-transparent as default and on hovering the card must be displayed clearly. Use CSS opacity to achieve this output.

```
.card {
   width: 400px;
   padding: 30px;
   background-color: white;
   border-radius: 20px;
   box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
   opacity: 0.6; /* Semi-transparent by default */
   transition: opacity 0.4s ease;
   text-align: center;
  .card:hover {
   opacity: 1; /* Fully visible on hover */
  }
  .card img {
   width: 100%;
   border-radius: 8px;
  }
  .card h3 {
   margin-top: 15px;
   font-size: 22px;
  }
  .card p {
   color: #555;
   font-size: 16px;
 </style>
</head>
<body>
 <div class="card">
  <img src="https://pwskills.com/images/homePage/heroBgImage.webp" alt="Card Image">
  <h3>Sample Card</h3>
  This card is semi-transparent. Hover over it to make it fully visible.
 </div>
</body>
</html>
```

Output:-Before→



After→



8. Create a simple list of items as mentioned in the below image.

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
 <title>Requirements List</title>
 <style>
  .box {
   border: 1px solid #000;
   padding: 20px;
   width: 500px;
   margin: 50px auto;
   font-family: Georgia, serif;
  }
  h2 {
   font-size: 32px;
   font-weight: bold;
   margin-bottom: 20px;
  }
```

```
ol {
   list-style-type: lower-roman;
   font-size: 18px;
   line-height: 1.8;
 </style>
</head>
<body>
 <div class="box">
  <h2>Requirements</h2>
  < 0 |>
   System with minimum i3 processor or better.
   At least 4 GB of RAM.
   Working internet connection.
   Dedication to learn
  </div>
</body>
</html>
```

Output:-

27.0.0.1:5500/css/more%20no%20css.html

Requirements

- i. System with minimum i3 processor or better.
- ii. At least 4 GB of RAM.
- iii. Working internet connection.
- iv. Dedication to learn