AEGIS Operator Guide — Subscription Plans & Trade Copier Grants

Audience: Operator / admin (including Neon SQL Editor users)
Branch: `stage-6.6-operational-integrity`
API base URL: `https://aegis-api-0z1p.onrender.com`
Last updated: 2026-10-14

Safety

- Prefer the **admin API (curl)** when possible; it sets plan limits consistently.
- In Neon, always use the **production** branch. Never run grants on a temporary recovery branch.
- Do **not** paste API keys into chat, screenshots, or public tickets.
- Granting a commercial plan is **not** the same as `production_authorized=true` for strategy execution. Execution safety gates remain separate.

---

1. Plan catalogue (source of truth)

Plan code	Devices (`max_devices`)	Trades / day (`max_trades_per_day`)	Notes
`demo`	1	100 (catalog)	Free trial style; not paid checkout
`starter`	1	15	Paid tier
`pro`	1	50	Paid tier
`business`	3	200	Paid tier
`enterprise`	10	**0 = unlimited**	Manual / sales-assisted

Table: `subscriptions`
Primary key: `account_id` (example: `ACC-1987D3D2E6`)

Important:

- **`max_trades_per_day = 0` means unlimited**, not “zero trades allowed”.
- Access is driven mainly by **`status = 'active'`** (or `past_due` inside grace).
- Admin **`POST /api/admin/tenants/set-plan` does not set an automatic expiry** in months. A curl-granted plan stays usable until you change `status` (or a billing webhook does).

---

2. Grant a plan without a paid subscription (recommended: curl)

Use an **admin API key** in the header `X-API-Key`.

```
curl -sS -X POST 'https://aegis-api-0z1p.onrender.com/api/admin/tenants/set-plan' \
-H 'Content-Type: application/json' \
-H 'X-API-Key: YOUR_ADMIN_API_KEY' \
-d '{"account_id":"ACC-1987D3D2E6","plan":"enterprise","status":"active"}'
```

Replace:

- `YOUR_ADMIN_API_KEY` — admin key only
- `ACC-1987D3D2E6` — target account
- `"enterprise"` — any of: `demo`, `starter`, `pro`, `business`, `enterprise`

Expected behaviour:

- Creates a `subscriptions` row if missing (`provider=manual`).

- Updates `plan`, `max_devices`, `max_trades_per_day`, `status`, `updated_at`.
- Does **not** require Stripe/Paystack payment.

How long does a curl grant last?

No fixed number of months from the set-plan endpoint alone.

Mechanism	Effect
`status = 'active'`	Account is treated as active by `is_active()`
`current_period_end`	Stored for billing/display; **not** what currently turns access off by itself in `is_active()`
To end access	Set `status` to `canceled` (or non-active), or use provider cancel + webhook

Optional: set a calendar end date in Neon for your own records (see SQL below). That date alone does not auto-disable the plan unless you later change status or add automation.

---

3. Grant a plan in Neon (SQL)

Common mistake

Pasting only:

```
SET plan = 'enterprise', ...
WHERE account_id = 'ACC-1987D3D2E6';
```

fails because PostgreSQL needs a full statement: **`UPDATE subscriptions SET ...`**.

Update existing row

```
UPDATE subscriptions
SET
plan = 'enterprise',
status = 'active',
max_devices = 10,
max_trades_per_day = 0,
current_period_end = '2030-12-31 23:59:59+00',
grace_period_ends_at = NULL,
trading_halted = FALSE,
halted_reason = NULL,
provider = 'manual',
updated_at = NOW()
WHERE account_id = 'ACC-1987D3D2E6';
```

Insert if no row exists

If `UPDATE` changes 0 rows, insert (adjust if your schema has extra NOT NULL columns without defaults):

```
INSERT INTO subscriptions (
account_id, plan, status, max_devices, max_trades_per_day,
current_period_end, grace_period_ends_at, trading_halted, halted_reason,
provider, risk_preset, risk_tolerance_pct, trading_mode,
account_type, account_currency, open_risk_usd, updated_at
```

) VALUES (
'ACC-1987D3D2E6', 'enterprise', 'active', 10, 0,
'2030-12-31 23:59:59+00', NULL, FALSE, NULL,
'manual', 'standard', 25.0, 'multi_symbol',
'standard', 'USD', 0, NOW()
);

If insert errors, list columns:

SELECT column_name, is_nullable, column_default
FROM information_schema.columns
WHERE table_schema = 'public' AND table_name = 'subscriptions'
ORDER BY ordinal_position;

Verify plan

SELECT account_id, plan, status, max_devices, max_trades_per_day,
current_period_end, provider, trading_halted, updated_at
FROM subscriptions
WHERE account_id = 'ACC-1987D3D2E6';

Revoke plan access

UPDATE subscriptions
SET status = 'canceled', updated_at = NOW()
WHERE account_id = 'ACC-1987D3D2E6';

---

4. Trade Copier — grant without a paid “copier subscription” product

Trade Copier is an **add-on table**, not a row in `subscriptions`.

Table	Role
`subscriptions`	Base AEGIS plan (required first)
`trade_copier_addons`	Copier tier for the **master** account
`trade_copier_slaves`	Slave MT5 targets

Code rule: activating the copier requires a base subscription with
`status IN ('active', 'past_due', 'demo')`.
You cannot activate the copier with **no** subscription row. A **demo** or **manual enterprise** base plan is enough for setup; you do **not** need a separate paid Stripe copier product if you grant via API or SQL.

Copier tiers

Tier code	Max slaves
`copier_3`	3
`copier_10`	10
`copier_25`	25

Step A — Ensure base plan (curl or Neon)

Use Section 2 or 3 so the account is `active` (any plan including `demo` or `enterprise`).

Step B — Activate copier (API)

curl -sS -X POST 'https://aegis-api-0z1p.onrender.com/api/copier/activate' \
-H 'Content-Type: application/json' \
-H 'X-API-Key: YOUR_API_KEY_FOR_THAT_ACCOUNT' \
-d '{"account_id":"ACC-1987D3D2E6","tier":"copier_3"}'

Use a key allowed for that `account_id` (account match rules apply).

Step B (alternative) — Activate copier in Neon

INSERT INTO trade_copier_addons (account_id, tier, status, max_slaves, updated_at)
VALUES ('ACC-1987D3D2E6', 'copier_3', 'active', 3, NOW())
ON CONFLICT (account_id) DO UPDATE SET
tier = EXCLUDED.tier,
status = 'active',
max_slaves = EXCLUDED.max_slaves,
updated_at = NOW();

For `copier_10` use `max_slaves = 10`; for `copier_25` use `25`.

Step C — Add a slave (API)

curl -sS -X POST 'https://aegis-api-0z1p.onrender.com/api/copier/slaves' \
-H 'Content-Type: application/json' \
-H 'X-API-Key: YOUR_API_KEY' \
-d '{
"account_id": "ACC-1987D3D2E6",
"label": "Slave-1",
"server": "Broker-Server-Name",
"login": "12345678",
"broker_name": "Broker",
"risk_mode": "multiplier",
"risk_value": 1.0
}'

If the API returns a field error, adjust body to match the live schema (response message is authoritative).

Verify copier

SELECT * FROM trade_copier_addons WHERE account_id = 'ACC-1987D3D2E6';

SELECT id, label, server, login, enabled, risk_mode, risk_value
FROM trade_copier_slaves
WHERE master_account_id = 'ACC-1987D3D2E6';

Disable copier

UPDATE trade_copier_addons
SET status = 'canceled', updated_at = NOW()
WHERE account_id = 'ACC-1987D3D2E6';

(Or set slaves `enabled = false`.)

---

5. Operator checklist

Grant trading plan (manual / unpaid)

1. [ ] Admin API key ready (not shared in chat)
2. [ ] Account ID known (`ACC-…`)
3. [ ] `POST /api/admin/tenants/set-plan` **or** full `UPDATE subscriptions …`
4. [ ] Verify SELECT on `subscriptions`
5. [ ] Remember: curl grant does not auto-expire monthly

Grant Trade Copier

1. [ ] Base plan `status` is `active` (or demo / past_due)
2. [ ] `POST /api/copier/activate` **or** upsert `trade_copier_addons`
3. [ ] Add slaves via API or insert into `trade_copier_slaves`
4. [ ] Verify addon + slaves

Do not confuse with

- [ ] Strategy `production_authorized` (separate; remain false unless explicitly authorized)
- [ ] Controlled-demo execution signals
- [ ] MT5 EA install / OrderSend

---

6. Related docs in this repository

Doc	Topic
`docs/COMMERCIAL_PLANS.md`	Short plan table + set-plan pointer
This file	Full operator procedures for Neon + curl + copier
`docs/AEGIS_STAGE_6_6_STATUS_AND_OPERATOR_EVIDENCE_PACKAGE.md`	Stage 6.6 evidence package

---

7. Where to get this guide (Markdown vs PDF)

Format	Location
Markdown (always current on this branch)	GitHub → branch `stage-6.6-operational-integrity` → `docs/AEGIS_OPERATOR_PLANS_AND_TRADE_COPIER_GUIDE.md`
Direct GitHub URL (after push)	`https://github.com/honeydewnuts-pixel/AEGIS_Platform_Server/blob/stage-6.6-operational-integrity/docs/AEGIS_OPERATOR_PLANS_AND_TRADE_COPIER_GUIDE.md`
PDF	See `docs/AEGIS_OPERATOR_PLANS_AND_TRADE_COPIER_GUIDE.pdf` on the **same branch** when present. **Not** served from the public marketing website download gate (that path is for the mobile APK / subscriber download).

Open the Markdown on GitHub → use the browser **Print → Save as PDF** if you need a PDF immediately and the committed PDF is not yet available.