

```
<!DOCTYPE html>

<html lang="en">

<head>

  <title>Simple Music Player</title>

  <!-- Load FontAwesome icons -->

  <link rel="stylesheet"

    href=

"https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.13.0/css/all.min.css">


  <!-- Load the custom CSS style file -->

  <link rel="stylesheet" type="text/css" href="style.css">

</head>

<body>

  <div class="player">


    <!-- Define the section for displaying details -->

    <div class="details">

      <div class="now-playing">PLAYING x OF y</div>

      <div class="track-art"></div>

      <div class="track-name">Track Name</div>

      <div class="track-artist">Track Artist</div>

    </div>


    <!-- Define the section for displaying track buttons -->

    <div class="buttons">
```

```
<div class="prev-track" onclick="prevTrack()">
  <i class="fa fa-step-backward fa-2x"></i>
</div>

<div class="playpause-track" onclick="playpauseTrack()">
  <i class="fa fa-play-circle fa-5x"></i>
</div>

<div class="next-track" onclick="nextTrack()">
  <i class="fa fa-step-forward fa-2x"></i>
</div>
</div>
```

<!-- Define the section for displaying the seek slider-->

```
<div class="slider_container">
  <div class="current-time">00:00</div>
  <input type="range" min="1" max="100"
    value="0" class="seek_slider" onchange="seekTo()">
  <div class="total-duration">00:00</div>
</div>
```

<!-- Define the section for displaying the volume slider-->

```
<div class="slider_container">
  <i class="fa fa-volume-down"></i>
  <input type="range" min="1" max="100"
    value="99" class="volume_slider" onchange="setVolume()">
  <i class="fa fa-volume-up"></i>
```

</div>

</div>

<!-- Load the main script for the player -->

<script src="main.js"></script>

</body>

</html>