

Note: Preview of slides from (Diagonalization.tex) by Qirui Li (<https://orcid.org/0000-0002-6042-1291>). For educational and non-commercial use only. Any unlawful use will be prosecuted.

© 2025 Qirui Li Licensed under CC BY-NC-SA 4.0. You may modify, share, or adapt with proper attribution, for non-commercial educational use only, and must include the license link: <https://github.com/honeymath/Linear-Algebra-Slides/blob/main/LICENSE>
Full license: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

Definition 1

We call matrix A similar to matrix B if there is an invertible matrix P such that $B = P^{-1}AP$

Diagonalization

If $B = P^{-1}AP$, then we see

$$B^n = \underbrace{P^{-1}APP^{-1}AP \cdots P^{-1}AP}_{n\text{-many}} = P^{-1}A^nP$$

Therefore, for any polynomial f , we have

$$f(B) = f(P^{-1}AP) = P^{-1}f(A)P$$

Definition 2

A matrix A is called diagonalizable if it is similar to a diagonal matrix Λ

$$P^{-1}AP = \begin{pmatrix} \lambda_1 & & & \\ & \lambda_2 & & \\ & & \ddots & \\ & & & \lambda_n \end{pmatrix}$$