

Front End Technologies Week 10 Coding Assignment

Points possible: 70

Category	Criteria	% of Grade
Functionality	Does the code work?	25
Organization	Is the code clean and organized? Proper use of white space, syntax, and consistency are utilized. Names and comments are	25
Creativity	concise and clear. Student solved the problems presented in the assignment using creativity and out of the box thinking.	25
Completeness	All requirements of the assignment are complete.	25

Instructions: In VS Code, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed. Take screenshots of the code and of the running program (make sure to get screenshots of all required functionality) and paste them in this document where instructed below. Create a new repository on GitHub for this week's assignments and push this document, with your JavaScript project code, to the repository. Add the URL for this week's repository to this document where instructed and submit this document to your instructor when complete.

Coding Steps:

- 1. Using HTML, Bootstrap, and JavaScript create a single page website that contains the following:
 - **a.** A Bootstrap styled table representing your choice of data.
 - **b.** A Bootstrap styled form that allows a user to add a new row to the table when submitted.



Screenshots of Code:

```
Week10.html > ♦ html > ♦ body > ♦ div.container > ♦ div.row.my-3
     <!DOCTYPE html>
         <meta charset="utf-8">
         <meta name="viewport" content="width=device-width, initial-scale=1">
         <title>Cupcakes</title>
         <link rel="stylesheet" href="node_modules/bootstrap/dist/css/bootstrap.min.css">
         <link rel="stylesheet" href="Week10.css">
         <nav class="navbar navbar-expand-lg navbar-dark bg-slate">
             <div class="container-fluid":
                <a class="navbar-brand" href="#">Cuppiecakes</a>
                <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-target="#navbarNav"</pre>
                    aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation"
                    <span class="navbar-toggler-icon"></span>
                 <div class="collapse navbar-collapse" id="navbarNav">
                    class="nav-item">
                            <a class="nav-link" href="#">Home</a>
                        class="nav-item">
                           <a class="nav-link" href="#">Flavors</a>
                        class="nav-item">
                           <a class="nav-link active" aria-current="page" href="#">Buy Cuppiecakes</a>
                           <a class="nav-link disabled" href="#" tabindex="-1" aria-disabled="true">Nope</a>
         <div class="container">
             <div class="row my-3">
38
                 <div class="col d-flex" id="cupcakes-container"></div>
             <div class="row my-3">
                <div class="col-md">
                    <button class="btn btn-success btn-lg my-3 float-end">Check Out</button>
```



PROMINEO TECH

```
<!-- Empty Cart Template -->
   id="empty-cart-template" class="list-group-item text-muted text-center p-3">Your cart is empty
   <!-- Cart Item Template -
   <span id="item-text">Text</span</pre>
      <button id="remove-button" class="btn btn-danger btn-sm float-end">-</button>
   <!-- Cupcake Template -->
   <div id="cupcake-template" class="card mb-3 w-25 mx-2">
      <div class="card-body"
        <h5 id="cupcake-title" class="card-title">Cupcake Title</h5>
         Info about this cupcake
         <a id="cupcake-buy-button" href="#" class="btn btn-primary">Add to Cart</a>
<footer class="py-3">
   <div class="container">
         <div class="col-md-2">
           Copyright 2022
         <div class="col-md-3">
            <a class="btn btn-link text-success" href="#">One Cupcake</a>
               <a class="btn btn-link text-success" href="#">Two Cupcakes</a>
               <a class="btn btn-link text-success" href="#">Three Cupcakes</a>
               <a class="btn btn-link text-success" href="#">Four Cupcakes</a>
         <div class="col-md">
           Hopefully these are the best cupcakes you've ever tasted
<script src="node_modules/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
<script src="Week10.js"></script>
```



PROMINEO TECH

```
JS Week10.js > ..
      const cupcakesContainer = document.getElementById("cupcakes-container")
      const cartContainer = document.getElementById("cart-container");
     const emptyCartTemplate = document.getElementById("empty-cart-template");
      const cartItemTemplate = document.getElementById("cart-item-template");
     const cupcakeTemplate = document.getElementById("cupcake-template");
              id: 0.
              title: "Strawberry",
              description: "Strawberry flavored cupcake",
              image: "file:///Users/apple/Documents/Promineo/Week10/pics/Strawberry.jpeg",
              title: "Vanilla",
              description: "Vanilla flavored cupcake",
              image: "file:///Users/apple/Documents/Promineo/Week10/pics/Vanilla.jpeg",
price: "$5"
              title: "Chocolate",
              description: "Chocolate flavored cupcake",
              image: "file:///Users/apple/Documents/Promineo/Week10/pics/Chocolate.jpeg",
price: "$6"
              id: 3,
              title: "Lemon",
              description: "Lemon flavored cupcake",
              image: 'file:///Users/apple/Documents/Promineo/Week10/pics/Lemon.jpeg',
price: "$5"
      window.addEventListener("load", () => {
          renderCupcakeList();
          renderShoppingCart();
45
      //Render cupcakes
```




PROMINEO TECH

```
function renderCupcakeList() {
    emptyElement(cupcakesContainer);
        const cupcakeCard = renderCupcakeCard(cupcake);
        cupcakesContainer.appendChild(cupcakeCard);
function renderCupcakeCard(cupcake) {
    const cupcakeElement = cupcakeTemplate.cloneNode(true);
    cupcakeElement.querySelector("#cupcake-image").src = cupcake.image;
    cupcakeElement.querySelector("#cupcake-title").textContent = cupcake.title;
    cupcakeElement.querySelector("#cupcake-description").textContent = cupcake.description;
    cupcakeElement.querySelector("#cupcake-buy-button").addEventListener("click", () => addToCart(cupcake));
    return cupcakeElement;
function renderShoppingCart() {
   emptyElement(cartContainer);
        const shoppingListItem = renderShoppingListItem(item);
        cartContainer.appendChild(shoppingListItem);
    if(shoppingCart.length === 0) {
        cartContainer.appendChild(emptyCartTemplate.cloneNode(true));
function renderShoppingListItem(item) {
   const cartItem = cartItemTemplate.cloneNode(true);
    cartItem.querySelector("#item-number").textContent = item.number;
    cartItem.querySelector("#item-text").textContent = item.text;
    cartItem.querySelector("#remove-button").addEventListener("click", () => removeFromCart(item.id));
function addToCart(cupcake) {
    let item = shoppingCart.find(i => i.id === cupcake.id);
    if(!item) {
        item = {
            id: cupcake.id,
            text: cupcake.title,
```

Screenshots of Running Application:





URL to GitHub Repository: https://github.com/honeyroanne/Week10.git