

Promises Chain

```
console.log('Start');
fetch('https://jsonplaceholder.typicode.com/todos/1')
  .then(response => response.json())
  .then(data => console.log(data))
console.log('End');
```

// output =>

```
console.log('Start');
fetch('https://jsonplaceholder.typicode.com/todos/1')
  .then(function(response) {
    return response.json();
  })
  .then(function(data) {
    console.log(data);
    // return true;
  })
console.log('End');
```

// output =>

Chaining Promises using async/await syntax

async/await provides a way to write asynchronous code in a synchronous style.

async/await, it's just syntactic sugar for Promises. In other words, any existing Promises can be converted to use Async/Await syntax instead.

What async/await allows us to do is instead of having to access the results of our Promises inside a then method, we're able to assign the result of an asynchronous operation directly to a variable. Even though this code looks synchronous, it behaves asynchronously.

await keyword is used inside a **async** function (function that contains asynchronous code), and therefore we have to put the async keyword before the function definition.

```
async function getData(URL) {
  try {
    const response = await fetch(URL);
    const data = await response.json();
    console.log(data);
  } catch (error) {
    console.log("Error:", error);
  }
}

console.log('Start');
getData('https://jsonplaceholder.typicode.com/posts/1');
console.log('End');
```

// output

Start

End

(4) {userId: 1, id: 1, title: "delectus ...}