

REACT-TYPESCRIPT-VITE-Project-2

// book
Full Stack Development with Spring Boot 3 and React (2023)
chapter 9 Introduction to TypeScript (199)

Creating a React app with TypeScript (213) ---

// using Vite
npm create vite@latest

Next, name your project "my-react-ts-vite-app", and select the /React framework and the /TypeScript variant
Then, move to your app folder, install dependencies, and run your app using the following commands:

```
cd my-react-ts-vite-app
npm install
npm run dev
```

Open your app folder in VS Code, and you will see that the filename of our App component is App.tsx
The file extension of TypeScript React files is .tsx (combining JSX with TypeScript).
The regular file extension of TypeScript files is .ts.

the tsconfig.json file

Locate the tsconfig.json file in the root of your project. This is a configuration file used by TypeScript to specify compiler options, such as the target version of the compiled JavaScript output or the module system that is used. We can use the default settings defined by Vite.

Vite and TypeScript

Vite transpiles TypeScript files to JavaScript, but it doesn't perform type checking.

Vite uses esbuild to transpile TypeScript files because that is much faster than the TypeScript compiler (tsc).

The VS Code IDE handles type checking for us, and you should fix all errors that are shown in the IDE.

You can also use a Vite plugin called vite-plugin-checker (<https://github.com/fi3ework/vite-plugin-checker>).

Type checking is done when we build a Vite app to production, and all errors should be fixed before the production build. We will build our Vite app later in this book.

GitHub API (232) // example

1. Create a new React app called "restgithub" using Vite, selecting the /React framework and /TypeScript variant.

```
// cd C:\HONG\JAVASCRIPTtest2025\TESTh
npm create vite@latest restgithub -- --template react-ts
```

2. Install dependencies, start the app, and open the project folder with VS Code.

```
cd restgithub
npm install
// npm run dev
```

3. Install axios using the following npm command in your project folder:

```
npm install axios
```

4. Your App.tsx code should look as follows:

```
// restgithub\src\App.tsx
// C:\HONG\JAVATest202504\FullStack-Sb3-React\Full-Stack-with-SpringBoot3-and
React\Chapter10\restgithub\src\App.tsx
```

5. run

```
npm run dev
```