

THREAT INTELLIGENCE REPORT ON

Enterprise OSINT & Exposure Assessment

TARGET ORGANIZATION: NIIT PORT HARCOURT

CLASSIFICATION: CONFIDENTIAL

Assessment Type: Non-Intrusive OSINT Reconnaissance

Analyst Role: Threat Intelligence Analyst

Date: May 2026

All findings are derived from publicly available open-source intelligence.

1. Executive Summary

This Threat Intelligence Report presents the findings of a structured Open-Source Intelligence (OSINT) assessment conducted against NIIT Port Harcourt. The organization reported suspicious login attempts and increased targeted communication directed at employees, while maintaining that no confirmed breach has occurred.

The objective of this assessment was to determine what a motivated attacker can observe, collect, and correlate from publicly available information — before executing any intrusion. All techniques employed were non-intrusive and relied solely on open, legally accessible data sources.

TOOLS USED

- Google Search (Dorking / manual search)
- Maltego
- Domain Dossier
- nmap

Overall Risk Rating

Risk Domain	Rating	Urgency
Digital Exposure	MODERATE-HIGH	Immediate Action Required
Human Attack Surface	HIGH	Immediate Action Required
Infrastructure Visibility	MODERATE	Short-Term Action Required
Intelligence Correlation Risk	HIGH	Immediate Action Required
Overall Organizational Risk	HIGH	Priority Remediation

Key finding: Without breaching a single system, an attacker already has access to employee identities, contact details, organizational structure, server infrastructure details, and at least one indexed organizational email — all of which can be combined to mount high-confidence phishing and social engineering campaigns.

2. Exposure Identification & Organizational Footprint

This section documents the publicly available organizational information discovered through passive OSINT techniques including Google Dorking, domain inspection, OSINT Framework, and Wayback Machine analysis.

2.1 Digital Presence Overview

NIIT Port Harcourt maintains a measurable and indexed online presence across multiple platforms:

- Primary website: www.niitph.com — publicly accessible, hosting a login portal at <http://www.niitph.com/encore/auth>
- Subdomains discovered: mail.niitph.com and webmail.niitph.com — indicating active email infrastructure
- Active Instagram account: [@niitphc](https://www.instagram.com/niitphc) (www.instagram.com/niitphc) — publicly listed phone numbers and support email
- LinkedIn company page: ng.linkedin.com/company/niit-port-harcourt — exposing organizational structure and employee roles
- Gmail-based public inquiry email: niitportharcourtenquiries@gmail.com — confirmed indexed in domain records
- Alternative domain: niitph.work — discovered and indexed

Note: The organization runs web and email services, increasing the potential attack surface. Proper security measures (firewalls, monitoring, hardening) are necessary to reduce risk.

2.2 Google Dorking Findings

Advanced search operators (Google Dorking) were systematically applied to discover indexed organizational data:

Query Used	Purpose	Finding	Risk Level
"NIIT Port Harcourt"	Org discovery	Website, LinkedIn, social profiles found	MEDIUM
site:niit.com "Port Harcourt"	Domain enumeration	Contact & org reference pages	MEDIUM
"NIIT Port Harcourt" filetype:pdf	Document exposure	Potential PDFs with staff/org data	HIGH
"NIIT Port Harcourt" "@"	Email discovery	Email patterns and contact addresses	HIGH
site:linkedin.com "NIIT Port Harcourt"	Employee profiling	Staff names and roles identified	HIGH
site:niitph.com	Asset discovery	Indexed pages and entry points	MEDIUM
"NIIT Port Harcourt" "powered by"	Technology fingerprinting	CMS/framework indicators	MEDIUM

2.3 Information Leakage

The following sensitive data categories were identified as publicly exposed or inferable:

- Staff identity: A named senior employee (Chief Counsellor) identified with full name and direct email address via the About Us page (ibigbareretoru@niitph.com)
- Phone numbers: At least three organizational phone numbers discovered — +234-915-311-0525, +2340-806-962-5113, and 08107076917
- Support email: support@niitph.com publicly listed on Instagram
- Inquiry email: niitportharcourtenquiries@gmail.com discoverable via Maltego and web indexing
- Operational context: NIIT Port Harcourt is operated by Dell and Bell Nigeria Limited (per LinkedIn), establishing corporate ownership structure

- Login portal URL: <http://www.niitph.com/encore/auth> — directly accessible and unauthenticated by default

Risk Assessment: This level of information leakage enables attackers to craft highly personalized spear-phishing messages, impersonate authority figures, and attempt targeted credential harvesting against the identified login portal.

3. Infrastructure Accessibility

This section documents the network infrastructure, server details, and technical exposure discovered using tools including Nmap, theHarvester, SpiderFoot, Maltego, Shodan, and BGPView.

Open Ports

- 110/tcp → POP3
- 143/tcp → IMAP
- 465/tcp → SMTPS
- 587/tcp → SMTP (Mail Submission)
- 993/tcp → IMAPS
- 995/tcp → POP3S

Nmap Findings

- Nmap done: 1 IP address (1 host up)
- Scan indicates multiple services are running

3.1 IP Address & Hosting

Attribute	Value
Primary IP Address	176.123.0.55
Host Status (Nmap)	UP — Server is active and reachable
IP Range / CIDR	176.123.0.0/24
Hosting Provider	ALEXHOST SRL (Moldova-based)
Region Assignment	RIPE NCC — Allocated IP block 176.0.0.0/8
Name Servers	ns3.alexhost.md / ns4.alexhost.md
Registrar	Hosting Concepts B.V. d/b/a Registrar.eu
Domain Creation Date	2025-05-19
Domain Expiry Date	2026-05-19
DNSSEC Status	UNSIGNED — No cryptographic domain validation
SSL/TLS (niitph.com)	SSL DISABLED on port 80 — HTTP only
Registrant Country	NG (Nigeria / Rivers State)

3.2 Exposed Services & Web Application

The following services were observed as publicly accessible:

- HTTP Web Server (Port 80): Active, serving the main training portal
- Login Portal: <http://www.niitph.com/encore/auth> — no SSL/TLS encryption observed
- Webmail: webmail.niitph.com — a dedicated webmail subdomain, indicating email is hosted or relayed through the same infrastructure
- Mail Server: mail.niitph.com — mail services are co-located or proxied through the hosted IP

Critical Finding: The login portal operates over unencrypted HTTP. Credentials transmitted through this portal may be intercepted by a man-in-the-middle attacker on the same network. Additionally, the portal's public accessibility makes it a direct target for credential stuffing and brute-force attacks.

3.3 Domain Registration Analysis

WHOIS data revealed the following notable intelligence:

- Registrant details are redacted for privacy (GDPR-compliant registrar), however the Registrant State/Province is confirmed as 'Rivers' and Country as 'NG'
- The domain niitph.com was created in May 2025 and expires May 2026 — a relatively new registration
- DNSSEC is unsigned, making the domain theoretically susceptible to DNS spoofing attacks
- The bgp.he.net data confirms niitph.com is co-hosted on a shared IP block alongside multiple other domains

3.4 Email Infrastructure

SpiderFoot OSINT scanning returned an additional indexed email associated with the niitph.com domain:

- Email discovered: steve@binarypool.com — returned four times across multiple search engine sources and OSINT services including Shodan, BGPView, and page indexers
- This email did not appear in Maltego results, suggesting it may be embedded in a cached page or indexed document not easily discoverable through standard enumeration
- The existence of this email suggests third-party development or IT management involvement

Email Security Risk: The absence of confirmed DMARC enforcement, combined with active public-facing mail infrastructure, substantially increases the risk of successful email spoofing against both the organization's staff and its external contacts.

4. Human Attack Surface Analysis

The human attack surface represents the most immediately exploitable dimension of NIIT Port Harcourt's exposure. Unlike technical vulnerabilities that require active scanning to confirm, human-layer risks are directly readable from publicly indexed sources.

4.1 Employee Visibility

Employees are discoverable through multiple public channels:

- LinkedIn Nigeria page: Lists organizational staff by role
- NIIT PH About Us page (niitph.com/about): Named staff with direct email addresses
- Instagram (@niitphc): Employee involvement in promotional content, events, and announcements
- Social media posts: Internal activities and event photos potentially revealing office layout and systems

4.2 Confirmed Personnel Exposure

Name	Role	Email Identified	Source
ibigbarereturu	Chief Counselor	ibigbarereturu@niitph.com	niitph.com/about
Multiple staff	Various (Instructors, Admin, IT)	Pattern inferable	LinkedIn, Instagram

4.3 Email Pattern Analysis

Based on the confirmed email format observed (ibigbarereturu@niitph.com), the following naming conventions can be inferred for other staff:

- Format 1: firstname.lastname@niitph.com
- Format 2: firstnamelastname@niitph.com (concatenated, as seen above)
- Format 3: firstname@niitph.com (short form)

Attack implication: Once an attacker identifies a staff member's name via LinkedIn or Instagram, they can generate likely email addresses and target them with spear-phishing, or validate them through email verification services without ever contacting the organization.

4.4 High-Value Targets (HVT) Classification

Role Category	Attack Vector	Risk Level
IT Administrators	System credential compromise, remote access hijacking	CRITICAL
Finance / Admin Staff	Business Email Compromise (BEC), payment fraud	HIGH
Management / Coordinators	Authority impersonation, executive spear phishing	HIGH

Role Category	Attack Vector	Risk Level
Instructors	Student data access, learning portal credential harvesting	MEDIUM
Chief Counsellor (confirmed)	Directly targeted — identity and email are public	CRITICAL

4.5 Social Engineering Risk Profile

The combination of organizational hierarchy visibility, named individuals, known email patterns, and public communication samples enables:

- Spear Phishing: Personalized emails using staff names, roles, and organizational context
- Impersonation: Attackers can pose as IT administrators or management using observed communication styles from social media
- Business Email Compromise (BEC): Finance staff can be targeted with fraudulent payment requests appearing to come from senior management
- Pretexting: The organization's training program details, events, and student activities create realistic cover stories for social engineering calls or messages

5. Intelligence Correlation & Attack Chain Analysis

Intelligence correlation is where individual, seemingly innocuous data points become operationally dangerous. This section synthesizes all findings into coherent attack scenarios an adversary can realistically execute using only what is already publicly available.

5.1 Correlation Matrix

Data Point A	Data Point B	Combined Threat	Risk
Employee names (LinkedIn)	Predictable email format	Targeted phishing at scale	HIGH
Login portal (niitph.com/encore/auth)	Staff email list	Credential stuffing / brute force	HIGH
Org hierarchy (LinkedIn/Instagram)	Communication style (social media)	Executive impersonation / BEC	HIGH
Unsigned DNSSEC	Active email subdomains	DNS spoofing / mail interception	MEDIUM
HTTP-only login portal	Public IP / hosting info	MITM credential interception	HIGH
Third-party email (steve@binarypool.com)	Shared hosting block	Supply chain / third-party phishing pivot	MEDIUM
Phone numbers (Instagram/website)	Staff identity (About page)	Vishing / SIM-swap social engineering	MEDIUM

5.2 Realistic Attack Chain Reconstruction

The following attack chain can be assembled entirely from publicly available information — no system access is required:

Phase 1 — Reconnaissance (Already Possible)

- Attacker searches 'NIIT Port Harcourt' on Google and LinkedIn
- Identifies staff names, roles, and one confirmed email (ibigbareretur@niitph.com)
- Generates probable email list for all staff using the observed naming convention
- Locates login portal at <http://www.niitph.com/encore/auth>
- Confirms server IP 176.123.0.55 is live using Nmap/Shodan

Phase 2 — Weaponization

- Crafts a spear-phishing email to finance or admin staff impersonating the Chief Counsellor (identity confirmed)
- Spoofs the @niitph.com domain (feasible if DMARC is not set to reject)
- Includes a link to a cloned version of <http://www.niitph.com/encore/auth> for credential harvesting

Phase 3 — Delivery & Exploitation

- Sends phishing email to generated staff email list
- Staff member clicks link, enters credentials on cloned portal (no SSL warning distinguishable since original also uses HTTP)
- Attacker harvests valid credentials and logs into the real portal

Phase 4 — Post-Exploitation (If Access Gained)

- Lateral movement through internal systems
- Business Email Compromise: Fraudulent payment instructions sent from compromised executive mailbox
- Exfiltration of student records, financial data, and internal communications

Key Insight: The suspicious login attempts and targeted communications already reported by NIIT Port Harcourt are consistent with Phase 1 and Phase 2 of exactly this kind of attack chain. The organization may be in an active pre-breach surveillance period.

6. Consolidated Risk Register

Chief Counsellor name and email publicly indexed	CRITICAL	Direct, named, targeted spear-phishing is immediately possible with zero additional effort
Login portal accessible via HTTP (no SSL)	HIGH	Credentials submitted are transmitted in plaintext and vulnerable to interception
DNSSEC unsigned on niitph.com	HIGH	DNS spoofing attacks can redirect users to attacker-controlled servers
Email subdomains (mail, webmail) publicly discoverable	HIGH	Attackers can map the email architecture and attempt targeted attacks on mail servers
No confirmed DMARC reject policy	HIGH	Domain spoofing and email impersonation of niitph.com are feasible
Staff profiles indexed on LinkedIn and Instagram	HIGH	Organizational hierarchy and communication patterns are fully observable
Phone numbers listed on public channels	MEDIUM	Vishing, SMS phishing, and SIM-swap attacks are enabled
Third-party email (binarypool.com) linked to domain	MEDIUM	Indicates third-party IT involvement; supply chain phishing vector possible
Shared hosting block (ALEXHOST SRL)	MEDIUM	Co-tenants on the same IP block could enable cross-site attacks or reputational impact
Social media activity reveals internal culture and events	MEDIUM	Enables highly convincing pretexting and context-aware social engineering

7. Recommendations

The following recommendations are prioritized by impact and feasibility. Immediate actions should be completed within 72 hours given the active suspicious activity already observed.

7.1 Immediate Actions (0–72 Hours)

- Enable HTTPS / SSL on all web properties, especially the login portal at /encore/auth. Consider Let's Encrypt as a no-cost certificate authority.
- Configure DMARC to a 'reject' policy, and verify SPF and DKIM records are correctly published for niitph.com.
- Enforce Multi-Factor Authentication (MFA) on all staff accounts — login portal, webmail, and any administrative panels.
- Alert all staff of active phishing reconnaissance and conduct an immediate awareness briefing.
- Investigate the third-party email (steve@binarypool.com) to confirm whether it represents a current or former IT vendor — and if so, assess their access level.

7.2 Short-Term Actions (1–4 Weeks)

- Implement DNSSEC signing on niitph.com to prevent DNS spoofing.
- Audit and restrict what personal information is publicly visible on LinkedIn, Instagram, and the NIIT PH website — particularly named staff with direct emails.
- Conduct a full digital footprint audit: review all indexed pages, documents, and cached content for sensitive disclosures.
- Deploy login attempt monitoring and alerting on the portal — flag repeated failed logins, logins from unusual geographies, and off-hours access.
- Remove or password-protect any public-facing PDF documents containing staff or organizational details.

7.3 Organizational & Ongoing Measures

- Establish a Social Engineering Awareness Programme — train all staff to recognize spear-phishing, impersonation, and BEC attempts.
- Create a clear internal protocol for verifying financial requests received via email, especially those appearing to come from management.
- Implement an Incident Response Plan specific to credential compromise and email compromise scenarios.
- Schedule quarterly OSINT self-assessments to monitor and reduce the organization's public digital footprint over time.
- Evaluate migrating to a hosting provider with stronger security controls, or engage a Managed Security Service Provider (MSSP) for ongoing monitoring.

8. Conclusion

This assessment confirms that NIIT Port Harcourt currently presents a moderate-to-high pre-breach exposure profile. An adversary operating exclusively through open-source, publicly available information has already achieved the reconnaissance necessary to mount high-confidence attacks.

The suspicious login attempts and targeted employee communications the organization has observed are consistent with an active adversary in the reconnaissance-to-weaponization transition phase. This is not a theoretical future risk — it is a present-state threat.

The three most critical issues that demand immediate attention are:

- The unencrypted login portal, which exposes credentials in transit
- The absence of enforced email authentication (DMARC reject), which enables domain spoofing
- The publicly indexed identity and email address of a named senior employee, enabling direct, personalized targeting

No system breach is required for these attacks to succeed. The attacker's preparation is already underway. The window for preventive action is open — but narrowing.