

Plot Polygon with ggplot2

Hong Gao

This script contains all the code from my medium blog post.

Read in and plot New York City Zip Code map.

```
# set directory to where the zip code shapefile is
filepath = "~/Documents/HongGao/MediumBlog_R/1.ggplot2_polygon"
setwd(filepath)
# read in zip code shapefile
zipcode <- readOGR(".", "ZIP_CODE_040114")

## OGR data source with driver: ESRI Shapefile
## Source: "/Users/HongG/Documents/HongGao/MediumBlog_R/1.ggplot2_polygon", layer: "ZIP_CODE_040114"
## with 263 features
## It has 12 fields

# generate a unique ID for each polygon
zipcode@data$seq_id <- seq(1:nrow(zipcode@data))
# plot it
plot(zipcode)
```



Generate random data to plot with.

```
# generate random numbers from a uniform distribution
zipcode@data$continuous_var <- runif(nrow(zipcode@data))
# create some NAs
# values below 0.1 are changed to NA
zipcode@data[zipcode@data$continuous_var < 0.1,]$continuous_var <- NA
# generate categorical variable based on continuous var
zipcode@data$categorical_var <- .bincode(zipcode@data$continuous_var,
# calculate 33th and 66th percentile
breaks = quantile(zipcode@data$continuous_var,
seq(0,1,0.33),
# keep NA as NA
na.rm = T),
include.lowest = T)
```

Save the changed shapefile to current directory.

```
writeOGR(zipcode, "nyczipcode", "nyc_zipcode", driver = "ESRI Shapefile")
```