



开元棋牌

开元棋牌**API**接入文档

KY Card Game API Document

版本记录Release

日期 Date	版本Version	备注 Remark
2017/2/28	V1.0.0	创建API文档 Create API document
2017/3/24	V1.0.1	更新接口说明 Update interface description
2017/4/13	V1.0.2	登录接口新增IP字段 IP field is added to the login interface
2017/4/17	V1.0.3	游戏结果接口更新 Game result interface update
2017/6/5	V1.0.4	登录接口新增站点标识 Login interface adds site identity
2017/7/11	V1.0.5	CardValue新增二八杠规则 CardValue adds Two-Eight Bar bar rules
2017/8/26	V1.0.6	CardValue新增牛牛规则 CardValue adds Niu-Niu rules
2017/9/25	V1.0.7	修正订单查询返回状态码 correct order query return status code
2017/10/23	V1.0.8	新增查询游戏内总分接口 Add interface for query the total score in the game
2017/10/24	V1.0.9	新增踢下线接口 Add interface for kicking off the line
2017/12/21	V1.1.0	修复4.4撰写错误repair 4.4 errors
2017/12/28	V1.1.1	CardValue新增押庄龙虎、三公 CardValue adds Dragon-Tiger game, Three-Facecard game
2018/1/8	V1.1.2	1.删除3.2.5的订单状态1（处理中状态） delete order state 1 of 3.2.5 (processing state) 2.修改3.2.7的list字段（增加LineCode字段） modify the list field of 3.2.7 (add the LineCode field)
2018/1/10	V1.1.3	1.修改押庄龙虎 CardValue modify Dragon-Tiger CardValue 2.优化3.2描述，注明所有子操作类型 optimize the 3.2 description, indicate all suboperation types
2018/1/17	V1.1.4	1.新增21点CardValue、KindID add BlackJack CardValue、KindID corresponding information 2.优化所有游戏CardValue描述（规则未变动） optimizate all game's CardValue descriptions (rules unchanged)
2018/1/29	V1.1.5	新增通比牛牛、欢乐红包CardValue、KindID Add Casino Bull-Bull, Happy Red Packets' CardValue, KindID information corresponding
2018/2/1	V1.1.6	修正欢乐红包CardValue读取规则描述 Correct CardValue read rule description of Happy Red Packet
2018/4/3	V1.1.7	新增极速炸金花、抢庄牌九CardValue、KindID

		Add Speed Golden Flower, Paigow's CardValue、KindID
2018/5/7	V1.2.0	1.新增3.3多币种支持、4.5兑换比例 Add 3.3 multi – currency principle, 4.5 exchange ratio 2.新增斗地主、幸运五张、十三水、CardValue、KindID Add Landlord, lucky 5 cards, Pineapple Poker CardValue、KindID 3.增加抢庄牛牛至尊房KindID Add Banker Bull-Bull master room KindID 4.增加code码37~39 Add code 37-39
2018/5/10	V1.2.1	1.修改上下分，增加上下分后返回玩家可下分金 Modify charge points and refund, after charge points or refund back to the refundable balance of the player 2.增加3.2.10查询代理余额接口 Add 3.2.10 query agency balance interface
2018/5/29	V1.2.2	修改幸运五张CardValue读取规则 Modify lucky 5 cards CardValue reading rules
2018/6/4	V1.2.3	1.修改欢乐红包CardValue读取规则 Modify Happy Red Packets'CardValue reading rules 2.修改十三水CardValue读取规则 Modify Pineapple Poker'CardValue reading rules
2018/6/6	V1.2.4	增加4.2错误码说明—错误码40 Add 4.2 Error code description-error code 40
2018/7/17	V1.2.5	增加4.2错误码说明—错误码41、42、43 Add 4.2 Error code description—error code41、42、43
2018/7/22	V1.2.6	1.修改3.2.3、3.2.4、3.2.5接口描述信息 Modify interface description information of 3.2.3、3.2.4、3.2.5 2.增加4.1游戏房间8306、7305、8605、7205、8705 Add 4.1game room 8306、7305、8605、7205、8705 3.新增百家乐、射龙门4.4CardValue、4.1KindID Add Baccarat、Dragon Gate 4.4 CardValue、4.1 KindID
2018/7/30	V1.2.7	修改21点cardvalue读取规则 Modify BlackJack cardvalue reading rules
2018/8/7	V1.2.8	新增森林舞会cardvalue读取规则 Add forest dance cardvalue read rule
2018/8/24	V1.2.9	修改百家乐cardvalue读取规则 Correct CardValue read rule description of Baccarat
2018/9/17	V1.3.0	3.2.7Gameid的Nvarchar(20)更改为Nvarchar(50) 3.2.7Gameid's Nvarchar(20) changed to Nvarchar(50)
2018/9/21	V1.3.1	新增百人牛牛cardvalue读取规则 Add Niu-niu for thousands person cardvalue read rule
2018/10/18	V1.3.2	注单拉取限制,由无限制改为至少间隔10秒才能拉取1次 The bet order pull limit is changed from unlimited to at least 10 seconds to pull 1 time.
2018/10/25	V1.3.3	3.2.1account加入提醒,账号区分大小写 3.2.1 Player Account case sensitive

2018/11/19	V1.3.4	1.3.2.5增加状态3 (处理中) 3.2.5 add state 3 (in process) 2.4.2增加错误码44, 有相同订单正在处理中4.2 add error code 44
2018/11/30	V1.3.5	3.2.6和3.2.8 status加入封停状态 3.2.6 and 3.2.8 add banned status
2018/12/5	V1.3.6	新增二八杠、三公、通比牛牛、抢庄牌九王者房 Add Two-Eight Bar、Three-Facecard、Casino Bull-Bull、Paigow King's Room
2018/12/11	V1.3.7	3.2.1登录游戏接口新增返回按钮自定义跳转链接 (backUrl) Adds proxy customization to return Url control, see at 3.2.1
2019/2/22	V1.4.0	1.新增万人炸金花cardvalue读取规则 2.新增万人炸金花kindid和对应房间ID Add Golden Flower for thousands person cardvalue read rule
2019/3/7	V1.5.0	1.新增血流成河cardvalue读取规则 2.新增血流成河kindid和对应房间ID Add Bleeding Mahjong cardvalue read rule
2019/4/2	V1.6.0	1.新增二人麻将cardvalue读取规则 Adds 2 Persons' Mahjong KindID 2.新增二人麻将kindid和对应房间ID Adds 2 Persons' Mahjong cardvalue 3.新增看牌抢庄牛牛cardvalue读取规则 Adds Banker Bull-Bull After Check Card KindID Adds Banker Bull-Bull After Check Card cardvalue 4.新增看牌抢庄牛牛kindid和对应房间ID
2019/4/16	V1.6.1	4.2新增错误码45, 参数错误 4.2 add error code 45
2019/5/25	V1.6.2	1.新增幸运转盘cardvalue读取规则、kindid和房间ID Adds Lucky Dial cardvalue、KindID and room ID 2.新增金鲨银鲨cardvalue读取规则、kindid和房间ID Adds Golden Shark & Silver Shark cardvalue、KindID and room ID 3.新增奔驰宝马cardvalue读取规则、kindid和房间ID Adds Benz & BMW cardvalue、KindID and room ID 4.修改注单最大拉取时间范围不能超过40分钟 Modify the maximum pull time of the bet can not exceed 40 minutes
2019/9/4	V1.6.3	1.新增百人骰宝cardvalue读取规则、kindid和房间ID Adds Sic Bo cardvalue、KindID and room ID 2.新增单挑牛牛cardvalue读取规则、kindid和房间ID Adds lvl Bull-Bull cardvalue、KindID and room ID 3.新增炸金牛cardvalue读取规则、kindid和房间ID Adds Golden Bull cardvalue、KindID and room ID 4.新增押宝抢庄牛牛cardvalue读取规则、kindid和房间ID Adds Bet 3 Players Bull-Bull cardvalue、KindID and room ID 5.新增红包捕鱼cardvalue读取规则、kindid和房间ID Adds Fishing cardvalue、KindID and room ID 6.新增血战到底cardvalue读取规则、kindid和房间ID Adds Fishing cardvalue、KindID and room ID 7.新增搏一搏cardvalue读取规则、kindid Adds Give A Bet cardvalue、KindID

2019/11/15	V1.7.0	1.新增五星宏輝cardvalue读取规则、kindid和房间ID Adds Five Stars cardvalue、KindID and room ID 2.新增赌场扑克cardvalue读取规则、kindid和房间ID Adds Casino Poker cardvalue、KindID and room ID 3.新增港式梭哈cardvalue读取规则、kindid和房间ID Adds Hong Kong Stud cardvalue、KindID and room ID 4.新增血战骰宝cardvalue读取规则、kindid和房间ID Adds Karmic SicBo cardvalue、KindID and room ID 5.新增水果机cardvalue读取规则、kindid和房间ID Adds Fruit Machine cardvalue、KindID and room ID 6.新增幸运夺宝cardvalue读取规则、kindid和房间ID Adds Lucky Treasure cardvalue、KindID and room ID
2020/2/27	V1.7.1	1.新增鱼虾蟹cardvalue读取规则、kindid和房间ID Adds Fish-Prawn-Crab Dice cardvalue、KindID and room ID 2.新增跑得快cardvalue读取规则、kindid和房间ID Adds Run Fast cardvalue、KindID and room ID 3.标记4.1附录游戏列表下不能单独接入的游戏 Mark 4.1 games that cannot be accessed separately in the appendix game list
2021/2/4	V1.7.2	正式服订单每5s查询一次，改为每10s查询一次 Change query time in refund process.
2021/4/15	V1.7.3	1.新增红黑大战cardvalue读取规则、kindid和房间ID Adds Red & Black War cardvalue、KindID and room ID 2.新增疯狂抢庄牛牛cardvalue读取规则、kindid和房间ID Adds Crazy Banker Bull-Bull cardvalue、KindID and room ID 3.新增马战竞猜cardvalue读取规则、kindid和房间ID Adds Horse Fight cardvalue、KindID and room ID 4.新增李逵捕鱼kindid和房间ID Adds LK Fishing cardvalue、KindID and room ID
2021/4/26	V1.7.5	修改游戏币兑换比例并且新增澳元 (AUD)、文莱元 (BND)、加拿大元 (CAD)、瑞士法郎 (CHF)、英镑 (GBP)、缅元 (MMK)、罗威克朗 (NOK)、新西兰元 (NZD)、菲律宾比绍 (PHP)、新加坡元 (SGD)、瑞典克朗 (SEK)、南非兰特 (ZAR)、津巴布韦元 (ZWD)、港币 (HKD)、新台币 (TWD) Change game Currency Exchange Ratio. Game Currency Exchange Ratio add Australian Dollar (AUD)、Brunei Dollar (BND)、Canadian dollar (CAD)、Swiss franc (CHF)、Great British Pound (GBP)、Myanmar Kyat (MMK)、Norwegian krone (NOK)、New Zealand dollar (NZD)、Philippine peso (PHP)、Singapore dollar (SGD)、Swedish krona (SEK)、South African rand (ZAR)、Zimbabwean dollar (ZWD)、Hong Kong dollar (HKD)、New Taiwan dollar (TWD)
2021/10/4	V1.7.6	3.2.3上分参数附注使用 AES-128-ECB 加密方式3.2.3 Notes on Charge Points param use AES-128-ECB encryption 3.2.3 Notes on Charge Points param use AES-128-ECB encryption
2021/10/28	V1.7.7	1.新增金元捕鱼kindid和房间ID Adds ChinYuan fishing cardvalue、KindID and room ID 2.新增捕鱼传说kindid和房间ID

		Adds BYCS Fishing cardvalue、KindID and room ID
2021/11/12	V1.7.8	1.新增二人斗地主cardvalue读取规则、kindid和房间ID Adds 2 Persons' Landlord cardvalue、KindID and room ID 2.新增绝代皇后kindid和房间ID Adds The Peerless Queen cardvalue、KindID and room ID 3.新增文房四宝kindid和房间ID Adds Four Treasures of the study cardvalue、KindID and room ID 4.修改游戏币移除美元 (USD)、港币 (HKD)、新台币 (TWD) Removes US dollar(USD)、Hong Kong dollar (HKD)、New Taiwan dollar (TWD) from Game Currency Exchange Ratio
2022/2/25	V1.7.9	1.新增美元 (USD)、港币 (HKD)、新台币 (TWD)、泰达币 (USDT)、里奥 (BRL) Game Currency Exchange Ratio add US dollar(USD)、Hong Kong dollar (HKD)、New Taiwan dollar (TWD)、Tether (USDT)、Brazilian Reais (BRL) 2.移除欢乐红包kindid、cardvalue和房间ID Remove Happy Red Packets KindID, CardValue and Room ID 3.移除幸运五kindid、cardvalue和房间ID Remove Lucky 5 Cards KindID, CardValue and Room ID 4.移除射龙门kindid、cardvalue和房间ID Remove Dragon Gate KindID, CardValue and Room ID 5.移除血战到底kindid、cardvalue和房间ID Remove Karmic Mahjong KindID, CardValue and Room ID
2022/3/28	V1.8.0	1.新增极速百家乐cardvalue读取规则、kindid和房间ID Adds Three-Facecard After Check Card cardvalue、KindID and room ID 2.新增看牌抢庄三公cardvalue读取规则、kindid和房间ID Adds Speed Baccarat cardvalue、KindID and room ID
2022/6/17	V1.8.1	1.新增梭哈德州扑克cardvalue读取规则、kindid和房间ID Adds All-In or Fold cardvalue、KindID and room ID 2.新增干瞪眼cardvalue读取规则、kindid和房间ID Adds Desperate Rummy cardvalue、KindID and room ID
2022/7/1	V1.8.2	移除干瞪眼 Remove Desperate Rummy
2022/8/2	V1.8.3	移除二人斗地主、马战竞猜、文房四宝、绝代皇后 Remove 2 Persons' Landlord、Horse Fight、Peerless Queen、Four Treasures of the study
2022/8/31	V1.8.4	1.新增MP_泰式骰宝、MP_色碟 kindid Adds MP Hilo、MP Xoc Dia KindID 2.抢庄牌九说明调整 Paigow card value description adjustment 3.新增印度尼西亚盾 (IDR) Game Currency Exchange Ratio add IDR
2022/9/19	V1.8.5	新增开元体育拉单api规则 Adds Get Sport Orders API

2022/10/4	V1.8.6	1.新增十倍牛牛cardvalue读取规则、kindid和房间ID Adds Ten Times Bull-Bull cardvalue、KindID and room ID 2.新增金球银球cardvalue读取规则、kindid和房间ID Adds World Cup Golden Ball cardvalue、KindID and room ID 3.3.2.7Gameid的Nvarchar(50)更改为Nvarchar(190) 3.2.7Gameid's Nvarchar(50) changed to Nvarchar(190) 4.新增MP_泰式骰宝、MP_色碟cardvalue说明 Adds MP Hilo 、MP Xoc Dia cardvalue 5.修正3.2.11体育拉单”settleTime”字段描述 Modify 3.2.11 Sport Order “settleTime” filed description
2022/12/8	V1.8.7	移除MP_泰式骰宝、MP_色碟 Remove MP Hilo 、MP Xoc Dia
2022/12/19	V1.8.8	1.新增富贵金龙cardvalue读取规则、kindid和房间ID Adds Golden Dragon cardvalue、KindID and room ID 2.金鲨银鲨cardvalue读取规则调整 Modify Golden Shark & Sliver Shark cardvalue reading rules
2023/2/22	V1.8.9	1.新增欧式轮盘cardvalue读取规则、kindid和房间ID Adds European Roulette cardvalue、KindID and room ID 2.新增富贵三张cardvalue读取规则、kindid和房间ID Adds Three Card Poker cardvalue、KindID and room ID
2023/3/28	V1.9.0	新增色色百家乐cardvalue读取规则、kindid和房间ID Adds Se-Se Baccarat cardvalue、KindID and room ID
2023/4/27	V1.9.1	色色百家乐更名为官人坏坏百J乐 Rename Se-Se Baccarat to H-Baccarat
2023/6/22	V1.9.2	1.修改KY体育kindId 7280改 7470及体育拉单 Modify KY sports kindId 7280 to 7470 and get sport record 2.移除4.5游戏币兑换比例登入地区说明 Remove 4.5 game currency exchange ratio area of login 3.3.3.13体育拉单新增提前结算相关参数 3.3.13 Added parameters related to early settlement for sports record 4.修改4.6运动类型及4.8盘口信息 Modify 4.6 Sports Type and 4.8 Market Type Information 5. 移除3.3.13体育拉单API除rows字段 Remove 3.3.13 Sports Order API rows filed 6.修改3.3.13体育拉单API isLive字段型别bool -> string Modify 3.3.13 Sports Order API isLive filed type bool -> string
2023/09/11	V1.9.3	3.3.13体育拉单新增游戏局号, 游戏唯一识别码, 注单的归帐日, 投注类型 相关参数 3.3.13 Added parameters gameNo, gameId, profitReportDate, betType for sports record
2023/10/10	V1.9.4	新增闪电21点cardvalue读取规则、kindid和房间ID Adds Lightning Blackjack cardvalue、KindID and room ID
2023/10/31	V1.9.5	游戏币移除港币 (HKD) Removes Hong Kong dollar (HKD)
2023/11/7	V1.9.6	3.3.13体育拉单修改validSettleStakeAmount说明, 删除

		turnover、actualStake 3.3.13 Modify validSettleStakeAmount info and removes turnover, actualStake
2023/11/21	V1.9.7	新增 终极德州扑克cardvalue 读取规则、 kindid 和 房间ID Adds Ultimate Texas cardvalue、KindID and room ID
2024/1/10	V1.9.8	1. 修改【3.2.2 查询可下分】的子操作类型 s=24 调整成 s=1 1. Modify the sub-operation type of [3.2.2 Query can be divided] from s=24 to s=1 2. 新增 财神发发发 幸运熊猫 炸财神cardvalue 读取规则、 kindid 和 房间ID Adds Fortune FaFaFa、Lucky Panda、Bombing Fortune cardvalue、KindID and room ID
2024/1/25	V1.9.9	新增 麻将胡了3 cardvalue 读取规则、 kindid 和 房间ID Adds Mahjong Master cardvalue、KindID and room ID
2024/4/30	V2.0.0	1. 新增以下 错误码 ：46 48 49 50 51 89 200 1001 1002 Add error code: 46 48 49 50 51 89 200 1001 1002 2. 游戏API指引以下三支接口响应 money 字段型态由 string 调整为 float (3.2.2 查询可下分 3.2.3 上分 3.2.4 下分) 2. Modify the api guidelines 3 api response filed [money] type string to float (3.2.2 query balance 3.2.3 charge points 3.2.4 refund) 3. 拉取 注单API 指引以下四支接口响应 CellScore AllBet Profit Revenue 字段型态由 string 调整为 float (3.3.1取牌局纪录1 3.3.2取牌局纪录2 3.3.3取牌局纪录3 3.3.4取牌局纪录4) 3. Modify the get game record api guidelines 4 api response filed [CellScore AllBet Profit Revenue] type string to float (3.3.1 Get Game Record1 3.3.2 Get Game Record2 3.3.3 Get Game Record3 3.3.4 Get Game Record4)
2024/5/16	V2.0.1	1. 拉取 注单API 指引以下四支接口，新增返回 币别Currency 和 语系Language (3.3.1取牌局纪录1 3.3.2取牌局纪录2 3.3.3取牌局纪录3 3.3.4取牌局纪录4) Adds Currency and Language to the following four APIs: (3.3.1 Get Game Record1, 3.3.2 Get Game Record2, 3.3.3 Get Game Record3, 3.3.4 Get Game Record4)
2024/6/4	V2.0.2	1. 删除以下 错误码 ： 10, 12, 13, 14, 17, 18,19, 21, 23, 25, 37, 200, 1001, 1002 Delete error code ： 10, 12, 13, 14, 17, 18,19, 21, 23, 25, 37, 200, 1001, 1002 2. 新增以下 错误码 ：91, 98, 99 Add error code ：91, 98 , 99 3. 修正 4.4.1德州扑克 读取 CardValue 说明 Correction 4.4.1 Texas Hold'em poker reading CardValue instructions
2024/7/16	V2.0.3	新增 抖音牛牛cardvalue 读取规则、 kindid 和 房间ID Adds TikTok Bull-Bull cardvalue、KindID and room ID
2024/8/28	V2.0.4	1. 新增 错误码52 ，玩家有 异常盈利或分数异常状况 时 呼叫 API s=3 返回 错误码52 ，当收到此响应再 请咨询 我方客服人员 Added error code 52, when players have abnormal profits or abnormal scores calling API s=3 returns error code 52. Please contact our team

		when receiving this response. 2. 3.2.3 上分API s=2 叙述补充当收到回复异常或超时回补玩家分数说明 The description of the add score API s=2 is supplemented with instructions for replenishing player scores when receiving an abnormal response or timeout. 3. 新增攒蛋cardvalue读取规则、kindid和房间ID Adds GuanDan cardvalue、KindID and room ID
2024/10/24	V2.0.5	新增黑神话百人牛牛读取规则、kindid和房间ID Adds Black Myth Niu-niu For Thousands Person cardvalue、KindID and room ID
2024/11/6	V2.0.6	新增逃离五指山读取规则、kindid和房间ID Adds Escape from Wuzhishan cardvalue、KindID and room ID
2024/12/4	V2.0.7	新增黑神话西游读取规则、kindid和房间ID Adds Monkey king: black wukong cardvalue、KindID and room ID
2024/12/26	V2.0.8	新增癞子牛牛读取规则、kindid和房间ID Adds Lai Zi Niu Niu cardvalue、KindID and room ID
2025/02/06	V2.0.9	1. 新增比大小读取规则、kindid和房间ID Adds HI-LO cardvalue、KindID and room ID 2. 文件3.3.13 体育拉单接口修改 - 移除以下栏位 - isSystemTagRisky - netTurnoverByActualStake - subBet.htScore - subBet.ftScore - subBet.customeizedBetType - 更改栏位型别 - status 更改成 int - subBet.status 更改成 int - 调整栏位说明 - subBet.status 调整为结算结果 2. Modify 3.3.13 KY sport order - Remove the following fields - isSystemTagRisky - netTurnoverByActualStake - subBet.htScore - subBet.ftScore - subBet.customeizedBetType - Change field type - field "status" type is adjusted from String to Int - field "subBet status" type is adjusted from String to Int - Adjust field descriptions - subBet.status Adjust to settlement results
2025/3/10	V2.0.10	新增以下游戏kindid - 三国 - 喜相逢 - 后羿射日 - 大力神槌 - 找地鼠 - 新年到戳戳乐 - 水果炸弹

		8. 王者荣耀 9. 生存者 10. 矮人矿坑 11. 祥狮献瑞 12. 荒野逃生 13. 财神到 14. 金虎报吉 15. 雀神 16. 鬼吹灯 17. 龙年行大运 Adds the following games KindID 1. Three Kingdoms 2. Encounter 3. Houyi Shot The Suns 4. Hammer 5. Gopher 6. Poke Fortune 7. Fruit Bombs 8. King of Glory 9. Survivor 10. Gold Digger 11. Tigerlions Lead To Auspicious 12. Battle Royale 13. Fortune 14. Golden Tiger 15. MAHJONG GOD 16. Candle In The Bomb 17. Great Luck In The Year Of The Dragon
2025/03/14	V2.0.11	1. 新增3.3.14虚拟体育拉单接口s=1 2. 新增4.9虚拟体育产品代码 1. Add 3.3.14 Virtual Sports Order Interface s=1 2. Add 4.9 SporVirtual Sport Product Code
2025/05/16	V2.0.12	新增土耳其麻将读取规则、kindid和房间ID Adds Okey cardvalue、KindID and room ID
2025/06/03	V2.0.13	1. 新增澳门百家乐幸运六读取规则、kindid和房间ID 2. 新增极速牛牛读取规则、kindid和房间ID 1. Add Macau Baccarat Lucky Six cardvalue、KindID and room ID 2. Add Speed Bull-Bull cardvalue、KindID and room ID
2025/07/08	V2.0.14	1. 新增铸剑读取规则、kind和房间ID 1. Add Forging a sword cardvalue、KindID and room ID
2025/07/16	V2.0.15	1. 新增3.3.15开元体育根据注单局号获取资讯接口 1. Add 3.3.15 KY Sport specific order
2025/07/30	V2.0.16	1. 新增3.3.13开元体育根据修改日期获取注单列表新增是否为二次结算栏位 1. Add 3.3.13 KY Sport specific order add column isRollback
2025/08/12	V2.0.17	新增射门之王读取规则、kindid和房间ID Adds Soccer King cardvalue、KindID and room ID
2025/08/15	V2.0.18	1. 以下拉取牌局纪录返回字段的TableID 型態修改為BigInt 3.3.1拉取牌局纪录1

		3.3.2拉取牌局紀錄2 3.3.3拉取牌局紀錄3 3.3.4拉取牌局紀錄4 1.The TableID type of the following return fields for retrieved hand records has been changed to BigInt. 3.3.1 Retrieving Hand Record 1 3.3.2 Retrieving Hand Record 2 3.3.3 Retrieving Hand Record 3 3.3.4 Retrieving Hand Record 4 2.3.3.5拉取牌局詳情s=10添加語系參數 2.3.3.5 Pull game details s=10 Add Lang parameter
2025/09/17	V2.0.19	1. 新增体育登入語系参数 - sportLang 2. 新增体育登入語系表 1. Add KY Sport login language parameter - sportLang 2. Add KY Sport login language code

目录 Catalog

1、产品介绍 Product Introduction.....	14
1.1 七大优势 Seven Advantages.....	14
1.2 合作模式 Cooperation Mode.....	14
二、接入准备 Access Preparation.....	15
三、接入方法 Access Method.....	16
3.1 流程图 Flow Chart.....	16
3.1.1 登入平台 Login Platform.....	16
3.1.2 查询余额 Get Balance.....	17
3.1.3 上分 Charge Points.....	17
3.1.4 下分 Refund.....	18
3.2 游戏API指引 Game Api Guidelines.....	18
3.2.1 登录游戏 Login.....	18
3.2.2 查询可下分 Query Refundable Balance.....	21
3.2.3 上分 Charge Points.....	22
3.2.4 下分 Refund.....	24
3.2.5 查询订单 Order Query.....	25
3.2.6 查询玩家在线状态 Query The Player's Online Status.....	27
3.2.7 查询玩家总分 Query Player'total Points.....	28
3.2.8 踢玩家下线 Kicking The Player Off.....	29
3.2.9 查询代理余额(非必要) Query Agency Balance(Unnecessary).....	31
3.3 拉取注单API指引 API Guide for get game record.....	32
3.3.1 取牌局记录1 Get Game Record1.....	32
3.3.2 拉牌局记录2 Get game record 2.....	35
3.3.3 拉取牌局记录3 Get game record 3.....	37
3.3.4 拉取牌局记录4 Get game record 4.....	40
3.3.5 拉取牌局详情 Get detail of game.....	42
3.3.6 拉取玩家输赢排行 Get player profit rankings.....	44
3.3.7 根据对局记录获取一段时间汇总数据 Get summarized game record.....	46
3.3.8 生成加密的同桌玩家链接 Get same table player data link.....	47
3.3.9 对局日志解析 Get game log link.....	49
3.3.10 拉取分类统计游戏数据 Get categorized game statistic data.....	50
3.3.11 拉取百人游戏下注点列表 Get bet points list of baccarat-style game.....	52
3.3.12 代理拉取前端地址ws、Id地址 Get front end ws and Id address.....	54
3.3.13 开元体育根据修改日期获取注单列表 KY sport order.....	55
3.3.14 虚拟体育根据修改日期获取注单列表 virtual sport order.....	59
3.3.15 开元体育根据注单局号获取资讯 KY sport specific order.....	62
3.4 多币种支持 Multi-Currency Principle.....	66
四、附录 Appendix.....	67
4.1 KindID对应游戏 Corresponding Games.....	67
4.2 KindID对应房间名 Corresponding Game's room.....	70
4.3 加解密代码 Encryption And Decryption Code.....	85
4.4 CardValue读取规则 Cardvalue Reading Rules.....	85
4.4.1 德州扑克 Texas Hold'em Poker.....	86

4.4.2 二八杠Two-Eight Bar.....	87
4.4.3 抢庄牛牛Banker Bull-Bull.....	87
4.4.4 炸金花Golden Flower.....	88
4.4.5 三公Three-Facecard.....	88
4.4.6 押庄龙虎Dragon-Tiger.....	89
4.4.7 21点Blackjack.....	89
4.4.8 通比牛牛Casino Bull-Bull.....	90
4.4.9 抢庄牌九Paigow.....	90
4.4.10 极速炸金花Speed Golden Flower.....	92
4.4.11 斗地主Landlord.....	92
4.4.12 十三水Pineapple Poker.....	93
4.4.13 百家乐Baccarat.....	94
4.4.14 森林舞会Forest Party.....	95
4.4.15 百人牛牛Niu-Niu For Thousands Person.....	95
4.4.16 万人炸金花Golden Flower For Thousands Person.....	96
4.4.17 血流成河Bleeding Mahjong.....	97
4.4.18 看牌抢庄牛牛Banker Bull-Bull After Check Card.....	98
4.4.19 二人麻将2 Persons' Mahjong 2.....	98
4.4.20 幸运转盘Lucky Dial.....	99
4.4.21 金鲨银鲨Golden Shark & Silver Shark.....	99
4.4.22 奔驰宝马Benz & BMW.....	100
4.4.23 百人骰宝Sic Bo.....	100
4.4.24 单挑牛牛 1V1 Bull-Bull.....	100
4.4.25 炸金牛Golden Bull.....	101
4.4.26 押宝抢庄牛牛Bet 3 Players Bull-Bull.....	102
4.4.27 红包捕鱼Fishing.....	103
4.4.28 搏一搏Give A Bet.....	103
4.4.29 五星宏辉Five Stars.....	103
4.4.30 赌场扑克Casino Poker.....	104
4.4.31 港式梭哈Hong Kong Stud.....	105
4.4.32 血战骰宝Karmic SicBo.....	106
4.4.33 水果机Fruit Machine.....	106
4.4.34 幸运夺宝Lucky Treasure.....	109
4.4.35 鱼虾蟹Fish-Prawn-Crab Dice.....	109
4.4.36 跑得快Run Fast.....	111
4.4.37 红黑大战Red & Black War.....	113
4.4.38 疯狂抢庄牛牛Crazy Banker Bull-Bull.....	113
4.4.39 李逵捕鱼LK Fishing.....	113
4.4.40 金元捕鱼ChinYuan Fishing.....	114
4.4.41 捕鱼传说BYCS Fishing.....	114
4.4.42 极速百家乐Speed Baccarat.....	114
4.4.43 看牌抢庄三公Three-Face Card After Check Card.....	115
4.4.44 梭哈德州扑克All-In or Fold.....	115
4.4.45 金球银球World Cup Golden Ball.....	115

4.4.46 十倍牛牛Ten Times Bull-Bull.....	116
4.4.47 富贵金龙Golden Dragon.....	116
4.4.48 欧式轮盘European Roulette.....	117
4.4.49 富贵三张Three Card Poker.....	117
4.4.50 官人坏坏百J乐H-Baccarat.....	117
4.4.51 闪电21点Lightning Blackjack.....	118
4.4.52 终极德州扑克Ultimate Texas.....	118
4.4.53 炸财神Bombing Fortune.....	119
4.4.54 幸运熊猫Lucky Panda.....	119
4.4.55 财神发发发Fortune FaFaFa.....	119
4.4.56 麻将胡了3 Mahjong Master.....	119
4.4.57 抖音牛牛TikTok Bull-BullGuandan.....	119
4.4.58 攒蛋Guandan.....	120
4.4.59 黑神话百人牛牛 Black Myth Niu-Niu For Thousands Person.....	121
4.4.60 逃离五指山 Escape from Wuzhishan.....	122
4.4.61 西游黑悟空Monkey king black wukong.....	122
4.4.62 癞子牛牛Lai Zi Niu Niu.....	122
4.4.63 比大小 HI-LO.....	122
4.4.64 土耳其麻将 Okey.....	123
4.4.65 极速牛牛 Speed Bull-Bulll.....	124
4.4.66 澳门百家乐幸运六 Macau Baccarat Lucky Six.....	124
4.4.67 铸剑 Forging a sword.....	125
4.4.68 射门之王 Soccer King.....	125
4.5游戏币兑换比例 Game Currency Exchange Ratio.....	125
4.6 运动类型 Sport Type.....	127
4.7 体育注单状态 Sport Order status.....	128
4.7.1 订单状态 Order status.....	128
4.7.2 结算结果 Outcome.....	128
4.8 盘口 Market Type.....	128
4.9 虚拟体育产品代码 Virtual Sport Product Codes.....	150
4.10 体育登入语系表 Sport Login Language Code.....	151

1、 产品介绍 Product Introduction

开元棋牌是由开元游戏集团2017年全新发布上线的棋牌游戏中心，资深研发团队倾情打造，支持API无限分发，国内首家，全球领先！

KY card game is a brand new card game center launched by Kaiyuan Group CO. in 2017. It is made by a senior research and development team, supporting API unlimited distribution which is first in China and leading global.

1.1 七大优势 Seven Advantages

- (1) 抢滩蓝海市场：移动互联网迅猛发展，大量新玩家涌入。棋牌游戏玩家认知度高、上手简单和游戏性强，能迅速拉近玩家与平台距离，降低玩家参与博彩心理负担。
Snatch Market Share: A large number of new game players influx along with the rapid development of mobile internet. Card games with great recognition, simple hands and strong game nature, can bring the distance between the players and the platform closer quickly and reduce their psychological burden of participation in the gambling.
- (2) API无限分发：无需缴纳高昂的接入费用、保证金，人人都能成为代理商无限发展下线代理和直线会员
API Unlimited Distribution: It has no need to pay high access fees, margin. Everyone can be an agent to develop subordinate agents and straight membership unlimitedly.
- (3) 无全币种支持：一次接入，所有币种通用，代理方便，玩家最佳体验
Multi-currency: One-time access, all currencies are available, convenient to agent, best experience for players.
- (4) 独立匹配系统：根据代理需求可以每个代理商玩家独立匹配，也可以多代理商玩家联合匹配，最大程度保证代理利益
Independent Matching System: According to the agent requirements, the system can be matched by each agent independently, and also can be matched by multi agent players together to maximally guarantee the interest of the agent.
- (5) 游戏种类丰富：数十款棋牌产品积淀，德州扑克、炸金花、牛牛、三公、百家乐等将陆续更新，代理可以通过后台自定义游戏大厅
Rich in Variety: Dozens of card games, Dezhou poker, Golden Flower, Niu-Niu, San Gong and Baccarat continue updating. Agents can customize the game hall through the background.
- (6) 多终端支持：移动端、PC端打开即玩，完美兼容，无需下载
Multiple Terminal Supports: It supports Mobile terminal, PC terminal, perfect compatibility, no need to download.
- (7) 强大支援团队：资深研发团队保证游戏稳定可靠，专业推广团队提供全套推广方案咨询，7*24小时客服运维团队随时响应
Strong Support Team: The senior R & D team ensures that the game is stable and reliable. Professional promotion teams provide a full range of promotional program consultation. 7*24 hours customer service operation team respond at any time.

1.2 合作模式 Cooperation Mode

甲方(开发商)向乙方(代理商)免费提供游戏接入服务，并以10%~15%的费率向乙方销售游戏分数，乙方通过向下级代理或者直线玩家销售分数实现盈利。分数售出概不退回，对于有实力的乙方，甲方可以先提供分数，下月初再根据消耗分数进行结算。

Party A (developer) provides game access services free to Party B (agents), and sells game scores to Party B at the rate of 10%~15%. Party B achieves profits through selling points to subordinate agents or straight players. Points sold shall not be returned. Party A can provide points first to Party B who is assessed key agent, both parties settle accounts at the beginning of the next month according to the consumption of points.

- 甲方服务：提供游戏接入API、代理商后台、游戏维护更新、7*24小时客服运维保障
Party A: provide game access to API, agent backstage, game maintenance update, 7*24 hour service and maintenance support.
- 乙方权限：游戏独立运营、无限极下级代理发展、独立代理商后台、游戏大厅自定义

Party B: operate the game independently, unlimited development of subordinate agents, independent agents background, custom game hall


二、接入准备Access Preparation

- 从上级代理处获取你的代理号和KEY值, 并向开发商提供你的服务器IP用以添加服务器IP白名单
Getting your agent number and KEY value from the superior agent and providing your server IP to the developer to add the server IP white list.
- 需要贵方提供一个回调通知接口, 用作玩家下线时我方通知贵方, 接口参数包括<1、agent 代理编号; 2、param 参数加密字符串; 3、timestamp 时间戳; 4、key、Md5校验字符串 >
You need to provide a callback notification interface which is applied to notify you when the player is offline. The interface parameters include <1, agent: agent number; 2, param: parameter encryption string; 3, timestamp: timestamp; 4, key, Md5 check string >.
- 参照“三、接入方法”进行调试
Debugging refer to “III. Access Method”.
- 说明: 游戏接入时先按照“开元棋牌API接入文档-测试”调通游戏, 测试完成后再按照“开元棋牌API接入文档 - 正式”更新代理信息
Explanation: When the game is accessed, it will first debug the game according to the “XX Card API access to document – debug”. After the test is completed, the agent information will be updated according to “XX Card API access to document – release”.


三、接入方法Access Method

3.1 流程图Flow Chart


3.1.1 登入平台Login Platform



3.1.2 查询余额Get Balance




3.1.3 上分Charge Points



- 订单号是现金网根据平台的规则生成出来的
The cash net generates an order number according to the rules of the platform.
- 没有在平台数据库查询到订单号，则再次使用此订单号上分可以防止重复上分
It uses the original order number if the order number is not querying in the platform database to prevent duplication.
- 上分失败的错误提示包括Error prompt include:
- 订单号已处理(此订单号已处理，上分已经成功了，不需要回滚分数)
注Notes:
The order number has been processed(the order number has been processed, charge points success, no need to rollback points)
- 订单号错误(订单号格式不正确，上分不成功，需要回滚分数)
Order number error (order number format incorrect, charge points failure, need to rollback points)

- 代理商余额不足(上分失败, 需要回滚分数)
The agent's balance is insufficient (charge points failure, need to rollback points)

3.1.4 下分 Refund



注Notes:

- 订单号是现金网根据平台的规则生成出来的
The cash net generates an order number according to the rules of the platform.
- 没有在平台数据库查询到订单号, 则再次使用此订单号下分可以防止重复下分
It uses the original order number if the order number is not querying in the platform database to prevent duplication.
- 下分失败的错误提示包括Error prompt include:
- 订单号错误(提示: 订单号格式不正确, 下分失败, 现金网不用加分)
Order number error (order number format incorrect, refund failure, no need to increase points on cash net)
- 订用户余额不足(提示: 下分失败, 账户金额不足, 现金网不用加分)
The player's balance is insufficient (refund failure, insufficient account amount, no need to increase points on cash net)
- 订单号已处理(此订单号已处理过, 不需要再次下分, 如果此时代理商数据库没有通过此订单号加分则需要增加用户额度)
The order number has been processed(the order number has been processed, no need to refund. If the agent database does not increase points for this order number at this time, the player's account quota needs to be increased)

3.2 游戏API指引Game Api Guidelines

3.2.1 登录游戏Login

描述Description

此接口用以验证游戏账号, 如果账号不存在则创建游戏账号并为账号上分。

This interface is used to authenticate the game account. If the account does not exist, the game account is created. Charging points for the account.

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数Parameter

接口interface: channelHandle			
示例URL: Sample URL: https://api.ky34.com/channelHandle?agent=10001&timestamp=1488781836949&param=ngtgiYCI26%2FgBmGvf9Euj2c1MOpzlzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2FqR7%2FPJFUloTh%0D%0Ae%2FFnAkdbw2TxTkbhPCi5yjGJVvY2C4%3D&key=f3afd416a0bb1b183eed8ef6cac30d75			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) Time stamp (Unix time stamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=0&account=111111&money=100&orderid=1000120170306143036949111111&ip=127.0.0.1& lineCode =text11&KindID=0&sportLang=CMN) s: 操作子类型:0 account: 会员帐号(64位字符) money: 金额(上分的金额,如果不携带分数传0) orderid: 流水号(格式:代理编号+yyyyMMddHHmmssSSS+ account,长度不能超过100字符串) ip:客户端请求IP(玩家IP) lineCode: 代理下面的站点标识,用防止站点之间导分。(区分同一个代理账号下面的不同站点, 值自定义,长度10字符以内的英文或者数字。 请千万不要一个玩家一个linecode) KindID:游戏ID(传入不同的游戏ID直接进入不同的游戏, 对应关系见附录) sportLang: ky体育登入语系参数 Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 parameter encrypted string param =(s=0&account=111111&money=100&orderid=1000120170306143036949111111&ip=127.0.0.1& lineCode =text11&KindID=0&sportLang=CMN) s: operate subtype:0 account: member account number (64byte) money: points (charge points, if without point default by 0) orderid: serial number (pormat: agent number+yyyyMMddHHmmssSSS+ account, limit 100 string) ip:client request IP (player IP)	String	Y

	lineCode: the site identity below the agent (used to distinguish different sites under the same agent account, value custom, English or number within 10 bytes of length. One linecode for each player is forbidden) KindID: game ID (different games' ID, go directly into different games, the corresponding relationship is attached to the appendix) sportLang: ky sport login language parameter Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide		
key	Md5校验字符串 Md5check string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回Return

示例Sample: <pre>{ "s": 100, "m": "/channelHandle", "d": { "code": 0, "url": "https://h5.ky34.com/index.html?account=10001_11111&token=FBE54A7273EE4F15B363C3F98F32B19F&lang=zh-CN&KindID=0" } }</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Name	数据类型Data type	描述Description
url	String	游戏URL game URL 大厅或房间选择界面的返回按钮, 如果期望跳转到自定义的URL, 可以在游戏地址后面增加&backUrl=自定义URL (非必要, 如果不拼接那么使用默认值, 不会影响用户正常使用) The return button of the room selection interface or lobby, if you want to jump to a custom URL, you can add &backUrl=custom URL after the game address. (not necessary, If you do not splicing then use the default value, it will not affect the normal use of the user.)
code	Int	错误码Error code

游戏URL拼接自定义参数Game URL Stitching Custom Parameters

示例Sample: https://new.ky206.com/index.html?account=21002_test966&token=eyJkYXRhIjoInzAwMDBfdGVzdDUyNyYlslmNyZWFOZWQlOjE1NDE1ODEwOTksImV4cCI6MTUwfQ==.sZ8eQ+W8ygZOTrIVzH/E3eSZ6UuCpEOIXFoWmf6uA=&lang=zh-CN&time=1541581116142&backUrl=https://www.baidu.com/&jumpType=2	
参数名称parameter name	解释explain
backUrl	0: 默认值, 不外跳 自定义URL: 例&backUrl= https://new.ky206.com, 必须是http或者https格式, 点击按钮则跳转到该地址(外跳地址最好进行转译,防止外跳地址中有特殊字符导致链接异常,游戏进入失败) 0: default value, no jump Custom URL: example&backUrl = http://leg666.com, must be in http o,click the button to jump to the address
jumpType	0: 默认值, 不能外跳, 不显示大厅的主页按钮, 显示游戏选择房间界面的返回按钮(点击回到大厅) 0: default value, can not jump outside, does not display the home button of the lobby, display the return button of the game selection room interface (click to return to the lobby) 1: 不能外跳, 不显示游戏选择房间界面的返回按钮, 不显示大厅的主页按钮 1: can not jump outside, does not display the return button of the game selection room interface, does not display the lobby Home button 2: 可以外跳, 点击游戏选择房间界面的返回按钮跳转到backUrl, 不显示大厅的主页按钮 2: Can jump outside, click the return button of the game selection room interface to jump to backUrl, do not display the home button of the lobby 3: 可以外跳, 显示游戏选择房间界面的返回按钮(点击回到大厅), 点击大厅的主页按钮跳转到backUrl 3: Can jump outside, display the return button of the game selection room interface (click back to the lobby), click on the lobby Home button jumps to backUrl

3.2.2 查询可下分Query Refundable Balance

描述Description

此接口用来查询玩家的币别钱包可下分余额

如果要查询玩家总额可以不使用此接口, 直接使用3.2.8

This interface is used to query the player's refundable balance.

If need to query player's total amount can use interface 3.2.8 rather this one.

接口URL Interface URL

<https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX>

参数Parameter

接口Interface: channelHandle			
示例URL: Sample URL: https://api.ky34.com/channelHandle?agent=10001&timestamp=1488790714058&param=EDt0JatL6P3UP5NKs971baLdIDe4jkkb4BTPJxyrhzl%3D&key=9b742d6a08f5d6b66af2f9c047ee1e06			
字段名Field Name	描述Description	数据类型Data type	是否必须Required
agent	代理编号(平台提供)	String	Y

	Agent number (platform provide)		
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间 (1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=1&account=111111) s: 操作子类型:1 account: 会员帐号) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 parameter encrypted string param=(s=1&account=111111) s: operate subtype: 1 account: member account number) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例Sample: { "s":101, "m":"/channelHandle", "d":{"money":100, "code":0}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应		
字段值Field Value	数据类型Data type	描述Description
account	String	玩家账号User account
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
money	Float	余额money

3.2.3 上分Charge Points

描述Description

此接口用来为账号上分(如果未收到API接口响应或是收到code != 0, 可通过3.2.5查询订单状态来判断此次请求是否成功, 当发生上述情况若需要将玩家分数回补请务必遵循我方3.1.3流程指引)。

This interface is used to charge points for the player's account (If do not receive response from interface, can use 3.2.5 to query order state to determine whether the request was successful, when the above situation occurs, if you need to replenish player points, please be sure to follow our 3.1.3 process guidelines.)

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数Parameter

接口Interface: channelHandle			
示例URL: Sample URL: https://api.ky34.com/channelHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzIzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=2&account=111111&money=100&orderid=1000120170306143036949111111) s: 操作子类型:2 account: 会员帐号 money: 金额(上分的金额) orderid: 流水号(格式: 代理编号+yyyyMMddHHmmssSSS+ account, 长度不能超过100字符串) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=2&account=111111&money=100&orderid=1000120170306143036949) s: operate subtype : 3 account: member account number money: points (charge points) orderid: serial number (pormat: agent number +yyyyMMddHHmmssSSS+ account, limit 100 string) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例Sample: <pre>{ "s":102,"m":"/channelHandle","d":{"code":0}}</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code (see the appendix instructions)
money	float	上分后可下分金额 Refundable balance after refund

3.2.4 下分Refund

描述Description

此接口用来为账号下分(如果未收到API接口响应,可通过3.2.5查询订单状态来判断此次请求是否成功)。

This interface is used to refund for the player's account

(If do not receive response form interface, can use 3.2.5 to query order state to determine whether the request was successful)

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数Parameter

接口Interface: channelHandle			
示例Sample URL: <pre>https://api.ky34.com/channelHandle?agent=10001&timestamp=1488802591519&param=mpxbf%2FNVX Aoq6Ct8yF637Gc1MOplzy4VWru%2Fsv3jao88cUlRnQTXz6pAeS3I2FIVTuKjUEvvQ1%0D%0AYZkrUWStHs 89aNubhKIWiKmywltCYHY%3D&key=59511e18be46aa96aee13c36ceb46bdb</pre>			
字段名Field Name	描述Description	数据类型Data type	是否必须Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time(1488781836949)	String	Y

param	参数加密字符串param=(s=3&account=111111&money=100&o rderid=1000120170306143036949111 111) s: 操作子类型:3 account: 会员帐号 money: 金额(下分的金额, 不要超过 可下分数) orderid: 流水号(格式: 代理编号 +yyyyMMddHHmmssSSS+ account, 长 度不能超过100字符串) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 parameter encrypted string param=(s=4&orderid=10001201703021948213 16) s: operate subtype : 4 orderid: serial number (pormat: agent number +yyyyMMddHHmmssSSS+ account) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 chech string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回Return

示例Sample: {"s":103,"m":"/channelHandle","d":{"account":"111111","code":0}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
money	Float	下分后可下分金额 money

3.2.5 查询订单Order Query

描述Description

此接口用来查询玩家上下分的订单信息, 通过status状态来判断上下分是否成功。

This interface is used to query the player's order information of charging points or refund, through status to determine whether the charge point or refund was successful.

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数Parameter

接口Interface: channelHandle			
https://api.ky34.com/channelHandle?agent=10001×tamp=1488803043759¶m=4Oq38C3kRzEU9%2Be2pqqdUNwa7nIbBcWGpFRQjxYboxJ37cEUpZ0P3wND7jBmzQ7Do&key=378c50baaf22320332ee09e704ad8ad3			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number(platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949)	String	Y
param	参数加密字符串param=(s=4&orderid=1000120170302194821316111111) s: 操作子类型:4 orderid: 流水号(格式: 代理编号+yyyyMMddHHmmssSSS+ account) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 parameter encrypted string param=(s=4&orderid=1000120170302194821316) s: operate subtype : 4 orderid: serial number(pormat: agent number +yyyyMMddHHmmssSSS+ account) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 chech string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例Sample: { "s":104,"m":"/channelHandle", "d":{"code":0,"status":2}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description

code	Int	错误码 (查看附录说明) Error code (see the appendix instructions)
status	Int	状态码 (-1:不存在、0:成功、2:失败、3:处理中) Status code (-1: inexistence、0: success、2: failure、3: Processing)
money	Float	交易金额 Transaction amount

3.2.6 查询玩家在线状态 Query The Player's Online Status

描述 Description

此接口用来查询玩家是否在线。

This interface is used to query whether the player is online.

接口 URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数 parameter

接口 Interface: channelHandle			
https://api.ky34.com/channelHandle?agent=10001×tamp=1488803043759¶m=4Oq38C3kRzEU9%2Be2pqdUNwa7nlbBcWGpFRQjxYboxJ37cEUUpZ0P3wND7jBmzQ7Do&key=378c50baaf22320332ee09e704ad8ad3			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号 (平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳 (Unix时间戳带上毫秒), 获取当前时间 (1488781836949) timestamp (Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串 param=(s=5&account=111111) s: 操作子类型: 5 account: 玩家帐号 Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 parameter encrypted string param=(s=5&account=111111) s: operate subtype: 5 account: player's account Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例Sample: <pre>{ "s":105,"m":"/channelHandle","d":{"code":0,"status":1}}</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
status	Int	状态码(-1、不存在, 0、不在线,1、在线, 2、封停) Status code(-1: inexistence、0: offline、1: online、2: Banned)

3.2.7 查询玩家总分Query Player'total Points

描述Description

此接口用来查询玩家的游戏内总分、玩家可下分余额、玩家在线状态

This interface is used to query the player's total balance in the game, available balance for refund, online status.

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口interface: channelHandle			
示例URL: Sample URL: https://api.ky34.com/channelHandle?agent=10001×tamp=1488790714058¶m=EDt0JatL6P3UP5NKs971baLdIdE4jkkb4BTPJxyrhzl%3D&key=9b742d6a08f5d6b66af2f9c047ee1e06			
字段名Field Name	描述Description	数据类型Data type	是否必须Required
agent	代理编号(平台提供) Agent number(platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time(1488781836949)	String	Y

param	参数加密字符串param=(s=7&account=111111) s: 操作子类型:7 account: 会员帐号) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 parameter encrypted string param=(s=7&account=111111) s: operate subtype : 7 account: member account number) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 chech string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回Return

示例sample: {"s":107,"m":"/channelHandle","d":{"totalMoney":100, "freeMoney":80, "status":0,"code":0}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
account	String	玩家账号 Member account number
totalMoney	Float	总余额 Total balance
freeMoney	Float	可下分余额 available balance for refund
status	Int	状态码(-1、不存在, 0、不在线,1、在线, 2、封停) Status code(-1: inexistence、0: offline、1: online、2: Banned)
gameStatus	Int	0、不在游戏中, 1在游戏中 0: not in the game 1:in the game
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)

3.2.8 踢玩家下线 Kicking The Player Off

描述Description

此接口用以将在线的玩家强制离线

This interface is used to force the online player off.

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: channelHandle			
示例URL: Sample URL: https://api.ky34.com/channelHandle?agent=10001×tamp=1488790714058¶m=EDt0JatL6P3UP5NKs971baLdIDe4jkkb4BTPJxyrhzi%3D&key=9b742d6a08f5d6b66af2f9c047ee1e06			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=8&account=111111) s: 操作子类型:8 account: 会员帐号) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 parameter encrypted string param=(s=8&account=111111) s: operate subtype : 8 account: member account number) Encrypt.AESEncrypt (param, DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例Sample: {"s":108,"m":"/channelHandle","d":{"code":0}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明)

		Error code (see the appendix instructions)
--	--	---

3.2.9 查询代理余额(非必要) Query Agency Balance(Unnecessary)

描述Description

此接口用以查询代理余额This interface is used to query agency balance

接口URL Interface URL

https://<server>/channelHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: channelHandle			
示例URL: Sample URL https://api.ky34.com/channelHandle?agent=10001×tamp=1488790714058¶m=EDt0JatL6P3UP5NKs971baLdIDe4jkkb4BTPJxyrhzi%3D&key=9b742d6a08f5d6b66af2f9c047ee1e06			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=14) s: 操作子类型:14) Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 parameter encrypted string param=(s=14) s: operate subtype:14 Encrypt.AESEncrypt(param,DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例sample: {"m":"/channelHandle","s":114,"d":{"code":0,"money":"1000000.01"}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results

d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code (see the appendix instructions)
money	Float	代理余额Agency balance

3.3拉取注单API指引 API Guide for get game record

注: 注单是以游戏派奖时间为准; 拉取当前时间1分钟之前数据; 建议拉取区间为1-5分钟, 最大不能超过40分钟。我方注单每30秒更新一次, 建议每隔至少30秒拉取一次, 因为30秒内多次拉取的注单也是重复注单。并强制限制至少每隔10秒才能拉取一次注单。

Notes: bet order is based on the time of game award distributed; fetch the data from one minute before the current time; It is recommended to fetch data within a range of 1-5 minutes, the maximum time range should be within 40 minutes. Bet orders are updated every 30 seconds, so it is advised to fetch data at least every 30 seconds, as fetching within a 30 second would result in duplicate orders. Furthermore, there is a mandatory restriction to fetch bet orders at least every 10 seconds.

3.3.1取牌局记录1 Get Game Record1

描述Description

拉取各游戏牌局记录

Get game record

接口URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: getRecordHandle			
示例sample: https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlRnQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒), 获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y

param	参数加密字符串param=(s=6&startTime=1666144818000&endTime=1666147818000) s: 操作子类型:6 startTime: 查询起始时间戳 (1488781836949) endTime: 查询结束时间戳 (1488781836949) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=6&startTime=1666144818000&endTime=1666147818000) s: operate subtype : 6 startTime: 1488781836949 endTime: 1488781836949 Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例sample: <pre>{ "m": "/getRecordHandle", "s": 106, "d": { "code": 0, "start": 1666144818000, "end": 1666147818000, "count": 1, "list": { "GameID": ["50-1666145108-309498-2"], "Accounts": ["1_sh_test"], "ServerID": [2201], "KindID": [220], "TableID": [44020001], "ChairID": [2], "UserCount": [5], "CellScore": ["60.00"], "AllBet": ["15.00"], "Profit": ["57.00"], "Revenue": ["3.00"], "GameStartTime": ["2022-10-19 10:05:08"], "GameEndTime": ["2022-10-19 10:05:34"], "CardValue": ["3723122b0b0d3b1924260608111c362"], "ChannelID": [1], "LineCode": ["1_1_simonlinecode"], "Currency": ["CNY"], "Language": ["ZH_CN"]} } } }</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码 (查看附录说明) Error code (see the appendix instructions)
start	Int	查询起始时间 start time

end	Int	查询结束时间 end time
count	Int	回传资料笔数 data total amount
list	Object	数据列表
list数据结果返回值对应 list data result return value correspondence		
GameID	String	游戏局号 Game number
Accounts	String	会员账号 Player account
ServerID	Int	游戏房间代号 Game room ID
KindID	Int	游戏代号 Game ID
TableID	BigInt	桌号 Table number
ChairID	Int	座位号 Chair number
UserCount	Int	同房所在玩家数 Number of players
CellScore	Float	有效投注额 Effective bet
AllBet	Float	总投注额 Total bet
Profit	Float	输赢金额 Profit
Revenue	Float	反水金额 Revenue
GameStartTime	String	游戏开始时间 Game start time
GameEndTime	String	游戏结束时间 Game end time
CardValue	String	牌局原始资料 Origin card value
ChannelID	Int	代理商编号 Channel ID
LineCode	String	LineCode Linecode
Currency	String	币别 Currency

Language	String	游戏语系列表 Language
----------	--------	--------------------

3.3.2拉牌局记录2 Get game record 2

描述Description

拉取各游戏牌局记录, 包含原始数据id

Fetch game record data including original data id

接口URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: getRecordHandle			
示例sample URL: https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzIzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number(platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=9&startTime=1666144818000&endTime=1666147818000) s: 操作子类型:9 startTime: 查询起始时间戳(1488781836949) endTime: 查询结束时间戳(1488781836949) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=9&startTime=1666144818000&endTime=1666147818000) s: operate subtype : 9 startTime: 1488781836949 endTime: 1488781836949 Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string	String	Y

	Encrypt.MD5(agent+timestamp+MD5Key);		
--	--------------------------------------	--	--

返回Return

示例sample: <pre>{ "m": "/getRecordHandle", "s": 109, "d": { "code": 0, "start": 1666144818000, "end": 1666147818000, "count": 1, "list": { "GameID": ["50-1666145108-309498-2"], "Accounts": ["1_sh_test"], "ServerID": [2201], "KindID": [220], "TableID": [44020001], "ChairID": [2], "UserCount": [5], "CellScore": ["60.00"], "AllBet": ["15.00"], "Profit": ["57.00"], "Revenue": ["3.00"], "GameStartTime": ["2022-10-19 10:05:08"], "GameEndTime": ["2022-10-19 10:05:34"], "CardValue": ["3723122b0b0d3b1924260608111c362"], "ChannelID": [1], "LineCode": ["1_1_simonlinecode"], "RecordID": [48866], "Currency": ["CNY"], "Language": ["ZH_CN"]} } } }</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code (see the appendix instructions)
start	Int	查询起始时间 start time
end	Int	查询结束时间 end time
count	Int	回传资料笔数 data total amount
list	Object	数据列表
list数据结果返回值对应 list data result return value correspondence		
GameID	String	游戏局号 Game number
Accounts	String	会员账号 Player account
ServerID	Int	游戏房间代号 Game room ID
KindID	Int	游戏代号 Game ID
TableID	BigInt	桌号 Table number
ChairID	Int	座位号 Chair number
UserCount	Int	同房所在玩家数

		Number of players
CellScore	Float	有效投注額 Effective bet
AllBet	Float	总投注額 Total bet
Profit	Float	输赢金額 Profit
Revenue	Float	反水金額 Revenue
GameStartTime	String	游戏开始时间 Game start time
GameEndTime	String	游戏结束时间 Game end time
CardValue	String	牌局原始资料 Origin card data
ChannelID	Int	代理商编号 Channel ID
LineCode	String	LineCode LineCode
RecordID	Int	原始数据编号 Original data ID
Currency	String	币別 Currency
Language	String	游戏语系列表 Language

3.3.3 拉取牌局记录 3 Get game record 3

描述 Description

拉取各游戏牌局记录, 包含该牌局进入初始分数

Fetch game record data including the initial score

接口 URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数 parameter

接口 Interface : getRecordHandle			
示例 sample URL: https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzIzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供)	String	Y

	Agent Number (platform provide)		
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=16&startTime=1666144818000&endTime=1666147818000) s: 操作子类型:16 startTime: 查询起始时间戳(1488781836949) endTime: 查询结束时间戳(1488781836949) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=16&startTime=1666144818000&endTime=1666147818000) s: operate subtype : 16 startTime: 1488781836949 endTime: 1488781836949 Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sample:

```
{
  "m": "/getRecordHandle",
  "s": 116,
  "d": {
    "code": 0,
    "start": 1666144818000,
    "end": 1666147818000,
    "count": 1,
    "list": {
      "GameID": ["50-1666145108-309498-2"],
      "Accounts": ["1_sh_test"],
      "ServerID": [2201],
      "KindID": [220],
      "TableID": [44020001],
      "ChairID": [2],
      "UserCount": [5],
      "CellScore": ["60.00"],
      "AllBet": ["15.00"],
      "Profit": ["57.00"],
      "Revenue": ["3.00"],
      "GameStartTime": ["2022-10-19 10:05:08"],
      "GameEndTime": ["2022-10-19 10:05:34"],
      "CardValue": ["3723122b0b0d3b192426060811c362"],
      "ChannelID": [1],
      "LineCode": ["1_1_simonlinecode"],
      "RecordID": [48866],
      "CurScore": ["9999.00"],
      "Currency": ["CNY"],
      "Language": ["ZH_CN"]}
    }
  }
}
```

字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明)

		Error code (see the appendix instructions)
start	Int	查询起始时间 start time
end	Int	查询结束时间 end time
count	Int	回传资料笔数 data total amount
list	Object	数据列表
list数据结果返回值对应 list data result return value correspondence		
GameID	String	游戏局号 Game number
Accounts	String	会员账号 Player account
ServerID	Int	游戏房间代号 Game room ID
KindID	Int	游戏代号 Game ID
TableID	BigInt	桌号 Table number
ChairID	Int	座位号 Chair number
UserCount	Int	同房所在玩家数 Number of players
CellScore	Float	有效投注额 Effective bet
AllBet	Float	总投注额 Total bet
Profit	Float	输赢金额 Profit
Revenue	Float	反水金额 Revenue
GameStartTime	String	游戏开始时间 Game start time
GameEndTime	String	游戏结束时间 Game end time
CardValue	String	牌局原始资料 Origin card data
ChannelID	Int	代理商编号 Channel ID
LineCode	String	LineCode LineCode
RecordID	Int	原始数据编号 Original data ID

CurScore	String	进入游戏初始金额 Initial score
Currency	String	币别 Currency
Language	String	游戏语系列表 Language

3.3.4 拉取牌局记录4 Get game record 4

描述Description

拉取各游戏牌局记录, 包含该牌局进入初始分数及gType

Fetch game record data including initial score and game type

接口URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: getRecordHandle			
示例sample URL: https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzly4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒), 获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=20&startTime=1666144818000&endTime=1666147818000) s: 操作子类型:20 startTime: 查询起始时间戳(1488781836949) endTime: 查询结束时间戳(1488781836949) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=20&startTime=1666144818000&endTime=1666147818000) s: operate subtype : 20 startTime: 1488781836949 endTime: 1488781836949 Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y

	Notes: please use AES-128-ECB encrypt method		
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sample: <pre>{ "m": "/getRecordHandle", "s": 120, "d": { "code": 0, "start": 1666144818000, "end": 1666147818000, "count": 1, "list": { "GameID": ["50-1666145108-309498-2"], "Accounts": ["1_sh_test"], "ServerID": [2201], "KindID": [220], "TableID": [44020001], "ChairID": [2], "UserCount": [5], "CellScore": ["60.00"], "AllBet": ["15.00"], "Profit": ["57.00"], "Revenue": ["3.00"], "GameStartTime": ["2022-10-19 10:05:08"], "GameEndTime": ["2022-10-19 10:05:34"], "CardValue": ["3723122b0b0d3b1924260608111c362"], "ChannelID": [1], "LineCode": ["1_1_simonlinecode"], "RecordID": [48866], "CurScore": ["9999.00"], "gameType": ["1"], "Currency": ["CNY"], "Language": ["ZH_CN"] } } }</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码 (查看附录说明) Error code (see the appendix instructions)
start	Int	查询起始时间 start time
end	Int	查询结束时间 end time
count	Int	回传资料笔数 data total amount
list	Object	数据列表
list数据结果返回值对应 list data result return value correspondence		
GameID	String	游戏局号 Game ID
Accounts	String	会员账号 Player account
ServerID	Int	游戏房间代号 Game room ID
KindID	Int	游戏代号 Game ID

TableID	BigInt	桌号 Table number
ChairID	Int	座位号 Chair number
UserCount	Int	同房所在玩家数 Number of player
CellScore	String	有效投注额 Effective bet
AllBet	String	总投注额 Total bet
Profit	String	输赢金额 Profit
Revenue	String	反水金额 Revenue
GameStartTime	String	游戏开始时间 Game start time
GameEndTime	String	游戏结束时间 Game end time
CardValue	String	牌局原始资料 Original card data
ChannelID	Int	代理商编号 Channel ID
LineCode	String	LineCode LineCode
RecordID	Int	原始数据编号 Original data ID
CurScore	String	进入游戏初始金额 Initial score
gameType	String	游戏类 Game type
Currency	String	币别 Currency
Language	String	游戏语系列表 Language

3.3.5 拉取牌局详情 [Get detail of game](#)

描述 [Description](#)

拉取各游戏牌局记录详情

[Fetch detail of game record](#)

接口 [URL](#) **Interface URL**

<https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX>

参数 [parameter](#)

接口Interface: getRecordHandle			
示例sample URL: https://api.ky34.com/getRecordHandle?agent=10001&timestamp=1488791553051&param=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=10&account=sh_test&kindID=220&recordID=48866&Lang=0) s: 操作子类型:10 account: 查询会员账号 recordID: 查询记录之原始编号 Lang: 語系(0中文, 1英文) Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=10&account=sh_test&kindID=220&recordID=48866) s: operate subtype : 10 account: player account recordID: original record ID Lang: language(0: Chinese, 1:English) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sample: <pre>{ "m": "/getRecordHandle", "s": 110, "d": { "code": 0, "data": "炸金花体验房, 底分 1.00\r\n玩家账号 1_sh_test, 座位号 2\r\n1 号位, 携带金额 448.30\r\n2 号位, 携带金额 9999.00\r\n3 号位, 携带金额 291.21\r\n4 号位, 携带金额 58.80\r\n5 号位, 携带金额 205.80\r\n1 号位, 开始, 下注锅底 1.00\r\n2 号位, 开始, 下注锅底 1.00\r\n3 号位, 开始, 下注锅底 1.00\r\n4 号位, 开始, 下注锅底 1.00\r\n5 号位, 开始" } }</pre>		
字段名Field Name	数据类型Data type	描述Description

s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
data	String	该牌局记录详情 record detail

3.3.6拉取玩家输赢排行 Get player profit rankings

描述Description

拉取玩家输赢排行(以日为单位)

Fetch players' profit rankings (on a daily basis)

接口URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: getRecordHandle			
示例sample URL: https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzIzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y

param	参数加密字符串param=(s=12&dayTime=2022-10-06) s: 操作子类型:12 dayTime: 查询日期 Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=12&dayTime=2022-10-06) s: operate subtype : 12 dayTime: date Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回 Return

示例 Sample: <pre>{ "m": "/getRecordHandle", "s": 112, "d": { "code": 0, "start": "2022-10-06 00:00:00", "end": "2022-10-06 23:59:59", "count": 2, "list": { "Accounts": ["1_1234", "1_qatest02"], "TotalGames": [1, 4], "ValidBet": ["6.00", "4 3.00"], "DeductGold": ["0.30", "1.00"], "ProfitGold": ["5.70", "-4.00"]} } } }</pre>		
字段名 Field Name	数据类型 Data type	描述 Description
s	Int	子操作类型 suboperation type
m	String	主操作类型 main operation type
d	Object	数据结果 data results
d数据结果返回值对应 d data result return value correspondence		
字段值 Field Value	数据类型 Data type	描述 Description
code	Int	错误码 (查看附录说明) Error code (see the appendix instructions)
start	String	查询起始时间 start time
end	String	查询结束时间 end time
count	Int	回传资料笔数 data total amount
list	Object	数据列表
list数据结果返回值对应 list data result return value correspondence		
Accounts	String	会员账号

		Player account
TotalGames	String	游玩游戏个数 Played game amount
ValidBet	Int	有效投注额 Effective bet
DeductGold	Int	扣除金额 Deducted amount
ProfitGold	String	会员当日总输赢 Player day total profit

3.3.7 根据对局记录获取一段时间汇总数据 [Get summarized game record](#)

描述 [Description](#)

拉取一段时间汇总数据

[Fetch summarized data for a specific time period](#)

接口 [URL](#) [Interface](#) [URL](#)

<https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX>

参数 [parameter](#)

接口 Interface : getRecordHandle			
示例 sample URL: https://api.ky34.com/getRecordHandle?agent=10001&timestamp=1488791553051&param=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号 (平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳 (Unix 时间戳带上毫秒), 获取当前时间 (1488781836949) timestamp (Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串 param=(s=15&startTime=1666144818000&endTime=1666147818000) s: 操作子类型: 15 startTime: 查询起始时间 endTime: 查询结束时间 Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=15&startTime=1666144818000&endTime=1666147818000) s: operate subtype : 12 startTime: 1666144818000 endTime: 1666144818000	String	Y

	Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method		
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例sample: {"m":"/getRecordHandle","s":115,"d":{"code":0,"validBet":"60.00","winGold":"57.00","count":1}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值 Field Value	数据类型 Data type	描述 Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
validBet	String	有效投注额 Effective bet
winGold	String	输赢金额 Profit amount
count	Int	回传资料汇总笔数 Data total amount

3.3.8生成加密的桌玩家链接 Get same table player data link

描述Description

取得加密桌玩家内迁链结

Get encrypted links of same table player data

接口URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: getRecordHandle			
示例sample URL: https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlRnQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名	描述	数据类型	是否必须

Field Name	Description	Data type	Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=17&id=48866&gameid=220&accounts=1_sh_test&gameuserno=50-1666145108-309498-2) s: 操作子类型:17 gameid: 查询游戏代号 accounts: 查询帐号 gameuserno: 查询局号 Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=17&id=48866&gameid=220&accounts=1_sh_test&gameuserno=50-1666145108-309498-2) s: operate subtype : 17 gameid: game id accounts: player gameuserno: game number Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sameple: <pre>{"m":"/getRecordHandle","s":117,"d":{"code":0,"sametableusersURL":"/sameTable?params="}}</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description

code	Int	错误码 (查看附录说明) Error code (see the appendix instructions)
sametableusersURL	String	内迁用链结 Links for embedding

3.3.9对局日志解析 [Get game log link](#)

描述 [Description](#)

取得对局日志解析内迁链结

[Get game log embedded link](#)

接口 [URL Interface URL](#)

<https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX>

参数 [parameter](#)

接口 Interface : getRecordHandle			
示例 sample URL : https://api.ky34.com/getRecordHandle?agent=10001&timestamp=1488791553051&param=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号 (平台提供) Agent Number (platform provide)	String	Y
timestamp	时间戳 (Unix时间戳带上毫秒), 获取当前时间 (1488781836949) timestamp (Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串 param=(s=19&id=48866&serverID=220&account=sh_test&gameuserno=50-1666145108-309498-2) s: 操作子类型: 19 serverID: 查询游戏代号 account: 查询帐号 gameuserno: 查询游戏局号 Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=19&id=48866&serverID=220&account=sh_test&gameuserno=50-1666145108-309498-2) s: operate subtype : 19 serverID: game id account: player gameuserno: game number Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide	String	Y

	Notes: please use AES-128-ECB encrypt method		
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sample : <pre>{"m":"/getRecordHandle","s":119,"d":{"code":0,"gameLogURL":"/gameLogUrl?params="}}</pre>		
字段名 Field Name	数据类型 Data type	描述 Description
s	Int	子操作类型 suboperation type
m	String	主操作类型 main operation type
d	Object	数据结果 data results
d数据结果返回值对应 d data result return value correspondence		
字段值 Field Value	数据类型 Data type	描述 Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
gameLogURL	String	内迁用链结 Links for embedding

3.3.10 拉取分类统计游戏数据 Get categorized game statistic data

描述 Description

拉取游戏数据分类统计

Fetch categorized statistic game data

接口 URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数 parameter

接口 : getRecordHandle			
示例 sample URL : <pre>https://api.ky34.com/getRecordHandle?agent=10001&timestamp=1488791553051&param=nS42zzqT3fHQLBEfbB4ok2c1MOpzly4VWru%2Fsv3jao88cUlRnQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412</pre>			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time	String	Y

	(1488781836949)		
param	参数加密字符串param=(s=61&dayTime=2022-10-06) s: 操作子类型:61 dayTime: 查询日期 Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=61&dayTime=2022-10-06) s: operate subtype : 61 dayTime: date Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回 Return

示例 Sample: <pre>{ "m": "/getRecordHandle", "s": 161, "d": { "code": 0, "start": "2022-10-06 00:00:00", "end": "2022-10-06 23:59:59", "data": [{ "game_type": "棋牌类", "lostNum": 3, "lostGold": "-23.00", "WinGold": "24.70", "winNum": 2, "cellScore": "49.00" }] } }</pre>		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
start	String	查询起始时间 start time
end	String	查询结束时间 end time
data	Array	数据列表
data数据结果返回值对应 data result return value correspondence		
game_type	String	游戏类型 Game type

lostNum	Int	输次数统计 Lost game numbers
lostGold	String	输金额统计 Lost gold
WinGold	String	赢金额统计 Win gold
winNum	Int	赢次数统计 Win game numbers
cellScore	String	有效投注额统计 Effective bet

3.3.11 拉取百人游戏下注点列表 [Get bet points list of baccarat-style game](#)

描述 [Description](#)

拉取百人游戏下注点列表

[Fetch bet points list for the baccarat-style game](#)

接口 [URL](#) [Interface](#) [URL](#)

[https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX](#)

参数 [parameter](#)

接口 Interface : getRecordHandle			
示例 sample URL : https://api.ky34.com/getRecordHandle?agent=10001&timestamp=1488791553051&param=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号 (平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒), 获取当前时间 (1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串 param=(s=13&account=test1&kindID=1930&recordID=512801) s: 操作子类型: 13 account: 查询帐号 kindID: 游戏编号 recordID: 该局游戏原始编号 Encrypt.AESEncrypt(param, DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=13&account=test1&kindID=1930&recordID=512801) s: operate subtype : 13	String	Y

	account: player kindID: game id recordID: original game id Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method		
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sample: {"m":"/getRecordHandle","s":113,"d":{"code":0,"data":{"2":500,"7":800,"31":800}}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description
code	Int	错误码(查看附录说明) Error code(see the appendix instructions)
data	Object	数据列表
data数据结果返回值对应 data result return value correspondence		
参数栏位 Key field	String	下注点 bet position number
值栏位 Value field	String	下注金额 bet amount

3.3.12 代理拉取前端地址ws、Id地址 Get front end ws and Id address

描述Description

代理拉取前端地址ws、Id地址

Fetch the front end ws and Id url

接口URL Interface URL

https://<server>/getRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数parameter

接口Interface: getRecordHandle

示例sample URL:

https://api.ky34.com/getRecordHandle?agent=10001×tamp=1488791553051¶m=nS42zzqT3fHQLBEfbB4ok2c1MOpzlzy4VWru%2Fsv3jao88cUlrENQTXz6pAeS3I2F8SI5db8tTG20%0D%0AWQDY9LQPMW9Xfy%2F1boz0REbE957bAvk%3D&key=8aeef9ff9b32f5f746ca663e8676a412

字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=62&account=test1&KindID=1930) s: 操作子类型:62 account: 查询帐号 kindID: 游戏编号 Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 注: 请按照 AES-128-ECB 加密方式 parameter encrypted string param=(s=62&account=test1&KindID=1930) s: operate subtype : 62 KindID: game id Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide Notes: please use AES-128-ECB encrypt method	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回 Return

示例 Sample:

```
{ "m": "/getRecordHandle", "d": { "code": 0, "url": "https://h5.ky34.com/index.html?account=10001_111111&token=FBE54A7273EE4F15B363C3F98F32B19F&lang=zh-CN&KindID=1930"}, "s": 162 }
```

字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Value	数据类型Data type	描述Description

url	String	游戏URL Game URL 大厅或房间选择界面的返回按钮, 如果期望跳转到自定义的URL, 可以在游戏地址后面增加&backUrl=自定义URL(非必要,如果不拼接那么使用默认值, 不会影响用户正常使用) If you would like to redirect to a custom URL by the button on the lobby or room selection interface, you may add "&backUrl=customURL" at the end of the game address. (This is optional, and if not appended, the default value will be used, which will not affect normal user usage.)
code	Int	错误码 (查看附录说明) Error code (see the appendix instructions)

3.3.13 开元体育根据修改日期获取注单列表 **KY sport order**

描述 **Description**

此接口用来查询开元体育注单列表(最多拉取一天)

Get Sport Orders by time(Pull up to 1 days)

接口 **URL Interface URL**

https://<server>/sportRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数 **parameter**

接口 Interface : sportRecordHandle			
示例 sample URL : https://api.ky34.com/sportRecodeHandle?agent=64874×tamp=1658199185000¶m=6LJXcCp7%2F2G7JS1FBS6GA6g9NoAPx%2B%2FTmJIJWno23PNbFF3qgx3lCiRKAQp%2F%2FgpuU5pE8hjumU7BnLddU22gcg%3D%3D&key=07e821f65827e4a02a164c2cce1150a9			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y
param	参数加密字符串param=(s=0&startTime=1488781836949&endTime=1488781886949) s: 操作子类型:0 startTime: 查询起始时间 endTime: 查询结束时间) Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 parameter encrypted string param =(s=0&startTime=1488781836949&endTi	String	Y

	me=1488781886949) s: operate subtype: 0 startTime: startTime endTime: 查询结束时间) Encrypt.AESEncrypt(param, DESKey); DESKey: platform provide		
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回Return

示例Sample: {"s":100,"m":"/ sportRecordHandle ", "d":{"code":0,"start":"1488781836949","end":"1488781886949","list":{}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Name	数据类型Data type	描述Description
start	String	查询起始时间 Search startTime
end	String	查询结束时间 Search endTime
count	Int	注单数量 Order count
code	Int	错误码(查看附录说明) errorCode(see the appendix instructions)
list	Array	注单list
list数据结果返回值对应list data result return value correspondence		
agent	String	代理商编号 Agent number
account	String	会员账号 Member account
refNo	String	投注编号 Reference number of the white label system
sportsType	String	运动类型, 请参照4.6 SportType, please ref 4.6

odds	decimal	下注选项的赔率 The Odds that player placed on
oddsStyle	String	盘口资讯 The Odds Style that player placed on M : Malay odds H : HongKong odds E : Euro odds I : Indonesia odds
stake	decimal	玩家的投注金 The stake that player placed on
currency	String	币别 currency
status	Int	注单的状态, 请参照4.7.1 The Status of Player's bets, please ref 4.7.1
winlost	decimal	玩家的注单净赢 The Winlose of Player, do not include player's stake
isHalfWonLose	bool	是否为半场获胜或半场失败 Is half won or half lose
isLive	String	是否为现场赛事(滚球/赛前) Is Live Match or not
maxWinWithoutActualStake	String	注单未清算, 将回传当前不包含注金 (ActualStake)的最大净赢。当注单清算时, 将回传当前不包含注金 (ActualStake)的预估净赢。 The max wining of player without actual stake
ip	String	玩家下注的ip The IP that player placed bet
voidReason	String	注单退款/取消之原因 The void reason of the sports bet
orderTime	DateTime	玩家下注的时间 The Time that player place bet
winLostDate	DateTime	注单的归帐日 The Time use to do accounting on this bet
settleTime	DateTime	注单结算的时间 The order's settle time
modifyDate	DateTime	修改日期 The Time that this bet been modified
createTime	DateTime	订单建立时间 The Time that this create

profitReportDate	DateTime	注单的归帐日 The Time use to do accounting on this bet
gameNo	String	游戏局号 Game Number
gameID	Integer	游戏唯一识别码 Game ID
validSettleStakeAmount	String	玩家有效投注额 The Turnover of Playe
settleAmount	String	正常结算返还 Normal settlement return amount
cashOutTotalStake	decimal	提前结算金额 Early settlement amount
cashOutPayoutStake	decimal	提前结算返还 Early settlement return amount
cashOutCount	Integer	提前结算次数 Early settlement frequency
betType	String	投注类型 Bet Type
isRollback	Integer	是否为二次结算 (0为否, 1 为是) Is rollback (0: no, 1: yes)
subBet	Array	下注场次资讯 Single bet will only got one subBet for the bet detail, and Mixpalay will have mutiple subBets
subBet数据结果返回值对应subBet data result return value correspondence		
id	Integer	流水编号 serial number
productType	String	游戏产品类别 The Product Category of the casino game that player placed
refNo	String	投注编号 Reference number of the white label system
betOption	String	会员在此投注中选择的选项 player bet option
marketType	String	运动盘口, 请参照4.8 MarketType of Subbet, please ref 4.8
sportType	String	运动类型, 请参照4.6 SportType, please ref 4.6
hdp	decimal	下注选项的让球数 Handicap Point

odds	String	下注选项的赔率 The Odds that player placed on
league	String	本场赛事的联赛名称 Name of league of the match
match	String	赛事的名称 Name of match
status	Int	结算结果, 请参照4.7.2 The subbet status, please ref 4.7.2
liveScore	String	如果为滚球赛事, 将记录玩家下注时的比分 If the match is a live match, this field will record the score at the moment when player placed bet
winLostDate	DateTime	注单的归帐日 The Time use to do accounting on this bet
kickOffTime	DateTime	开赛时间 The Time when the game start
createTime	DateTime	订单建立时间 The Time that this create
isHalfWonLose	bool	是否为半场获胜或半场失败 Is half won or half lose

3.3.14 虚拟体育根据修改日期获取注单列表 **virtual sport order**

描述 **Description**

此接口用来查询虚拟体育注单列表(最多拉取一天)

Get Virtual Sport Orders by time(Pull up to 1 days)

接口URL **Interface URL**

https://<server>/sportRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX

参数 **parameter**

接口 Interface : sportRecordHandle			
示例 sample URL : https://api.ky34.com/sportRecodeHandle?agent=64874×tamp=1658199185000¶m=6LJXcP7%2F2G7JS1FBS6GA6g9NoAPx%2B%2FTmJJWno23PNbFF3qgx3lCiRKAQp%2F%2FgpuU5pE8hjumU7BnLddU22gcg%3D%3D&key=07e821f65827e4a02a164c2cce1150a9			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号(平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间(1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y

param	参数加密字符串param=(s=1&startTime=1488781836949&endTime=1488781886949) s: 操作子类型:1 startTime: 查询起始时间 endTime: 查询结束时间) Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 parameter encrypted string param =(s=1&startTime=1488781836949&endTime=1488781886949) s: operate subtype: 1 startTime: startTime endTime: 查询结束时间) Encrypt.AESEncrypt(param,DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+MD5Key);	String	Y

返回Return

示例Sample: {"s":101,"m":"/ sportRecordHandle ", "d":{"code":0,"start":"1488781836949","end":"1488781886949", count :0 , "list":{}}		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型sub operation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Name	数据类型Data type	描述Description
start	String	查询起始时间 Search startTime
end	String	查询结束时间 Search endTime
count	Int	注单数量 Order count
code	Int	错误码(查看附录说明) errorCode (see the appendix instructions)
list	Array	注单list
list数据结果返回值对应list data result return value correspondence		

agent	String	代理商编号 Agent number
account	String	会员账号 Member account
refNo	String	投注编号 Reference number of the white label system
odds	decimal	下注选项的赔率 The Odds that player placed on
oddsStyle	String	盘口资讯 The Odds Style that player placed on eu3: European Decimals (0.000)
stake	decimal	玩家的投注金 The stake that player placed on
currency	String	币别 Currency
status	String	注单的状态 The Status of Player's bets S = Settled, P = Placed, V = Voided
winloss	decimal	玩家的注单净赢 The Winloss of Player, do not include player's stake
ip	String	玩家下注的ip The IP that player placed bet
orderTime	DateTime	玩家下注的时间 The Time that player place bet
settleTime	DateTime	注单结算的时间 The order's settle time
createTime	DateTime	订单建立时间 The Time that this create
gameNo	String	游戏局号 Game Number
gameID	Integer	游戏唯一识别码 Game ID
productCode	String	产品代码, 请参照4.9 A unique identifier assigned to a product that player placed, please ref 4.9
betOutcome	String	结算结果 The settlement outcome Won, Lost or NULL(pending)
matchId	Integer	赛事的ID Unique number identifying the match

eventDate	String	开赛时间 The Time when the game start
betDescription	String	下注描述 Description of the bet placed
betEventID	Integer	事件ID Unique number identifying the event being bet on
betEvent	String	事件名称 Name of the event being bet on
betMarketID	Integer	盘口ID Unique identifier for this market
betMarket	String	盘口 Name of the market being bet on
betSelectionID	Integer	会员在此投注中选择的选项ID Unique number identifying the selection being bet on
betSelection	String	会员在此投注中选择的选项 Name of the selection being bet on

3.3.15 开元体育根据注单局号获取资讯 **KY sport specific order**

描述 [Description](#)

此接口用来依照局号查询开元体育注单资讯

[Get Sport Orders by gameuserno](#)

接口 **URL Interface URL**

<https://<server>/sportRecordHandle?agent=XX×tamp=XX¶m=XX&key=XX>

参数 [parameter](#)

接口 Interface : sportRecordHandle			
示例 sample URL : https://api.ky34.com/sportRecodeHandle?agent=64874&timestamp=1658199185000&param=6LJXcCp7%2F2G7JS1FBS6GA6g9NoAPx%2B%2FTmJJWno23PNbFF3qgx3ICiRKAQp%2F%2FgpuU5pE8hjumU7BnLddU22gcg%3D%3D&key=07e821f65827e4a02a164c2cce1150a9			
字段名 Field Name	描述 Description	数据类型 Data type	是否必须 Required
agent	代理编号 (平台提供) Agent number (platform provide)	String	Y
timestamp	时间戳(Unix时间戳带上毫秒),获取当前时间 (1488781836949) timestamp(Unix timestamp with milliseconds), grab the current time (1488781836949)	String	Y

param	参数加密字符串param=(s=3& gameuserno= 1475213935815688425) s: 操作子类型:3 gameuserno: 注单局号) Encrypt.AESEncrypt(param,DESKey); DESKey: 平台提供 parameter encrypted string param =(s=3&gameuserno= 1475213935815688425) (s: operate subtype: 3 gameuserno: 注单局号) Encrypt.AESEncrypt(param,DESKey); DESKey: platform provide	String	Y
key	Md5校验字符串 Md5 check string Encrypt.MD5(agent+timestamp+ MD5Key);	String	Y

返回Return

示例Sample: {"s":103,"m":"/ sportRecordHandle ", "d":{"code":0,"count":0,"list":[] } }		
字段名Field Name	数据类型Data type	描述Description
s	Int	子操作类型suboperation type
m	String	主操作类型main operation type
d	Object	数据结果data results
d数据结果返回值对应d data result return value correspondence		
字段值Field Name	数据类型Data type	描述Description
count	Int	注单数量 Order count
code	Int	错误码(查看附录说明) errorCode(see the appendix instructions)
list	Array	注单list
list数据结果返回值对应list data result return value correspondence		
agent	String	代理商编号 Agent number
account	String	会员账号 Member account
refNo	String	投注编号 Reference number of the white label system

sportsType	String	运动类型, 请参照4.6 SportType, please ref 4.6
odds	decimal	下注选项的赔率 The Odds that player placed on
oddsStyle	String	盘口资讯 The Odds Style that player placed on M : Malay odds H : HongKong odds E : Euro odds I : Indonesia odds
stake	decimal	玩家的投注金 The stake that player placed on
currency	String	币别 currency
status	Int	注单的状态, 请参照4.7.1 The Status of Player's bets, please ref 4.7.1
winlost	decimal	玩家的注单净赢 The Winlose of Player, do not include player's stake
isHalfWonLose	bool	是否为半场获胜或半场失败 Is half won or half lose
isLive	String	是否为现场赛事(滚球/赛前) Is Live Match or not
maxWinWithoutActualStake	String	注单未清算, 将回传当前不包含注金 (ActualStake)的最大净赢。当注单清算时, 将回传当前不包含注金 (ActualStake)的预估净赢。 The max wining of player without actual stake
ip	String	玩家下注的ip The IP that player placed bet
voidReason	String	注单退款/取消之原因 The void reason of the sports bet
orderTime	DateTime	玩家下注的时间 The Time that player place bet
winLostDate	DateTime	注单的归帐日 The Time use to do accounting on this bet
settleTime	DateTime	注单结算的时间 The order's settle time
modifyDate	DateTime	修改日期 The Time that this bet been modified

createTime	DateTime	订单建立时间 The Time that this create
profitReportDate	DateTime	注单的归帐日 The Time use to do accounting on this bet
gameNo	String	游戏局号 Game Number
gameID	Integer	游戏唯一识别码 Game ID
validSettleStakeAmount	String	玩家有效投注额 The Turnover of Playe
settleAmount	String	正常结算返还 Normal settlement return amount
cashOutTotalStake	decimal	提前结算金额 Early settlement amount
cashOutPayoutStake	decimal	提前结算返还 Early settlement return amount
cashOutCount	Integer	提前结算次数 Early settlement frequency
betType	String	投注类型 Bet Type
isRollback	Integer	是否为二次结算 (0为否, 1 为是) Is rollback (0: no, 1: yes)
subBet	Array	下注场次资讯 Single bet will only got one subBet for the bet detail, and Mixpalay will have mutiple subBets
subBet数据结果返回值对应subBet data result return value correspondence		
id	Integer	流水编号 serial number
productType	String	游戏产品类别 The Product Category of the casino game that player placed
refNo	String	投注编号 Reference number of the white label system
betOption	String	会员在此投注中选择的选项 player bet option
marketType	String	运动盘口, 请参照4.8 MarketType of Subbet, please ref 4.8
sportType	String	运动类型, 请参照4.6 SportType, please ref 4.6

hdp	decimal	下注选项的让球数 Handicap Point
odds	String	下注选项的赔率 The Odds that player placed on
league	String	本场赛事的联赛名称 Name of league of the match
match	String	赛事的名称 Name of match
status	Int	结算结果, 请参照4.7.2 The subbet status, please ref 4.7.2
liveScore	String	如果为滚球赛事, 将记录玩家下注时的比分 If the match is a live match, this field will record the score at the moment when player placed bet
winLostDate	DateTime	注单的归帐日 The Time use to do accounting on this bet
kickOffTime	DateTime	开赛时间 The Time when the game start
createTime	DateTime	订单建立时间 The Time that this create
isHalfWonLose	bool	是否为半场获胜或半场失败 Is half won or half lose

3.4 多币种支持Multi-Currency Principle

支持所有币种用户进行游戏, 非人民币币种代理接通API时需要额外做以下工作:

Supports all currency users to play games, Non-rmb currency agents need to do the following extra work when they connect to the API:

- 通知我方开通所需币种对应线路, 我方目前仅限制台湾地区用户不可登入
Inform us to open the needed currency route, we will restrict only the user who use this kind of currency will login (We currently only restrict users from Taiwan to not be able to log in)
- 按照附录“4.5-游戏币兑换比例”在会员上下分时将对金额货币转换成游戏币后调用上下分接口(注:传入游戏币2位小数以后的部分会被舍弃)
According to the appendix instructions “4.5 Game Currency Exchange Ratio”, when members charging points or refunding, invoke the charge points or refund interface after convert the corresponding amount currency into game currency(the game currency that turned in, 2 decimal places will be discarded)
- 我方后台和对局数据均按照游戏币结算, 代理交收时, 需交收对应币种金额=游戏币结算金额/游戏币兑换比例
Our background and match data are settled according to the game currency, when agency deliver, the corresponding currency amount they need to deliver game currency settlement amount/ game currency exchange ratio.

四、附录Appendix

4.1 KindID对应游戏Corresponding Games

KindID	游戏Games	开发状态Development status
--------	---------	------------------------

0	大厅Hall	完成Developed
620	德州扑克 Texas Hold'em Poker	完成Developed
720	二八杠Two-Eight Bar	完成Developed
830	抢庄牛牛Banker Bull-Bull	完成Developed
220	炸金花Golden Flower	完成Developed
860	三公Three-Facecard	完成Developed
900	押庄龙虎Dragon-Tiger	完成Developed
600	21点Black Jack	完成Developed
870	通比牛牛Casino Bull-Bull	完成Developed
230	极速炸金花 Speed Golden Flower	完成Developed
730	抢庄牌九Paigow	完成Developed
630	十三水Pineapple Poker	完成Developed
610	斗地主Landlord	完成Developed
910	百家乐Baccarat	完成Developed
920	森林舞会Forest Party	完成Developed
930	百人牛牛 Niu-niu for thousands person	完成Developed
1950	万人炸金花 Golden Flower for thousands person	完成Developed
650	血流成河Bleeding Mahjong	完成Developed
890	看牌抢庄牛牛 Banker Bull-Bull After Check Card	完成Developed
740	二人麻将2 Persons' Mahjong	完成Developed
1350	幸运转盘Lucky Dial	完成(不能单独接入) Developed (Cannot be accessed separately)
1940	金鲨银鲨 Gold Shark & Silver Shark	完成Developed
1960	奔驰宝马Benz & BMW	完成Developed
1980	百人骰宝Sic Bo	完成Developed
1810	单挑牛牛1v1 Bull-Bull	完成Developed
1990	炸金牛Golden Bull	完成Developed
1850	押宝抢庄牛牛 Bet 3 Players Bull-Bull	完成Developed

510	红包捕鱼Fishing	完成Developed
1355	搏一搏Give A Bet	完成(不能单独接入) Developed (Cannot be accessed separately)
1970	五星宏辉Five Stars	完成Developed
1860	赌场扑克Casino Poker	完成Developed
1370	港式梭哈Hong Kong Stud	完成Developed
1690	血战骰宝Karmic SicBo	完成Developed
1890	水果机Fruit Machine	完成Developed
1610	幸运夺宝Lucky Treasure	完成(不能单独接入)Developed (Cannot be accessed separately)
1930	鱼虾蟹Fish-Prawn-Crab Dice	完成Developed
8130	跑得快Run Fast	完成Developed
950	红黑大战Red & Black War	完成Developed
840	疯狂抢庄牛牛 Crazy Banker Bull-Bull	完成Developed
520	李逵捕鱼LK Fishing	完成Developed
530	金元捕鱼ChinYuan Fishing	完成Developed
540	捕鱼传说BYCS Fishing	完成Developed
3001	极速百家乐Speed Baccarat	完成Developed
2890	看牌抢庄三公 Three-Facecard After Check Card After Check Card	完成Developed
2002	梭哈德州扑克All-In or Fold	完成Developed
3002	金球银球 World Cup Golden Ball	完成Developed
3003	十倍牛牛Ten Times Bull-Bull	完成Developed
550	富贵金龙Golden Dragon	完成Developed
7470	KY体育KY Sport	完成Developed
3005	欧式轮盘European Roulette	完成Developed
2005	富贵三张Three Card Poker	完成Developed
3006	官人坏坏百J乐H-Baccarat	完成Developed
2007	闪电21点Lightning BlackJack	完成Developed
2008	终极德州扑克Ultimate Texas	完成Developed
7479	炸财神 Bombing Fortune	完成Developed
7484	幸运熊猫Lucky Panda	完成Developed

7485	财神发发发Fortune FaFaFa	完成Developed
7471	麻将胡了 3Mahjong Master	完成Developed
2012	抖音牛牛TikTok Bull-Bull	完成Developed
2011	攒蛋GuanDan	完成Developed
2013	土耳其麻将Okey	完成Developed
2014	极速牛牛 Speed Bull-Bulll	完成Developed
2016	射门之王 Soccer King	完成Developed
931	黑神话百人牛牛 Black Myth Niu-niu For Thousands Person	完成Developed
1602	逃离五指山 Escape from Wuzhishan	完成Developed
7491	西游:黑悟空 Monkey king : black wukong	完成Developed
2010	癞子牛牛 Lai Zi Niu-niu	完成Developed
2015	比大小 HI-LO	完成Developed
2017	铸剑 Forging a sword	完成Developed
3011	澳门百家乐幸运六 Macau Baccarat Lucky Six	完成Developed
7492	三国 Three Kindoms	完成Developed
7498	后羿射日 HOUYI SHOT THE SUNS	完成Developed
7488	喜相逢 Encounter	完成Developed
7480	大力神锤 King Of The Hammer	完成Developed
7494	找地鼠 LOOKING FOR GOPHERS	完成Developed
7495	新年到戳戳乐 POKING FORTUNE	完成Developed
7497	水果炸弹 FRUIT BOMBS	完成Developed
7486	王者荣耀 KING OF GLORY	完成Developed
7496	生存者 SURVIVOR	完成Developed

7489	矮人矿坑 GOLD DIGGER	完成Developed
7481	祥狮献瑞 Tigerlions Lead To Auspicious	完成Developed
7487	荒野逃生 BATTLE ROYALE	完成Developed
7482	财神到 The God Of Fortune Arrives	完成Developed
7483	金虎报吉 Golden Tiger	完成Developed
7499	雀神 MAHJONG GOD	完成Developed
7493	鬼吹灯 CANDLE IN THE TOMB	完成Developed
7502	龙年行大运 GREAT LUCK IN THE YEAR OF THE DRAGON	完成Developed

4.2 KindID对应房间名 Corresponding Game's room

KindId	ServerId	房间Room
620	3600	德州扑克新手房 Texas Hold'em Poker Fresh Room
620	3601	德州扑克初级房 Texas Hold'em Poker Beginner's Room
620	3602	德州扑克中级房 Texas Hold'em Poker Intermediate Room
620	3603	德州扑克高级房 Texas Hold'em Poker Advanced Room
620	3700	德州扑克财大气粗房 Texas Hold'em Poker Ante Room Very Rich
620	3701	德州扑克腰缠万贯房 Texas Hold'em Poker Ante Room Very Wealthy
620	3702	德州扑克挥金如土房 Texas Hold'em Poker Ante Room Spend Money Like Water
620	3703	德州扑克富贵逼人房 Texas Hold'em Poker Ante Room Wealthy And Honor
720	7201	二八杠体验房 Two-Eight Bar Fresh Room
720	7202	二八杠初级房 Two-Eight Bar Beginner's Room

720	7203	二八杠中级房 Two-Eight Bar Intermediate Room
720	7204	二八杠高级房 Two-Eight Bar Advanced Room
720	7205	二八杠至尊房 Two-Eight Bar Master room
720	7206	二八杠王者房 Two-Eight Bar King's Room
830	8301	抢庄牛牛体验房 Banker Bull-Bull Fresh Room
830	8302	抢庄牛牛初级房 Banker Bull-Bull Beginner's Room
830	8303	抢庄牛牛中级房 Banker Bull-Bull Intermediate Room
830	8304	抢庄牛牛高级房 Banker Bull-Bull Advanced Room
830	8305	抢庄牛牛至尊房 Banker Bull-Bull Master room
830	8306	抢庄牛牛王者房 Banker Bull-Bull King's Room
220	2201	炸金花体验房 Golden Flower Fresh Room
220	2202	炸金花初级房 Golden Flower Beginner's Room
220	2203	炸金花中级房 Golden Flower Intermediate Room
220	2204	炸金花高级房 Golden Flower Advanced Room
860	8601	三公体验房 Three-Facecard Fresh Room
860	8602	三公初级房 Three-Facecard Beginner's Room
860	8603	三公中级房 Three-Facecard Intermediate Room
860	8604	三公高级房 Three-Facecard Advanced Room
860	8605	三公至尊房 Three-Facecard Master room
860	8606	三公王者房 Three-Facecard King's Room
900	9001	龙虎体验房

		Dragon-Tiger Fresh Room
900	9002	龙虎初级房 Dragon-Tiger Beginner's Room
900	9003	龙虎中级房 Dragon-Tiger Intermediate Room
900	9004	龙虎高级房 Dragon-Tiger Advanced Room
600	6001	21点体验房 The BlackJack Fresh Room
600	6002	21点初级房 The BlackJack Beginner's Room
600	6003	21点中级房 The BlackJack Intermediate Room
600	6004	21点高级房 The BlackJack Advanced Room
870	8701	通比牛牛体验房 Casino Bull-Bull Fresh Room
870	8702	通比牛牛初级房 Casino Bull-Bull Beginner's Room
870	8703	通比牛牛中级房 Casino Bull-Bull Intermediate Room
870	8704	通比牛牛高级房 Casino Bull-Bull Advanced Room
870	8705	通比牛牛至尊房 Casino Bull-Bull Master room
870	8706	通比牛牛王者房 Casino Bull-Bull King's Room
230	2301	极速炸金花新手房 Speed Golden Flower Fresh Room
230	2302	极速炸金花初级房 Speed Golden Flower Beginner's Room
230	2303	极速炸金花中级房 Speed Golden Flower Intermediate Room
230	2304	极速炸金花高级房 Speed Golden Flower Advanced Room
730	7301	抢庄牌九新手房 Paigow Fresh Room
730	7302	抢庄牌九初级房 Paigow Beginner's Room
730	7303	抢庄牌九中级房 Paigow Intermediate Room

730	7304	抢庄牌九高级房 Paigow Advanced Room
730	7305	抢庄牌九至尊房 Paigow Master room
730	7306	抢庄牌九王者房 Paigow King's Room
610	6101	斗地主体验房 Landlord Fresh Room
610	6102	斗地主初级房 Landlord Beginner's Room
610	6103	斗地主中级房 Landlord Intermediate Room
610	6104	斗地主高级房 Landlord Advanced Room
630	6301	十三水常规场新手房 Pineapple Poker General Match Fresh Room
630	6302	十三水常规场初级房 Pineapple Poker General Match Beginner's Room
630	6303	十三水常规场中级房 Pineapple Poker General Match Intermediate Room
630	6304	十三水常规场高级房 Pineapple Poker General Match Advanced Room
630	6305	十三水极速场新手房 Pineapple Poker Speed Match Fresh Room
630	6306	十三水极速场初级房 Pineapple Poker Speed Match Beginner's Room
630	6307	十三水极速场中级房 Pineapple Poker Speed Match Intermediate Room
630	6308	十三水极速场高级房 Pineapple Poker Speed Match Advanced Room
910	9101	百家乐体验房 Baccarat Fresh Room
910	9102	百家乐初级房 Baccarat Beginner's Room
910	9103	百家乐中级房 Baccarat Intermediate Room
910	9104	百家乐高级房 Baccarat Advanced Room
920	9201	森林舞会体验房 Forest Party Fresh Room
920	9202	森林舞会初级房

		Forest Party Beginner's Room
920	9203	森林舞会中级房 Forest Party Intermediate Room
920	9204	森林舞会高级房 Forest Party Advanced Room
930	9301	百人牛牛体验房 Niu-niu for thousands person Fresh Room
930	9302	百人牛牛初级房 Niu-niu for thousands person Beginner's Room
930	9303	百人牛牛中级房 Niu-niu for thousands person Intermediate Room
930	9304	百人牛牛高级房 Niu-niu for thousands person Advanced Room
1950	19501	万人炸金花体验房 Golden Flower for thousands person Fresh Room
1950	19502	万人炸金花初级房 Golden Flower for thousands person Beginner's Room
1950	19503	万人炸金花中级房 Golden Flower for thousands person Intermediate Room
1950	19504	万人炸金花高级房 Golden Flower for thousands person Advanced Room
650	6501	血流成河体验房 Bleeding Mahjong Fresh Room
650	6502	血流成河初级房 Bleeding Mahjong Beginner's Room
650	6503	血流成河中级房 Bleeding Mahjong Intermediate Room
650	6504	血流成河高级房 Bleeding Mahjong Advanced Room
890	8901	看牌抢庄牛牛体验房 Banker Bull-Bull After Check Card Fresh Room
890	8902	看牌抢庄牛牛初级房 Banker Bull-Bull After Check Card Beginner's Room
890	8903	看牌抢庄牛牛中级房 Banker Bull-Bull After Check Card Intermediate Room
890	8904	看牌抢庄牛牛高级房 Banker Bull-Bull After Check Card Advanced Room
890	8905	看牌抢庄牛牛至尊房 Banker Bull-Bull After Check Card Master room
890	8906	看牌抢庄牛牛王者房 Banker Bull-Bull After Check Card King's Room

740	7401	二人麻将体验房 2 Persons' Mahjong Fresh Room
740	7402	二人麻将初级房 2 Persons' Mahjong Beginner's Room
740	7403	二人麻将中级房 2 Persons' Mahjong Intermediate Room
740	7404	二人麻将高级房 2 Persons' Mahjong Advanced Room
1350	13501	幸运转盘 Lucky Dial Fresh Room
1350	13502	幸运转盘 Lucky Dial Beginner's Room
1350	13503	幸运转盘 Lucky Dial Intermediate Room
1940	19401	金鲨银鲨体验房 Gold Shark & Silver Shark Fresh Room
1940	19402	金鲨银鲨初级房 Gold Shark & Silver Shark Beginner's Room
1940	19403	金鲨银鲨中级房 Gold Shark & Silver Shark Intermediate Room
1940	19404	金鲨银鲨高级房 Gold Shark & Silver Shark Advanced Room
1960	19601	奔驰宝马体验房 Benz & BMW Fresh Room
1960	19602	奔驰宝马初级房 Benz & BMW Beginner's Room
1960	19603	奔驰宝马中级房 Benz & BMW Intermediate Room
1960	19604	奔驰宝马高级房 Benz & BMW Advanced Room
1980	19801	百人骰宝体验房 Sic Bo Fresh Room
1980	19802	百人骰宝初级房 Sic Bo Beginner's Room
1980	19803	百人骰宝中级房 Sic Bo Intermediate Room
1980	19804	百人骰宝高级房 Sic Bo Advanced Room
1810	18101	单挑牛牛体验房 1v1 Bull-Bull Fresh Room
1810	18102	单挑牛牛初级房

		1v1 Bull-Bull Beginner's Room
1810	18103	单挑牛牛中级房 1v1 Bull-Bull Intermediate Room
1810	18104	单挑牛牛高级房 1v1 Bull-Bull Advanced Room
1810	18105	单挑牛牛至尊房 1v1 Bull-Bull Supreme Room
1810	18106	单挑牛牛王者房 1v1 Bull-Bull King's room
1990	19901	炸金牛体验房 Golden Bull Fresh Room
1990	19902	炸金牛初级房 Golden Bull Beginner's Room
1990	19903	炸金牛中级房 Golden Bull Intermediate Room
1990	19904	炸金牛高级房 Golden Bull Advanced Room
1990	19905	炸金牛至尊房 Golden Bull Supreme Room
1990	19906	炸金牛王者房 Golden Bull King's room
1850	18501	押宝抢庄牛牛体验房 Bet 3 Players Bull-Bull Fresh Room
1850	18502	押宝抢庄牛牛初级房 Bet 3 Players Bull-Bull Beginner's Room
1850	18503	押宝抢庄牛牛中级房 Bet 3 Players Bull-Bull Intermediate Room
1850	18504	押宝抢庄牛牛高级房 Bet 3 Players Bull-Bull Advanced Room
1850	18505	押宝抢庄牛牛至尊房 Bet 3 Players Bull-Bull Supreme Room
1850	18506	押宝抢庄牛牛王者房 Bet 3 Players Bull-Bull King's room
510	5101	人鱼港口 Mermaid Port
510	5102	海王遗迹 Sea King's Relics
510	5103	伟大航道 Grand Line
1970	19701	五星宏辉体验房 Five Stars Fresh Room

1970	19702	五星宏輝初級房 Five Stars Beginner's Room
1970	19703	五星宏輝中級房 Five Stars Intermediate Room
1970	19704	五星宏輝高級房 Five Stars Advanced Room
1860	18601	賭場撲克體驗房 Casino Poker Fresh Room
1860	18602	賭場撲克初級房 Casino Poker Beginner's Room
1860	18603	賭場撲克中級房 Casino Poker Intermediate Room
1860	18604	賭場撲克高級房 Casino Poker Advanced Room
1370	13701	港式梭哈新手房 Hong Kong Stud Fresh Room
1370	13702	港式梭哈初級房 Hong Kong Stud Beginner's Room
1370	13703	港式梭哈中級房 Hong Kong Stud Intermediate Room
1370	13704	港式梭哈高級房 Hong Kong Stud Advanced Room
1690	16901	血戰骰寶體驗房 Karmic SicBo Fresh Room
1690	16902	血戰骰寶初級房 Karmic SicBo Beginner's Room
1690	16903	血戰骰寶中級房 Karmic SicBo Intermediate Room
1690	16904	血戰骰寶高級房 Karmic SicBo Advanced Room
1890	18901	水果機體驗房 Fruit Machine Fresh Room
1890	18902	水果機初級房 Fruit Machine Beginner's Room
1890	18903	水果機中級房 Fruit Machine Intermediate Room
1890	18904	水果機高級房 Fruit Machine Advanced Room
1610	16101	幸運奪寶白銀寶箱 Silver Treasure
1610	16102	幸運奪寶黃金寶箱

		Gold Treasure
1610	16103	幸运夺宝铂金宝箱 Platinum Treasure
1610	16104	幸运夺宝钻石宝箱 Diamond Treasure
1930	19301	鱼虾蟹体验房 Fish-Prawn-Crab Dice Fresh Room
1930	19302	鱼虾蟹初级房 Fish-Prawn-Crab Dice Beginner's Room
1930	19303	鱼虾蟹中级房 Fish-Prawn-Crab Dice Intermediate Room
1930	19304	鱼虾蟹高级房 Fish-Prawn-Crab Dice Advanced Room
8130	81301	跑得快体验房 Run Fast Fresh Room
8130	81302	跑得快初级房 Run Fast Beginner's Room
8130	81303	跑得快中级房 Run Fast Intermediate Room
8130	81304	跑得快高级房 Run Fast Advanced Room
950	9501	红黑大战体验房 Red & Black War Fresh Room
950	9502	红黑大战初级房 Red & Black War Beginner's Room
950	9503	红黑大战中级房 Red & Black War Intermediate Room
950	9504	红黑大战高级房 Red & Black War Advanced Room
840	8401	疯狂抢庄牛牛新手房 Crazy Banker Bull-Bull Fresh Room
840	8402	疯狂抢庄牛牛初级房 Crazy Banker Bull-Bull Beginner's Room
840	8403	疯狂抢庄牛牛中级房 Crazy Banker Bull-Bull Intermediate Room
840	8404	疯狂抢庄牛牛高级房 Crazy Banker Bull-Bull Advanced Room
840	8405	疯狂抢庄牛牛至尊房 Crazy Banker Bull-Bull Supreme Room
840	8406	疯狂抢庄牛牛王者房 Crazy Banker Bull-Bull King's room

520	5201	李達捕鱼初级房 LK Fishing Beginner's Room
520	5202	李達捕鱼中级房 LK Fishing Intermediate Room
520	5203	李達捕鱼高级房 LK Fishing Advanced Room
530	5301	金元捕鱼初级房 ChinYuan Fishing Beginner's Room
530	5302	金元捕鱼中级房 ChinYuan Fishing Intermediate Room
530	5303	金元捕鱼高级房 ChinYuan Fishing Advanced Room
540	5401	捕鱼传说初级房 BYCS Fishing Beginner's Room
540	5402	捕鱼传说中级房 BYCS Fishing Intermediate Room
540	5403	捕鱼传说高级房 BYCS Fishing Advanced Room
3001	30011	极速百家乐体验房 Speed Baccarat Fresh Room
3001	30012	极速百家乐初级房 Speed Baccarat Beginner's Room
3001	30013	极速百家乐中级房 Speed Baccarat Intermediate Room
3001	30014	极速百家乐高级房 Speed Baccarat Advanced Room
2890	28901	看牌抢庄三公体验房 Three-Facecard After Check Card Fresh Room
2890	28902	看牌抢庄三公初级房 Three-Facecard After Check Card Beginner's Room
2890	28903	看牌抢庄三公中级房 Three-Facecard After Check Card Intermediate Room
2890	28904	看牌抢庄三公高级房 Three-Facecard After Check Card Advanced Room
2890	28905	看牌抢庄三公至尊房 Three-Facecard After Check Card Supreme Room
2890	28906	看牌抢庄三公王者房 Three-Facecard After Check Card King's Room
2002	20021	梭哈德州扑克体验房 All-In or Fold Intermediate Room
2002	20022	梭哈德州扑克初级房

		All-In or Fold Advanced Room
2002	20023	梭哈德州扑克中级房 All-In or Fold Supreme Room
2002	20024	梭哈德州扑克高级房 All-In or Fold King's Room
3002	30021	金球银球体验房 World Cup Golden Ball Fresh Room
3002	30022	金球银球初级房 World Cup Golden Ball Beginner's Room
3002	30023	金球银球中级房 World Cup Golden Ball Intermediate Room
3002	30024	金球银球高级房 World Cup Golden Ball Advanced Room
3003	30031	十倍牛牛体验房 Ten Times Bull-Bull Fresh Room
3003	30032	十倍牛牛初级房 Ten Times Bull-Bull Beginner's Room
3003	30033	十倍牛牛中级房 Ten Times Bull-Bull Intermediate Room
3003	30034	十倍牛牛高级房 Ten Times Bull-Bull Advanced Room
550	5501	富贵金龙初级房 Golden Dragon Fresh Room
550	5502	富贵金龙中级房 Golden Dragon Intermediate Room
550	5503	富贵金龙至尊场 Golden Dragon King's Room
3005	30051	欧式轮盘体验房 European Roulette Fresh Room
3005	30052	欧式轮盘初级房 European Roulette Beginner's Room
3005	30053	欧式轮盘中级房 European Roulette Intermediate Room
3005	30054	欧式轮盘高级房 European Roulette Advanced Room
2005	20051	富贵三张体验房 Three Card Poker Fresh Room
2005	20052	富贵三张初级房 Three Card Poker Beginner's Room
2005	20053	富贵三张中级房 Three Card Poker Intermediate Room

2005	20054	富贵三张高级房 Three Card Poker Advanced Room
3006	30061	官人坏坏百J乐体验房 H-Baccarat Fresh Room
3006	30062	官人坏坏百J乐初级房 H-Baccarat Beginner's Room
3006	30063	官人坏坏百J乐中级房 H-Baccarat Intermediate Room
3006	30064	官人坏坏百J乐高级房 H-Baccarat Advanced Room
2007	20071	闪电21点体验房 Lightning Blackjack Fresh Room
2007	20072	闪电21点初级房 Lightning BlackJack Beginner's Room
2007	20073	闪电21点中级房 Lightning BlackJack Intermediate Room
2007	20074	闪电21点高级房 Lightning BlackJack Advanced Room
2008	20081	终极德州扑克体验房 Ultimate Texas Fresh Room
2008	20082	终极德州扑克初级房 Ultimate Texas Beginner's Room
2008	20083	终极德州扑克中级房 Ultimate Texas Intermediate Room
2008	20084	终极德州扑克高级房 Ultimate Texas Advanced Room
2012	20121	抖音牛牛体验房 TikTok Bull-Bull Fresh Room
2012	20122	抖音牛牛初级房 TikTok Bull-Bull Beginner's Room
2012	20123	抖音牛牛中级房 TikTok Bull-Bull Intermediate Room
2012	20124	抖音牛牛高级房 TikTok Bull-Bull Advanced Room
2012	20125	抖音牛牛至尊房 TikTok Bull-Bull Superme Room
2012	20126	抖音牛牛王者房 TikTok Bull-Bull King's Room
2011	20111	掼蛋体验房 GuanDan Fresh Room
2011	20112	掼蛋初级房

		GuanDan Beginner's Room
2011	20113	攞蛋中级房 GuanDan Intermediate Room
2011	20114	攞蛋高级房 GuanDan Advanced Room
2011	20115	攞蛋至尊房 GuanDan Supreme Room
2011	20116	攞蛋王者房 GuanDan King's Room
2011	20117	攞蛋争霸赛 GuanDan Championship
2013	20131	土耳其麻将体验房 Okey Fresh Room
2013	20132	土耳其麻将初级房 Okey Beginner's Room
2013	20133	土耳其麻将中级房 Okey Intermediate Room
2013	20134	土耳其麻将高级房 Okey Advanced Room
2013	20135	土耳其麻将至尊房 Okey Supreme Room
2013	20136	土耳其麻将王者房 Okey King's room
2014	20141	极速牛牛体验房 Speed Bull-Bulll Fresh Room
2014	20142	极速牛牛初级房 Speed Bull-Bulll Beginner's Room
2014	20143	极速牛牛中级房 Speed Bull-Bulll Intermediate Room
2014	20144	极速牛牛高级房 Speed Bull-Bulll Advanced Room
2014	20145	极速牛牛至尊房 Speed Bull-Bulll Supreme Room
2014	20146	极速牛牛王者房 Speed Bull-Bulll King's room
2016	201601	射门之王 Soccer King
931	9311	黑神话百人牛牛体验房 Black Myth Niu-niu for thousands person Fresh Room
931	9312	黑神话百人牛牛初级房 Black Myth Niu-niu for thousands person Beginner's

		Room
931	9313	黑神话百人牛牛中级房 Black Myth Niu-niu for thousands person Intermediate Room
931	9314	黑神话百人牛牛高级房 Black Myth Niu-niu for thousands person Advanced Room
2010	20101	癞子牛牛体验房 Lai Zi Niu Niu Fresh Room
2010	20102	癞子牛牛初级房 Lai Zi Niu Niu Beginner's Room
2010	20103	癞子牛牛中级房 Lai Zi Niu Niu Intermediate Room
2010	20104	癞子牛牛高级房 Lai Zi Niu Niu Advanced Room
2010	20105	癞子牛牛至尊房 Lai Zi Niu Niu Supreme Room
2010	20106	癞子牛牛王者房 Lai Zi Niu Niu King's Room
3011	30111	澳门百家乐幸运六体验房 Macau Baccarat Lucky Six Fresh Room
3011	30112	澳门百家乐幸运六初级房 Macau Baccarat Lucky Six Beginner's Room
3011	30113	澳门百家乐幸运六中级房 Macau Baccarat Lucky Six Intermediate Room
3011	30114	澳门百家乐幸运六高级房 Macau Baccarat Lucky Six Advanced Room

4.2 错误码说明Error Code Description

错误码error	描述description
-1	上下分时, 资料库异常回滚 Add score or cut score, database error rollback
0	成功Success
1	TOKEN丢失(重新调用登录接口获取) TOKEN loss (reinvocation of the login interface)
2	渠道不存在(请检查渠道ID是否正确) The channel non-existent (check the channel ID is correct or not)
3	验证时间超时(请检查timestamp是否正确) Authentication time timeout (check if timestamp is correct or not)
4	验证错误Authentication error
5	渠道白名单错误(请联系客服添加服务器白名单) Channel white list error (contact customer service add server white list)

6	验证字段丢失(请检查参数完整性) Authentication field loss (please check parameter integrity)
7	TOKEN验证失败(重新调用登录界面) TOKEN failure (reinvocation of the login interface)
8	不存在的请求(请检查子操作类型是否正确) A non-existent request (check the suboperation type is correct or not)
11	玩家账号不存在 The player's account is non-existence.
15	渠道验证错误(1.MD5key值是否正确; 2.生成key值中的timestamp与参数中的是否一致; 3. 生成key值中的timestamp与代理编号以字符串形式拼接) Channel authentication error (1.MD5key is correct or not; 2. Does the timestamp generated in key value the same with the timestamp in parameter? 3. the timestamp generated in key value stitch in string form with agent number.)
16	数据不存在(当前没有注单) Data non-existence (no bet list currently)
20	账号禁用Account forbidden
22	DES解密失败DES decrypt failure
24	渠道拉取数据超过时间范围Channel pulls data overtime
26	订单号不存在Order number non-existence
27	数据库异常Database exception
28	ip禁用IP forbidden
29	订单号与订单规则不符 The order number is not in conformity with the order rule
30	获取玩家在线状态失败 Gain access player's online status failure
31	更新的分数小于或者等于0 The updated score is less than or equal to 0
32	更新玩家信息失败Update player information failure
33	更新玩家金币失败Update player's gold coin failed
34	订单重复Order duplication
35	获取玩家信息失败(请调用登录接口创建账号) Gain access player's information failure (Please call the login interface to create an account)
36	KindID不存在KindID inexistence
38	余额不足导致下分失败 Insufficient balance result in fail to refund
39	禁止同一账号登录带分、上分、下分并发请求, 后一个请求被拒 Forbid same account login to get points, charge points, refund and send application, the last application is refused
40	单次上下分数量不能超过一千万

	The amount of charge points and refund cannot more than 10 million at one time.
41	拉取对局汇总统计时间范围有误 Pull the data of the range of total time of the match have error
42	代理被禁用Agent has been forbid
43	拉单过于频繁(两次拉单时间间隔, 外测服必须大于10秒, 正式服必须大于5秒) Pull the order too frequent (there must more than 1 second between 2 times of pull order)
44	订单正在处理中Have the same order being processed
45	参数错误Parameter error
46	时间范围错误Wrong time range
48	游戏维护中 Game is under maintenance
49	语系参数错误 Language parameter error
50	币别参数错误 Currency parameter error
51	超过单次最多账号查询数量Exceeded the maximum number of account queries at a time
52	玩家有异常盈利或分数异常状况时 呼叫API s=3返回错误码52, 当收到此响应再请洽询我方客服人员 Added error code 52, when players have abnormal profits or abnormal scores calling API s=3 returns error code 52. Please contact our team when receiving this response.
89	代理余额不足 Agent insufficient balance
91	代理不存在 Agent wallet is not exist
98	进入游戏发生错误 Enter game error
99	系统非预期错误 System unexception error

4.3 加解密代码Encryption And Decryption Code

参考“附件1: 加解密代码”

Refer to “Appendix 1: encryption and decryption code”

4.4 CardValue读取规则Cardvalue Reading Rules

- 不同类型的游戏(不同KindId) CardValue表达含义不同
Diffenet types of games (different KindId) CardValue expresses different meanings
- 字段名Field name: CardValue

4.4.1 德州扑克Texas Hold'em Poker

如: 值为0709292a0000000000000000252b0000211104281d181a3

Example: value is 0709292a0000000000000000252b0000211104281d181a3

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
The first byte of field is suit, the second byte is CardValue, the third is suit, the forth is CardValue, and so on.
- 每个玩家2张手牌共占4位, 依次为1-9号座位的玩家
2 hand cards for each player occupy 4 bytes, and the seat number from 1 to 9 in sequence.

- 最后面11位是公共牌加上玩家座位号码
The last 11 are public cards and player seat number.

字符character	花色suit
0	方块diamonds♦
1	梅花clubs♣
2	红桃hearts♥
3	黑桃spades♠
4	王(42 ▲ 小王 43 ★ 大王)

字符character	牌值CardValue
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
A	10
B	11(J)
C	12(Q)
D	13(K)
注:牌值用16进制数表示的 remark: card value is expressed in Hexadecimal number	

- 则值为:0709292a0000000000000000252b0000211104281d181a3表示:1号位玩家手牌♦7♦9;2号位玩家手牌♥9♥10;7号位♥5♥J;9号位♥A♣A;公共牌:♦4♥8♣K♠8♠10;3表示为座位号
Value is: 0709292a0000000000000000252b0000211104281d181a3 are present: the hand card for NO.1 player are♦7♦9; the hand card for NO.2 player are♥9♥10; NO.7♥5♥J; NO.9♥A♣A; public cards: ♦4♥8♣K♠8♠10; 3 is mean seat number.

4.4.2 二八杠Two-Eight Bar

如:值为5326814a3

Example: value is 5326814a3

- 前8位都表示麻将的值
The fist 8 bytes represent MahjongValue
- 最后一位表示庄家座位号,1-4分别对应1-4号位

The last byte represents banker's seat number, the No.1 to No.4 byte respectively corresponding to seat NO.1-4

- 每个玩家2个麻将占2位, 每桌共4人
Each player hands 2 mahjong occupy 2 bytes, 4 players per table
- 字符与牌值对应关系如下:

The corresponding relationship between the character and the CardValue is as follows:

字符character	牌值CardValue
1	一筒1 Dot
2	二筒2 Dot
3	三筒3 Dot
4	四筒4 Dot
5	五筒5 Dot
6	六筒6 Dot
7	七筒7 Dot
8	八筒8 Dot
9	九筒9 Dot
A	白板White Dragon

- 例:Example: 值为:5326814a3表示, 1号位玩家是五筒三筒;2号位玩家是二筒六筒;3号位是八筒一筒;4号位是四筒白板;3号位是庄家
Value are: 5326814a3 represent, Seat No.1 player hands 5 Dot, 3 Dot; Seat No.2 player hands 2 Dot, 6 Dot; No.3 player hands 8 Dot, 1 Dot; Seat No.4 hands 4 Dot, White Dragon; Seat No.3 is Banker

4.4.3 抢庄牛牛Banker Bull-Bull

如: 值为360c2c14180000000000360c2c141800000000001

Example: Value is 360c2c14180000000000360c2c141800000000001

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Field rule: the fist byte is Suit, the second is Value, the third is Suit, the forth is Value, and so on.
- 每个玩家5张手牌共占10位, 依次为1-4号座位的玩家
5 handcards per player occupy 10 bytes, and the seat number from 1 to 4 in sequence.
- 最后面一位表示庄家的座位号,1-4分别对应1-4号位
The last byte represent the Banker's seat number, the No.1 to No.4 byte respectively corresponding to seat NO.1-4
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例Example: 值为:360c2c14180000000000360c2c141800000000001表示:1号位玩家手牌♠6♦Q♥Q♣4♠8;2号位没有玩家;3号位玩家手牌♠6♦Q♥Q♣4♠8;4号位没有玩家;庄家是1号位的玩家
Value is: 360c2c14180000000000360c2c141800000000001 represent: seat NO.1 player hands ♠6♦Q♥Q♣4♠8, seat NO.2 no player; seat NO.3 player hands ♠6♦Q♥Q♣4♠8; seat NO.4 no player; seat No.1 is

Banker

4.4.4 炸金花 **Golden Flower**

如: 值为 161c1c000000262c2c000000363c3d5

Example: Value is 161c1c000000262c2c000000363c3c5

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Field rule: the first byte is Suit, the second is CardValue, the third it Suit, the forth is CardValue, and so on
- 每个玩家3张手牌共占6位, 依次为1-5号座位的玩家
3 handcards per player occupy 6 bytes, and the seat number from 1 to 5 in sequence
- 最后面一位表示赢家的座位号, 1-5分别对应1-5号位
The last byte represent the winner's seat number, 1-5 respectively corresponding to seat NO.1-5
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例Example: 值为: 161c1d000000262c2d000000363c3d5表示: 1号位玩家手牌♠6♠Q♠K; 2号位没有玩家; 3号位玩家手牌♥6♥Q♥K; 4号位没有玩家; 5号位玩家手牌♠6♠Q♠K; 5号位的玩家是赢家
Value is: 161c1d000000262c2d000000363c3d5 represent: seat NO.1 player hands ♠6♠Q♠K; seat NO.2 no player; seat NO.2 player hands ♥6♥Q♥K; seat NO.4 no player; seat NO.5 player hands ♥6♥Q♥K; the player of seat No.5 is the winner

4.4.5 三公 **Three-Facecard**

如: 值为 161c1c000000262c2c000000363c3c5

Example: Value is 161c1c000000262c2c000000363c3c5

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Field rule: the first byte is Suit, the second is CardValue, the third it Suit, the forth is CardValue, and so on
- 每个玩家3张手牌共占6位, 依次为1-5号座位的玩家
3 handcards per player occupy 6 bytes, and the seat number from 1 to 5 in sequence
- 最后面一位表示庄家的座位号, 1-5分别对应1-5号位
The last byte represent the Banker's seat number, 1-5 respectively corresponding to seat NO.1-5
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例: 值为: 161c1d000000262c2d000000363c3d5表示: 1号位玩家手牌♠6♠Q♠K; 2号位没有玩家; 3号位玩家手牌♥6♥Q♥K; 4号位没有玩家; 5号位玩家手牌♠6♠Q♠K; 5号位的玩家是庄家
Example: 161c1d000000262c2d000000363c3d5 represent: seat NO.1 player hands ♠6♠Q♠K; seat NO.2 no player; seat NO.2 player hands ♥6♥Q♥K; seat NO.4 no player; seat NO.5 player hands ♠6♠Q♠K; the player of seat No.5 is the Banker

4.4.6 押庄龙虎 **Dragon-Tiger**

如: 值为 161c0001

Example: Value is 161c0001

- 第一位是花色, 第二位是牌值, 一二号位组合形成龙的开牌
The first byte is Suit, the second byte is CardValue, the first 2 bytes combined to form the opening of Dragon
- 第三位是花色, 第四位是牌值, 三四号位组合形成虎的开牌
The third byte is Suit, the forth byte is CardValue, the NO.3 and No.4 bytes combined to form the opening of Tiger
- 第七、八位为开奖结果, 01则为龙胜02位虎胜03为和
The 7th and 8th place are the draw results, 01 is the Dragon win, 02 is the Tiger win, and 03 is Tie
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 其他多出来的00可忽略不计
Other extra 00 can be ignored
- 字符与开奖点对应关系如下表:
The corresponding relationship between character and opening point are as follows:

字符character	开奖点Opening points
01	龙Dragon
02	虎Tiger
03	和Tie

- 例: 值为: 161c0002表示: 龙开牌♠6, 虎开牌♠Q, 本局虎赢获胜
Example: Value is: 161c0002 represent: Dragon open ♠6, Tiger open ♠Q, this round Tiger win

4.4.7 21点Blackjack

如: 值为02d1317,13d062a,2032703,323253d-333b|41c29|5393b

Example: Value is 02d1317,13d062a,2032703,323253d-333b|41c29|5393b

- 每个逗号内或者竖线内第一位表示玩家座位号, 后面每两位表示一张扑克花色和点数。
within each comma or slash, the first byte represent the player's seat number, and every two behind represent Suit and Point
- 连接符表示玩家在该座位上进行了分牌, 后面每两位表示一张扑克花色和点数。|表示逗号内的第一个座位号的玩家在某个位置上进行了下注
-dash represent the player distributed cards on this seat, every 2 bytes behind represent suit and point for 1 card. | represent the player on first seat number within the comma bet on a certain position
- 第一位是0时表示庄家
When the first byte is 0 represent Banker
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例: 值为: 02d1317,13d062a,2032703,323253d-233b|41c29|5393b 表示: 庄家牌♥K♠3♠7, 一号位牌♠K♦6♥10, 二号位牌♦3♥7♦3, 三号位进行了分牌: 第一墩的牌♥3♥5♠K, 第二墩的牌♥3♠J; 三号位在四号空位上进行了下注, 四号位的牌为: ♠Q♥9 三号位在五号空位上也进行了下注, 五号位

25	杂七mixed 7
34	杂七mixed 7
26	杂八mixed 8
35	杂八mixed 8
36	杂九mixed 9
45	杂九mixed 9
15	零霖六006
15	零霖六006
16	高脚七High 7
16	高脚七High 7
46	红头十Red head 10
46	红头十Red head 10
56	斧头Axe
56	斧头Axe
22	板凳Bench
22	板凳Bench
33	长三Long 3
33	长三Long 3
55	梅牌Plum card
55	梅牌Plum card
13	鹅牌Goose card
13	鹅牌Goose card
44	人牌Human card
44	人牌Human card
11	地牌Ground card
11	地牌Ground card
66	天牌Sky card
66	天牌Sky card

- 每个玩家2张手牌共占4位，依次为1-4号座位的玩家，最后面一位表示庄家的座位号。1-4分别对应1-4号座位
2 handcards per player occupy 4 bytes, and the seat number from 1 to 4 in sequence, the last byte represent the Banker's seat number. the No.1 to No.4 byte respectively corresponding to seat NO.1-4
- 例：值为：14120000151611331，表示：1号位玩家手牌14(杂五) 12(丁三)；2号位没有玩家；3号位玩家手牌15(零霖六) 16(高脚七)；4号位玩家手牌11(地牌) 33(长三)；1号位的玩家是庄家，杂九字符

串为36/45, 单牌有(上3白+下6白)/(上四红+下5白)

Example: Value is: 14120000151611331, represent: handcard of seat No.1 player is 14(mixed 5) 12(D3) no player for seat No.2; handcard of seat No.3 player is 15(006) 16(High 7); handcard of seat No.4 player is 11(Ground card) 33(Long 3); seat No.1 is banker

4.4.10 极速炸金花Speed Golden Flower

如: 值为363c3d000000262c2d000000161c1d363c3d000000363c3d0000005

Example: value is 363c3d000000262c2d000000161c1d363c3d000000363c3d0000005

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
The first byte of field is suit, the second byte is CardValue, the third is suit, the forth is CardValue, and so on.
- 每个玩家3张手牌共占6位, 依次为1-9号座位的玩家。最后面一位表示赢家的座位号, 1-9分别对应1-9号位
3 cards for each player occupy 6 bytes, and the seat number from 1 to 9 in sequence, the last byte represent the winner's seat number, the No.1 to No.9 byte respectively corresponding to seat NO.1-9
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例: 值为: 363c3d000000262c2d000000161c1d363c3d000000363c3d0000005表示: 1号位玩家手牌 ♠6♠Q♠K; 2号位没有玩家; 3号位玩家手牌 ♥6♥Q♥K; 4号位没有玩家; 5号位玩家手牌 ♠6♠Q♠K; 6号位玩家手牌 ♠6♠Q♠K; 7号位没有玩家; 8号位玩家手牌 ♠6♠Q♠K; 9号位没有玩家; 5号位的玩家是赢
Example: Value is: 161c1d000000262c2d000000363c3d161c1d000000161c1d000000 represent: seat NO.1 player hands ♠6♠Q♠K; seat NO.2 no player; seat NO.3 player hands ♥6♥Q♥K; NO.4 no player; seat NO.5 player hands ♠6♠Q♠K; seat NO.6 player hands ♠6♠Q♠K; NO.7 no player; seat NO.8 player hands ♠6♠Q♠K; NO.9 no player; No.5 is the winner

4.4.11 斗地主Landlord

如: 值为Example: Value is:

3611323d092505041c0b222d2414390c29420a16061901151a313a0d2b08272a02073537341726182c38231333033b431d3c1b2112281

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
The first byte of field is suit, the second byte is CardValue, the third is suit, the forth is CardValue, and so on.
- 每个玩家17张手牌共占34位, 依次为1、2、3座位号的玩家
17 handcards per player occupy 34 bytes, and the seat number 1,2,3 in sequence
- 然后是地主牌3张手牌共占6位, 最后面一位表示地主的座位号
3 handcards per landlord occupy 6 bytes, the last byte represent the landlord's seat number.
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 则此局: 1号位玩家手牌: ♠6♠A ♠2♠K ♠9♥5♦5♦4♣Q♦J♥2♥K♥4♣4♠9♦Q♥9; 2号位玩家手牌 小王♦10♣6♦6♣9♦A♣5♣10♠A♠10♦K♥J♦8♥7♥10♦2♦7; 3号位玩家手牌♠5♠7♠4♠7♥6♠8♥Q♠8

♥3 ♠3 ♠3 ♦3 ♠J 大王 ♠K ♠Q ♠J;地主牌: ♥A ♠2 ♥8; 1号位的玩家是地主

Then this match : NO.1 player hands: ♠6 ♠A ♠2 ♠K ♦9 ♥5 ♦5 ♦4 ♠Q ♦J ♥2 ♥K ♥4 ♠4 ♠9 ♦Q ♥9; NO.2

player hands : Black joker ♦10 ♠6 ♦6 ♠9 ♦A ♠5 ♠10 ♠A ♠10 ♦K ♥J ♦8 ♥7 ♥10 ♦2 ♦7; NO.3 player hands

♠5 ♠7 ♠4 ♠7 ♥6 ♠8 ♥Q ♠8 ♥3 ♠3 ♠3 ♦3 ♠J Red joker ♠K ♠Q ♠J; landlord card: ♥A ♠2 ♥8; NO.1 player is landlord

4.4.12 十三水Pineapple Poker

如: 值为Example: Value is:

3b2c110,04352607384,323d2d1d0d7,4;342b0b1,2336062a1a2,22123929096,1;083a3c0,33252731011,131516171c5,2; 1112131415161718191a1b1c1d263;0

- 一个分号分割一个玩家, 共4个玩家, 最后一个分号后面的0无意义
One divides one player, 4 players in total, the 0 after the last semicolon is meaningless
- 两位表示一张牌, 第一位是花色, 第二位数是牌值, 以此类推
Two bytes as one card, the first byte is suit, the second byte is CardValue, and so on
- 每个分号内, 用逗号隔开玩家的3墩牌, 分号前一位表示玩家座位号
Within each semicolon, use comma to divide 3 set of cards of each player, the byte before semicolon is the seat number of the player
- 首墩共3张牌, 中墩和尾墩都是5张, 多余的字符表示牌型
The first set is 3 cards, the middle and last set is 5 for each, the spare byte represent card mode
- 特殊牌型不分墩, 倒数第二三位表示牌型, 最后一位表示座位号
Do not divide into sets for special card mode, the last 2nd and 3rd byte represent card mode, the last byte represents seat number
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 字符与牌型对照如下:
The corresponding relationship between the character and the card mode is as follows:

牌型对应Card mode corresponding			
0	乌龙oolong	16	六对半Six pairs and half
1	一对One pair	17	五对三条Five pairs and three of a kind
2	两对Two pairs	18	四套三条Four sets and three of a kind
3	三条Three pairs	19	凑一色Gather together color
4	顺子Straight	20	全小All small
5	同花flush	21	全大All big
6	葫芦gourd	22	三分天下thethirded
7	铁支Four of a Kind	23	三同花顺Three straight flush
8	同花顺Straight flush	24	十二皇族12 the royal family
14	三同花Three flush	25	十三水Pineapple Poker
15	三顺子Three straight	26	至尊青龙The supreme tsing lung

- 则此局四家的牌分别为(示例只是表示解读规则, 不代表真实牌局):
- 4号位, ♠J♥Q♣A 乌龙, ♦4♠5♥6♦7♠8 顺子, ♠2♠K♥K♠K♦K 铁支
- 1号位, ♠4♥J♦J 对子, ♥3♠6♦6♥10♠10 两对, ♥2♠2♠9♥9♦9 葫芦
- 2号位, ♦8♠10♠Q 乌龙, ♠3♥5♥7♠A♦A 一对, ♠3♠5♠6♠7♠Q 同花
- 3号位, ♠1♠2♠3♠4♠5♠6♠7♠8♠9♠10♠J♠Q♠K 至尊青龙

The card for the 4 players are(the example only represents the reading rule, not the real match)

No.4, ♠J♥Q♣A oolong, ♦4♠5♥6♦7♠8 Straight, ♠2♠K♥K♠K♦K Four of a Kind

No.1, ♠4♥J♦J One pair, ♥3♠6♦6♥10♠10 Two pairs, ♥2♠2♠9♥9♦9 gourd

No.2, ♦8♠10♠Q oolong, ♠3♥5♥7♠A♦A One pair, ♠3♠5♠6♠7♠Q flush

No.3, ♠1♠2♠3♠4♠5♠6♠7♠8♠9♠10♠J♠Q♠K The supreme tsing lung

4.4.13 百家乐Baccarat

如: 值为2a23332a1c041

Example: Value is 2a23332a1c041

- 前6位是闲, 7-12位是庄, 12位以后是胜利的下注点ID
the first 6 bytes are Player, 7-12 bytes are banker, bytes after 12 are betting point ID of success
- 前12位, 第一位是花色, 第二位是牌值, 第三位是花色, 第四位是牌值, 以此类推
The first 12 bytes, the first byte is suit, second is CardValu, the third is suit, the forth is CardValue, and so on.
- 庄闲各最少两张牌最多三张牌, 如果第三张牌没发, 对应牌值为00
2 cards for the least 3 cards for the most for both Player and Banker, if the third cards does not distributed, corresponding card value is 00
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 下注点与字符对应关系如下表:

The corresponding relationship between the betting point and character as follow :

字符CharacterBet	下注点ting point
庄Banker	2
闲Player	1
和Tie	3
庄对Banker Pair	6
闲对Player right	7
大Big	8
小Small	9

- 则此局闲牌♥10♥3 ♠3, 庄牌♥10♠Q♦4; 胜利下注点为1, 对应闲赢

Then the Player cards of this match♥10♥3 ♠3, Banker cards♥10♠Q♦4; the betting point of success is 1

4.4.14 森林舞会Forest Party

如: 值为5RB08YC16

Example : value is 5RB08YC16

- 字段第一位是事件。1:无事件 2:大三元 3:大四喜 4:霹雳闪电 5 :送灯。从第二位起, 每四位表示一个开奖结果, 多个结果依此类推
the first byte of field is incident. 1:no incident 2:big three 3:big four 4:lightning bolt 5 :get light. start from the second byte , each 4 bytes represent a result , and so on, for each multiple results.
- 第二位是动物的颜色。R: 红色,G:绿色,Y:黄色; 第三位是动物类型:A:狮子,B:熊猫,C:猴子,D:兔子; 第四位和第五位组成赔率, 08表示赔率是 8 倍。那么 以上例子的开奖结果为:送灯, 红色熊猫8倍和黄色猴子16倍。
the second byte is the color of animal 。R:red ,G:green,Y:yellow ; the third byte is animal type : A:lion,B:panda,C:monkey ,D:rabbit ; fourth and fifth together as odds, 08 represent odds is octuple.so the result of the above sample is :get light, red panda octuple and yellow monkey 16 times.
- 注:大三元有3个开奖结果;大四喜油4个开奖结果, 送灯有2个开奖结果, 霹雳闪电赔率翻倍。
Remark:big three has 3 results ;big four has 4 results , get light has 2 results , lighting bolt's odds double.

4.4.15 百人牛牛 **Niu-Niu For Thousands Person**

- 1-5分别代表天地玄黄庄位置
1-5 represent respectively Sky ,Floor, Xuan and Yellow banker's seat
- 如: 值为12a3a09181522528273d3431b2b1a0706435083739125110d140322020304
example: value is 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304
- Ø 字段规则第一位数是位置 第二位数是花色, 第三位数是牌值, 第四位是花色, 第五位数是牌值, 以此类推
the first byte is seat, the second is Suit, the third it CardValue, the forth is Suit, the fifth is CardValue and so on.
- 每个位置5张手牌共占11位, 依次为天地玄黄庄。后面数字代表赢的位置, 每个位置占两个字符
Ø 字符与花色对应关系、字符与牌值对应关系同德州扑克
handcards per seat occupy 11 bytes, and the seats are Sky ,Floor, Xuan and Yellow in sequence.The numbers followed represent the seat of the winner, each occupy 2 bytes.It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例如值为 : 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304表示
天号位手牌为: ♥10♠10♦9♣8♠5
地号位手牌为: ♥5♥8♥7♠K♠4
玄号位手牌为: ♠J♥J♠10♦7♦6
黄号位手牌为: ♠5♦8♠7♠9♠2
庄家手牌为: ♠A♦K♠4♦3♥2
020304表示地 玄 黄三个位置赢了
example: value is 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304
reprexent:
handcards of Sky seat is: ♥10♠10♦9♣8♠5
handcards of Floor seat is: ♥5♥8♥7♠K♠4
handcards of Xuan seat is: ♠J♥J♠10♦7♦6
handcards of Yellow seat is: ♠5♦8♠7♠9♠2

handcards of Dealer is: ♣A♦K♣4♦3♥2

020304 represent Floor, Xuan, Yellow these 3 seats win

4.4.16 万人炸金花 Golden Flower For Thousands Person

- 1-5分别代表天地玄黄庄位置

1-5 represent the location of Sky, Floor, Xuan, Yellow and Dealer respectively

- 如: 值为13a192623b3612331170242d2a28506052404

For example, the value is 13a192623b3612331170242d2a28506052404

- ∅ 字段规则第一位数是位置 第二位数是花色, 第三位数是牌值, 第四位是花色, 第五位数是牌值, 以此类推

The first digit of the field is the position, the second digit is the suit, the third digit is the card number, the fourth digit is the suit, the fifth digit is the card number, and so on.

- 每个位置3张手牌共占7位, 依次为天地玄黄庄。后面数字代表赢的位置, 每个位置占两个字符
Each position has Three cards. There are seven places totally, they are Sky, Floor, Xuan, Yellow and Dealer. The latter number represents the winning position, each of which takes up two characters.

- ∅ 字符与花色对应关系、字符与牌值对应关系同德州扑克

The connection between Character and suits, character and card number of Texas Poker

- 例如值为: 13a1926 23b3612 3311702 42d2a28 5060524 04表示

天号位手牌为: ♠10♠9♥6

地号位手牌为: ♠J♥6♠2

玄号位手牌为: ♠A♠7♦2

黄号位手牌为: ♥K♥10♥8

庄家手牌为: ♦6♦5♥4

04表示黄位置赢了

For example, the value: 13a192623b3612331170242d2a28506052404 means,

The Sky Position: ♠10♠9♥6

The Floor Position: ♠J♥6♠2

The Xuan Position: ♠A♠7♦2

The Yellow Position: ♥K♥10♥8

The Dealer's hand: ♦6♦5♥4

04 means the Yellow position wins.

4.4.17 血流成河 Bleeding Mahjong

如: 值为1617182222252515151529292929,121213151617181919193839,

24252626272833353636232323,21222326272833343538383939,3

For example:

1617182222252515151529292929,121213151617181919193839,

24252626272833353636232323,21222326272833343538383939,3

- 第一个逗号前是1号位本局结束时的牌

The tile before the 1st comma is the one that the position 1 player has when the game is over.

- 第二个逗号前是2号位本局结束时的牌,

The tile before the 2nd comma is the one that the position 2 player has when the game is over.

- 第三个逗号前是3号位本局结束时的牌

The tile before the 3rd comma is the one that the position 3 player has when the game is over.

- 第四个逗号前是4号位本局结束时的牌

The tile before the 4th comma is the one that the position 4 player has when the game is over.

- 第四个逗号后面表示庄家的座位号

The dealer's seat number is shown after the 4th comma.

- 执行碰杠的牌值会放在后方

The tiles to be used for claiming a tile to match a triplet and claiming a tile for a quadruplet will be placed at the back

- 每个牌值占两位, 对应关系见下表:

Each tile occupies two characters. Please refer to the following table for correspondence:

字符 Characters	牌值 Tile	字符 Characters	牌值 Tile	字符 Characters	牌值 Tile
11	一万 Character 一	21	一条 One Bamboo	31	一筒 One Circle
12	二万 Character 二	22	二条 Two Bamboos	32	二筒 Two Circles
13	三万 Character 三	23	三条 Three bamboos	33	三筒 Three Circles
14	四万 Character 四	24	四条 Four Bamboos	34	四筒 Four Circles
15	五万 Character 五	25	五条 Five Bamboos	35	五筒 Five Circles
16	六万 Character 六	26	六条 Six Bamboos	36	六筒 Six Circles
17	七万 Character 七	27	七条 Seven Bamboos	37	七筒 Seven Circles
18	八万 Character 八	28	八条 Eight Bamboos	38	八筒 Eight Circles
19	九万 Character 九	29	九条 Nine bamboos	39	九筒 Nine Circles

- 则本局结束

Then, this round of the game is over:

1号位玩家牌为: 六万、七万、八万、二条、二条、五条、五条、五万、五万、五万、九条、九条、九条、九条

2号位玩家牌为: 二万、二万、三万、五万、六万、七万、八万、九万、九万、九万、八筒、九筒

3号位玩家牌为: 四条、五条、六条、六条、七条、八条、三筒、五筒、六筒、六筒、三条、三条、三条

4号位玩家牌为: 一条、二条、三条、六条、七条、八条、三筒、四筒、五筒、八筒、八筒、九筒、九筒

3号玩家为庄家

he tiles for position 1 player are: character 六, character 七, character 八, two bamboos, two

bamboos, five bamboos, five bamboos, character 五, character 五, character 五, nine bamboos, nine bamboos, nine bamboos, nine bamboos;

The tiles for position 2 player are: character 二, character 二, character 三, character 五, character 六, character 七, character 八, character 九, character 九, character 九, eight circles, nine circles;

The tiles for position 3 player are: four bamboos, five bamboos, six bamboos, six bamboos, seven bamboos, eight bamboos, three circles, five circles, six circles, six circles, three bamboos, three bamboos, three bamboos.

4.4.18 看牌抢庄牛牛 Banker Bull-Bull After Check Card

- 解析规则同抢庄牛牛

Same as Banker Bull-Bull

- 5张牌中前3张表示开局发的3张明牌, 最后2张依次为追加的暗牌

The first 3 of the 5 CARDS represent the opening 3 clear CARDS, and the last 2 CARDS are the added dark CARDS

4.4.19 二人麻将2 Persons' Mahjong 2

如: 值为0203040506070203040506071111,0102030607081212121315151528,0

Example:

Value is 0203040506070203040506071111,0102030607081212121315151528,0

- 第一个逗号前是1号位本局结束时的牌, 第二个逗号前是2号位本局结束时的牌, 第二个逗号后面表示庄家的座位号(本游戏没有庄家, 固定为0)

The first comma is the card at the end of the first position. The second comma is the card at the end of the second position. the last byte is meaningless

- 每个牌值占两位, 对应关系见下表:

Each card value is two digits, the corresponding relationship is shown in the following table:

字符 Character	牌值 CardValue	字符 Character	牌值 CardValue
01	一万 One Characters	14	北风 North Wind
02	二万 Two Characters	15	中 Red Dragon
03	三万 Three Characters	16	发 Green Dragon
04	四万 Four Characters	17	白 White Dragon
05	五万 Five Characters	21	春 Spring
06	六万 Six Characters	22	夏 Summer
07	七万 Seven Characters	23	秋 Autumn
08	八万	24	冬

	Eight Characters		Winter
09	九万 Nine Characters	25	梅 Plum
11	东风 East Wind	26	兰 Orchid
12	南风 South Wind	27	竹 Bamboo
13	西风 West Wind	28	菊 Chrysanthemum

- 则本局结束, 1号位玩家牌为:二万、三万、四万、五万、六万、七万、二万、三万、四万、五万、六万、七万、东风、东风;2号位玩家牌为:一万、二万、三万、六万、七万、八万、南风、南风、南风、西风、中、中、中、菊;没有庄家

End of this game, the 1st player card is:Two Characters、Three Characters、Four Characters、Five Characters、Six Characters、Seven Characters、Two Characters、Three Characters、Four Characters、Five Characters、Six Characters、Seven Characters、East Wind、East Wind;The 2nd player card is:One Characters、Two Characters、Three Characters、Six Characters、Seven Characters、Eight Characters、South Wind、South Wind、South Wind、West Wind、Red Dragon、Red Dragon、Red Dragon、Chrysanthemum

4.4.20 幸运转盘 Lucky Dial

如:值为10

For example, the value is 10

- 玩家在本局中获取的奖金倍数, 如值为10代表的意思玩家在本局中获取下注金额的10倍奖金
A multiplier of the bonus that the player receives in the game. If the value is 10, the player receives 10 times the amount of the bet in the game.

4.4.21 金鲨银鲨 Golden Shark & Silver Shark

如:值为04121102, 四个位数为为一组, 前两位为下注点, 后两位为赔率

For example, the value is 04121102

- 字段前两位是中奖的下注点序号。01:燕子 02:鸽子 03:孔雀 04:老鹰 05:兔子 06:猴子 07:熊猫 08:狮子 09:银鲨 10:金鲨 10:金鲨 11:飞禽 12:走兽。

The first two digits of the field are the number of the annotation points for winning the prize. 01: Swallow 02: Pigeon 03: Peacock 04: Eagle 05: Rabbit 06: Monkey 07: Panda 08: Lion 09: Silver Shark 10: Gold Shark 11: Birds 12: Beasts. The last two digits are odds, 12 means the odds are 12 times.

- 01~04属于飞禽, 05~08属于走兽, 后两位是赔率, 12表示赔率是12倍。
那么以上例子的开奖结果为:老鹰12倍, 飞禽2倍
01~04 are Birds, 05~08 are Beasts. So, the prize-winning result of the above example is: eagle 12 times birds 2 times

4.4.22 奔驰宝马 Benz & BMW

如:值为0140

For example, the value is 0140

- 字段前两位是中奖的下注点序号。01: 法拉利 02: 兰博基尼 03: 玛莎拉蒂 04: 保时捷 05: 雷克萨斯 06: 大众 07: 奔驰 08: 宝马。后两位是赔率, 40表示赔率是40倍。

The first two digits of the field are the number of the annotation points for winning the prize. 01: Ferrari 02: Lamborghini 03: Maserati 04: Porsche 05: Lexus 06: Volkswagen 07: Benz 08: BMW. The last two digits are odds, 40 means the odds are 40 times.

- 那么 以上例子的开奖结果为 : 法拉利40倍

So, the prize-winning result of the above example is: Ferrari 40 times

4.4.23 百人骰宝 Sic Bo

如: 值为66600118

For example: the value is 66600118

- 第一位是第一个骰子点数, 第二位是第二个骰子点数, 第三位是第三个骰子点数

The first is the points on the first dice, the second is the points on the second dice, the third is the points on the third dice

- 第四位是大小, 1是大2是小, 如果是0, 则表示豹子

The fourth is big and small, 1 is big and 2 is small, if it is 0, it means leopard

- 第五位是单双, 1是单2是双, 如果是0, 则表示豹子

The fifth is single and double, 1 is single and 2 is double, if it is 0, it means leopard

- 第六位为豹子, 0是没有豹子, 1则表示是豹子

The sixth is leopard, 0 is no leopard, 1 means leopard

- 第七位和第八位为点数总和, 3~18点

The seventh and eighth are the sum of points, point 3~18

- 字符与开奖点对应关系如下表:

The relationship between the number and the lottery point is as follows:

- 例: 值为: 23522010表示: 开骰结果为2, 3, 5 10点小 双

For example: Value: 23522010 means: dice result is 2, 3, 5, 10 points small double

4.4.24 单挑牛牛 1V1 Bull-Bull

- 如: 值为36041a313d331928032b02

For example: the value is 36041a313d331928032b02

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推

Rule of the field: the first is the suit, the second is the card value, the third is the suit, the fourth is the card value, and so on

- 每个玩家5张手牌共占10位, 依次为1-2号座位的玩家

Each player has 5 cards accounting for 10, which are the players in seats 1-2

- 最后面二位表示赢家的座位号, 01、02分别对应1-2号位

The last two-digits is the seat number of the winner, 01-02 corresponds to 1-2 respectively

- 字符与花色对应关系、字符与牌值对应关系同德州扑克

The corresponding of the suit and the number and the corresponding of the number and card value are like Texas Hold'em

- 例: 值为: 36041a313d331928032b02 表示: 1号位玩家手牌♠6 ♦4 ♣10 ♠A ♠K ; 2号位玩家手牌♠3 ♣9 ♥8 ♦3 ♥J ; 最后二位是02赢家是2号位的玩家

For example: The value: 36041a313d331928032b02 means: the first player's card ♠6 ♦4 ♣10 ♥A ♠K; the second player's card ♠3 ♣9 ♥8 ♦3 ♥J; The last two-digits is 02, so the winner is the second player

4.4.25 炸金牛Golden Bull

如: 值为3d213331273c2a09161705253a18140000000000392c0c2b080

For example: the value is 3d213331273c2a09161705253a18140000000000392c0c2b080

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Rule of the field: the first is the suit, the second is the card value, the third is the suit, the fourth is the card value, and so on
- 每个玩家5张手牌共占10位, 依次为1-5号座位的玩家
Each player has 5 cards accounting for 10, which are the players in seats 1-5
- 第51位"0", 无意义请忽略
51st "0", meaningless, please ignore
- 黑桃、红桃、梅花和方片编号为3、2、1、0
Spades, hearts, clubs and diamonds are numbered 3, 2, 1, 0
- 字符与花色对应关系、字符与牌值对应关系如下表
The corresponding of the suit and the number and the corresponding of the number and card value are like the following table

牌点Card 花色Suit	A	2	3	4	5	6	7	8	9	10	J	Q	K
黑桃3 Spades 3	31	32	33	34	35	36	37	38	39	3a	3b	3c	3d
红桃2 Hearts 2	21	22	23	24	25	26	27	28	29	2a	2b	2c	2d
梅花1 Clubs 1	11	12	13	14	15	16	17	18	19	1a	1b	1c	1d
方片0 Diamonds 0	01	02	03	04	05	06	07	08	09	0a	0b	0c	0d

例值为: 3d213331273c2a09161705253a18140000000000392c0c2b080

For example: the value is 3d213331273c2a09161705253a18140000000000392c0c2b080

- 1号玩家手牌: 第1位~第10位代表1号玩家手牌为: ♠K、♠A、♠3、♠A、♥7
The first player's cards: 1st~10th represent the first player's cards are: ♠K、♠A、♠3、♠A、♥7
- 2号玩家手牌: 第11位~第20位代表2号玩家手牌为: ♠Q、♥10、♦9、♠6、♠7
The second player's cards: 11th~20th represent the second player's cards are: ♠Q、♥10、♦9、♠6、♠7
- 3号玩家手牌: 第21位~第30位代表3号手牌为: ♦5、♥5、♠10、♠8、♠4
The third player's cards: 21st~30th represent the third player's cards are: ♦5、♥5、♠10、♠8、♠4
- 4号玩家手牌: 第31位~第40位代表4号位: 0000000000, 表示无人
The fourth player's cards: 31st~40th represent No. 4: 0000000000, means no one
- 5号玩家手牌: 第41位~第50位代表5号玩家牌: ♠9、♥Q、♦Q、♥J、♦8
The fifth player's cards: 41st~50th represent the fifth player's cards are: ♠9、♥Q、♦Q、♥J、♦8

4.4.26 押宝抢庄牛牛Bet 3 Players Bull-Bull

如: 值为3d213331273c2a09161705253a1814392c0c2b080

For example: the value is 3d213331273c2a09161705253a1814392c0c2b080

- 字段规则第一位是花色，第二位数是牌值，第三位是花色，第四位数是牌值，以此类推
Rule of the field: the first is the suit, the second is the card value, the third is the suit, the fourth is the card value, and so on
- 每个玩家5张手牌共占10位，依次为1-4号座位的玩家
Each player has 5 cards accounting for 10, which are the players in seats 1-4
- 第41位0表示庄家的座位号,1~4分别对应1~4号位
No. 41 0 means banker's seat number, 1~4 corresponds to 1~4 respectively
- 黑桃、红桃、梅花和方片编号为3、2、1、0
Spades, hearts, clubs and diamonds are numbered 3, 2, 1, 0

花色牌点对应编号表：

Corresponding number table of suit and card points:

牌点Card 花色Suit	A	2	3	4	5	6	7	8	9	10	J	Q	K
黑桃3 Spades 3	31	32	33	34	35	36	37	38	39	3a	3b	3c	3d
红桃2 Hearts 2	21	22	23	24	25	26	27	28	29	2a	2b	2c	2d
梅花1 Clubs 1	11	12	13	14	15	16	17	18	19	1a	1b	1c	1d
方片0 Diamonds 0	01	02	03	04	05	06	07	08	09	0a	0b	0c	0d

- 字符与花色对应关系、字符与牌值对应关系如下表
The corresponding of the suit and the number and the corresponding of the number and card value are like the following form

例值为：3d213331273c2a09161705253a1814392c0c2b081

For example: the value is 3d213331273c2a09161705253a1814392c0c2b081

- 1号玩家手牌：第1位~第10位代表1号玩家手牌为：黑桃K、红桃A、黑桃3、黑桃A、红桃7
The first player's cards: 1st~10th represent the first player's cards are: ♠K、♥A、♠3、♠A、♥7
- 2号玩家手牌：第11位~第20位代表2号玩家手牌为：黑桃Q、红桃10、方片9、梅花6、梅花7
The second player's cards: 11th~20th represent the second player's cards are: ♠Q、♥10、♦9、♣6、♣7
- 3号玩家手牌：第21位~第30位代表3号手牌为：方块5、红桃5、黑桃10、梅花8、梅花4
The third player's cards: 21st~30th represent the third player's cards are: ♦5、♥5、♠10、♣8、♣4
- 4号玩家手牌：第31位~第40位代表5号玩家牌：黑桃9、红桃Q、方片Q、红桃J、方片8
The fifth player's cards: 31st~40th represent the fifth player's cards are: ♠9、♥Q、♦Q、♥J、♦8
- 第41位~1代表庄家为1号位玩家
No. 41~ 1 means banker which is the first player

4.4.27 红包捕鱼Fishing

- 红包捕鱼不需要解析CardValue。
Red envelope fishing doesn't need analysis card value.
- 查看对局详情即可。
You can check the game details.

4.4.28 搏一搏Give A Bet

如: 值为3.5

For example: the value is 3.5

- 玩家在本局中获取的奖金倍数, 如值为3.5意思玩家在本局中获取下注金额的3.5倍的奖励
The multiple of bonus by the player in the game, such as 3.5 means the 3.5 times of bet amounts by the player in this game

4.4.29 五星宏辉Five Stars

如: 值为2502

For example: the value is 2502

- 字段规则第一位是花色, 第二位数是牌值, 第三四位为赢得位置
Rule of the field: the 1st is the suit, the 1nd is the card value, the 3rd & 4th is the winning position.
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
Correspondence between character and suit color, character and card value correspondence with Texas Hold'em
- 黑桃、红桃、梅花、方片和大小王编号为3、2、1、0、4
Spades, hearts, clubs, Diamond, Jokers piece and numbered 0,1,2,3,4
- 赢得位置为01黑桃、02红桃、03梅花、04方片、05大小王
Win position is 01 Spades, 02 Hearts, 03 Clubs, 04 Diamond, 05 Jokers
- 例: 2502表示牌值为♥5 赢得位置为红
Example: 2502 brand value indicates the position of red win ♥ 5
- 花色牌点对应编号表:
The color card corresponds to the number table:

牌点Card 花色 Suit	A	2	3	4	5	6	7	8	9	10	J	Q	K	小王 Black joker	大王 Red joker
黑桃3 Spades 3	31	32	33	34	35	36	37	38	39	3a	3b	3c	3d	/	/
红桃2 Hearts 2	21	22	23	24	25	26	27	28	29	2a	2b	2c	2d	/	/
梅花1 Clubs 1	11	12	13	14	15	16	17	18	19	1a	1b	1c	1d	/	/
方片0 Diamond 0	01	02	03	04	05	06	07	08	09	0a	0b	0c	0d	/	/
大小王4 Jokers 4	/	/	/	/	/	/	/	/	/	/	/	/	/	42	43

4.4.30 赌场扑克Casino Poker

如: 值为12010d180b2238140623352a24091d15250

For example: the value is 12010d180b2238140623352a24091d15250

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Rule of the field: the first is the suit, the second is the card value, the third digit is the suit, the fourth digit is the card value, and so on.
- 第1位~第10位代表公共牌, 第11位~第14位代表庄家手牌, 第15位~第18位代表1号玩家手牌, 第19位~第22位代表2号玩家手牌, 第23位~第26位代表3号手牌, 第27位~第30位代表4号玩家牌, 第31位~第34位代表5号玩家牌, 第35位0表示庄家的座位号。
The 1st to the 10th digit represent the community cards (board). The 11th to the 14th digit represent

the dealer's hand. The 15th to the 18th digit represent the hand of player no. 1. The 19th to the 22nd digit represent the hand of player no. 2. The 23rd to 26th digit represent the hand of player no. 3. The 27th to 30th digit represent the hand of player no. 4. The 31st to 34th digit represent the hand of player no. 5. The 35th digit, 0, represents the seat number of the dealer.

- 公共牌 5张共占10位
5 public cards in 10 places
- 庄家有2张手牌共占4位
The dealer has two hand cards in 4 places
- 每个玩家2张手牌共占4位
Each player two hand cards in 4 places
- 黑桃、红桃、梅花和方片编号为3、2、1、0
Spades, Hearts, Clubs and Diamonds pieces numbered 3,2,1,0
- 花色牌点对应编号表：

The color card corresponds to the number table:

牌点Card 花色Suit	A	2	3	4	5	6	7	8	9	10	J	Q	K
黑桃3 Spades 3	31	32	33	34	35	36	37	38	39	3a	3b	3c	3d
红桃2 Hearts 2	21	22	23	24	25	26	27	28	29	2a	2b	2c	2d
梅花1 Clubs 1	11	12	13	14	15	16	17	18	19	1a	1b	1c	1d
方片0 Diamonds 0	01	02	03	04	05	06	07	08	09	0a	0b	0c	0d

- 字符与花色对应关系、字符与牌值对应关系如下表
correspondence between characters and suits, and the correspondence between characters and card values are as follows:

例值为：12010d180b2238140623352a24091d15250

Example value is: 12010d180b2238140623352a24091d15250

- 公共牌：第1位~第10位代表 公共牌为：梅花2、方片A、方片K、梅花8、方片J
Public cards: The first to the tenth represent the public card: ♣2、♦A、♦K、♣8、♦J
- 庄家手牌：第11位~第14位代表 庄家手牌为：红桃2、黑桃8
Bank hand: 11th ~ 14th representative banker's hand: ♥2、♠8
- 1号玩家手牌：第15位~第18位代表1号玩家手牌为：梅花4、方片6、
No. 1 player's hand: 15th ~ 18th represents the 1st player: ♣4、♦6、
- 2号玩家手牌：第19位~第22位代表2号玩家手牌为：红桃3、黑桃5、
No. 2 player's hand: 19th ~ 22nd represents the 2nd player: ♥3、♠5、
- 3号玩家手牌：第23位~第26位代表3号手牌为：红桃10、红桃4
No. 3 player's hand: 23rd ~ 26th represents the 3rd player: ♥10、♥4
- 4号玩家手牌：第27位~第30位代表4号玩家牌：方片9、梅花K
No. 4 player's hand: 27th ~ 30th represents the 4th player: ♦9、♣K
- 5号玩家手牌：第31位~第34位代表5号玩家牌：梅花5、红桃5
No. 5 player's hand: 31st ~ 34th represents 5th player: ♣5、♥5
- 第35位~0代表庄家为0号位玩家（也就是荷官为庄家）
The 35th ~ 0 means the dealer is the 0 player

- 如若座位上的数值为0000则表示该座位没有玩家
If the value on the seat is 0000, it means there is no player in the seat.

4.4.31 港式梭哈Hong Kong Stud

如: 值为3a283c082c39092a2d0c010a3b0d11000000000018191c38210

For example: the value is 3a283c082c39092a2d0c010a3b0d11000000000018191c38210

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Rule of the field: the first is the suit, the second is the card value, the third digit is the suit, the fourth digit is the card value, and so on.
- 每个玩家5张手牌共占10位, 依次为1-5号座位的玩家
Each player five hand cards in 10 places, followed by the player 1-5 seats
- 第51位0表示庄家的座位号, 1~5分别对应1~5号位
The 51st place 0 indicates the seat number of the dealer, and 1~5 corresponds to the 1~5 position respectively.
- 黑桃、红桃、梅花和方片编号为3、2、1、0
Spades, Hearts, Clubs and Diamonds pieces numbered 3,2,1,0
- 花色牌点对应编号表:
The color card corresponds to the number table:

牌点Card 花色 Suit	A	8	9	10	J	Q	K
黑桃3 Spades 3	31	38	39	3a	3b	3c	3d
红桃2 Hearts 2	21	28	29	2a	2b	2c	2d
梅花1 Clubs 1	11	18	19	1a	1b	1c	1d
方片0 Diamonds 0	01	08	09	0a	0b	0c	0d

- 字符与花色对应关系、字符与牌值对应关系如下表
The correspondence between characters and suits, and the correspondence between characters and card values are as follows:
- 例值为: 3a283c082c39092a2d0c010a3b0d11000000000018191c3821
Example value is: 3a283c082c39092a2d0c010a3b0d11000000000018191c3821
- 1号玩家手牌: 第1位~第10位代表1号玩家手牌为: 黑桃10、红桃8、黑桃Q、方块8、红桃Q
No. 1 player's hand: 1st ~ 10th represents the 1st player: ♠10、♥8、♠Q、♦8、♥Q
- 2号玩家手牌: 第11位~第20位代表2号玩家手牌为: 黑桃9、方块9、红桃10、红桃K、方块Q
No. 2 player's hand: 11th ~ 20th represents the 2nd player: ♠9、♦9、♥10、♥K、♦Q
- 3号玩家手牌: 第21位~第30位代表3号玩家手牌为: 方块A、方块10、黑桃J、方块K、梅花A
No. 3 player's hand: 21th ~ 30th represents the 3rd player: ♦A、♦10、♠J、♦K、♣A
- 4号玩家手牌: 第31位~第40位代表4号玩家手牌为: 空
No. 4 player's hand: 31th ~ 40th represents the 4th player: empty
- 5号玩家手牌: 第41位~第50位代表5号玩家手牌为: 梅花8、梅花9、梅花Q、红桃8、红桃A
No. 5 player's hand: 41st ~ 50th represents the 5th player: ♣8、♣9、♣Q、♥8、♥A

4.4.32 血战骰宝 **Karmic SicBo**

如: 值为5555115155516660000032666161660

For example: the value is 5555115155516660000032666161660

- Ø每个玩家手牌共占5位, 从左到右依次为1-6号玩家手牌信息
Each player's hand takes up 5 digits, from left to right, the player's hand information is 1-6
- Ø第31位"0", 无意义请忽略
31st "0", meaningless, please ignore
- Ø骰子的1、2、3、4、5、6点分别用1、2、3、4、5、6代替
The dice 1, 2, 3, 4, 5, 6 points are by 1, 2, 3, 4, 5, 6 in place of

例值为: 5555115155516660000032666161660

Example value is: 5555115155516660000032666161660

- 1号玩家手牌: 第1位~第5位代表1号玩家手牌为: 55551, 牌型为炸弹
No. 1 player's hand: 1st ~ 5th represents the 1st player: 55551, card type is Bomb
- 2号玩家手牌: 第6位~第10位代表2号玩家手牌为: 15155, 牌型为葫芦
No. 2 player's hand: 6th ~ 10th represents the 2nd player: 15155, card type is Full House
- 3号玩家手牌: 第11位~第15位代表3号手牌为: 51666, 牌型为三条
No. 3 player's hand: 11th ~ 15th represents the 3rd player: 51666, card type is Three-Of-A-Kind
- 4号玩家手牌: 第16位~第20位代表4号位: 0000000000, 表示无人, 座位为空
No. 4 player's hand: 21th ~ 25th represents the 4th player: 0000000000, expressed nobody seat is empty
- 5号玩家手牌: 第21位~第25位代表5号玩家牌: 32666, 牌型为三条
No. 5 player's hand: 26th ~ 30th represents 5th player: 32666, card type is Three-Of-A-Kind
- 6号玩家手牌: 第26位~第30位代表5号玩家牌: 16166, 牌型为葫芦
No. 6 player's hand: 31st ~ 34th represents 5th player: 16166, card type is Full House

4.4.33 水果机 **Fruit Machine**

如: 值为08010701

For example: the value is 08010701

- 第一第二位为猜大小的点数。00代表玩家不猜大小, 01~06代表小, 07代表通杀, 08~13代表大
The first two digits are the guess points. 00 means the player does not guess the size, 01 ~ 06 means small, 07 means pass kill, 08 ~ 13 means big
- 第三第四位为开奖事件说明。见表1
The third and fourth digit is the explanation of the lottery event. See table 1
- 从第五位开始, 每四位代表一个开奖点, 其中前2位代表水果类型(如表2), 后2位代表前端开奖点(如表3)
Starting from the fifth position, every four digits represent a lottery point, of which the first two digits represent the type of fruit (as shown in Table 2) and the last two digits represent the front lottery points (as shown in Table 3)

举例说明:

值为08010701

For example:

The value is 08010701

- 猜大小: 点数08为大
Guess the size: the number of points is 08
- 开奖事件: 无事件
Draw event: No Event
- 开奖点: 小铃铛对应前端开奖点为01位置
Lottery: Small bell corresponding to the front of the lottery point for 01 position

事件说明Event Description	
1	无事件No Event
2	普通事件Ordinary Event
3	特殊事件Special Event
4	虚假事件False Event
5	大四喜Great Four
6	小三元Small Three
7	大三元Great Three
8	纵横四海Four Seas
9	大满贯Grand Slam
10	开火车Diver Train
11	仙女散花Fairy Flower
12	天龙八部Dragon Oath
13	九天捞月Nine Treasure

表1 事件说明表

Table 1 :Description of the lottery event

水果类型Fruit Type	
1	苹果Apple
2	橘子Orange
3	小橘子Small Orange
4	柠檬Lemon
5	小柠檬Small Lemon
6	铃铛Bell
7	小铃铛Small Bell
8	西瓜Watermelon
9	小西瓜Small Watermelon
10	星星Star
11	小星星Small Stars

12	77
13	小77 Small 77
14	BAR
15	小BAR Small BAR
16	左LUCKY Left LUCKY
17	右LUCKY Right LUCKY

表2 水果类型表
Table 2 :Fruit type table

前端开奖点Front Lottery Points	
1	小铃铛Small Bell
2	橘子Orange
3	铃铛Bell
4	小BAR Small BAR
5	大满贯 Grand Slam
6	BAR
7	苹果Apple
8	柠檬Lemon
9	西瓜Watermelon
10	小西瓜Small Watermelon
11	右LUCKY Right LUCKY
12	苹果Apple
13	小橘子Small Orange
14	橘子Orange
15	铃铛Bell
16	小77 Small 77
17	77
18	苹果Apple
19	小柠檬Small Lemon
20	柠檬Lemon
21	星星Star
22	小星星Small Stars
23	左LUCKY Left LUCKY

24	苹果Apple
----	---------

表3 前端开奖点表

Table 3:Front Lottery Points

4.4.34 幸运夺宝Lucky Treasure

如: 值为60013_123456,80000123,500

For example: the value is 60013_123456,80000123,500

- 60013_123456为获奖用户, 80000123为中奖号码, 500为500游戏币场次
60013_123456 represents the Winner, 80000123 represents the reward number, and 500 represents sessions of 500 Game Currency.

4.4.35 鱼虾蟹Fish-Prawn-Crab Dice

如: 值为223070809293100

Example: Value as 223070809293100

- 第1位代表第一个骰子的点数
The first byte represents the number of the first dice
- 第2位代表第二个骰子的点数
The second byte represents the number of the second dice
- 第3位代表第三个骰子的点数
The third byte represents the number of the third dice
- 第4、5位代表三个骰子之和
The fourth and fifth bytes represent the sum of the three dice
- 第6、7位代表大、小或者任意豹子(07为大, 08为小, 41为任意豹子)
The sixth and seven bytes represent big, small or any leopard (07, 08, and 41 each represents big, small, and any leopard respectively.)
- 第8、9位代表单、双或者豹子(09为单, 10为双, 35 36 37 38 39 40为豹子)
The eighth and ninth bytes represent single, double or leopard (09 and 10 are single and double respectively, whereas 35, 36, 37, 38, 39, and 40 are leopards.)
- 第10到第15位代表开奖点的颜色
The tenth to fifteenth bytes represent the colors of the prize opening.

图案与点数及颜色对应关系如下表:

The correlations between the pictures, numbers, and colors are as below:

图案Picture	点数Number	颜色Color
鱼Fish	1点	红Red
虾Prawn	2点	绿Green
葫芦Gourd	3点	蓝Blue
铜钱Coin	4点	蓝Blue
蟹Crab	5点	绿Green
公鸡Cock	6点	红Red

开奖点与字符对应关系如下表:

The correlations between Prize Opening Point and Character are as below:

开奖点Prize Opening Point	字符Character
鱼Fish	1
虾Prawn	2
葫芦Gourd	3
铜钱Coin	4
蟹Crab	5
公鸡Cock	6
大Big	7
小Small	8
单Single	9
双Double	10
4	11
5	12
6	13
7	14
8	15
9	16
10	17
11	18
12	19
13	20
14	21
15	22
16	23
17	24
单红Single Red	25
双红Double Reds	26
三红Triple Reds	27
单绿Single Green	28
双绿Double Greens	29
三绿Triple Greens	30
单蓝Single Blue	31

双蓝Double Blues	32
三蓝Triple Blues	33
任意三色Any Triple Colors	34
三鱼Triple Fish	35
三虾Triple Prawns	36
三葫芦Triple Gourds	37
三铜钱Triple Coins	38
三蟹Triple Crabs	39
三公鸡Triple Cocks	40
任意豹子Any Leopard	41

- 举例说明：
 当值为223070809293100时，开骰结果对应为2 2 3，点数之和7点，08小\09单，开奖颜色为双绿 单蓝
 Example Description:
 From the set of values 2307080929310, the outcome of the dice rolled is 2 2 3, which totaled up to 7. Meanwhile, 08 is small, 09 is single, and the colors for prize opening are double Greens and a single Blue.

4.4.36 跑得快Run Fast

如：值为

011121331827062435293a3b0d2d3d1d1b2b2a03230a2c0c3c1c17370715052532362628380b3404131416081a390919

Example: Value as

011121331827062435293a3b0d2d3d1d1b2b2a03230a2c0c3c1c17370715052532362628380b3404131416081a390919

- 将长度为 (3x32 =)96的 牌值原始序列均分成三组
 Split the 96-long (3x32) card values into three groups according to the original order.
- 如 011121331827062435293a3b0d2d3d1d为01 11 21 33 18 27 06 24 35 29 3a 3b 0d 2d 3d 1d
 Example 011121331827062435293a3b0d2d3d1d would be 01 11 21 33 18 27 06 24 35 29 3a 3b 0d 2d 3d 1d
- 如 1b2b2a03230a2c0c3c1c173707150525为1b 2b 2a 03 23 0a 2c 0c 3c 1c 17 37 07 15 05 25
 Example 1b2b2a03230a2c0c3c1c173707150525 would be 1b 2b 2a 03 23 0a 2c 0c 3c 1c 17 37 07 15 05 25
- 如 32362628380b3404131416081a390919为32 36 26 28 38 0b 34 04 13 14 16 08 1a 39 09 19
 Example 32362628380b3404131416081a390919 would be 32 36 26 28 38 0b 34 04 13 14 16 08 1a 39 09 19
- 每个扑克牌数字由高字节的花色和低字节的牌值构成：
- 对于高字节：0 -->♦; 1 -->♣; 2 -->♥; 3 -->♠
- 对于低字节：为该牌值的十六进制表示，如 2 -->2; b -->11; d -->13;

Each card's digit is composed of a high byte for suit, and a low byte for rank:

For high bytes: 0 -->♦; 1 -->♣; 2 -->♥; 3 -->♠

For low bytes: Represented by the hexadecimal value of the card, such as 2 -->2; b -->11; d -->13;

- 如 2a -->♥10

Example 2a -->♥10

- 如 :

Example :

字符Characters	牌值Card Value	字符Characters	牌值Card Value
01	♦A	35	♠5
11	♣A	29	♥9
21	♥A	3a	♠10
33	♠3	3b	♠J
18	♣8	0d	♦K
27	♥7	2d	♥K
06	♦6	3d	♠K
24	♥4	1d	♣K

例如: 值为

Example: Value as

011121331827062435293a3b0d2d3d1d1b2b2a03230a2c0c3c1c17370715052532362628380b3404131416081a390919

- 三个玩家手牌情况将是:

The hands of three players are as such:

- 1号位玩家手牌: ♦A ♣A ♥A ♠3 ♠8 ♥7 ♦6 ♥4 ♠5 ♥9 ♠T ♠J ♦K ♥K ♠K ♠K
 - 2号位玩家手牌: ♠J ♥J ♥T ♦3 ♥3 ♦T ♥Q ♦Q ♠Q ♠Q ♠7 ♠7 ♦7 ♠5 ♦5 ♥5
 - 3号位玩家手牌: ♠2 ♠6 ♥6 ♥8 ♠8 ♦J ♠4 ♦4 ♠3 ♠4 ♠6 ♦8 ♠T ♠9 ♦9 ♠9
- Player No.1's hand: ♦A ♣A ♥A ♠3 ♠8 ♥7 ♦6 ♥4 ♠5 ♥9 ♠T ♠J ♦K ♥K ♠K ♠K
- Player No.2's hand: ♠J ♥J ♥T ♦3 ♥3 ♦T ♥Q ♦Q ♠Q ♠Q ♠7 ♠7 ♦7 ♠5 ♦5 ♥5
- Player No.3's hand: ♠2 ♠6 ♥6 ♥8 ♠8 ♦J ♠4 ♦4 ♠3 ♠4 ♠6 ♦8 ♠T ♠9 ♦9 ♠9

- 拥有♠3的玩家即是首先出牌者, 所以是1号位玩家先出牌。

The player with ♠3 will play their cards first. Therefore, Player No.1 will be the first to play their cards.

4.4.37 红黑大战 Red & Black War

如: 值为032601113d1d23

Example: Value is 032601113d1d23

- 第一位是花色, 第二位数是牌值, 以此类推, 一~六号位组合形成红区的开牌

The first byte is Suit, the second byte is CardValue, the first 6 bytes combined to form the opening of Red area

- 第七位是花色, 第八位数是牌值, 以此类推, 七~十二号位组合形成黑区的开牌

The 7th byte is Suit, the 8th byte is CardValue, from the NO.7 to No.12 bytes combined to form the opening of Black area

- 第十三、十四位为开奖结果，若无幸运一击则十四位为空，1代表红赢，2代表黑赢，13代表红赢且幸运一击，以此类推

The 13th and 14th place are the draw results. If the lucky-hit event not happened, the 14th place is empty. 1 means red area wins and 2 means black area wins. 13 means red area wins and lucky-hit event happened.

- 字符与花色对应关系、字符与牌值对应关系同炸金花

It is the same with Golden Flower of the corresponding relationship between Character and Suit, Character and CardValue

- 字符与开奖点对应关系如下表：

The corresponding relationship between character and opening point are as follows:

字符character	开奖点Opening points
1	红Red Area
2	黑Black Area
3	幸运一击Lucky Hit

- 例：

值为：032601113d1d23表示：红开牌♦3♥6♦1，黑开牌♠1♠K♠K，本局黑赢获胜，且开出幸运一击

Example:

Value is: 032601113d1d23 represent: Red area open ♦3♥6♦1, Black area open ♠1♠K♠K, this round Black area wins and event of lucky-hit happened.

4.4.38 疯狂抢庄牛牛Crazy Banker Bull-Bull

- 解析规则同抢庄牛牛

Same as Banker Bull-Bull

- 总共六个座位

There are 6 seats total in this game

4.4.39 李逵捕鱼LK Fishing

- 李逵捕鱼不需要解析CardValue。

LK fishing doesn't need analysis card value.

- 查看对局详情即可。

There are 6 seats total in this game

4.4.40 金元捕鱼ChinYuan Fishing

- 金元捕鱼不需要解析CardValue。

Chin Yuan fishing doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.41 捕鱼传说BYCS Fishing

- 捕鱼传说不需要解析CardValue。

BYCS fishing doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.42 极速百家乐Speed Baccarat

如: 值为2a23332a1c041

Example: Value is 2a23332a1c041

- 前6位是闲, 7-12位是庄, 12位以后是胜利的下注点ID
the first 6 bytes are Player, 7-12 bytes are banker, bytes after 12 are betting point ID of success
- 前12位, 第一位是花色, 第二位是牌值, 第三位是花色, 第四位是牌值, 以此类推
The first 12 bytes, the first byte is suit, second is CardValue, the third is suit, the forth is CardValue, and so on.
- 庄闲各最少两张牌最多三张牌, 如果第三张牌没发, 对应牌值为00
2 cards for the least 3 cards for the most for both Player and Banker, if the third cards does not distributed, corresponding card value is 00
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 下注点与字符对应关系如下表:

The corresponding relationship between the betting point and character as follow :

字符Character	下注点Betting point
庄Banker	2
闲Player	1
和Tie	3
幸运七Lucky 7	10
任意对子Any Pair	11
大Big	8
小Small	9

- 则此局闲牌♥10♥3 ♠3, 庄牌♥10♠Q♦4; 胜利下注点为1, 对应闲赢
Then the Player cards of this match♥10♥3 ♠3, Banker cards♥10♠Q♦4; the betting point of success is 1

4.4.43 看牌抢庄三公Three-Face Card After Check Card

如: 值为161c1c000000262c2c000000363c3c5

Example: Value is 161c1c000000262c2c000000363c3c5

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Field rule: the first byte is Suit, the second is CardValue, the third it Suit, the forth is CardValue, and so on
- 每个玩家3张手牌共占6位, 依次为1-5号座位的玩家
3 handcards per player occupy 6 bytes, and the seat number from 1 to 5 in sequence
- 最后面一位表示庄家的座位号, 1-5分别对应1-5号位
The last byte represent the Banker's seat number, 1-5 respectively corresponding to seat NO.1-5
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit,

Character and CardValue

- 例: 值为: 161c1d000000262c2d000000363c3d5 表示: 1号位玩家手牌♠6♠Q♠K; 2号位没有玩家; 3号位玩家手牌♥6♥Q♥K; 4号位没有玩家; 5号位玩家手牌♠6♠Q♠K; 5号位的玩家是庄家
 Example: 161c1d000000262c2d000000363c3d5 represent: seat NO.1 player hands ♠6♠Q♠K; seat NO.2 no player; seat NO.3 player hands ♥6♥Q♥K; seat NO.4 no player; seat NO.5 player hands ♠6♠Q♠K; the player of seat No.5 is the Banker

4.4.44 梭哈德州扑克 All-In or Fold

如: 值为 2302163a3306242b1a0a353b2a0b3c0121

Example: Value is 2302163a3306242b1a0a353b2a0b3c0121

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
 Field rule: the first byte is Suit, the second is CardValue, the third it Suit, the forth is CardValue, and so on
- 每个玩家2张手牌共占6位, 依次为1-6号座位的玩家, 共占24位, 若座位为空则显示0000
 2 handcards per player occupy 4 bytes, and the seat number from 1 to 6 in sequence. So all players occupy 24 bytes. 0000 stands for empty seat.
- 第25-30位代表翻牌, 31位32位代表转牌, 33位34位代表河牌
 The 25th to 30th bytes are Flop cards, the 31st to 32nd bytes are Turn card, and the 33rd to 34th bytes are River card.
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
 It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 如: 值为 2302163a3306242b1a0a353b2a0b3c0121 表示: 1号玩家手牌♥3♦2, 2号手牌♠6♠10, 3号手牌♠3♠6, 4号手牌♥4♥J, 5号手牌♠10♦10, 6号手牌♠5♠Q, 翻牌为♥10♦J♠Q, 转牌为♦A, 河牌为♥A
 Example: 2302163a3306242b1a0a353b2a0b3c0121 represent: seat NO.1 player hands ♥3♦2; seat NO.2 hands ♠6♠10; seat NO.3 player hands ♠3♠6; seat NO.4 hands ♥4♥J; seat NO.5 player hands ♠10♦10; seat NO.6 hands ♠5♠Q; the flop cards are ♥10♦J♠Q, the turn card is ♦A, and the river card is ♥A

4.4.45 金球银球 World Cup Golden Ball

如: 值为 02100

For example, the value is 02100

- 字段前两位是中奖的下注点序号。01: 红手套 02: 红哨子 03: 红鞋 04: 红衣 05: 蓝手套 06: 蓝哨子 07: 蓝鞋 08: 蓝衣 09: 银球 10: 金球。
- 后二到三位是赔率, 100表示赔率是100倍。
 The first two digits of the field are the number of the annotation points for winning the prize. 01: Red Gloves 02: Red Whistle 03: Red Shoes 04: Red Clothes 05: Blue Gloves 06: Blue Whistle 07: Blue Shoes 08: Blue Clothes 09: Silver Ball 10: Gold Ball. The last two to three digits are odds, 100 means the odds are 100 times.
- 那么以上例子的开奖结果为: 红哨子100倍
 So, the prize-winning result of the above example is: Red Whistle 100 times

4.4.46 十倍牛牛 **Ten Times Bull-Bull**

- 1-5分别代表天地玄黄庄位置
1-5 represent respectively Sky ,Floor, Xuan and Yellow banker's seat
- 如: 值为12a3a09181522528273d3431b2b1a0706435083739125110d140322020304
example: value is 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304
- Ø 字段规则第一位数是位置 第二位数是花色, 第三位数是牌值, 第四位是花色, 第五位数是牌值, 以此类推
the first byte is seat, the second is Suit, the third it CardValue, the forth is Suit, the fifth is CardValue and so on.
- 每个位置5张手牌共占11位, 依次为天地玄黄庄。后面数字代表赢的位置, 每个位置占两个字符
Ø 字符与花色对应关系、字符与牌值对应关系同德州扑克
handcards per seat occupy 11 bytes, and the seats are Sky ,Floor, Xuan and Yellow in sequence.The numbers followed represent the seat of the winner, each occupy 2 bytes.It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例如值为: 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304表示
天号位手牌为: ♥10♠10♦9♣8♠5
地号位手牌为: ♥5♥8♥7♠K♠4
玄号位手牌为: ♣J♥J♣10♦7♦6
黄号位手牌为: ♠5♦8♠7♠9♠2
庄家手牌为: ♣A♦K♣4♦3♥2
020304表示地 玄 黄三个位置赢了
example: value is 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304
represent:
handcards of Sky seat is: ♥10♠10♦9♣8♠5
handcards of Floor seat is: ♥5♥8♥7♠K♠4
handcards of Xuan seat is: ♣J♥J♣10♦7♦6
handcards of Yellow seat is: ♠5♦8♠7♠9♠2
handcards of Dealer is: ♣A♦K♣4♦3♥2
020304 represent Floor, Xuan, Yellow these 3 seats wined

4.4.47 富贵金龙 **Golden Dragon**

- 富贵金龙不需要解析CardValue。
Golden Dragon doesn't need analysis card value.
- 查看对局详情即可。
You can check the game details.

4.4.48 欧式轮盘 **European Roulette**

如: 值为119

Example: Value is 119

- 字段第一位是颜色0: 绿 1: 红 2: 黑, 第二位后面为数字。
The first byte is Color, 0: Green 1: Red 2: Black, bytes after second are numbers.
- 那么以上例子的开奖结果为: 红19。
the prize-winning result of the above example is: Red 19

4.4.49 富贵三张Three Card Poker

如: 值为171c3b063426000000041b150

For example: the value is 171c3b063426000000041b150

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
the first is the suit, the second is the card value, the third is the suit, the fourth is the card value, and so on
- 每个玩家3张手牌共占6位, 依次为1-3号座位的玩家
Each player has 3 cards accounting for 10, which are the players in seats 1-5
- 第一个字段一律为庄家牌其余为玩家手牌
1st~6th means banker
- 最后一个数字0无意义
Last char " 0 ", meaningless, please ignore
- 当位子为空时则为"000000"
When the seat is empty that is "000000"
- 黑桃、红桃、梅花和方片编号为3、2、1、0
Spades, hearts, clubs and diamonds are numbered 3, 2, 1, 0
- 值为: 171c3b063426000000041b150 表示: 1号位玩家手牌♦6 ♠4 ♥6 ; 3号位玩家手牌♦4 ♣J ♠5 ; 庄家位是♣7 ♠Q ♠J
For example: the value is 171c3b063426000000041b150: The first player's cards: 7st~12th represent the first player's cards are:♦6 ♠4 ♥6, The third player's cards: 19th~24th represent the second player's cards are: ♦4 ♣J ♠5, The banker's cards: 1th~6th represent the banker's cards are: ♣7 ♠Q ♠J

4.4.50 官人坏坏百J乐H-Baccarat

如: 值为33340033340003

Example: Value is 33340033340003

- 前6位是闲, 7-12位是庄, 12位以后是胜利的下注点ID
The first 6 bytes are Player, 7-12 bytes are banker, bytes after 12 are betting point ID of success
- 前12位, 第一位是花色, 第二位是牌值, 第三位是花色, 第四位是牌值, 以此类推
The first 12 bytes, the first byte is suit, second is CardValue, the third is suit, the forth is CardValue, and so on
- 庄闲各最少两张牌最多三张牌, 如果第三张牌没发, 对应牌值为00
2 cards for the least 3 cards for the most for both Player and Banker, if the third cards does not distributed, corresponding card value is 00
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 下注点与字符对应关系如下表:
The corresponding relationship between the betting point and character as follow :

字符Character	下注点Betting point
庄Banker	2

闲Player	1
和Tie	3

则此局闲家牌值 ♠3♠4 ,庄家牌值 ♠3♠4; 胜利下注点为3, 对应和赢

Then the Player cards of this match ♠3♠4, Banker cards ♠3♠4; the betting point of success is 3

4.4.51 闪电21点 Lightning Blackjack

如: 值为02d1317,13d062a,2032703,323253d-333b

Example: Value is 02d1317,13d062a,2032703,323253d-333b

- 每个逗号内或者竖线内第一位表示玩家座位号, 后面每两位表示一张扑克花色和点数。
within each comma or slash, the first byte represent the player's seat number, and every two behind represent Suit and Point
- 连接符表示玩家在该座位上进行了分牌, 后面每两位表示一张扑克花色和点数。
-dash represent the player distributed cards on this seat, every 2 bytes behind represent suit and point for 1 card.
- 第一位是0时表示庄家
When the first byte is 0 represent Banker
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue
- 例: 值为: 02d1317,13d062a,2032703,323253d-233b 表示: 庄家牌♥K♠3♠7, 一号位牌♠K♦6♥10, 二号位牌♦3♥7♦3, 三号位进行了分牌: 第一墩的牌♥3♥5♠K, 第二墩的牌♥3♠J

Example:

Value is: 02d1317,13d062a,2032703,323253d-233b|41c29|5393b represent: Banker hands♥K♠3♠7, seat No.1 hands♠K♦6♥10, seat No.2 hands♦3♥7♦3, seat No.3 distributed cards: the first set of cards♥3♥5♠K, the second set of cards♥3♠11

4.4.52 终极德州扑克 Ultimate Texas

如: 值为000005212709232d353c38332c0

For example: the value is 000005212709232d353c38332c0

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
the first is the suit, the second is the card value, the third is the suit, the fourth is the card value, and so on
- 每个玩家2张手牌共占4位, 依次为1-3号座位的玩家, 共占12位, 若座位为空则显示0000
2 handcards per player occupy 4 bytes, and the seat number from 1 to 3 in sequence. So all players occupy 12 bytes. 0000 stands for empty seat.
- 第13-16位为庄家手牌
13th-16th means banker's handcards
- 第17-26位是公共牌
17th-26th are public cards.
- 最后一个数字0无意义
Last char " 0 ", meaningless, please ignore
- 黑桃、红桃、梅花和方片编号为3、2、1、0

Spades, hearts, clubs and diamonds are numbered 3, 2, 1, 0

- 值为:000005212709232d353c38332c0表示:1号位玩家为空;2号位玩家手牌♠5 ♥A;3号位玩家手牌♥7 ♦9;庄家手牌♥3 ♥K;公共牌♠5 ♠Q ♠8 ♠3 ♥Q

For example: the value is 171c3b063426000000041b150: The first player is empty, the second player's cards are: ♠5 ♥A, the third player's cards are: ♥7 ♦9, the banker's cards are: ♥3 ♥K, public cards are ♠5 ♠Q ♠8 ♠3 ♥Q.

4.4.53 炸财神Bombing Fortune

- 炸财神不需要解析CardValue。

Bombing Fortune doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.54 幸运熊猫Lucky Panda

- 幸运熊猫不需要解析CardValue。

Lucky Panda doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.55 财神发发发Fortune FaFaFa

- 财神发发发不需要解析CardValue。

Fortune FaFaFa doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.56 麻将胡了3 Mahjong Master

- 麻将胡了3不需要解析CardValue。

Mahjong Master doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.57 抖音牛牛TikTok Bull-BullGuandan

如:值为360c2c14180000000000360c2c141800000000001

Example: Value is 360c2c14180000000000360c2c141800000000001

- 字段规则第一位是花色,第二位数是牌值,第三位是花色,第四位数是牌值,以此类推

Field rule: the first byte is Suit, the second is Value, the third is Suit, the fourth is Value, and so on.

- 每个玩家5张手牌共占10位,依次为1-4号座位的玩家

5 handcards per player occupy 10 bytes, and the seat number from 1 to 4 in sequence.

- 最后面一位表示庄家的座位号,1-4分别对应1-4号位

The last byte represent the Banker's seat number, the No.1 to No.4 byte respectively corresponding to seat NO.1-4

- 字符与花色对应关系、字符与牌值对应关系同德州扑克

It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue

- 例Example:

值为: 360c2c1418000000000360c2c14180000000001表示: 1号位玩家手牌♠6♦Q♥ Q♣4♣8; 2号位没有玩家; 3号位玩家手牌♠6♦Q♥Q♣4♣8; 4号位没有玩家; 庄家是1号位的玩家

Value is: 360c2c1418000000000360c2c14180000000001 represent: seat NO.1 player hands ♠6♦Q♥ Q♣4♣8, seat NO.2 no player; seat NO.3 player hands ♠6♦Q♥Q♣4♣8; seat NO.4 no player; seat No.1 is Banker

4.4.58 攒蛋Guandan

如: 值为

080d2d042b26153418281c2a0d0c3d391b2437111c123717212428070b35113d09012316193c141d421a26083b18130a321925293525380b290c033117010903433b331b1523221a3a0227362704123c05342b061d394222060a21320213332d2a162c073a36433805142c31

Example: Value is

080d2d042b26153418281c2a0d0c3d391b2437111c123717212428070b35113d09012316193c141d421a26083b18130a321925293525380b290c033117010903433b331b1523221a3a0227362704123c05342b061d394222060a21320213332d2a162c073a36433805142c31

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Field rule: the first byte is Suit, the second is Value, the third is Suit, the fourth is Value, and so on.
- 每个玩家27张手牌共占10位, 依次为1-4号座位的玩家
27 handcards per player occupy 10 bytes, and the seat number from 1 to 4 in sequence.
- 最后面一位表示庄家的座位号, 1-4分别对应1-4号位
The last byte represent the Banker's seat number, the No.1 to No.4 byte respectively corresponding to seat NO.1-4
- 字符与花色对应关系、字符与牌值对应关系同德州扑克
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue

- 例Example:

值为:

080d2d042b26153418281c2a0d0c3d391b2437111c123717212428070b35113d09012316193c141d421a26083b18130a321925293525380b290c033117010903433b331b1523221a3a0227362704123c05342b061d394222060a21320213332d2a162c073a36433805142c31表示: 1号位玩家手牌

♠A♥A♠K♦K♥K♠Q♠Q♦Q♥J♠♥10♠9♦8♥8♠8♥8♠7♠7♠7♥6♠5♦4♥4♥4♠4♠2; 2号位玩家手牌小王

♠3♥3♦A♠A♠K♠K♠Q♠J♦♦10♠10♥9♠9♦9♠9♦8♠8♦7♠6♥6♥5♠5♥5♠5♠4♠2; 3号位玩家手牌大王

♦3♠3♦3♥3♠A♠A♠Q♦Q♠J♦J♠J♠10♠10♦9♥9♠8♥7♥7♠7♠6♠5♦5♦4♥2♠2♦2; 4号位玩家手牌

♠3♠3♥A♠A♥K♠K♥Q♥Q♥J♦10♥10♠10♠9♠8♦7♠6♠6♦6♦6♠5♠4♠4♠2♦2♥2

Value is:

080d2d042b26153418281c2a0d0c3d391b2437111c123717212428070b35113d09012316193c141d421a26083b18130a321925293525380b290c03311

7010903433b331b1523221a3a0227362704123c05342b061d394222060a21320213332d2a162c073a36433805142c31 means: Position 1 player's hand ♠A♥A♠K♦K♥K♠Q♠Q♦Q♥J♠♥10♠9♦8♥8♠8♥8♠7♠7♠7♥6♠5♦4♥4♥4♠4♠2; The player in position 2 has the trump card

♠3♥3♦A♠A♠K♠K♠Q♠J♦♦10♠10♥9♠9♦9♠9♦8♠8♦7♠6♥6♥5♠5♥5♠5♠4♠2; The player in position 3 has the king of cards ♦3♠3♦3♥3♠A♠A♠Q♦Q♠J♦J♠J♠10♠10♦9♥9♠8♥7♥7♠7♠6♠5♦5♦4♥2♠2♦2; Player No.

4's hand is ♠3♠3♥A♠A♥ K♠K♥Q♥Q♥J♦10♥10♠10♠9♠8♦7♠6♠6♦6♦6♦5♠4♠4♦2♦2♥2

4.4.59 黑神话百人牛牛 **Black Myth Niu-Niu For Thousands Person**

- 1-5分别代表白龙 悟空 悟能 悟净 庄位置

1-5 represent respectively Sky ,Floor, Xuan and Yellow banker's seat

- 如: 值为12a3a09181522528273d3431b2b1a0706435083739125110d140322020304

example: value is 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304

- Ø字段规则第一位数是位置 第二位数是花色, 第三位数是牌值, 第四位是花色, 第五位数是牌值, 以此类推

the first byte is seat, the second is Suit, the third it CardValue, the forth is Suit, the fifth is CardValue and so on.

- 每个位置5张手牌共占11位, 依次为白龙 悟空 悟能 悟净庄。后面数字代表赢的位置, 每个位置占两个字符
- Ø字符与花色对应关系、字符与牌值对应关系同德州扑克

handcards per seat occupy 11 bytes, and the seats are Sky ,Floor, Xuan and Yellow in sequence.The numbers followed represent the seat of the winner, each occupy 2 bytes.It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue

- 例如值为: 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304表示

白龙号位手牌为: ♥10♠10♦9♠8♠5

悟空位手牌为: ♥5♥8♥7♠K♠4

悟净号位手牌为: ♠J♥J♠10♦7♦6

悟能位手牌为: ♠5♦8♠7♠9♠2

庄家手牌为: ♠A♦K♠4♦3♥2

020304表示悟空 悟净 悟能三个位置赢了

example: value is 12a3a09181522528273d3431b2b1a0706435083739125110d140322020304

represent:

handcards of Sky seat is: ♥10♠10♦9♠8♠5

handcards of Floor seat is: ♥5♥8♥7♠K♠4

handcards of Xuan seat is: ♠J♥J♠10♦7♦6

handcards of Yellow seat is: ♠5♦8♠7♠9♠2

handcards of Dealer is: ♠A♦K♠4♦3♥2

020304 represent Floor, Xuan, Yellow these 3 seats winned

4.4.60 逃离五指山 **Escape from Wuzhishan**

- 用;区隔数值: 下注倍数;开讲倍数

Values seperated by semicolon: bet_times;reward_times

- 如: 值为1.01;1.85

example: value is 1.01;1.85

4.4.61 西游黑悟空 **Monkey king black wukong**

- 西游黑悟空不需要解析CardValue

Monkey king : black wukong doesn't need analysis card value.

- 查看对局详情即可。

You can check the game details.

4.4.62 癞子牛牛 Lai Zi Niu Niu

如: 值为19393525044141431a071d2d4133082c22112841413b3d0c013641411

Example: Value is 19393525044141431a071d2d4133082c22112841413b3d0c013641411

- 字段规则第一位是花色, 第二位数是牌值, 第三位是花色, 第四位数是牌值, 以此类推
Field rule: the first byte is Suit, the second is Value, the third is Suit, the fourth is Value, and so on.
- 每 14 位为一组, 依次表示 1-4 号位的 5 张手牌、1 张小王变化的牌、1 张大王变化的牌
Every 14 digits is a group, which successively represents the 5 pieces cards of 1 to 4 positions, 1 changing card of little joker and 1 changing card of king
- 最后面一位表示庄家的座位号, 1-4 分别对应 1-4 号位
The last byte represent the Banker's seat number, the No.1 to No.4 byte respectively corresponding to seat NO.1-4
- 字符与花色对应关系、字符与牌值对应关系同德州扑克 (41 表示空)
It is the same with Texas Hold'em Poker of the corresponding relationship between Character and Suit, Character and CardValue (41 for null)
- 例Example:

值为: 19393525044141431a071d2d4133082c22112841413b3d0c013641411 表示:

1 号位: ♠9 ♠9 ♠5 ♥5 ♦4 空 空

2 号位: 大王 ♠10 ♦7 ♣K ♥K 空 ♠3

3 号位: ♦8 ♥Q ♥2 ♠A ♥8 空 空

4 号位: ♠J ♠K ♦Q ♦A ♠6 空 空

1 号位是庄家

For example: value is 19393525044141431a071d2d4133082c22112841413b3d0c013641411.

The first position: ♠9 ♠9 ♠5 ♥5 ♦4 null null

The second position: king ♠10 ♦7 ♣K ♥K null ♠3

The third position: ♦8 ♥Q ♥2 ♠A ♥8 null null

The fourth position: ♦8 ♥Q ♥2 ♠A ♥8 null null.

The banker is in the first position.

4.4.63 比大小 HI-LO

- 用; 区隔动作: 第一位是动作, 后面是卡片编号
Values separated by semicolon: action;card number
动作action:
0: 起始牌 first card
1: 猜>= guess big
2: 猜<= guess small
3: 猜黑 guess black
4: 猜红 guess red
5: 换牌 change card
- 如: 值为13;522;56
example: value is 13;522;56

4.4.64 土耳其麻将 Okey

- 以逗号分隔, 前4组对应1~4号玩家最终手牌, 每张牌以两位数表示, 如: 2 -> 02 or 14 -> 14, 牌值可参考牌值定义, 第5组为庄家座位号, 第6组为公牌

Separated by commas, the first 4 groups correspond to the final hand of players 1 to 4, each card is represented by a two-digit number, such as: 2 -> 02 or 14 -> 14, the card value can refer to the card value definition, the 5th group is the dealer's seat number, and the 6th group is the public card

- 牌值定义如下:

红色1~13 1~13

黑色1~13 14~26 蓝色1~13 27~39

黄色1~13 40~52

百搭牌 53

The card values are defined as follows:

Red 1~13 1~13

Black 1~13 14~26 Blue 1~13 27~39

Yellow 1~13 40~52

Wild Card 53

- 如: 值为

020607081618192022303233343435404042464747,02050507081115181921272831324141424444
4549,0304041415,14,4,2

1号玩家最终手牌: 020607081618192022303233343435404042464747

2号玩家最终手牌: 020505070811151819212728313241414244444549

3号玩家最终手牌: 0304041415

4号玩家最终手牌: 14

庄家座位号: 4

公牌: 2

example: value is

020607081618192022303233343435404042464747,020505070811151819212728313241414244444
549,0304041415,14,4,2

Player 1's final hand: 020607081618192022303233343435404042464747

Player 2's final hand: 020505070811151819212728313241414244444549

Player 3's final hand: 0304041415

Player 4's final hand: 14

Dealer seat number: 4

Public Card:: 2

4.4.65 极速牛牛 Speed Bull-Bulll

- 不区隔直接串接, 两码为一张卡牌, 按座位号依序组合, 如该座位没人则补十个0, 最后一码为庄家座位号

Values are concatenated directly with two digits representing one card, assembled in order of seat number. If a seat is unoccupied, ten zeros are added to indicate an empty position, with the last digit being the banker's seat number.

- 如: 值为0000000000022612382300000000031191b1c15070518012b361d17032d4

表示牌局为..

1-无

2-     

3-无人

4-     

5-     

6-     

庄家牌:     

example: value is 00000000000226123823000000000031191b1c15070518012b361d17032d4

means the result is..

1- empty

2-     

3- empty

4-     

5-     

6-     

Banks's hand:     

4.4.66 澳门百家乐幸运六 **Macau Baccarat Lucky Six**

- 不区隔直接串接, 两码为一张卡牌, 先闲后庄, 如没有第三张牌则补两个0示之, 最尾端为获胜
点位Values will be concatenated directly in the order of the player's hands, followed by banker's hand.
Two digits represent a card and will contain two extra zeros if there is no third card in that hand. And
the rest number represent the winning bet positions.
- 如: 值为193a00133a0001

表示 闲-   庄-  

example: value is 193a00133a0001

means Player-   Banker-  

4.4.67 铸剑 **Forging a sword**

- 第一位代表炼化成功/失败 0/1, 后两位代表炼化到的等级 00 ~ 10
The first digit represents the success/failure of refining 0/1, and the last two digits represent the level
of refining 00 ~ 10
- 如: 值为005
表示炼化失败, 最高等级+5
如: 值为108
表示炼化成功, 最高等级+8

For example: the value is 005,
which means the refining failed, and the highest level is +5.

For example: the value is 108,
which means the refining is successful, and the highest level is +8.

4.4.68 射门之王 Soccer King

- 数字为赢分设定倍率

The digit represents the winning odds.

- 如: 值为0

表示射门失败, 游戏解析显示为 0x

如: 值为3

表示射门成功, 游戏解析显示为 3x

For example: the value is 0,

which means shooting failed, and the result will be 0x.

For example: the value is 3,

which means shooting succeeded, and the result will be 3x.

4.5 游戏币兑换比例 Game Currency Exchange Ratio

编号 No	币种 Currency	兑换比例 Exchange Ratio
1	人民币 (RMB) Ren min bi	1人民币=1.0000游戏币 1 RMB =1.0000 game currency
2	美元 (USD) United States dollar	1 美元=6 游戏币 1 USD =6.0000 game currency
3	马币 (MYR) Malaysian ringgit	1马币=1游戏币 1 MYR =1.0000 game currency
4	越南盾 (VND) Vietnamese dong	1越南盾=0.0003游戏币 1 VND =0.0003 game currency
5	泰铢 (THB) Thai baht	1泰铢=0.2游戏币 1 THB =0.2000 game currency
6	印度尼西亚盾 (IDR) Indonesian rupiah	1印度尼西亚盾=0.0005游戏币 1 IDR=0.0005 game currency
7	日元 (JPY) Japanese Yen	1日元=0.05游戏币 1 JPY =0.0500 game currency
8	澳元 (AUD) Australian Dollar	1澳元=5游戏币 1 AUD =5.0000 game currency
9	欧元 (EUR) Europe	1欧元=7游戏币 1 RMB =1.0000 game currency
10	英镑 (GBP) Great British Pound	1英镑=8游戏币 1 GBP =8.0000 game currency
11	印度卢比 (INR) Indian Rupee	1印度卢比=0.05游戏币 1 INR =0.050 game currency

12	韩元 (KRW) Korean Won	1韩元=0.005游戏币 1 KRW =0.0050 game currency
13	缅甸元 (MMK) Myanmar Kyat	1缅甸元=0.004游戏币 1 MMK =0.0040 game currency
14	新加坡元 (SGD) Singapore dollar	1新加坡元=5游戏币 1 SGD =5.0000 game currency
15	泰达币 (USDT) Tether	1泰达币=6游戏币 1 USDT =6.0000 game currency
16	里奥 (BRL) Brazilian Real	1里奥=1.3游戏币 1 BRL =1.3000 game currency
17	新台币 (TWD) New Taiwan dollar	1新台币=0.2游戏币 1 TWD =0.2000 game currency
18	菲律宾比绍 (PHP) Philippine peso	1菲律宾比绍=0.1游戏币 1 PHP =0.1000 game currency
19	文莱元 (BND) Brunei Dollar	1文莱元=4游戏币 1 BND =4.0000 game currency
20	瑞典克朗 (SEK) Swedish krona	1瑞典克朗=0.5游戏币 1 SEK =0.5000 game currency
21	南非兰特 (ZAR) South African rand	1南非兰特=0.5游戏币 1 ZAR =0.5000 game currency
22	瑞士法郎 (CHF) Swiss franc	1瑞士法郎=6游戏币 1 CHF =6.0000 game currency
23	津巴布韦元 (ZWD) Zimbabwean dollar	1津巴布韦元=0.01游戏币 1 ZWD =0.0100 game currency
24	罗威克朗 (NOK) Norwegian krone	1罗威克朗=0.5游戏币 1 RMB =1.0000 game currency
25	加拿大元 (CAD) Canadian dollar	1加拿大元=5游戏币 1 CAD =5.0000 game currency
26	新西兰元 (NZD) New Zealand dollar	1新西兰元=4游戏币 1 ZND =4.0000 game currency

4.6 运动类型 Sport Type

Sport Type Id	Enum value	Actual value that our API will return
1	Soccer	足球
2	IceHockey	冰球
3	Basketball	篮球
4	Rugby	橄榄球
5	Tennis	网球

6	American Football	美国足球
7	Baseball	棒球
8	Handball	手球
10	Floorball	地板球
12	Golf	高尔夫球
13	Volleyball	排球
14	Cricket	玩板球
15	TableTennis	乒乓球
16	Snooker	斯诺克台球
17	Futsal	五人制足球
18	MixedMartialArts	综合格斗
19	Boxing	拳击
20	Darts	飞镖
21	Bowls	草地滚球
24	WaterPolo	水球
25	Cycling	自行车
47	Badminton	羽毛球
51	BeachVolleyball	沙滩排球
92	Formula 1	F1赛车
93	Specials	特殊投注
94	Stock Car Racing	赛车
100	Olympic	奥林匹克
164	Dota2	刀塔2
165	LOL	英雄联盟
177	E-Football	电子足球
178	E-Basketball	电子篮球
180	KOG	王者荣耀
179	CS:GO	反恐精英
1001	Virtual Soccer(Support market type: common)	虚拟足球 (支持玩法: 普通)
1020	Virtual Horse(Support market type: common)	虚拟赛马 (支持玩法: 普通)
1021	Virtual Greyhounds(Support market type: common)	虚拟赛狗 (支持玩法: 普通)

1022	Virtual Speedway(Support market type: common)	虚拟沙地摩托车（支持玩法：普通）
1023	Virtual Motorbike(Support market type: common)	虚拟摩托车（支持玩法：普通）

4.7 体育注单状态 **Sport Order status**

4.7.1 订单状态 **Order status**

CODE	DESC_EN	DESC_CN
0	Created	未确认
1	Confirming	确认中
2	Rejected	已拒单
3	Canceled	已取消
4	Confirmed	已接单
5	Settled	已结算

4.7.2 结算结果 **Outcome**

CODE	DESC_EN	DESC_CN
0	NoResulted	无结果
2	Return	和
3	Lost	输
4	Won	赢
5	WinReturn	赢半
6	LooseReturn	输半
7	Cancel	取消

4.8 盘口 **Market Type**

CODE	DESC_EN	DESC_CN
1000	Soccer Handicap	足球让球
1002	Soccer European Handicap	足球欧盘让球
1005	Soccer 1X2	足球独赢(胜平负)
1006	Soccer Draw No Bet	足球平局退款
1007	Soccer Over/Under	足球亚盘大小球
1008	Soccer Total Goals Odd/Even	足球单双
1009	Soccer Corner 1x2	足球角球胜平负
1010	Soccer Corner Over/Under	足球角球大小球
1011	Soccer Conner Handicap	足球角球让球

1012	Soccer Double Chance	足球双重机会
1015	Soccer Corner Odd/Even	足球角球数单双
1016	Soccer Home No Bet	足球主胜退款
1017	Soccer Away No Bet	足球客胜退款
1018	Soccer Winning Margin	足球胜分差
1019	Soccer Last Goal	足球最后的进球
1021	Soccer Over/Under Home	足球主队大小球
1022	Soccer Over/Under Away	足球客队大小球
1025	Soccer Clean Sheet Home	足球主队零封对手
1026	Soccer Clean Sheet Away	足球客队零封对手
1027	Soccer Both Teams To Score	足球双方均有进球
1028	Soccer Which Team To Score	足球哪支球队进球
1030	Soccer 1x2 & Over/Under	足球胜平负和大小
1031	Soccer 1x2 & Xth Goal	足球独赢 & 第几个进球球队
1032	Soccer 1x2 & Both Team To Score	足球胜平负和双方均有进球
1033	Soccer Half Time/Full Time	足球半场全场胜平负
1034	Soccer Both Halves Over X	足球上/下半场均大于x
1035	Soccer Both Halves Under X	足球上/下半场均小于x
1036	Soccer Home To Score In Both Halves	足球主队上/下半场均进球
1037	Soccer Away To Score In Both Halves	足球客队上/下半场均进球
1038	Soccer Home To Win Both Halves	足球主队赢得所有半场
1039	Soccer Home To Win Both Halves	足球主队赢得任一半场
1040	Soccer Away To Win Both Halves	足球客队赢得所有半场
1041	Soccer Away To Win Either Half	足球客队赢得任一半场
1042	Soccer The Highest Scoring Half	足球得分最高的半场
1043	Soccer The Highest Scoring Half Home	足球客队得分最高的半场
1044	Soccer The Highest Scoring Half Away	足球客队得分最高的半场
1046	Soccer To Qualify	足球晋级球队
1047	Soccer How Exactly Will The Match Be Decided	足球比赛结束形式
1048	Soccer Will There Be Overtime	足球比赛会有加时
1049	Soccer Will There Be A Goal	足球比赛会进球
1050	Soccer Will There Be A Penalty Shootout	足球比赛会有点球大战

1051	Soccer When Will The 1st Goal Be Scored (15 Min Interval)	足球第一个进球时间(15分钟以内)
1054	Soccer Corner Race To X	足球最先达到x个角球球队
1055	Soccer Last Corner	足球最后的角球
1057	Soccer Corners Over/Under Home	足球主队角球数大小
1058	Soccer Corners Over/Under Away	足球客队角球数大小
1060	Soccer Booking Handicap	足球得牌让牌
1061	Soccer Booking 1x2	足球得牌胜平负
1063	Soccer Bookings Over/Under	足球罚牌大小
1065	Soccer Bookings Over/Under Home	足球主队罚牌大小
1066	Soccer Bookings Over/Under Away	足球客队罚牌大小
1067	Soccer Yellow Cards Handicap	足球黄牌让牌
1068	Soccer Yellow Cards Over/Under	足球黄牌大小
1069	Soccer Yellow Cards 1X2	足球黄牌胜平负
1070	Soccer Total Booking Points	足球罚牌时间
1072	Soccer Sending Off	足球是否有球员被罚下
1073	Soccer Player Sent Off Home	足球主队有球员罚下
1074	Soccer Player Sent Off Away	足球客队有球员罚下
1075	Soccer Xth Goalscorer	足球第几个进球的球员
1076	Soccer Anytime Goalscorer	足球任何时间进球的球员
1077	Soccer Last Goalscorer	足球最后一个进球的球员
1078	Soccer Double Chance & Over/Under	足球双重机会和大小
1079	Soccer Double Chance & Both Team To Score	足球双重机会和双方均有进球
1080	Soccer MultiScores	足球波胆多重选择
1082	Soccer Odd/Even Home	足球主队单双
1083	Soccer Odd/Even Away	足球客队单双
1086	Soccer Red Cards Handicap	足球红牌让牌
1087	Soccer Red Cards Over/Under	足球红牌大小
1088	Soccer Red Cards 1X2	足球红牌胜平负
1089	Soccer Xth Goal	足球第几个进球球队
1090	Soccer Which Team Wins The Rest	足球剩余时间获胜球队
1091	Soccer Home To Win	足球主队获胜
1092	Soccer Away To Win	足球客队获胜

1093	Soccer Any Team To Win	足球任意球队获胜
1094	Soccer Xth Corner	足球第x个角球
1097	Soccer 1st/2nd Half Both Teams To Score	足球上下半场双方是否进球
1098	Soccer Penalty Shootout Winner	足球点球大战获胜球队
1099	Soccer Correct Score(Max 4-4)	足球波胆(任意球队进球大于等于5判定选项"其他"赢)
1100	Soccer Correct Score(Max 2-2)	足球波胆(任意球队进球大于等于3判定选项"其他"赢)
1101	Soccer Goal Range(7+)	足球进球范围(选项0-1, 2-3, 4-6, 7+)
1102	Soccer Exact Goals(6+)	足球精确进球数(选项0, 1, 2, 3, 4, 5, 6+)
1103	Soccer Exact Goals(3+)	足球精确进球数(选项0, 1, 2, 3+)
1104	Soccer Exact Goals(2+)	足球精确进球数(选项0, 1, 2+)
1105	Soccer Exact Goals Home(3+)	足球主队精确进球数(选项0, 1, 2, 3+)
1106	Soccer Exact Goals Away(3+)	足球客队精确进球数(选项0, 1, 2, 3+)
1107	Soccer Corner Range(12+)	足球角球范围(选项 0-8, 9-11, 12+)
1108	Soccer Corner Range(7+)	足球角球范围(选项 0-4, 5-6, 7+)
1109	Soccer Corner Range Home(7+)	足球主队角球范围(选项0-2, 3-4, 5-6, 7+)
1110	Soccer Corner Range Away(7+)	足球客队角球范围(选项0-2, 3-4, 5-6, 7+)
1111	Soccer Correct Score(Max 9-9)	足球波胆(选项中任意球队进球小于等于9)
1112	Exact Goals Home(4+)	足球主队精确进球数(选项0, 1, 2, 3, 4+)
1113	Exact Goals Away(4+)	足球客队精确进球数(选项0, 1, 2, 3, 4+)
1114	Soccer Winning Method	足球获胜方法
1115	Soccer Goals O/U& Both Teams To Score	足球大小&两队均进球
1116	Soccer Player To Score	足球球员是否进球

1118	Soccer Xth Scoring Type	足球进球方式
1119	Soccer Which Team Will Win The Final	足球获得冠军
1120	Soccer Which Team Will Win The 3rd Place Final	足球获得季军
1123	Soccer Correct Score(PEN)	足球点球波胆
1124	Soccer Winner & Over/Under	足球获胜 & 大小
1125	Soccer Exact Goals (10+)	足球精确进球数(选项0-4, 5, 6, 7, 8, 9, 10+)
1126	Soccer Bookign Odd/Even	足球得牌单双
1127	Soccer Which Team Kicks Off	足球哪队开球
1128	Xth Penalty Scored	足球第x个点球是否进球
1129	Winning Margin 3+(Pen)	足球点球阶段胜分差
1130	1st Penalty Scored Home	足球主队第一个点球是否进球
1131	1st Penalty Scored Away	足球客队第一个点球是否进球
1132	2nd Penalty Scored Home	足球主队第二个点球是否进球
1133	2nd Penalty Scored Away	足球客队第二个点球是否进球
1134	3rd Penalty Scored Home	足球主队第三个点球是否进球
1135	3rd Penalty Scored Away	足球客队第三个点球是否进球
1136	4th Penalty Scored Home	足球主队第四个点球是否进球
1137	4th Penalty Scored Away	足球客队第四个点球是否进球
1138	5th Penalty Scored Home	足球主队第五个点球是否进球
1139	5th Penalty Scored Away	足球客队第五个点球是否进球
1140	Round 1	足球点球第一回合胜平负
1141	Round 2	足球点球第二回合胜平负
1142	Round 3	足球点球第三回合胜平负
1143	Round 4	足球点球第四回合胜平负
1144	Round 5	足球点球第五回合胜平负
1145	Finishing Round	足球点球结束的回合

1146	1st Corner(Two Way)	足球第一个角球(两项)
1147	Last Corner(Two Way)	足球最后一个角球(两项)
1148	1st Booking(Two Way)	足球第一个得牌
1149	Last Booking(Two Way)	足球最后一个得牌
1150	1st Substitution	足球第一个换人
1151	Last Substitution	足球最后一个换人
1152	1st Goal Kick	足球第一个球门球
1153	Last Goal Kick	足球最后一个球门球
1154	1st Offside	足球第一个越位
1155	Last Offside	足球最后一个越位
1156	1st Throw In	足球第一个界外球
1157	Last Throw In	足球最后一个界外球
1158	1st Free Kick	足球第一个任意球
1159	Last Free Kick	足球最后一个任意球
1160	Corner Highest Scoring Half	足球角球最高得分半场
1161	Corner Highest Scoring Half(Two Way)	足球角球最高得分半场(两项)
1162	Highest Scoring Half(Has Line)	足球最高得分半场让分
1163	Own Goal	足球是否有乌龙球
1164	First Penalty Awarded	足球常规时间是否判罚第一个点球
1165	First Penalty To Score	足球常规时间判罚的第一个点球是否打进
1166	To Win From Behind	足球哪队会反超获胜
1167	Home Win To Nil	足球主队零失球获胜
1168	Away Win To Nil	足球客队零失球获胜
1169	Xth Booking(3 Way)	足球第几个得牌
1170	Exact Bookings(12+)	足球精确得牌(12+)
1171	Home Exact Bookings(4+)	足球主队精确得牌(4+)
1172	Away Exact Bookings(4+)	足球客队精确得牌(4+)
1173	Exact Bookings(6+)	足球精确得牌(6+)
1174	Home Exact Bookings(3+)	足球主队精确得牌(3+)
1175	Away Exact Bookings(3+)	足球客队精确得牌(3+)
1176	Which Half First Goal	足球第一个进球发生在哪个半场

1177	Home Which Half First Goal	足球主队第一个进球发生在哪个半场
1178	Away Which Half First Goal	足球客队第一个进球发生在哪个半场
1179	Which Team To Take The First Penalty	足球哪支球队踢第一个点球
1180	Go to Sudden Death	足球是否进行点球骤死赛
1181	Round 1 Woodwork	足球点球第一个回合踢中门柱
1182	Round 2 Woodwork	足球点球第二个回合踢中门柱
1183	Round 3 Woodwork	足球点球第三个回合踢中门柱
1184	Round 4 Woodwork	足球点球第四个回合踢中门柱
1185	Round 5 Woodwork	足球点球第五个回合踢中门柱
1186	Half Time/Full Time Correct Score	足球半/全场正确比分
3001	basketball 1x2	篮球胜平负(3项)
3002	Handicap	篮球让分
3003	Over/under	篮球总分大小
3004	Winner	篮球独赢(2项)
3005	Odd/Even	篮球单双
3006	European/Handicap	篮球欧盘让分(已删除)
3007	Winning Margin 26+	篮球胜分差(选项 主胜1-5, 主胜6-10, 主胜11-15, 主胜16-20, 主胜21-25, 主胜26+, 客胜1-5, 客胜6-10, 客胜11-15, 客胜16-20, 客胜21-25, 客胜26+)
3008	Race To X Points	篮球首次达到x分球队
3012	Over/Under Home	篮球主队总分大小
3013	Over/Under Away	篮球客队总分大小
3014	Winner & Over/Under	篮球独赢和大小
3015	Will There Be Overtime	篮球会有加时
3016	The Highest Scoring Quarter	篮球最高得分的节
3017	Half Time/Full Time	篮球半/全场胜平负(常规时间)

3020	Money line	独赢(两项)
3021	Last Point	篮球最后一分的球队
3022	Odd/Even Home	篮球主队总得分单双
3023	Odd/Even Away	篮球客队总得分单双
3026	Total (Over-Exact-Under)	篮球全场大小(包含精确)
3027	Quarter Winner Margin	篮球单节胜分差
3028	Half Time/Full Time(Incl OT)	篮球半/全场(包含加时)
3029	Basketball Quarter Race To X Points	篮球单节首次到达x分的球队
3030	Basketball Xth Point Scoring Type	篮球第x分的得分类型
3031	Basketball Any Team Xth Point Scoring Type	篮球任意球队第x分的得分类型
3032	Basketball Xth Point	篮球第x分的球队
3033	Basketball The Highest Scoring Half	篮球最高得分半场
3034	Basketball Xth Timeout	篮球第x个暂停球队
3035	Basketball Xth Free Throw Scored	篮球第x个罚球得分球队
3036	Basketball Which Team Wins The Jump Ball	篮球哪对赢得争球
3037	Basketball Last Digit	篮球得分最后一位数
3038	Basketball Last Digit Home	篮球主队得分最后一位数
3039	Basketball Last Digit Away	篮球客队得分最后一位数
3040	Basketball Correct Quarter Odd/Even	篮球单节单双组合
3041	Basketball Handicap & Over/Under	篮球让分大小组合
19001	boxing Over/Under	拳击大小
19002	boxing Winner	拳击独赢(两项)
19003	boxing Fight To Go The Distance	拳击是否会奋战到底
19004	boxing Winning Method	拳击获胜方式
2001	Ice Hockey Handicap	冰球让球
2002	Ice Hockey Over/Under	冰球大小球
2003	Ice Hockey 1x2	冰球胜平负
2004	Ice Hockey Odd/Even	冰球单双
2005	Ice Hockey Over/Under Home	冰球主队大小球
2006	Ice Hockey Over/Under Away	冰球客队大小球
2007	Ice Hockey Winner	冰球胜负

2008	Ice Hockey Winning Margin 3+	冰球胜分差
2009	Ice Hockey Which Team Wins The Rest	冰球剩余时间获胜球队
2010	Ice Hockey Xth Goal	冰球第x粒进球
2011	Ice Hockey Last Goal	冰球最后的进球
2012	Ice Hockey Correct Score(Max 7)	冰球正确比分
2013	Ice Hockey Will There Be Overtime	冰球比赛会有加时
2014	Ice Hockey The Highest Scoring Period	冰球最高得分节
2015	Ice Hockey Double Chance	冰球双重机会
15001	Table Tennis Winner	乒乓球独赢(两项)
15002	Table Tennis Point Handicap	乒乓球让分
15003	Table Tennis Points Over/Under	乒乓球大小分
15004	Table Tennis Correct Score(BO5)	乒乓球正确比分(BO5)
15005	Table Tennis Correct Score(BO7)	乒乓球正确比分(BO7)
15006	Table Tennis Game Odd/Even	乒乓球单双
15008	Table Tennis Game Winner	乒乓球单局独赢(两项)
179001	CSGO 2Way	CSGO 独赢(两项)
13001	Volleyball Winner	排球独赢(两项)
13002	Volleyball Point Handicap	排球让分
13003	Volleyball Points Over/Under	排球大小分
13004	Volleyball Correct Score(BO5)	排球正确比分(BO5)
13005	Volleyball Correct Score(BO7)	排球正确比分(BO7)
13006	Volleyball Set Winner	排球局独赢
13007	Volleyball Odd/Even	排球单双
5001	Tennis Winner	网球独赢(两项)
5002	Tennis Game Handicap	网球让局
5003	Tennis Games Over/Under	网球总局数
5004	Tennis Set Handicap	网球让盘
5005	Tennis Sets Over/Under	网球总盘数
5006	Tennis Correct Score(BO3)	网球正确比分(BO3)
5007	Tennis Correct Score(BO5)	网球正确比分(BO5)
5008	Tennis Games Over/Under Home	网球选手1总局数
5009	Tennis Games Over/Under Away	网球选手2总局数
5010	Tennis Games Odd/Even	网球局数单双

5011	Tennis Set Correct Score	网球正确盘分
5012	Tennis Set Winner	网球盘独赢
5013	Tennis Game X Winner	网球第几局胜者
5014	Tennis Will There Be A Tiebreak	网球是否有抢七
5015	Tennis Double Result (1st Set/Match)	网球第一盘/整场比赛胜负
7001	Baseball Handicap	棒球让分
7002	Baseball Over/Under	棒球大小分
7003	Baseball Winner	棒球独赢(两项)
7004	Baseball Over/Under Home	棒球主队大小分
7005	Baseball Over/Under Away	棒球客队大小分
7006	Baseball 1x2	棒球独赢(三项)
7007	Baseball Odd/Even	棒球单双
7008	Baseball Which Team Wins The Rest	棒球剩余时间获胜
7009	Will There Be An Extra Inning	棒球是否有加时
7010	Baseball Winning Margin	棒球胜分差
7011	Baseball Hits Over/Under	棒球安打大小分
7012	Baseball Home Runs Over/Under	棒球本垒打大小分
7013	Baseball Moneyline	棒球独赢(两项)
47001	Badminton Winner	羽毛球 独赢(两项)
47002	Badminton Point Handicap	羽毛球 让分
47003	Badminton Points Over/UnderBASEBALL_HOME_SCORE	羽毛球 总分大小分
47004	Badminton Correct Score(BO3)	羽毛球 正确比分(BO3)
47005	Badminton Correct Score(BO5)	羽毛球 正确比分(BO5)
47006	Badminton Game Winner	羽毛球 局独赢
47007	Badminton Game Odd/Even	羽毛球 局单双
47008	Badminton Xth Point	羽毛球 局内第X分的球队
16001	Frame Handicap	斯诺克让局数
16002	Frame Over/Under	斯诺克局大小
16003	Winner	斯诺克独赢(两项)
16004	Points Handicap	斯诺克单局让分
16005	Points Over/Under	斯诺克单局大小分
16006	Frame Winner	斯诺克单局独赢(两项)

16007	Frame Odd/Even	斯诺克局数单双
16008	Race To X Frames	斯诺克最先赢得X局的选手
16009	Which Player Wins The Rest	斯诺克剩余时间获胜
16010	Will There Be a Deciding Frame	斯诺克是否会有决胜局
16011	Points Odd/Even	斯诺克总分单双
16012	Race To X Points	斯诺克最先获得X分的选手
16013	layer With Highest Break	斯诺克单杆最高分选手
16014	1x2	斯诺克独赢(三项)
16015	Break 50+	斯诺克是否有单杆得分50+
16016	Break 100+	斯诺克是否有单杆得分100+
16017	1x2 Frame 1 to	斯诺克前X局独赢(三项)
6001	Football Handicap	美式橄榄球让球
6002	Football Over/Under	美式橄榄球大小
6003	Football Winner	美式橄榄球胜负
6004	Football Over/Under Home	美式橄榄球主队大小
6005	Football Over/Under Away	美式橄榄球客队大小
6006	americanFootball Odd/Even	美式橄榄球单双
6007	Football Odd/Even Home	美式橄榄球主队单双
6008	Football Odd/Even Away	美式橄榄球客队单双
6009	Football 1x2	美式橄榄球独赢(三项)
6010	Football Moneyline	美式足球平局退款
6011	Football Will There Be Overtime	美式橄榄球是否有加时
6012	Football The Highest Scoring Quarter	美式橄榄球最高得分节
6013	Football The Highest Scoring Half	美式橄榄球最高得分半场
6014	Football Race To X Points	美式橄榄球最先到达x分
6015	Football Half Time/Full Time	美式橄榄球半/全场
6016	Football Touchdowns Over/Under	美式橄榄球达阵大小
6017	Football Field Goals Over/Under	美式橄榄球射门大小
6018	Football Xth Field Goal	美式橄榄球第x个射门球队
6019	Football Next Score	美式橄榄球下一个得分的球队
6020	Football Next Scoring Type	美式橄榄球下一个得分类型
51001	beach volleyball Winner	沙滩排球独赢(两项)

51002	beach volleyball Point Handicap	沙滩排球让分
51003	beach volleyball Points Over/Under	沙滩排球大小分
51004	beach volleyball Correct Score(BO5)	沙滩排球正确比分(BO5)
51005	beach volleyball Correct Score(BO3)	沙滩排球正确比分(BO3)
51006	beach volleyball Set Winner	沙滩排球局独赢
51007	beach volleyball Odd/Even	沙滩排球单双
4001	Rugby Handicap	橄榄球让球
4002	Rugby Over/Under	橄榄球大小
4003	Rugby 1x2	橄榄球独赢(三项)
4004	Rugby Moneyline	橄榄球平局退款
4005	Rugby Over/Under Home	橄榄球主队大小
4006	Rugby Over/Under Away	橄榄球客队大小
4007	Rugby Odd/Even	橄榄球单双
4008	Rugby To Qualify	橄榄球晋级球队
8001	handball Handicap	手球让球
8002	handball Over/Under	手球大小
8003	handball Over/Under Home	手球主队大小
8004	handball Over/Under away	手球客队大小
8005	handball 1x2	手球胜平负
8006	handball Moneyline	手球平局退款
8007	handball Odd/Even	手球单双
8008	handball Winner	手球胜负
18001	MMA Over/Under	混合格斗大小
18002	MMA Winner	混合格斗独赢(两项)
18003	MMA Fight To Go The Distance	混合格斗是否会奋战到底
18004	MMA Winning Method	混合格斗获胜方式
24001	Water Polo Over/Under	水球大小
24002	Water Polo 1x2	水球独赢
177001	E-Soccer Handicap	电子足球让球
177002	E-Soccer Over/Under	电子足球大小球
177003	E-Soccer 1X2	电子足球独赢(胜平负)
177004	E-Soccer Over/Under Home	电子足球主队大小球
177005	E-Soccer Over/Under Away	电子足球客队大小球

177006	e-soccer the first few goals	电子足球第x个进球
177007	E-Soccer Odd/Even	电子足球单双
177008	E-Soccer Which Team Wins The Rest	电子足球剩余时间获胜
177009	E-Soccer Draw No Bet	电子足球平局退款
177010	E-Soccer Home No Bet	电子足球主胜退款
177011	E-Soccer Away No Bet	电子足球客胜退款
177012	E-Soccer Double Chance	电子足球双重机会
177013	E-Soccer European Handicap	电子足球足球欧盘让球
177014	E-Soccer Exact Goals Home(3+)	电子足球主队精确进球数 (选项0, 1, 2, 3+)
177015	E-Soccer Exact Goals Away(3+)	电子足球客队精确进球数 (选项0, 1, 2, 3+)
177016	E-Soccer Home To Win	电子足球足球主队是否获胜
177017	E-Soccer Away To Win	电子足球足球客队是否获胜
177018	E-Soccer Any Team To Win	电子足球任意球队获胜
178001	E-BasketBall Handicap	电子篮球让分
178002	E-BasketBall Over/under	电子篮球大小分
178003	E-BasketBall Winner	电子篮球独赢(2项)
178004	E-BasketBall Over/Under Home	电子篮球主队总分大小
178005	E-BasketBall Over/Under Away	电子篮球客队总分大小
178006	E-BasketBall Odd/Even	电子篮球单双
178007	E-BasketBall 1x2	电子篮球独赢(三项)
178008	E-BasketBall Draw No Bet	电子篮球平局退款
178009	E-BasketBall inner & Over/Under	电子篮球独赢和大小
1999	Dynamic Outright Market	足球冠军赛事动态玩法
1998	Winner	足球冠军赛事胜者
1997	Top 2	足球冠军赛事A组前2名球队
1996	Top 3	足球冠军赛事A组前两名球队
1995	Top 4	足球冠军赛事A组前两名球队
1994	Top 6	足球冠军赛事A组前6名球队
1993	Top 8	足球冠军赛事A组前8名球队

1992	To Finish in Top Half	足球冠军赛事跻身前半部分球队
1991	To Finish in Bottom Half	足球冠军赛事跻身后半部分球队
1990	Relegation	足球冠军赛事降级球队
1989	Promotion	足球冠军赛事晋级球队
1988	Group A Winner	足球冠军赛事A组胜者
1987	Group B Winner	足球冠军赛事B组胜者
1986	Group C Winner	足球冠军赛事C组胜者
1985	Group D Winner	足球冠军赛事D组胜者
1984	Group E Winner	足球冠军赛事E组胜者
1983	Group F Winner	足球冠军赛事F组胜者
1982	Group G Winner	足球冠军赛事G组胜者
1981	Group H Winner	足球冠军赛事H组胜者
1968	Group I Winner	足球冠军赛事I组胜者
1967	Group J Winner	足球冠军赛事J组胜者
1980	Group A Top 2	足球冠军赛事A组前两名球队
1979	Group B Top 2	足球冠军赛事B组前两名球队
1978	Group C Top 2	足球冠军赛事C组前两名球队
1977	Group D Top 2	足球冠军赛事D组前两名球队
1976	Group E Top 2	足球冠军赛事E组前两名球队
1975	Group F Top 2	足球冠军赛事F组前两名球队
1974	Group G Top 2	足球冠军赛事G组前两名球队
1973	Group H Top 2	足球冠军赛事H组前两名球队
1966	Group I Top 2	足球冠军赛事I组前两名球队
1965	Group J Top 2	足球冠军赛事J组前两名球队
1972	To Reach the Quarter Final	足球冠军赛事进入四分之一决赛球队

1971	To Reach the Semi Finaleach	足球冠军赛事进入半决赛球队
1970	To Finish Bottom	足球冠军赛事垫底球队
1969	Top Goalscorer	足球冠军赛事最高得分球员
3999	Dynamic Outright Market	篮球冠军赛事动态玩法
3900	Dynamic Outright Market	篮球系列赛冠军
3901	Series Handicap	篮球系列赛让分
3902	Series Correct Score	篮球系列赛正确比分
3903	Regular Season Wins	篮球常规赛胜利
3904	To Reach the Playoffs	篮球是否进入季后赛
3905	Series Game End	篮球系列赛第几场结束
3906	Series Correct Score After Game 3	篮球系列赛第三场比赛后比分
3907	Series Correct Score After Game 4	篮球系列赛第四场比赛后比分
3998	Dynamic Outright Market	篮球冠军赛事动获胜者
3997	Top 2	篮球冠军赛事A组前2名球队
3996	Top 3	篮球冠军赛事A组前3名球队
3995	Top 4	篮球冠军赛事A组前4名球队
3994	Group A Winner	篮球冠军赛事A组胜者
3993	Group B Winner	篮球冠军赛事B组胜者
3992	Group C Winner	篮球冠军赛事C组胜者
3991	Group D Winner	篮球冠军赛事D组胜者
3990	Group E Winner	篮球冠军赛事E组胜者
3989	Group F Winner	篮球冠军赛事F组胜者
3988	Group G Winner	篮球冠军赛事G组胜者
3987	Group H Winner	篮球冠军赛事H组胜者
3986	Western Conference Winner	篮球冠军赛事西部冠军
3985	Eastern Conference Winner	篮球冠军赛事东部冠军
3984	Division Central Winner	篮球冠军赛事中部冠军
3983	Division Southwest Winner	篮球冠军赛事西南南冠军
3982	Division Southeast Winner	篮球冠军赛事东南冠军

3981	Division Northwest Winner	篮球冠军赛事西北冠军
3980	Division Pacific Winner	篮球冠军赛事太平洋区冠军
3979	Division Atlantic Winner	篮球冠军赛事大西洋区冠军
3978	Awards Coach Of The Year	篮球冠军赛事年度最佳教练
3977	Group H Winner	篮球冠军赛事年度最佳防守球员
3976	Group H Winner	篮球冠军赛事Regular Season MVP
3975	Awards Rookie Of The Year	篮球冠军赛事年度最佳新秀
3974	Awards Most Improved Player	篮球冠军赛事最具进步的球员
3973	Awards Sixth Man Of The Year	篮球冠军赛事年度最佳第六人奖
3971	Regular Season Rebounds Per Game Leader	篮球冠军赛事年度最佳第六人奖
3970	Regular Season Three Pointers Made Per Game Leader	篮球冠军赛事常规赛每场篮板数冠军
3969	Regular Season Points Per Game Leader	篮球冠军赛事年度常规赛每场得分领先者
3968	Regular Season Assists Per Game Leader	篮球冠军赛事常规赛每场助攻王
3967	Regular Season Winner	篮球冠军赛事常规赛冠军
3966	Finals MVP	篮球冠军赛事总决赛MVP
3965	Winning Conference	篮球获胜联盟
3964	Winning Division	篮球获胜赛区
3963	Straight Forecast 1-2	篮球第一二名预测
5999	Dynamic Outright Market	网球冠军赛事冠军
5998	Winner	网球冠军赛事冠军
13999	Dynamic Outright Market	排球冠军赛事冠军
13998	Winner	排球冠军赛事冠军
15999	Dynamic Outright Market	乒乓球冠军赛事冠军
15998	Winner	乒乓球冠军赛事冠军
47999	Dynamic Outright Market	羽毛球冠军赛事冠军
47998	Winner	羽毛球冠军赛事冠军
2999	iceHockey Dynamic Outright Market	冰球冠军赛事冠军
2998	iceHockey Winner	冰球冠军赛事冠军

2997	iceHockey Western Conference Winner	冰球冠军赛事冠军
2996	iceHockey Eastern Conference Winner	冰球东部冠军
2995	iceHockey Metropolitan Division Winner	冰球大都会赛区冠军
2994	iceHockey Pacific Division Winner	冰球太平洋赛区冠军
2993	iceHockey Central Division Winner	冰球中央赛区冠军
2992	iceHockey Atlantic Division Winner	冰球大西洋赛区冠军
177999	Dynamic Outright Market	电子足球冠军赛事冠军
177998	Winner	电子足球冠军赛事冠军
178999	Dynamic Outright Market	电子篮球冠军赛事冠军
178998	Winner	电子篮球冠军赛事冠军
4999	Dynamic Outright Market	橄榄球冠军赛事冠军
4998	Winner	橄榄球冠军赛事冠军
6999	americanFootball Dynamic Outright Market	美式足球冠军赛事冠军
6998	americanFootball Winner	美式足球冠军赛事冠军
6997	americanFootball AFC Conference Winner	美式足球亚足联会议获胜者
6996	americanFootball NFC Conference Winner	美式足球NFC会议获胜者
6995	americanFootball AFC Division East Winner	美式足球亚足联分区东部冠军
6994	americanFootball AFC Division South Winner	美式足球亚足联分区南冠军
6993	americanFootball AFC Division West Winner	美式足球亚足联西区冠军
6992	americanFootball AFC Division North Winner	美式足球亚足联赛区北冠军
6991	americanFootball NFC Division East Winner	美式足球NFC 部门东部冠军
6990	americanFootball NFC Division South Winner	美式足球NFC 部门南优胜者
6989	americanFootball NFC Division West Winner	美式足球NFC 部门西部冠军
6988	americanFootball NFC Division North Winner	美式足球NFC 部门北获胜者
6987	americanFootball Winning Conference	美式足球获胜联盟
6986	americanFootball Winning Division	美式足球获胜赛区
7999	Dynamic Outright Market	棒球冠军赛事冠军

7998	Winner	棒球冠军赛事冠军
7997	American League Winner	棒球冠军赛事美国联盟冠军
7996	National League Winner	棒球冠军赛事国家联盟冠军
7995	American League Central Winner	棒球冠军赛事美国联盟中区冠军
7994	American League East Winner	棒球冠军赛事美国联盟东区冠军
7993	American League West Winner	棒球冠军赛事美国联盟西区冠军
7992	National League Central Winner	棒球冠军赛事国家联盟中区冠军
7991	National League East Winner	棒球冠军赛事国家联盟东区冠军
7990	National League West Winner	棒球冠军赛事国家联盟西区冠军
8999	Dynamic Outright Market	手球冠军赛事冠军
8998	Winner	手球冠军赛事冠军
12999	Dynamic Outright Market	高尔夫冠军赛事冠军
12998	Winner	高尔夫冠军赛事冠军
14999	Dynamic Outright Market	板球冠军赛事冠军
14998	Winner	板球冠军赛事冠军
16999	Dynamic Outright Market	斯诺克冠军赛事冠军
16998	Winner	斯诺克冠军赛事冠军
17999	Dynamic Outright Market	五人足球冠军赛事冠军
17998	Winner	五人足球冠军赛事冠军
19999	Dynamic Outright Market	拳击冠军赛事冠军
19998	Winner	拳击冠军赛事冠军
20999	Dynamic Outright Market	飞镖冠军赛事冠军
20998	Winner	飞镖冠军赛事冠军
21999	Dynamic Outright Market	BOWLS冠军赛事冠军
21998	Winner	保龄球冠军赛事冠军
164999	Dynamic Outright Market	DOTA2冠军赛事冠军
164998	Winner	DOTA2冠军赛事冠军
165999	Dynamic Outright Market	LOL冠军赛事冠军
165998	Winner	英雄联盟冠军赛事冠军

179999	Dynamic Outright Market	CSGO冠军赛事冠军
179998	Winner	CSGO冠军赛事冠军
180999	Dynamic Outright Market	王者荣耀冠军赛事冠军
180998	Winner	王者荣耀冠军赛事冠军
10999	Floor ball Dynamic Outright Market	地板球冠军赛事冠军
10998	Floor ball Winner	地板球冠军赛事冠军
18999	MMA Dynamic Outright Market	格斗冠军赛事冠军
18998	MMA Winner	格斗冠军赛事冠军
25999	Cycling Dynamic Outright Market	自行车冠军赛事冠军
25998	Cycling Winner	自行车冠军赛事冠军
51999	BeachVolleyball Dynamic Outright Market	沙滩排球冠军赛事冠军
51998	BeachVolleyball Winner	沙滩排球冠军赛事冠军
92999	Formula 1 Dynamic Outright Market	F1赛车冠军赛事冠军
92998	Formula 1 Drivers' Champion	F1赛车车手冠军
92997	Formula 1 Constructors Winner	F1赛车车队冠军
93999	Specials Dynamic Outright Market	特殊投注赛事冠军
93998	Specials Winner	特殊投注冠军赛事冠军
93997	Specials Best Actor (Oscar)	特殊投注最佳男演员(奥斯卡)
93996	Specials Best Actress (Oscar)	特殊投注最佳女演员(奥斯卡)
93995	Specials Best Animated Feature Film (Oscar)	特殊投注最佳动画电影(奥斯卡)
93994	Specials Best Cinematography (Oscar)	特殊投注最佳摄影(奥斯卡)
93993	Specials Best Costume Design (Oscar)	特殊投注最佳服装设计(奥斯卡)
93992	Specials Best Director (Oscar)	特殊投注最佳导演(奥斯卡)
93991	Specials Best Documentary Feature (Oscar)	特殊投注最佳纪录片(奥斯卡)
93990	Specials Best Film Editing (Oscar)	特殊投注最佳影片剪辑(奥斯卡)
93989	Specials Best International Feature Film (Oscar)	特殊投注最佳国际剧情片(奥斯卡)
93988	Specials Best Makeup and Hairstyling (Oscar)	特殊投注优化妆发型(奥斯卡)

93987	Specials Best Music - Original Score (Oscar)	特殊投注最佳音乐-原创乐谱(奥斯卡)
93986	Specials Best Music - Original Song (Oscar)	特殊投注最佳音乐-原创歌曲(奥斯卡)
93985	Specials Best Picture (Oscar)	特殊投注最佳影片(奥斯卡)
93984	Specials Best Production Design (Oscar)	特殊投注最佳艺术指导(奥斯卡)
93983	Specials Best Sound (Oscar)	特殊投注最佳音响(奥斯卡)
93982	Specials Best Supporting Actress (Oscar)	特殊投注最佳女配角(奥斯卡)
93981	Specials Best Visual Effects (Oscar)	特殊投注最佳视觉效果奖(奥斯卡)
93980	Specials Best Writing - Adapted Screenplay (Oscar)	特殊投注最佳编剧-改编剧本(奥斯卡)
93979	Specials Best Writing - Original Screenplay (Oscar)	特殊投注最佳编剧-原创剧本(奥斯卡)
93978	Specials Best Actor (Bafta)	特殊投注最佳男演员(英国电影学院)
93977	Specials Best Actress (Bafta)	特殊投注最佳女演员(英国电影学院)
93976	Specials Best Director (Bafta)	特殊投注最佳导演(英国电影学院)
93975	Specials Best Film (Bafta)	特殊投注最佳影片(英国电影学院)
93974	Specials Best Supporting Actor (Bafta)	特殊投注最佳男配角(英国电影学院)
93973	Specials Best Supporting Actress (Bafta)	特殊投注最佳女配角(英国电影学院)
93972	Specials Outstanding British Film (Bafta)	特殊投注英国杰出电影(英国电影学院)
100999	OLYMPIC Dynamic Outright Market	奥林匹克冠军赛事冠军
100998	OLYMPIC Winner	奥林匹克冠军赛事冠军
100997	OLYMPIC Most Gold Medals	奥林匹克冠军最多金牌
100996	OLYMPIC Most Medals	奥林匹克冠军大多数奖牌
24999	WaterPolo Dynamic Outright Market	水球冠军赛事冠军
24998	WaterPolo Winner	水球冠军赛事冠军
94999	Stock Car Racing Dynamic Outright Market	赛车动态冠军赛事玩法

94998	Stock Car Racing Winner	赛车冠军赛事冠军
16018	Will There Be A Foul Committed	斯诺克是否有犯规
16019	Player To Pot Xth Ball	斯诺克打第X个球的选手
16020	Player To Pot Last Ball	斯诺克打最后球的选手
16021	Last Points Scored	斯诺克最后得分的类型
16022	Correct Score(BO5)	斯诺克正确比分(BO5)
16023	Correct Score(BO7)	斯诺克正确比分(BO7)
16024	Correct Score(BO9)	斯诺克正确比分(BO9)
16025	Correct Score(BO11)	斯诺克正确比分(BO11)
1001003	1x2	虚拟足球独赢
1001015	Half Time/Full Time	虚拟足球半/全场
1001004	Double Chance	虚拟足球双重机会
1001006	Correct Score(Max6)	虚拟足球波胆(Max6)
1001007	Exact Goals(Max6)	虚拟足球精确进球数(Max6)
1001008	Both Teams To Score	虚拟足球双方都进球
1001002	Over/Under	虚拟足球大/小
1001016	1x2 & Over/Under	虚拟足球独赢 & 大/小
1001011	Multi Goal Range	虚拟足球进球区间(多项)
1001001	Asian Handicap	虚拟足球让球
1001005	European Handicap	虚拟足球欧盘让球
1001012	Goal Range Home(3+)	虚拟足球主队进球区间
1001013	Goal Range Away(3+)	虚拟足球客队进球区间
1001010	Correct Score(Max3)	虚拟足球波胆(Max3)
1001009	Odd/Even	虚拟足球单双
1001014	Winning Margin	虚拟足球胜分差
1020001	Winner	虚拟赛马冠军
1020002	Place	虚拟赛马前二
1020003	Show	虚拟赛马前三
1020004	Quinella	前二组合
1020005	Exacta	准确前二
1020006	Over/Under	大小
1020007	Odd/Even	单双

1021001	Winner	虚拟赛狗冠军
1021002	Place	虚拟赛狗前二
1021003	Show	虚拟赛狗前三
1021004	Quinella	前二组合
1021005	Exacta	准确前二
1021006	Over/Under	大小
1021007	Odd/Even	单双
1022001	Winner	虚拟沙地摩托冠军
1022002	Place	虚拟沙地摩托前二
1022003	Show	虚拟沙地摩托前三
1022004	Quinella	前二组合
1022005	Exacta	准确前二
1022006	Over/Under	大小
1022007	Odd/Even	单双
1023001	Winner	虚拟摩托冠军
1023002	Place	虚拟摩托前二
1023003	Show	虚拟摩托前三
1023004	Quinella	前二组合
1023005	Exacta	准确前二
1023006	Over/Under	大小
1023007	Odd/Even	单双
92001	Formula 1 Head To Head	F1赛车对垒赛
14001	Cricket 1x2	板球独赢(胜平负)
14002	Cricket Winner	板球独赢
14006	Cricket Odd/Even	板球单双
14007	Cricket Highest Opening Partnership	板球在每队第一人出局前得分最高球队
14008	Cricket Will There Be A Super Over	板球是否有加时
14009	Cricket Will There Be A Tie	板球是否有平局
14010	Cricket To Win The Toss	板球抛币获胜
14011	Cricket Most Fours	板球得四分最多的球队
14012	Cricket Most Sixes	板球得六分最多的球队
14013	Cricket Xth Over Over/Under	板球第X回合大小

14015	Cricket Xth Dismissal Method (2 Way)	板球第X出局方式
14016	Cricket Xth Dismissal Method (6 Way)	板球第X出局方式(6项)

4.9 虚拟体育产品代码 **Virtual Sport Product Codes**

Product Code	Product Name
INST_BRAWLSTARS	Brawl Stars
INST_CLASHROYALE	Clash Royale
INST_CSGO	CSGO
INST_FIFASHOOTOUT	FIFA Shootout
INST_FALLGUYS	Fall Guys
RETRO_INFINITEFIGHT	Infinite Fighting
RETRO_KINGDERBY	King Derby '86
RETRO_KOF98	KoF '98
INST_MLBSHOW	MLB Strikeout
INST_NBA2K	NBA2K
INST_NHL	NHL
INST_SFVPRO	Street Fighter V
INST_KOFXIV	The King of Fighters
INST_UFC	UFC
INST_WORLDSNOOKER	Virtual World Snooker
INST_CRICKET22	Cricket 22
INST_LOL	League of Legends
SIM_EAFC24	EA FC 24
SIM_NBA2K23	NBA2K23
Product Type Key	Product Name
INST	Virtual games
SIM	Inplay Simulation Games

4.10 体育登入语系表 **Sport Login Language Code**

Language Code	Description (EN)	Description (CN)
---------------	------------------	------------------

ENG	English	英文
CMN	Chinese (Simplified)	中文(簡體)
ZHO	Chinese (Traditional)	中文(繁體)
JPN	Japanese	日文
KOR	Korean	韓文
SPA	Spanish	西班牙文
VIE	Vietnamese	越南文
THA	Thai	泰文
MSA	Malay	馬來文
IND	Indonesian	印尼文
HIN	Hindi	印地文
SAU	Arabic	阿拉伯文
DEU	German	德文
FRA	French	法文
BRA	Brazilian Portuguese	巴西葡萄牙文
RUS	Russian	俄文
TR	Turkish	土耳其文