

React-(8) 클론코딩(2) 홍승택

작성자 : 홍승택

작성일자: 2022.10.27

폴더 구조

```
src
├── assets
│   └── img
│       └── 이미지들..
├── common
│   ├── Footer.js
│   ├── Header.js
│   └── Navigator.js
├── pages
│   └── img
│       └── Main
│           ├── About.js
│           ├── Contact.js
│           ├── Content.js
│           ├── index.js
│           └── Map.js
├── App.js
├── GlobalStyle.js
├── index.js
└── MediaQuery.js
```

src/common

Footer.js

```
/** package */
import React from 'react'
import styled from 'styled-components';

const FooterContainer = styled.footer`
  width: 100%;
  height: 50px;
  bottom: 0;
  display: flex;
  justify-content: center;
  align-content: center;
```

```

    background-color: black;
    color: white;
    a {
      text-decoration: none;
      text-decoration: underline;
      &:visited{
        color: white;
      }
      &:hover{
        color:green;
      }
    }
  `;
const Footer = () => {
  return (
    <FooterContainer>
      <p>Powered by <a
href="https://www.w3schools.com/w3css/default.asp">w3.css</a></p>
    </FooterContainer>
  );
};

export default Footer;

```

Header.js

```

import React from 'react';
import mq from '../MediaQuery';
import styled from 'styled-components';

import img from '../assets/img/architect.jpg';

const HeaderComponent = styled.header`
  max-width: 1500px;
  max-height: 800px;

  position: relative;

  margin-left: auto;
  margin-right: auto;
  img{
    width: 100%;
    height: 100%;
  }
  div{
    position: absolute;
    top:50%;
    left: 50%;
    transform: translate(-50%,-50%);

```

```

        span:nth-of-type(1) {
            padding: 8px 16px;
            background-color: rgba(0,0,0,1);
            color: rgba(255,255,255,1);
        }
        span:nth-of-type(2) {
            color: gray;
            ${mq.maxWidth('sm')}`
            display:none;
        `}
    }
}

const Header = () => {
    return (
        <HeaderContainer>
            <img src= {img} alt = "BR 건축물"/>

            <div>
                <h1><span>BR</span> <span class="mobile_hide">Architects</span></h1>
            </div>
        </HeaderContainer>
    );
};

export default Header;

```

Navigator.js

```

import React from 'react'
import styled from 'styled-components';
import { HashLink } from 'react-router-hash-link';
import mq from '../MediaQuery';
const NavigatorContainer = styled.div`
    width: 100%;
    position: sticky;
    top:0;
    z-index: 1;
    padding: 10px;
    box-sizing: border-box;
    box-shadow: 2px 5px 8px 0.2px rgba(0,0,0,0.3);
    background-color: rgba(255,255,255);
    div{
        display: flex;
        justify-content: space-between;
        letter-spacing: 4px;

        div {

```

```

        .btn{
            display: block;
            padding: 8px;
            text-decoration: none;
            color: black;

            &:hover{
                background-color: rgba(0,0,0,0.2);
            }
        }
        &.nav_right{
            display: flex;
            justify-content: space-between;
            gap:35px;
            ${mq.maxWidth('sm')} `
                display: none;
            `
        }
    }
}
,
}

const Navigator = () => {
    return (
        <NavigatorContainer>
            <div>
                <div>
                    <HashLink to="#main" className="btn"><b>BR</b>
Architects</HashLink>
                </div>
                <div className="nav_right">
                    <HashLink to="#projects" className="btn">Projects</HashLink>
                    <HashLink to="#about" className="btn">About</HashLink>
                    <HashLink to="#contact" className="btn">Contact</HashLink>
                </div>
            </div>
        </NavigatorContainer>
    );
};

export default Navigator

```

pages/Main

About.js

```

import React from 'react';
import styled from 'styled-components';

import mq from '../../MediaQuery';

```

```

/** import img */
import team1 from '../assets/img/team1.jpg';
import team2 from '../assets/img/team2.jpg';
import team3 from '../assets/img/team3.jpg';
import team4 from '../assets/img/team4.jpg';
const AboutContainer = styled.div`
  .about_wrap{
    padding: 32px 16px;
    h3{
      padding: 10px 0px;
      border-bottom: 1px solid rgba(125,125,125,0.2);
      font-size: 24px;
    }
    p{
      margin: 10px 0;
    }
  }
  .about_contents_wrap{
    width:100%;
    display: flex;
    flex-wrap: wrap;
    padding: 0 8px;
    box-sizing: border-box;

    >div{
      width: 25%;
      padding: 0 8px;
      margin-bottom: 16px;
      box-sizing: border-box;
      ${mq.maxWidth('lg')}`
        width: 50%;
      `}
      ${mq.maxWidth('sm')}`
        width: 100%;
      `}
    .img_wrap{
      box-sizing: border-box;
      width:100%;
      img{
        width:100%;
      }
    }
    .text_wrap{
      width:100%;
      box-sizing: border-box;
      h3{
        font-size: 24px;
      }
      button {
        width: 100%;
        padding: 8px 16px;
        box-sizing: border-box;
        border: none;

```

```

        font-size: 16px;
        background-color: rgba(199,199,199,0.3);
    }
}
}
}
;

const About = () => {
    return (
        <AboutContainer>
            <div className="about_wrap" id="about">

                <h3>About</h3>
                <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim
veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
consequat. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui
officia deserunt mollit anim id est laborum consectetur adipiscing elit, sed do
eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim
veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
consequat.</p>

                </div>
                <div className="about_contents_wrap">
                    <div>
                        <div className="img_wrap">
                            <img src={team1} alt="팀원1" />
                        </div>
                        <div className="text_wrap">
                            <h3>John Doe</h3>
                            <p className="role">CEO & Founder</p>
                            <p className="introduce">Phasellus eget enim eu lectus
faucibus vestibulum. Suspendisse sodales pellentesque elementum.</p>
                            <button>contact</button>
                        </div>
                    </div>
                    <div>
                        <div className="img_wrap">
                            <img src={team2} alt="팀원2" />
                        </div>
                        <div className="text_wrap">
                            <h3>Jane Doe</h3>
                            <p className="role">Architect</p>
                            <p className="introduce">Phasellus eget enim eu lectus
faucibus vestibulum. Suspendisse sodales pellentesque elementum.</p>
                            <button>contact</button>
                        </div>
                    </div>
                    <div>
                        <div className="img_wrap">
                            <img src={team3} alt="팀원3" />
                        </div>
                        <div className="text_wrap">

```

```

        <h3>Mike Ross</h3>
        <p className="role">Architect</p>
        <p className="introduce">Phasellus eget enim eu lectus
faucibus vestibulum. Suspendisse sodales pellentesque elementum.</p>
        <button>contact</button>
      </div>
    </div>
    <div>
      <div className="img_wrap">
        <img src={team4} alt="팀원4" />
      </div>
      <div className="text_wrap">
        <h3>Dan Star</h3>
        <p className="role">CEO & Founder</p>
        <p className="introduce">Phasellus eget enim eu lectus
faucibus vestibulum. Suspendisse sodales pellentesque elementum.</p>
        <button>contact</button>
      </div>
    </div>
  </div>
</AboutContainer>
);
};

export default About;

```

Contact.js

```

import React from 'react';
import styled from 'styled-components';

const ContactContainer = styled.div`
  padding: 32px 16px;
  h3{
    padding: 10px 0px;
    border-bottom: 1px solid rgba(125,125,125,0.2);
    font-size: 24px;
  }
  p{
    display: block;
    margin: 15px 0;
  }
  form{
    input{
      padding: 0 16px;
      box-sizing: border-box;
      width: 100%;
      height: 40px;
      margin: 10px 0;
      border: solid 1px rgba(199,199,199,0.5);
    }
  }

```

```

    }
    button{
      margin-top: 20px;
      padding: 10px 5px;
      background-color: black;
      color: white;
    }
  }
}

const Contact = () => {
  return (
    <ContactContainer id='contact'>
      <h3>Contact</h3>
      <p>Lets get in touch and talk about your next project.</p>
      <form>
        <input type="text" placeholder="Name"/>
        <input type="email" placeholder="Email"/>
        <input type="text" placeholder="Subject"/>
        <input type="text" placeholder="Comment"/>
        <button>SEND MESSAGE</button>
      </form>
    </ContactContainer>
  );
};

export default Contact

```

Content.js

```

import React from 'react';
import styled from 'styled-components';

import mq from '../MediaQuery';
/** import img */
import house2 from '../assets/img/house2.jpg';
import house3 from '../assets/img/house3.jpg';
import house4 from '../assets/img/house4.jpg';
import house5 from '../assets/img/house5.jpg';
const ContentContainer = styled.div`

  div{
    &.subtitle{
      padding: 32px 16px;
      h3{
        padding: 10px 0px;
        border-bottom: 1px solid rgba(125,125,125,0.2);
        font-size: 24px;
      }
    };
  }

```



```

    &.wrap{
      width:100%;
      display: flex;
      padding: 0 8px;
      box-sizing: border-box;
      ${mq.maxWidth('lg')}`
        flex-wrap: wrap;
      `}
      ${mq.maxWidth('sm')}`
        flex-direction: column;
      `}
    >div{
      width: 25%;
      padding: 0 8px;
      margin-bottom: 16px;
      box-sizing: border-box;

      div{
        position: relative;
        width:100%;
        img{
          width:100%;
        }
        span {
          position: absolute;
          top: 0%;
          left: 0%;
          padding: 10px 5px;
          box-sizing: border-box;
          background-color: black;
          color: white;
        }
      }
    }
  }
}

`;

const Content = () => {
  return (
    <ContentContainer>
      <div className='subtitle' id="projects">
        <h3>Projects</h3>
      </div>

      <div className ="wrap">
        <div>
          <div>
            <img src= {house5} alt='집5' />
            <span>Summer House</span>

```

```

        </div>
      </div>
    <div>
      <div>
        <img src={house2} alt="집2"/>
        <span>Brick House</span>
      </div>
    </div>
    <div>
      <div>
        <img src={house3} alt="집3"/>
        <span>Renovated</span>
      </div>
    </div>
    <div>
      <div>
        <img src={house4} alt="집4"/>
        <span>Barn House</span>
      </div>
    </div>
  </div>
  <div className="wrap">
    <div>
      <div>
        <img src={house2} alt="집1"/>
        <span>Summer House</span>
      </div>
    </div>
    <div>
      <div>
        <img src={house5} alt="집2"/>
        <span>Brick House</span>
      </div>
    </div>
    <div>
      <div>
        <img src={house4} alt="집3"/>
        <span>Renovated</span>
      </div>
    </div>
    <div>
      <div>
        <img src={house3} alt="집4"/>
        <span>Barn House</span>
      </div>
    </div>
  </div>
</ContentContainer>
)
}

```

```
export default Content
```

index.js

```
/** import package */
import React from 'react';
import styled from 'styled-components';

/** import pages */
import About from './About';
import Contact from './Contact';
import Content from './Content';
import Map from './Map';

const MainContainer = styled.div`
  max-width:1564px;
  box-sizing: border-box;
  padding: 8px 16px;
  margin: auto;
`;
const index = () => {
  return (
    <MainContainer>
      <Content />
      <About />
      <Contact />
      <Map />

    </MainContainer>
  )
}

export default index
```

Map.js

```
/** import package */
import React from 'react';
import styled from 'styled-components';

/** import image */
import map from '../assets/img/map.jpg';

const MapContainer = styled.div`
  max-width: 100%;
  padding:0 16px;
  img{
    width:100%;
  }
`
```

```

const Map = () => {
  return (
    <MapContainer>
      <img src={map} alt="지도" />
    </MapContainer>
  );
};

export default Map

```

src/

App.js

```

import Navigator from './common/Navigator';
import Header from './common/Header';
import Footer from './common/Footer';
import Main from './pages/Main';

const App = () => {
  return (
    <div id = 'main'>
      <Navigator></Navigator>
      <Header></Header>
      <Main></Main>
      <Footer></Footer>
    </div>
  );
}

export default App;

```

GlobalStyle.js

```

/**
 * @filename : GlobalStyles.js
 * @description: 전역으로 적용될 기본 스타일 시트.
 *              이 파일에서 정의한 class는 ReactJSX에서 className 속성으로 참조해야
한다.
 * @author: HST
 *
 */
/** Package */
import { createGlobalStyle } from "styled-components";

```

```
// rest.css

const GlobalStyles = createGlobalStyle`

  *{
    font-family: 'Verdana', sans-serif;
  }

  html, body {
    margin: 0;
    padding: 0;
    font-family: Verdana, sans-serif;
    font-size: 15px;
    line-height: 1.5;
  }
  h1, h2, h3, h4, h5, h6 {
    font-family: "Segoe UI",Arial,sans-serif;
    font-weight: 400;
    margin: 10px 0;
  }
`;

export default GlobalStyles;
```

index.js

```
import React from 'react';
import ReactDOM from 'react-dom/client';
import { BrowserRouter } from 'react-router-dom';

import App from './App';
import GlobalStyles from './GlobalStyle';

const root = ReactDOM.createRoot(document.getElementById('root'));
root.render(
  <BrowserRouter>
    <GlobalStyles />
    <App />
  </BrowserRouter>
);
```

MediaQuery.js


```
import breakpoints from 'styled-components-breakpoints';

const sizes = {
  sm: 600,
  md: 768,
  lg: 992,
  xl: 1200
};


export default breakpoints(sizes);
```


실행 결과

Desktop



Projects





About

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



John Doe

CEO & Founder

Phasellus eget enim eu lectus
faucibus vestibulum.
Suspendisse sodales
pellentesque elementum.

contact



Jane Doe

Architect

Phasellus eget enim eu lectus
faucibus vestibulum.
Suspendisse sodales
pellentesque elementum.

contact



Mike Ross

Architect

Phasellus eget enim eu lectus
faucibus vestibulum.
Suspendisse sodales
pellentesque elementum.

contact



Dan Star

CEO & Founder

Phasellus eget enim eu lectus
faucibus vestibulum.
Suspendisse sodales
pellentesque elementum.

contact

Contact

Lets get in touch and talk about your next project.

Email

Subject

Comment

SEND MESSAGE





tab

Nav,Header

BR Architects

Projects

About

Contact

BR Architects


Projects

BR Architects


ProjectsAboutContact

Projects


Summer House




Brick House




Renovated




Barn House



Summer House




Brick House



About


About

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



John Doe
CEO & Founder
Phasellus eget enim eu lectus faucibus vestibulum. Suspendisse sodales pellentesque elementum.

contact



Jane Doe
Architect
Phasellus eget enim eu lectus faucibus vestibulum. Suspendisse sodales pellentesque elementum.

contact

Contact

BR Architects

Projects

About

Contact

Contact

Lets get in touch and talk about your next project.

Name

Email

Subject

Comment

SEND MESSAGE

Map

BR Architects

Projects

About


Contact

Email

Subject

Comment


SEND MESSAGE

An aerial photograph of a city intersection. A yellow rectangular box highlights a building located at the corner of the intersection. The building has a light-colored, possibly white or light grey, facade. The surrounding area includes roads, parking lots with several cars, and some greenery. The image is oriented horizontally on the page.

Powered by [w3.css](#)

mobile

Nav, Header



Projects


BR Architects

Projects

Summer House



Brick House



About

About

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.



John Doe

CEO & Founder

Contact, Map

B R Architects

Contact

Lets get in touch and talk about your next project.



Powered by [w3.css](#)