

Contractor Print Bundle

Top-1 layout package for on-site printing

Generated: 2026-04-16T16:31:03

Total floor pages: 12

Output: D:\I29786\workspace\houseDesignPrepare\structured\candidates\print_bundle_a4.pdf

Schema: layout-print-bundle-v1

Building Summary

- Building A: 4 floor pages
- Building B: 4 floor pages
- Building C: 4 floor pages

Print Suggestion

- A3 landscape, color print, fit to printable area
- One floor per page for field discussion and markups

Table of Contents

Pg	Building/Floor	Strategy	Score	File
3	A/floor-1	mep	60.88	a_floor-1_mep.svg
4	A/floor-2	mep	61.75	a_floor-2_mep.svg
5	A/floor-3	mep	63.70	a_floor-3_mep.svg
6	A/floor-4	mep	65.14	a_floor-4_mep.svg
7	B/floor-1	circulation	66.57	b_floor-1_circulation.svg
8	B/floor-2	circulation	64.55	b_floor-2_circulation.svg
9	B/floor-3	circulation	61.95	b_floor-3_circulation.svg
10	B/floor-4	daylight	59.89	b_floor-4_daylight.svg
11	C/floor-1	mep	68.61	c_floor-1_mep.svg
12	C/floor-2	daylight	60.86	c_floor-2_daylight.svg
13	C/floor-3	circulation	56.20	c_floor-3_circulation.svg
14	C/floor-4	circulation	63.50	c_floor-4_circulation.svg

Building A | floor-1 | Strategy: mep | Score: 60.88

[A] floor-1 1F

[A] floor-1 1F

1F ■■■xMDF

Strategy: mep Total: 60.88 C:56.5 D:54.8 M:70.5



Generated: 2026-04-16T08:24:39.006980+00:00 · layout-top1-svg-v1

Building A | floor-2 | Strategy: mep | Score: 61.75

[A] floor-2 2F

[A] floor-2 2F

2F ■■■■

Strategy: mep Total: 61.75 C:63.9 D:54.7 M:65.6

slot-1 #1

■ ■ ■ ■ ■

■ ■ ■ ■ / ■ ■ ■

■ 6 ■

■ LAN×2 | ■ TV

fit 7%

slot-2 #2

■ ■ ■ ■ ■

■ 2F ■ ■ ■ ■ ■

■ ■ ■ | ■ ■ ■ ■

fit 40%

slot-3 #3

■ ■ ■ ■ / ■ ■ ■

■ ■ ■ ■ / ■ ■ ■ ■

fit 3%

slot-4 #4

■ ■ ■ ■

■ ■ ■ ■ / ■ ■ ■

■ AP | ■ ■ ■ ■ ■

fit 7%

slot-5 #5

■ ■ ■ ■ / ■ ■ ■ ■

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■

■ LAN×4 | ■ UPS ■ ■ ■

fit 23%

slot-6 #6

■ ■ ■ ■ ■

■ ■ ■ ■ ■ Master Bedroom

■ LAN×2

fit 5%

slot-7 #7

■ 2F ■ ■ ■ ■ ■

■ ■ ■ ■ ■

■ ■ ■ | ■ ■ ■ ■

fit 42%

slot-8 #8

■ ■ ■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■

■ ■ ■ ■ ■

fit 57%

Generated: 2026-04-16T08:24:39.015776+00:00 · layout-top1-svg-v1

[A] floor-3 3F

3F

Strategy: mep Total: 63.70 C:60.8 D:73.3 M:58.3

slot-1 #1

■ ■■■■/■■■■

■ ■■■■/■■■■

■ 6-8 ■

■ LAN×4 | ■ TV/■ ■ | ■ AP

fit 53%

slot-2 #2

■ ■ ■■

■ ■■■■ RF■

■ LAN×2

fit 7%

slot-3 #3

■ 3F ■■

■ 3F ■■ ■■■■

■ ■■ | ■ ■■

fit 40%

slot-4 #4

■ ■■■■

■ ■■■■

■ LAN×2

fit 7%

slot-5 #5

■ ■■■■ RF■

■ ■ ■■

■ ■■ | ■ ■■

fit 7%

slot-6 #6

■ ■ ■■

■ ■ ■■

■ CCTV

fit 57%

Building A | floor-4 | Strategy: mep | Score: 65.14

[A] floor-4 RF

[A] floor-4 RF

RF ■■■■

Strategy: mep Total: 65.14 C:53.5 D:57.5 M:83.3

slot-1 #1

■ ■■■■■■/■■■

■■ ■■■■■■

■ ■■■■ | ■ RF ■■

fit 40%

slot-2 #2

■ ■■

■■ Haier ■■■■■■

WT-L-1000B #304

■ ■■■■ | ■ ■■

fit 42%

slot-3 #3

❄ ■ VF800

■■ WT-L-1000B #304

■■■■+■■

■ ■■■■ | ■ ■■

fit 44%

slot-4 #4

■■ Haier ■■

■ ■■■/■■

HPSE23W/256T

■ ■■■■ | ■ ■■

fit 7%

slot-5 #5

■■ ■■■■■■

■ ■■■■■■/■■■

■ ■■■■ | ■ ■■

fit 48%

slot-6 #6

■ ■■■/■■■

❄ ■ VF800 ■■■■ v8.0 ■■■

■ CCTV

fit -3%

Building B | floor-1 | Strategy: circulation | Score: 66.57

[B] floor-1 1F

[B] floor-1 1F

1F ■■■ × IDF

Strategy: circulation Total: 66.57 C:57.1 D:63.6 M:78.6

slot-1 #1

■ ■■■■
■ ■■■■ (■■)
■ 5.5m × 6.0m
■ EV■ 32A | ■ CCTV×1 | ■ B-V14 ■■■■

fit 53%

slot-2 #2

■ ■■■■ + ■■
■ ■■■■ 1F■
■■■■■
■ ■■■■ | ■■■■×2 | ■■■■

fit 7%

slot-3 #3

■ ■■■■
■ ■■■■
■■ 2F
■■■ | ■■

fit 7%

slot-4 #4

■ IDF-B ■■
■ ■■■■
■■■■■
■ 12■■■ | ■ PoE■■■

fit 45%

slot-5 #5

■ ■■■■
■ ■■■■■■■■■■■■
■■■■ | ■ B-V4

fit 40%

slot-6 #6

■ ■■■■
■ IDF-B ■■
■■ ≥120cm ■■■
■ ■■■■ | ■■■■ 180cm

fit 48%

slot-7 #7

■ ■■■■
■ ■■■■
B-V1 ■■ | B-F1 ■■ | B-T1 ■■

fit 30%

Generated: 2026-04-16T08:24:39.040810+00:00 · layout-top1-svg-v1

Building B | floor-2 | Strategy: circulation | Score: 64.55

[B] floor-2 2F

[B] floor-2 2F

2F ■■■ × ■■

Strategy: circulation Total: 64.55 C:63.8 D:68.8 M:61.7

slot-1 #1

■ ■ ■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■ ■ ■

■ TV/NAS | ■ AP×1 | ■ LAN×3

fit 53%

slot-2 #2

■ ■ ■ ■ ■

■ ■ ■ ■ ■ 2F ■

■ ■ 1F ■ ■ 3F

fit 7%

slot-3 #3

■ ■ ■ ■ ■

■ ■ ■ ■ ■ / ■ ■ ■

■ ■ ■

fit 34%

slot-4 #4

■ ■ ■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■ ■ ■

B-V6/V7

fit 40%

slot-5 #5

■ ■ ■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ / ■ ■ ■ ■

■ LAN×2 | ■ ■ ■ ■ ■ ■ | * ■ AC 1.8 ■

fit -13%

slot-6 #6

■ ■ ■ ■ ■ / ■ ■ ■ ■

■ ■ ■ ■ ■ ■ ■ ■

fit 57%

Building B | floor-3 | Strategy: circulation | Score: 61.95

[B] floor-3 3F

[B] floor-3 3F

3F ■■■ × ■■

Strategy: circulation Total: 61.95 C:60.8 D:73.3 M:53.3

slot-1 #1

■ ■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■ ■ KTV/ ■ ■ ■

■ ■ ■ ■ ■ | ■ ■ ■ ■ ■

fit 53%

slot-2 #2

■ ■ ■ ■

■ ■ ■ ■ ■ 3F ■

■ ■ 2F ■ ■ RF

fit 7%

slot-3 #3

■ ■ ■ ■ ■ ■ ■

■ 3F ■ ■

■ ■ ■ ■ ■ | ■ LAN×4 | ■ AP×1

fit -13%

slot-4 #4

■ 3F ■ ■

■ ■ ■ ■ ■ ■ ■

B-V11/V12 | ■ ■ 15mm

fit 40%

slot-5 #5

■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■ ■

■ LAN×1 | * ■ AC

fit 7%

slot-6 #6

■ ■ ■ ■ + ■ ■ ■ ■ RF ■

■ ■ ■ ■ ■

fit 57%

Building B | floor-4 | Strategy: daylight | Score: 59.89

[B] floor-4 RF

[B] floor-4 RF

RF

Strategy: daylight Total: 59.89 C:52.2 D:57.0 M:70.0

slot-1 #1

3F +

fit 7%

slot-2 #2

B

Haier

1000L 15cm

B-D1 | B-V2

fit 42%

slot-3 #3

VF800

B

15cm

B-C1 | B-A2

fit 45%

slot-4 #4

Haier

/

15cm

B-C3

fit 7%

slot-5 #5

/

VF800

→1F

fit -3%

Building C | floor-1 | Strategy: mep | Score: 68.61

[C] floor-1 1F

[C] floor-1 1F

1F IDFx

Strategy: mep Total: 68.61 C:60.9 D:76.0 M:70.0



Generated: 2026-04-16T08:24:39.076571+00:00 · layout-top1-svg-v1

[C] floor-2 2F

2F ■■■×■■■

Strategy: daylight Total: 60.86 C:54.0 D:62.1 M:66.7

slot-1 #1

■ ■■■■■■■■■■

■■ ■■ / ■■■■

■ 1.8 ■

■ ■■■ | ■ ■■ | ■■■■■■

fit 33%

slot-2 #2

■■ ■■■■■■■■

■■ ■■■2F ■■■■

■ 8.5 ■■L■■■■■■■■■

■ ×2 | ■ ■■■ | ■ ■■AP

fit 4%

slot-3 #3

■■ ■■ / ■■■■

■ 2F ■■■■■■1F ■■3F■

■ 3.5 ■■■■■■■■

■ ×1 | ■ ×2 | ■ ■■/■■■

fit 7%

slot-4 #4

■ ■■

■ ■■■■■■■■

■■1F ■■3F

fit 7%

slot-5 #5

■ ■■■■

■ ■■■■■■■■

■ 4.5 ■■■■ 240cm + ■■ 75cm

■ ■■■ | ■ IH■■■ 220V | ■ ■■■■

fit 40%

slot-6 #6

■ ■■■■■■■■

■ ■■■■

■ 2.8 ■■■■ 3F ■■

■ ■■■■ | ■ ■■ | ■ ■■■■3F

fit 40%

[C] floor-3 3F

3F ■■■×■■■

Strategy: circulation Total: 56.20 C:57.0 D:62.5 M:50.0

slot-1 #1

■ ■■■■■■■■■■

■ ■■■■

■ 1.8 ■

■ ■■■■ | ■ CCTV

fit 33%

slot-2 #2

■ ■■■■■■■■■■

■ 3F ■■■■■■ 2F ■■RF■

■ 11.5 ■■■■■■■■■■×4

■ ×2 | ■ ■■ | ■ AP

fit 7%

slot-3 #3

■ ■■■■

■ ■■■■■■■■

■ 4.5 ■■■■■■/■■/■■

■ ×2 | ■ ×1 | ■ ■■+■■

fit 7%

slot-4 #4

■ ■■

■ ■■■

■■2F ■■RF

fit 7%

slot-5 #5

■ ■■■■■■■■

■ ■■■■■■■■

■ 2.8 ■■■■■■

■ ■■■■ | ■ ■■ | ■ ■■■■2F

fit 12%

Building C | floor-4 | Strategy: circulation | Score: 63.50

[C] floor-4 RF

[C] floor-4 RF

RF ■■■

Strategy: circulation Total: 63.50 C:54.2 D:60.0 M:75.8

slot-1 #1

■ ■ ■ ■ ■ ■ ■ ■ 3F ■

■ ■ ■ ■ ■ (VF800)

■ ■ ■ ■ ■

fit 7%

slot-2 #2

■ ■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■

fit 42%

slot-3 #3

■ ■ ■ ■ ■ ■

— ■ ■ ■ —

1000L ■ ■ ■ ■ +15cm

C-T1 | ■ ■ ■ 3"

unassigned

slot-4 #4

■ ■ ■ ■ ■

— ■ ■ ■ —

■ ■ +15cm

VF800 | ■ ■ ■ ■ ■

unassigned

slot-5 #5

■ ■ ■ ■ ■ ■

■ ■ ■ ■ ■ ■ (Haier)

■ ■ +15cm

Haier 200L | ■ ■ ■ ■ ≥15mm

fit 32%

slot-6 #6

■ ■ ■ ■ ■ ■ / ■ ■ ■ ■ ■

— ■ ■ ■ —

■ ■ ■ ■ ■ ■

unassigned

slot-7 #7

■ ■ ■ ■ ■

— ■ ■ ■ —

unassigned

Generated: 2026-04-16T08:24:39.107182+00:00 · layout-top1-svg-v1