

[🎯] THE QUIVR PAPER

HoodSnipr · trending-token sniping on Robinhood Chain

v0.3 · August 2026 · hoodsnipr

“Every trending token. One arrow away.”

1. Prologue: The Archer Comes to the Hood

On July 1, 2026, Robinhood switched on its own Layer 2 — a permissionless Arbitrum Orbit chain settling to Ethereum, purpose-built for tokenized real-world assets, 100ms blocks, and onchain financial services. Within its first week the chain processed roughly four million transactions. Behind that chain sit more than twenty million funded brokerage accounts, one bridge away.

Where retail arrives, memecoins follow. New tokens launch on Robinhood Chain daily — movers like \$CASHCAT proved the appetite early — and the chain now carries tens of thousands of trading pairs. But the tooling didn't follow. There is no purpose-built place to see what is trending on this chain right now and act on it in one motion.

HoodSnipr is that place. This version is not a prototype: it reads the chain directly, executes real swaps across Uniswap v3 and v4, and settles a transparent fee to a frozen address on every trade.

2. The Problem

- **Slow discovery** — Traders find trending Robinhood Chain tokens on X screenshots, hours after the move.
- **One-dimensional ranking** — Volume over five minutes and volume over thirty days tell completely different stories, and no interface lets you flip between them.
- **Friction** — Connect a wallet, bridge, find the pool, set the swap — five apps to take one position.
- **Noise** — Tokenized equities, stablecoins, wrapped ETH, impersonator tickers and wash-traded pumps crowd out the tokens a trader is actually hunting.
- **Safety** — New-chain memecoins carry honeypot, rug, and liquidity risk with no warning layer.

3. The Product

3.1 The Trending Engine

HoodSnipr ranks Robinhood Chain tokens across five windows: 5 minutes, 1 hour, 6 hours, 24 hours, and 30 days. The window is a first-class control — flip it and the whole board re-ranks.

Ranking is not raw volume. Volume alone answers “what traded most,” which is a different question from “what is heating up.” Each token receives a trend score combining three factors:

- **Acceleration** — Recent trade rate measured against the longer window's rate. A token doing \$50k in five minutes against \$120k in an hour is heating up; the same token against \$600k in an hour is merely steady.
- **Buy pressure** — Buy share of transactions in the selected window. Sell-dominated pumps are damped; buy-dominated moves are boosted.
- **Depth** — Log-scaled liquidity, so a thin pool cannot outrank a deep one on a single lucky trade.

Volume enters under a square root so one whale trade cannot dominate the board. Buy share is displayed inline on every row, so the signal driving the rank is visible rather than hidden.

3.2 What the Board Excludes

A sniping terminal is only as good as what it leaves out.

- **Tokenized equities** — Matched on shape, not a fixed list — corporate suffixes (Inc, Corp, N.V., PLC, Class A, ADR), fund language (ETF, Trust, iShares, 3x), and the xTICKER convention. A ticker list can never keep pace with thousands of listed securities.
- **Stablecoins, ETH and LSTs** — Wrapped ETH is the ammunition, not the target.
- **Impersonators** — One entry per ticker. Where several contracts share a name, the deepest-liquidity market survives and the rest are dropped — \$ prefixes are stripped before comparison, since that is the exact trick squatters use.
- **Wash-traded pumps** — On the 24H and 30D views, tokens with heavy volume across fewer than 100 holders are hidden. Real distribution cannot lag real volume that badly. The short windows stay unfiltered, because a genuine launch legitimately has few holders in its first hour.
- **Dead pools** — Closed and drained pools are removed at the source.

3.3 Two Ways In

- **Connected wallet** — Any EVM wallet. Robinhood Chain is standard EVM — chain add and switch happen in one prompt. Sessions restore from local state alone, with zero wallet calls at page load, so opening the app never triggers a connect sheet.
- **HoodSnipr wallet** — A burner generated in the browser; keys never leave the device. It is bound to the wallet that funded it, and tokens sniped through it are delivered to that funding wallet by construction — the burner is a firing position, not a place value accumulates. Unspent ETH can be withdrawn back to the funding wallet at any time, with gas reserved automatically and no platform fee.

3.4 The Snipe

Pick a token, set an amount, review the fee, fire. Every execution is protected the same way:

- **Runtime router verification** — Router addresses are checked onchain before any wei moves. A contract that reports the wrong factory is refused.
- **Live quoting** — Uniswap v3 quotes come from QuoterV2 across fee tiers. Uniswap v4 output is derived by simulation — binary-searching the largest achievable output — which needs no quoter deployment and makes no assumption about token decimals.

- **Preflight simulation** — The exact call is simulated before any signature or fee. A revert distinguishes slippage from a honeypot, and nothing is charged on a doomed swap.
- **Explicit override** — When a simulation predicts failure, the trade is not blocked — the reason is surfaced and a second deliberate press sends it anyway. Traders own their risk.
- **Record on confirmation** — A trade is recorded only after receipt status 1, using the actual token amount parsed from the Transfer log, with the transaction hash stored.

3.5 LOOSE

Nock, draw, loose. Any holding can be sold from the portfolio at any time. LOOSE routes through Uniswap v3 first and falls back to v4 automatically, so a position bought on one venue is never stranded on the other. On v4 the token side is pulled through Permit2; the required approvals are handled inline and are one-time per token. The 0.25% fee is taken from the ETH received, computed on actual proceeds rather than the quote.

3.6 Portfolio

Holdings across both wallets, priced live, with a value chart, lifetime invested, and total PnL. Cost basis is frozen in USD at trade time, and positions that cannot be priced are excluded from both sides of the PnL calculation rather than counted as zero. A full activity feed records every snipe and loose with venue, wallet, delivery address, and transaction link.

4. Execution Across Uniswap v3 and v4

Robinhood Chain carries liquidity on both Uniswap v3 and v4, and the two require entirely different machinery.

v3 pools are ordinary contracts, routed through SwapRouter02 with quotes from QuoterV2.

v4 is a singleton. Pools have no contract address of their own; each is identified by a PoolKey — currency pair, fee, tick spacing, and hooks — and lives inside a shared PoolManager. No public API exposes that key. HoodSnipr recovers it directly from the chain: the PoolManager's Initialize event indexes both currencies, so a single filtered log query returns a token's pools across all history, hooks included.

```
PoolManager 0x8366a39cc670b4001a1121b8f6a443a643e40951 (verified: extsload)
Swap topic
keccak("Swap(bytes32,address,int128,int128,uint160,uint128,int24,uint24)")
```

Execution goes through the UniversalRouter as a V4_SWAP command wrapping SWAP_EXACT_IN_SINGLE, SETTLE_ALL and TAKE. The router itself is discovered empirically rather than hardcoded — v4 Swap events index the calling contract, so the routers actually in use are read off the chain and then capability-tested for the execute() interface before any funds move.

4.1 Launchpad Pools

Not every v4 pool is generically routable. Reading real swap transactions on Robinhood Chain shows that launchpad bonding-curve pools deploy a CREATE2-mined hook per token, and trades go directly to that per-token contract with its own ABI — no shared router in the path.

Those contracts are factory-deployed, which makes them tractable: every token from the same launchpad shares bytecode and selectors. HoodSnipr treats a launchpad as a family and integrates one adapter per family, covering every token it launches. Until a family is integrated, gated tokens are labelled clearly and routed to their v3 market where one exists — never a silent failure that costs the user gas.

5. The Fee: 25 Basis Points, Frozen

HoodSnipr charges 0.25% of every snipe and every loose — a quarter of what leading Telegram trading bots charge. The fee wallet is hardcoded and frozen in the client build; no runtime code can redirect it. Fees are non-refundable on transaction failure, and this is disclosed at the point of signing.

```
Fee wallet 0xb67cBE7fD1258108fE214bA0138d89FC0772791d (Object.freeze, live)
```

Fee discounts are the core utility of \$QUIVR:

- **Free Range** — 0.25% — base rate, no holdings required.
- **Archer** — 0.20% — hold 100K \$QUIVR.
- **Marksman** — 0.15% — hold 1M \$QUIVR.
- **Deadeye** — 0.10% — hold 10M \$QUIVR. Best available rate.

Tier checks are a balance read at quote time. No staking lockups — carrying the quiver is enough.

6. \$QUIVR

The quiver holds the arrows. \$QUIVR is the platform token of HoodSnipr, launching on Robinhood Chain.

- **Supply** — 1,000,000,000 fixed. Mint authority burned at deployment.
- **Fee split** — 50% of platform fees are routed to periodic open-market \$QUIVR buybacks. Buyback transactions are public and announced.
- **LP** — Liquidity locked at launch. Lock proof published before trading opens.
- **Distribution** — No presale. Team allocation, if any, disclosed onchain before launch.

What \$QUIVR is not: it is not equity, not a claim on revenue, not a promise of profit. It is a utility token whose only guaranteed function is fee tiering inside HoodSnipr.

7. Architecture

The board every user sees is built once, server-side, and served from cache. No visitor's browser talks to an indexer. One user and one hundred thousand users cost the same, because after the first request in each refresh window the CDN edge answers everyone without invoking a function at all.

- **Shared trending cache** — A scheduled job assembles the universe from screener feeds every minute and writes a single prebuilt board. Clients fetch one payload and render it whole.
- **Chain-native reads** — Prices, balances, pool keys and swap execution come straight from Robinhood Chain RPC. Balance reads are batched into single round trips rather than fired individually.

- **Instant paint** — The last known board and holdings are cached locally and rendered before the network responds.
- **Deterministic output** — The server decides filtering, dedupe and ordering once. Clients render that list verbatim, so two devices can never disagree.

8. Security Model

- **Frozen fee route** — The fee recipient is a constant, frozen at every layer of the client bundle.
- **Runtime verification** — Routers are verified onchain before use, and a network failure is never cached as a verification failure — an early bug where one dropped request disabled trading for a whole session.
- **Preflight before signature** — Every swap is simulated from the user's address before a fee or a signature is requested.
- **Non-custodial by construction** — Burner keys are generated and stored client-side only. Snipe delivery and withdrawals are locked to the funding wallet — there is no free-text destination to mistype or hijack.
- **CSP-agnostic frontend** — Strict Content-Security-Policy, zero inline handlers, all interaction through delegated data-action listeners.
- **Impersonator and wash-trade screening** — Ticker collapse and holder-ratio filtering run server-side so every client sees the same protected list.

9. Roadmap

- **v0.1 — The Scope** — Prototype: trending board, wallet flows, fee model, \$QUIVR tiers. Simulated data. Shipped.
- **v0.2 — First Blood** — Live chain data, real Uniswap execution, one row per ticker, trend scoring on every timeframe, portfolio and PnL. Shipped.
- **v0.3 — Longshot** — Uniswap v4 routing through the UniversalRouter against the singleton PoolManager, pool keys resolved from Initialize logs, Permit2 selling, launchpad adapter framework. Current.
- **v0.4 — The Quiver Fills** — \$QUIVR token generation event, LP lock with published proof, fee tiers live, buyback engine on.
- **v1.0 — Deadeye** — Limit snipes on volume thresholds, auto-snipe strategies, verified PnL leaderboard, mobile PWA, and cross-chain expansion beyond Robinhood Chain.

10. Risks and Disclaimers

Bugs exist. Robinhood Chain, its sequencer, its DEX contracts, the token contracts you trade, and Ethereum itself are independent systems beyond our control. Robinhood Chain launched its mainnet in July 2026 and runs a single sequencer at this stage — new-chain risk is real and includes downtime, reorgs, and bridge delays.

Trading memecoins involves total-loss risk. Trending volume is not a signal of quality — it is frequently a signal of manipulation. Our filters reduce noise; they do not make a token safe. The 0.25% fee is non-refundable on transaction failure. \$QUIVR may go to zero. None of this document is investment advice. We

are not a registered broker, exchange, or financial advisor in any jurisdiction, and HoodSnipr is not affiliated with, endorsed by, or connected to Robinhood Markets, Inc. — “Robinhood Chain” is referenced solely to identify the network the platform operates on.

By using HoodSnipr you agree that you are responsible for your own decisions and for verifying that any transaction matches your intent before you sign it in your wallet.

End of the Quivr Paper, v0.3 • [©] nock. draw. loose.