Scikit-learn

Scikit-learn is an open source Python library that implements a range of machine learning, preprocessing, cross-validation and visualization algorithms using a unified interface.



A Basic Example

- >>> from sklearn import neighbors, datasets, preprocessing
- >>> from sklearn.cross validation import train test split
- >>> from sklearn.metrics import accuracy score
- >>> iris = datasets.load iris()
- >>> X, y = iris.data[:, :2], iris.target
- >>> X train, X test, y train, y test= train test split(X, y, random state=33)
- >>> scaler = preprocessing.StandardScaler().fit(X train)
- >>> X train = scaler.transform(X train)
- >>> X test = scaler.transform(X test)
- >>> knn = neighbors.KNeighborsClassifier(n_neighbors=5)
- >>> knn.fit(X_train, y_train)
- >>> y_pred = knn.predict(X_test)
- >>> accuracy_score(y_test, y_pred)

Loading The Data

Your data needs to be numeric and stored as NumPy arrays or SciPy sparse matrices. Other types that are convertible to numeric arrays, such as Pandas DataFrame, are also acceptable.

- >>> import numpy as np
- >>> X = np.random.random((10,5))
- >>> x[x < 0.7] = 0

Training And Test Data

- >>> from sklearn.cross validation import train test split
- >>> X_train, X_test, y_train, y_test = train_test_split(X,y,random_state=0)



PYTHON FOR DATA SCIENCE

Scikit-learn

Standardization

- >>> from sklearn.preprocessing import StandardScaler
- >>> scaler = StandardScaler().fit(X train)
- >>> standardized X = scaler.transform(X train)
- >>> standardized_X_test = scaler.transform(X_test)

Normalization

- >>> from sklearn.preprocessing import Normalizer
- >>> scaler = Normalizer().fit(X train)
- >>> normalized X = scaler.transform(X train)
- >>> normalized X test = scaler.transform(X test)

Binarization

- >>> from sklearn.preprocessing import Binarizer
- >>> binarizer = Binarizer(threshold=0.0).fit(X)
- >>> binary X = binarizer.transform(X)

Create Your Model

Supervised Learning Estimators

Linear Regression

- >>> from sklearn.linear_model import LinearRegression
- >>> lr = LinearRegression(normalize=True)

Support Vector Machines (SVM)

- >>> from sklearn.svm import SVC
- >>> svc = SVC(kernel='linear')

Naive Bayes

- >>> from sklearn.naive_bayes import GaussianNB
- >>> gnb = GaussianNB()

- >>> from sklearn import neighbors
- >>> knn = neighbors.KNeighborsClassifier(n neighbors=5)

Unsupervised Learning Estimators

- >>> from sklearn.decomposition import PCA
- >>> pca = PCA(n components=0.95)
- Principal Component Analysis (PCA)
- >>> from sklearn.cluster import KMeans
- >>> k means = KMeans(n clusters=3, random state=0)

Model Fitting

Supervised learning

- >>> lr.fit(X, Y)
- >>> knn.fit(X_train, Y_train)
- >>> svc.fit(X_train, Y_train)

Unsupervised Learning

- >>> k means.fit(X train)
- >>> pca model = pca.fit transform(X train)

#Fit the model to the data

- #Fit the model to the data
- #Fit to data, then transform it

Prediction

Supervised Estimators

>>> y pred = svc.predict(np.random.random((2,5)))

>>> from sklearn.preprocessing import LabelEncoder

>>> from sklearn.preprocessing import Imputer

>>> imp = Imputer(missing values=0, strategy='mean', axis=0)

>>> from sklearn.preprocessing import PolynomialFeatures

- >>> y_pred = lr.predict(X_test)
- >>> y pred = knn.predict proba(X test))
- **Unsupervised Estimators**

Encoding Categorical Features

>>> y = enc.fit transform(y)

>>> imp.fit_transform(X_train)

Generating Polynomial Features

>>> poly.fit transform(X)

>>> poly = PolynomialFeatures(5)

>>> enc = LabelEncoder()

Imputing Missing Values

>>> y pred = k means.predict(X test)

#Predict labels #Predict labels #Estimate probability of a label

#Predict labels in clustering algos

- >>> from sklearn.grid search import GridSearchCV
- >>> params = {"n neighbors": np.arange(1,3), "metric": ["euclidean", "cityblock"]}
- >>> grid = GridSearchCV(estimator=knn,param grid=params)

- >>> print(grid.best estimator .n neighbors)

Randomized Parameter Optimization

- >>> params = {"n neighbors": range(1,5), "weights": ["uniform", "distance"]}
- >>> rsearch = RandomizedSearchCV(estimator=knn)
 - cv=4, n iter=8
- >>> rsearch.fit(X_train, y_train)

Evaluate Your Model's Performance

Classification Metrics

Accuracy Score

- >>> knn.score(X_test, y_test)
- >>> from sklearn.metrics import accuracy_score
- >>> accuracy_score(y_test, y_pred)

Classification Report

- >>> from sklearn.metrics import classification_report
- >>> print(classification report(y test, y pred))

Confusion Matrix

- >>> from sklearn.metrics import confusion matrix
- >>> print(confusion matrix(y test, y pred))

#Estimator score method

#Metric scoring functions

- **#Precision, recall,** f1-score and support

Regression Metrics

Mean Absolute Error

- >>> from sklearn.metrics import mean absolute error
- >>> y true = [3, -0.5, 2]
- >>> mean absolute_error(y_true, y_pred)

Mean Squared Error

- >>> from sklearn.metrics import mean_squared_error
- >>> mean squared error(y test, y pred)
- >>> from sklearn.metrics import r2 score
- >>> r2 score(y true, y pred)

Clustering Metrics

- **Adjusted Rand Index**
- >>> from sklearn.metrics import adjusted rand score >>> adjusted_rand_score(y_true, y_pred)

Homogeneity

- >>> from sklearn.metrics import homogeneity_score
- >>> homogeneity_score(y_true, y_pred)
- >>> from sklearn.metrics import v measure score
- >>> metrics.v measure score(y true, y pred)

Cross-Validation

Adjusted Rand Index

- >>> from sklearn.cross_validation import cross_val_score
- >>> print(cross val score(knn, X train, y train, cv=4))
- >>> print(cross_val_score(lr, X, y, cv=2))
- **Tune Your Model**

Grid Search

- >>> grid.fit(X_train, y_train)
- >>> print(grid.best score)
- >>> from sklearn.grid search import RandomizedSearchCV
 - param distributions=params,
- random state=5)
- >>> print(rsearch.best score)