

The Simcoe Clinic

Personal Information

Name _____

Address _____

Phone (home) _____ (work) _____ (other) _____

OHIP# with version code _____

DOB(day, month, year)____/____/____ Age _____ Height _____ Weight _____

WSIB: Yes____ No ____ If Yes: WSIB claim# _____

Date of injury _____ Employer at time of injury _____

Family Physician (name) _____ (phone) _____

Extended Health Insurance Y or N

Pharmacy (name, location) _____

(phone) _____ (fax) _____

Emergency contact name _____

Relationship to patient _____

Phone(home) _____ (work) _____

Current Pain Diagnosis

Past Medical /Surgical History

Allergies

The Simcoe Clinic

Social History

Marital Status: Single____Common Law____Married ____ Children_____

Employed Y____N____ Current Job_____

Missed work days/week _____ Jobs lost due to illness _____

Smoker Y____N____ Packs/day _____ Years smoked_____

Alcohol Y____N____Drinks/week_____Max Drinks/day_____

Street Drugs Y____N____ Types_____

Caffeine _____ cups/day Regular Exercise Y____N_____

Family History(check all that apply)

Heart disease		Diabetes	
Cancer		Mental illness	
Alcohol or drug abuse			
Bleeding disorders			
Arthritis			

Current Medications

[illegible]

The Simcoe Clinic
370 Bayview Dr., Suite 118 Barrie, ON L4N 7L3
Phone : 705-728-8860 Fax : 705-737-4733 simcoeclinic@gmail.com

The Simcoe Clinic

Previously tried Treatments (check all that apply)

Physiotherapy		Mindfulness based stress reduction	
Massage therapy		Acupuncture	
Chiropractor		Nerve and trigger point blocks	
Pain self management		Multi-disciplinary Pain Program	
Psychological therapy			


Previously tried Medications (check all that apply)

Acetaminophen (Tylenol)		Tramadol (Tramacet)	
NSAID/COXIB (Ibuprofen, Celebrex, etc)		Tramadol long acting(Zytram XL, Ralivia, Tridural)	
Amitriptyline, Nortriptyline, Desimpramine		Codiene(Tylenol 1,2,3,4)	
Citalopram, Fluoxetine, Fluvoxamine, Paroxetine, Sertraline (Celexa, Paxil, etc)		Codiene long acting(Codiene Contin)	
Venlafaxine, Duloxetine(Effexor, Cymbalta)		Oxycodone (Percocet)	
Carbamazepine		Oxycodone long acting(Oxycontin, OxyNeo, Targin)	
Valproic Acid		Morphine	
Gabapentin(Neurotin)		Morphine long acting(MS Contin, MESlon, Kadian)	
Pregablin(Lyrica)		Hydromorphone(Dialudid)	
Topiramate(Topomax)		Hydromorphone long acting (Hydromorphcontin)	
Nabilone (Cesamet)		Fentanyl (Duragesic)	
Medical Marijuana		Methadone	
Topical Pain Medication		Buprenorphine(BuTrans)	
Zanaflex, Bacolfen, Flexeril		Tapentadol (Nucynta)	

The Simcoe Clinic

Brief Pain Inventory – Modified

On the diagram below, shade in the areas where you feel pain. Put an X on the areas where it hurts the most.
(S= sharp /stabbing, B=burning, N=numbness, P=pins and needles, A=aching, Arrows=shooting pain)



What things make your pain feel worse?

What things make your pain feel better?

What are your treatment goals for your pain?

The Simcoe Clinic

Please rate your pain by circling the number that best describes your pain at its **WORST** in the past 24 hours.

No Pain 0 1 2 3 4 5 6 7 8 9 10 Worst Pain

Please rate your pain by circling the number that best describes your pain at its **LEAST** in the past 24 hours.

No Pain 0 1 2 3 4 5 6 7 8 9 10 Worst Pain

Please rate your pain by circling the number that best describes your pain at its **AVERAGE** in the past 24 hours.

No Pain 0 1 2 3 4 5 6 7 8 9 10 Worst Pain

Please rate your pain by circling the number that tells how much pain you have **RIGHT NOW**.

No Pain 0 1 2 3 4 5 6 7 8 9 10 Worst Pain

With permission: Pain Research Group
MD Anderson Cancer Center, 1997

DN4

Does the pain have one or more of the following characteristics? **YES** **NO**

Burning	[]	[]
Painful sensation of Cold.....	[]	[]
Electric Shocks.....	[]	[]

Is the pain associated with one or more of the following symptoms in the same area? **YES** **NO**

Tingling.....	[]	[]
Pins and Needles.....	[]	[]
Numbness.....	[]	[]
Itching	[]	[]

For Clinic Use

Hypoesthesia to touch.....	[]	[]
Hypoesthesia to pinprick.....	[]	[]
Painful brushing.....	[]	[]

SCORE: _____ _____ Positive

Bouhassira D, et al. 2005

The Simcoe Clinic

Pain Disability Index (PDI)

The rating scales below are designed to measure the degree to which aspects of your life are disrupted by chronic pain. In other words, we would like to know how much your pain is preventing you from doing what you would normally do, or from doing it as well as you normally would. Respond to each category by indicating the *overall* impact of pain in your life, not just when the pain is at its worst.

For each of the seven categories of life activity listed, please circle the number on the scale, **which describes the level of disability you typically experience**. A score of zero *means no disability at all*, and a score of 10 *signifies that all of the activities in which you would normally be involved in have been totally disrupted or prevented by your pain*.

FAMILY/ HOME RESPONSIBILITIES: This category refers to activities related to the home or family. It includes chores or duties performed around the house (e.g., yard work) and errands or favours for other family members (e.g., driving the children to school).

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

RECREATION: This category includes hobbies, sports and other similar leisure time activities.

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

SOCIAL ACTIVITY: This category refers to activities which involve participation with friends and acquaintances other than family members. It includes parties, theatre, concerts, dining out, and other social functions.

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

OCCUPATION: This category refers to activities that are a part of, or are directly related to one's job. This includes non-paying jobs such as that of a home-maker or volunteer work.

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

SEXUAL BEHAVIOUR: This category refers to the frequency and quality of one's sex life.

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

SELF-CARE: This category includes activities, which involve personal maintenance and independent daily living (e.g., taking a shower, driving, getting dressed, etc.)

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

LIFE-SUPPORT ACTIVITY: This category refers to basic life-supporting behaviours such as eating, sleeping and breathing.

No Disability 0 1 2 3 4 5 6 7 8 9 10 Worst Disability

For Clinic Use

SCORE: _____

_____ Mild
_____ Moderate
_____ Severe

The Simcoe Clinic

Patient Health Questionnaire-9 (PHQ-9)

This questionnaire is an important part of providing you with the best health care possible. Your answers will help in understanding problems that you may have. Please answer every question to the best of your ability.

Over the <u>last 2 weeks</u> , how often have you been bothered by any of the following problems?	Not at all	Several days	More than half the days	Nearly every day
a. Little interest or pleasure in doing things	[]	[]	[]	[]
b. Feeling down, depressed, or hopeless	[]	[]	[]	[]
c. Trouble falling or staying asleep, or sleeping too much	[]	[]	[]	[]
d. Feeling tired or having little energy	[]	[]	[]	[]
e. Poor appetite or overeating	[]	[]	[]	[]
f. Feeling bad about yourself - or that you are a failure or have let yourself or your family down	[]	[]	[]	[]
g. Trouble concentrating on things, such as reading the newspaper or watching television	[]	[]	[]	[]
h. Moving or speaking so slowly that other people could have noticed? Or the opposite - being so fidgety or restless that you have been moving around a lot more than usual	[]	[]	[]	[]
i. Thoughts that you would be better off dead or of hurting yourself in some way	[]	[]	[]	[]

For Clinic Use

SCORE: _____

_____ Mild
_____ Moderate
_____ Moderately Severe
_____ Severe

Spitzer, RL et al, 1999

Generalized Anxiety Disorder 7 Item Scale (GAD-7)

This questionnaire is an important part of providing you with the best health care possible. Your answers will help in understanding problems that you may have. Please answer every question to the best of your ability.

Over the <u>last 2 weeks</u> , how often have you been bothered by any of the following problems?	Not at all	Several days	More than half the days	Nearly every day
a. Feeling nervous, anxious, or on edge	[]	[]	[]	[]
b. Not being able to stop or control worrying	[]	[]	[]	[]
c. Worrying too much about different things	[]	[]	[]	[]
d. Trouble relaxing	[]	[]	[]	[]
e. Being so restless that it's hard to sit still	[]	[]	[]	[]
f. Becoming easily annoyed or irritable.....	[]	[]	[]	[]
g. Feeling afraid as if something awful might happen.....	[]	[]	[]	[]

For Clinic Use

SCORE: _____

_____ Mild
_____ Moderate
_____ Severe

Spitzer, RL et al, 2006

The Simcoe Clinic

PCS

We are interested in the types of thoughts and feelings that you have when you are in pain. Listed below are some statements describing thoughts and feelings that may be associated with pain. Please check the number box which best represents the degree to which you have these thoughts and feelings when you are experiencing pain.

0 = not at all 1 = to a slight degree 2 = to a moderate degree 3 = to a great degree 4 = all the time

When I am in pain....

0 1 2 3 4

I worry all the time about whether the pain will end					
I feel I can't go on					
It's terrible and I think it's never going to get any better					
It's awful and I feel it overwhelms me					
I feel I can't stand it any more					
I become afraid that the pain will get worse					
I keep thinking of other painful events					
I anxiously want the pain to go away					
I can't seem to keep it out of my mind					
I keep thinking about how much it hurts					
I keep thinking about how badly I want the pain to stop					
There is nothing I can do to reduce the intensity of the pain					
I wonder whether something serious might happen					

For Clinic Use

SCORE : _____

_____ Moderate Risk
_____ High Risk

Sullivan et al 1995

PC-PTSD

In your life, have you ever had any experience that was so frightening, horrible, or upsetting, that in the past month you:

	YES	NO
Have had nightmares or thought about it when you didn't want to?	[]	[]
Tried hard not to think about it or went out of your way to avoid situations that reminded you of it?	[]	[]
Were constantly on guard, watchful, or easily startled?	[]	[]
Felt numb or detached from others, activities, or your surroundings?	[]	[]

For Clinic Use

SCORE : _____

_____ Positive

Prins, A et al 2004

The Simcoe Clinic
370 Bayview Dr., Suite 118 Barrie, ON L4N 7L3
Phone : 705-728-8860 Fax : 705-737-4733 simcoeclinic@gmail.com

The Simcoe Clinic

STOP BANG – Sleep Apnea

	YES	NO
Do you SNORE loudly (louder than talking or loud enough to be heard through closed doors)?	[]	[]
Do you often feel TIRED , fatigued, or sleepy during daytime?	[]	[]
Has anyone OBSERVED you stop breathing during your sleep?	[]	[]
Do you have or are you being treated for high blood PRESSURE ?	[]	[]
NECK circumference > 16 inches (40cm)?	[]	[]

For Clinic Use

BMI = _____ >35	[]	[]
Age >50	[]	[]
Gender Male	[]	[]

SCORE: _____

_____ Low Risk
_____ Moderate Risk
_____ High Risk

Chung, F et al, 2014

CAGE- AID

Please check any of the questions that apply to you.

In the past have you ever:

- _____ 1. felt that you wanted or needed to cut down on your drinking or drug use?
_____ 2. been annoyed or angered by others complaining about your drinking or drug use?
_____ 3. felt guilty about the consequences of your drinking or drug use?
_____ 4. had a drink or taken a drug in the morning (eye opener) to decrease a hangover or withdrawal symptoms?

For Clinic Use

SCORE: _____

_____ Low Risk
_____ High Risk

Ewing 1984

The Simcoe Clinic

ORT

Check any box that applies to you

1. Family History of Substance Abuse:

Alcohol	
Illegal Drugs	
Prescription Drugs	

2. Personal History of Substance Abuse:

Alcohol	
Illegal Drugs	
Prescription Drugs	

3. Age:

Mark if your age is between 16-45	
-----------------------------------	--

4. History of Preadolescent Sexual Abuse

Mark if this applies to you	
-----------------------------	--

5. Psychological Disease:

Attention Deficit Disorder, Obsessive-Compulsive Disorder, Bipolar, or Schizophrenia	
Depression	

For Clinic Use

SCORE: _____

_____ Low Risk
_____ Moderate Risk
_____ High Risk

Published with the permission of Lynn R. Webster, MD (2005)