



PERMIT TO REMOVE TREES AND REPLANT

City of Los Angeles
DEPARTMENT OF PUBLIC WORKS
BUREAU OF STREET SERVICES
URBAN FORESTRY DIVISION
1149 S. BROADWAY, SUITE 400, LOS ANGELES 90015
(213) 847-3077

Permission is hereby Granted to:

Bureau of Engineering
c/o Carl Nelson
1149 S. Broadway, 8th Fl
Los Angeles, CA 90015

Permit No. **15039604**

Date: **11/23/2015**

Expiration: **5/23/2016**

to remove **3** at the following location(s)*: **6240 E Meridian St Los Angeles, CA 90042**

*Trees to be removed are marked with a
white line on the curb

BP #13 Garvanza Park

Kind of Tree(s)

(3) Golden Rain

Average Diameter (inches)

0

Average Height (feet)

0

Width of Planting Strip (feet)

0

Reason for Removal

Sidewalk Reconstruction

Approved by the Board of Public Works on:

Monday, November 23, 2015

You are hereby notified to plant and care for the following tree(s). See reverse side (page2) for care instructions:

Five (5) 24-inch box size Crape Myrtle (*Lagerstroemia indica*) trees on the Meridian Street side. An additional One (1) 24-inch box size Willow Pittosporum (*Pittosporum phillyraeoides*) tree shall be planted at 6311 East Repton Street on the Avenue 63 Street side. All trees shall be watered a minimum of once weekly by the BOE contractor until that time the City's Office of Beautification obtains tree watering services from one of its contractors. The trees will continue to receive watering for a minimum three year period.

Contact Dig-Alert at (800) 227-2600 at least two (2) days prior to digging.

*****KEEP THIS PERMIT AT THE SUBJECT LOCATION DURING THE REMOVAL/RELOCATION OF ANY TREES*****

Federal and State law prohibit destruction of raptor, migratory, and song birds. It is the contractor's or permittee's responsibility to ensure these laws are not violated during the execution of this contract or permit.

When trees are removed, the roots must be removed, the holes must be filled and settled to Normal grade. When replanting, no tree may be planted within 45 feet of an intersection, as defined in Section 62.200 of the Los Angeles Municipal Code. This permit is void if not complied by the above expiration date. Section 62.163 - 62.176, Los Angeles Municipal Code. **Linear root control barriers required with tree replacements.**

Receipt is hereby acknowledged of

In payment of fee required by Los Angeles Code Sec. 63.37.

--- No-fee Permit ---

SIGNATURE OF PROPERTY OWNER

DATE

Permit Application No.

Carl Nelson

12/1/15

15039604



PERMIT TO REMOVE TREES AND REPLANT

City of Los Angeles
DEPARTMENT OF PUBLIC WORKS
BUREAU OF STREET SERVICES
URBAN FORESTRY DIVISION
1149 S. BROADWAY, SUITE 400, LOS ANGELES 90015
(213) 847-3077

Permission is hereby Granted to:

City of Los Angeles, Bureau of Engineering
c/o Mike Vesleno
1149 S Broadway, 8th Floor
Los Angeles, CA 90015

Permit No. 356330

Date:

Expiration:

to remove 6 at the following location(s)*: 108 N Fremont Av, Los Angeles, CA 90012

*Trees to be removed are marked with a
white line on the curb

Five Street 3

Kind of Tree(s)

Indian Laurel Fig (Ficus microcarpa 'Nitida')

Average Diameter (inches)

0

Average Height (feet)

0

Width of Planting Strip (feet)

0

Reason for Removal

Sidewalk reconstruction

Approved by the Board of Public Works on:

Friday, July 17, 2015

You are hereby notified to plant and care for the following tree(s). See reverse side (page2) for care instructions:

The BOE contractor shall plant (4) 24-inch box size African fern Pine (Afrocarpus falcatus) trees on the Diamond Street side, (2) 24-inch box size African Fern pine (Afrocarpus falcatus) on the Figueroa Street Side, and an additional (6) 24-inch box size London Plane (Platanus acerifolia) trees shall be planted in vacant tree wells at 1201 Colton Street on the 1st Street side. All trees shall be watered a minimum of once weekly by the BOE contractor until that time that the City's Office of Community Beautification obtains tree watering services from one of its contractors. The trees will continue to receive watering for a minimum three year period.

Contact Dig-Alert at (800) 227-2600 at least two (2) days prior to digging.

KEEP THIS PERMIT AT THE SUBJECT LOCATION DURING THE REMOVAL/RELOCATION OF ANY TREES

Federal and State law prohibit destruction of raptor, migratory, and song birds. It is the contractor's or permittee's responsibility to ensure these laws are not violated during the execution of this contract or permit.

When trees are removed, the roots must be removed, the holes must be filled and settled to Normal grade. When replanting, no tree may be planted within 45 feet of an intersection, as defined in Section 62.200 of the Los Angeles Municipal Code. This permit is void if not complied by the above expiration date. Section 62.163 - 62.176, Los Angeles Municipal Code. **Linear root control barriers required with tree replacements.**

Receipt is hereby acknowledged of

In payment of fee required by Los Angeles Code Sec. 63.37.

--- No-fee Permit ---

SIGNATURE OF PROPERTY OWNER

Carl Nelson

DATE

8/26/15

Permit Application No.

15031826



PERMIT TO REMOVE TREES AND REPLANT

City of Los Angeles
DEPARTMENT OF PUBLIC WORKS
BUREAU OF STREET SERVICES
URBAN FORESTRY DIVISION
1149 S. BROADWAY, SUITE 400, LOS ANGELES 90015
(213) 847-3077

Permission is hereby Granted to:

City of Los Angeles, Bureau of Engineering
c/o Mike Vesleno
1149 S Broadway, 8th Floor
Los Angeles, CA 90015

Permit No. **359786**

Date: **9/4/2015**

Expiration: **3/4/2016**

to remove 2 at the following location(s)*: **1601 S Santa Fe Av, Los Angeles, CA 90021 - BD #13 LOC #225**

*Trees to be removed are marked with a
white line on the curb

Kind of Tree(s)

Indian Laurel Fig (Ficus microcarpa 'Nitida')

Average Diameter (inches)

0

Average Height (feet)

0

Width of Planting Strip (feet)

0

Reason for Removal

Sidewalk repair program

Approved by the Board of Public Works on:

Wednesday, August 26, 2015

You are hereby notified to plant and care for the following tree(s). See reverse side (page2) for care instructions:

(3) 24-inch box size Water Gum (Tristania Laurina) and plant at 140 N Avenue 19 (1) 24-inch box size yew Pine (Podocarpus macrophyllus) trees in the public right-of-way where marked with a white dot on the curb at the above location.

Contact Dig-Alert at (800) 227-2600 at least two (2) days prior to digging.

*****KEEP THIS PERMIT AT THE SUBJECT LOCATION DURING THE REMOVAL/RELOCATION OF ANY TREES*****

Federal and State law prohibit destruction of raptor, migratory, and song birds. It is the contractor's or permittee's responsibility to ensure these laws are not violated during the execution of this contract or permit.

When trees are removed, the roots must be removed, the holes must be filled and settled to Normal grade. When replanting, no tree may be planted within 45 feet of an intersection, as defined in Section 62.200 of the Los Angeles Municipal Code. This permit is void if not complied by the above expiration date. Section 62.163 - 62.176, Los Angeles Municipal Code. **Linear root control barriers required with tree replacements.**

Receipt is hereby acknowledged of

--- No-fee Permit ---

In payment of fee required by Los Angeles Code Sec. 63.37.

SIGNATURE OF PROPERTY OWNER

DATE

Permit Application No.

15039656

CARE INSTRUCTIONS FOR YOUR NEWLY PLANTED TREE

- **WATER TREES FOR 3 - 5 YEARS UNTIL ESTABLISHED**

| | | | |
|--------------------------------|--------|-----------------------|------------------|
| Provide Slow, Deep Watering | Winter | (December – February) | 7.5 Gallons/Week |
| | Spring | (March – May) | 10 Gallons/Week |
| | Summer | (June – September) | 30 Gallons/Week |
| | Fall | (October – November) | 20 Gallons/Week |

| | | |
|------------|---------|---|
| Soil Types | Clay – | Holds more water, dries slowly. Water less frequently. |
| | Sandy – | Holds less water, dries quickly. Water more frequently. |

Note: More water may be needed during long periods of severe heat and drying winds, conversely, less water may be needed during extended periods of cool, rainy weather.

- **KEEP TREES BASE AREA FREE OF GRASS AND WEEDS**
Keep an 18-inch circumference around the trunk base free of sod and cover with a 3-inch layer of mulch while not burying the trunk itself. Pull unwanted vegetation by hand to prevent damage to the trees feeder roots and prevent weed trimmer damage.
- **DO NOT FERTILIZE OR USE WEED KILLERS (FERTILIZER APPLIED AT PLANTING)**
- **PERIODICALLY (6 MONTHS) CHECK TREE TIES TO ENSURE THEY DO NOT CONSTRICT TRUNK – LOOSEN IF NECESSARY**
- **PROTECT FROM VANDALISM**
- **REMOVE TREE TIES AND TREE STAKE AFTER 1 – 3 YEARS**

TREE SPACING GUIDELINES

Tree locations exist among other right-of-way infrastructure. The placement of street trees in relationship to each other and other infrastructure is important for the health and vitality of the tree as well as the additional infrastructure.

The recommended desirable distances between street trees are species specific and range from twenty-five to forty feet. Please refer to the **Street Tree Selection Guide** on our website library at <http://bss.lacity.org/UrbanForestry/index.htm>. The recommended desirable distance between street trees for subdivision projects (for estimating purposes) is thirty feet. The information below is only a reference guide. To obtain approved planting locations, please contact the Urban Forestry Division at (213) 847-3077.

| Street tree distances from other infrastructure are as | Feet |
|---|-------------|
| Water meters, Gas Meters, and Vaults | 6 |
| Transit Shelters | 10 |
| Driveway Aprons and Crosswalks | 6 |
| Fire Hydrants | 10 |
| Street Lights | 20 |
| Pedestrian Lights | 15 |
| Electrical Power Poles | 20 |
| Alley Entrances | 20 |
| Intersections (45 feet from point of curb line intersect) | 45 |
| Railroad Tracks | 100 |



PERMIT TO REMOVE TREES AND REPLANT

City of Los Angeles
DEPARTMENT OF PUBLIC WORKS
BUREAU OF STREET SERVICES
URBAN FORESTRY DIVISION
1149 S. BROADWAY, SUITE 400, LOS ANGELES 90015
(213) 847-3077

Permission is hereby Granted to:

City of Los Angeles, Bureau of Engineering
c/o Mike Vesleno
1149 S Broadway, 8th Floor,
Los Angeles, CA 90015

Permit No. **359778**

Date: **9/4/2015**

Expiration: **3/4/2016**

to remove 2 at the following location(s)*: **326 N Virgil Av, Los Angeles, CA 90004 - BP #13 LOC #236**

*Trees to be removed are marked with a
white line on the curb

Kind of Tree(s)

Indian Laurel Fig (Ficus microcarpa 'Nitida')

Average Diameter (inches)

0

Average Height (feet)

0

Width of Planting Strip (feet)

0

Reason for Removal

Sidewalk repair program

Approved by the Board of Public Works on:

Wednesday, August 26, 2015

You are hereby notified to plant and care for the following tree(s). See reverse side (page2) for care instructions:

(2) 24-inch box size Water Gum (Tristana Laurina) and plant at 140 N Avenue 19 (2) 24-inch box size Yew Pine (Podocarpus macrophyllus) trees in the public right-of-way where marked with a white dot on the curb at the above location

Contact Dig-Alert at (800) 227-2600 at least two (2) days prior to digging.

*****KEEP THIS PERMIT AT THE SUBJECT LOCATION DURING THE REMOVAL/RELOCATION OF ANY TREES*****

Federal and State law prohibit destruction of raptor, migratory, and song birds. It is the contractor's or permittee's responsibility to ensure these laws are not violated during the execution of this contract or permit.

When trees are removed, the roots must be removed, the holes must be filled and settled to Normal grade. When replanting, no tree may be planted within 45 feet of an intersection, as defined in Section 62.200 of the Los Angeles Municipal Code. This permit is void if not complied by the above expiration date. Section 62.163 - 62.176, Los Angeles Municipal Code. **Linear root control barriers required with tree replacements.**

Receipt is hereby acknowledged of

--- No-fee Permit ---

In payment of fee required by Los Angeles Code Sec. 63.37.

SIGNATURE OF PROPERTY OWNER

DATE

Permit Application No.

15039632

CARE INSTRUCTIONS FOR YOUR NEWLY PLANTED TREE

- **WATER TREES FOR 3 - 5 YEARS UNTIL ESTABLISHED**

| | | | |
|--------------------------------|--------|-----------------------|------------------|
| Provide Slow, Deep Watering | Winter | (December – February) | 7.5 Gallons/Week |
| | Spring | (March – May) | 10 Gallons/Week |
| | Summer | (June – September) | 30 Gallons/Week |
| | Fall | (October – November) | 20 Gallons/Week |

| | | |
|------------|---------|---|
| Soil Types | Clay – | Holds more water, dries slowly. Water less frequently. |
| | Sandy – | Holds less water, dries quickly. Water more frequently. |

Note: More water may be needed during long periods of severe heat and drying winds, conversely, less water may be needed during extended periods of cool, rainy weather.

- **KEEP TREES BASE AREA FREE OF GRASS AND WEEDS**
Keep an 18-inch circumference around the trunk base free of sod and cover with a 3-inch layer of mulch while not burying the trunk itself. Pull unwanted vegetation by hand to prevent damage to the trees feeder roots and prevent weed trimmer damage.
- **DO NOT FERTILIZE OR USE WEED KILLERS (FERTILIZER APPLIED AT PLANTING)**
- **PERIODICALLY (6 MONTHS) CHECK TREE TIES TO ENSURE THEY DO NOT CONSTRICT TRUNK – LOOSEN IF NECESSARY**
- **PROTECT FROM VANDALISM**
- **REMOVE TREE TIES AND TREE STAKE AFTER 1 – 3 YEARS**

TREE SPACING GUIDELINES

Tree locations exist among other right-of-way infrastructure. The placement of street trees in relationship to each other and other infrastructure is important for the health and vitality of the tree as well as the additional infrastructure.

The recommended desirable distances between street trees are species specific and range from twenty-five to forty feet. Please refer to the **Street Tree Selection Guide** on our website library at <http://bss.lacity.org/UrbanForestry/index.htm>. The recommended desirable distance between street trees for subdivision projects (for estimating purposes) is thirty feet. The information below is only a reference guide. To obtain approved planting locations, please contact the Urban Forestry Division at (213) 847-3077.

| Street tree distances from other infrastructure are as | Feet |
|---|-------------|
| Water meters, Gas Meters, and Vaults | 6 |
| Transit Shelters | 10 |
| Driveway Aprons and Crosswalks | 6 |
| Fire Hydrants | 10 |
| Street Lights | 20 |
| Pedestrian Lights | 15 |
| Electrical Power Poles | 20 |
| Alley Entrances | 20 |
| Intersections (45 feet from point of curb line intersect) | 45 |
| Railroad Tracks | 100 |