

HANDS-ON WITH CLAUDE CODE · 25 SEPTEMBER 2026 · CIC
BERLIN

From Figma to Function

Design to live interface with Claude Code.



Meet your hosts



Hooman Abbasi

EXPERT SPEAKER

- **Design lead and strategist** in Berlin, leading a multidisciplinary team.
- Takes early-stage startups to the product design that reaches **Series A**.
- Engineering and HCI background; has **mentored 3,000+ designers**.



Vidushi

HOST & ORGANISER

- Non-technical founder who built **SocialFlo** with Claude Code.
- 7+ years in social, brand and influencer marketing.
- Runs **Co-Work &**, a Berlin community for hands-on AI learning.

Before we start



Wi-Fi

CIC Berlin · public Wi-Fi



Fire exits

Marked at each end of the floor. Follow staff if the alarm sounds.



Questions

Hold the big ones for the **Q&A at 20:00**.



We all learn at different paces

Come find us anytime if something feels too fast.



Toilets

Just outside the room. Ask a volunteer if unsure.



If you get stuck

Raise your hand anytime and we'll come help.



Drinks & networking

From **20:00** · drinks and time to connect.

Tonight

17:30	Welcome and the reframe
17:45	Setup: Claude Code and the Figma connection
18:10	The handoff contract
18:25	Guided build, in four steps
19:00	Critique and iteration
20:00	Questions, then drinks and networking

What You Leave With

01 A working interface

Built from a real Figma frame, with its states, running on your own machine.

02 A rules file

The one file that makes every future project start from your system instead of from nothing.

03 A six-pass critique checklist

The method for turning a plausible build into a shippable one.

04 The starter Figma file

Design system, components, states. Yours to strip and reuse on client work.

CHAPTER 1

Claude Code & Figma

What is Claude Code?

CLAUDE CHAT (CLAUDE.AI)

- ✓ Great for **talking things through** and quick answers
- ✗ Can't open your project or touch your files
- ✗ You copy code out by hand and paste it back

CLAUDE CODE (DESKTOP APP)

- ✓ Reads your **Figma file** and your project directly
- ✓ Writes and edits **real files**, builds a running interface
- ✓ Runs in a normal window, **no terminal** needed

Same Claude underneath. The difference is that Claude Code can actually **do** the thing, not just describe it.


Install VS Code



VS Code

A free code editor from Microsoft. It's where you open your project and see the real files Claude Code builds.

- 1 Go to `code.visualstudio.com` and download the build for your computer.
- 2 Install it like any app, then open it once to check it launches.



Over to Hooman.

The handoff: why your file, not the model, decides the result.

Connect Figma to Claude Code

- 1 In the desktop app, find the **Figma** connector.
- 2 Click **Connect** and **Allow access** in the browser.
- 3 Open the workshop file and select a frame.
- 4 Ask Claude to describe it. If it reads your layers, you're in.



CHAPTER 2

The Handoff

Paste a design in, get a working product out.

THE PROMISE

What Actually Happens

The model reproduces the structure you give it. Whatever that structure is.

A SCREENSHOT GOES IN

- ✗ Unnamed layers become **guessed structure**
- ✗ Sampled colors become **hardcoded hex**
- ✗ No states means **one static view**
- ✗ A change request becomes **a rewrite**

A SYSTEM GOES IN


- ✓ Named components become **named code**
- ✓ Tokens become **variables**
- ✓ Defined states become **states in the build**
- ✓ A change request becomes **one value**

Your design system is the prompt.

THE REFRAME

What The Model Reads

Five inputs. You control all five, and four of them live in Figma.



Everything it gets right, you gave it. Everything it invents, you left blank.

Naming Is Functional

WHAT YOU SHIPPED

- ❌ **Frame 427**
- ❌ **Rectangle 12 copy**
- ❌ Result: a component no one can name, referenced nowhere, rebuilt every time it appears.

WHAT IT NEEDED

- ✅ **Badge/Status/Open**
- ✅ **Card/Metric/Positive**
- ✅ Result: one component, four variants, referenced by name everywhere it appears.

Rename before you prompt. It is the cheapest thing you will do tonight.

The Rules File

One file the model reads on every single run, so you stop repeating yourself in chat.

Why Systems Pay

671%

Return on investment measured for design system implementation in studied organisations.

FORRESTER TEI, DESIGN SYSTEMS

98 min

Saved per developer, per week, after design system adoption in a studied organisation.

FORRESTER TEI

The system was never overhead. It is the thing that compounds.

CHAPTER 3

The Build

The Four Builds

01 One component

Build `Button/Primary` with its variants. Proves the token path is real and not a coincidence.

02 One block

Build the metric row from the component you just made. Proves reuse, and catches the model quietly cloning instead of referencing.

03 The screen, with states

Empty, loading, error. Proves the part nobody gets for free, because nobody asks for it.

04 The change request

One token moves. Proves whether you built a system or a very tidy screenshot.

Build It, Then Change It

- 1 Open the starter file and read the component names before you prompt. Build `Button/Primary` and check: did the colour arrive as a token or a hex?
- 2 Build the metric row, then the full screen with its empty, loading and error states.
- 3 Open the `Change Request` frame. Change one token, change nothing else. Watch whether the whole screen follows.
- 4 If you had to touch a component to get there, your system leaked. Find exactly where.



CHAPTER 4

The Critique

Plausible, Not Correct

WHAT YOU GET FOR FREE

- ✓ A layout that reads at a glance
- ✓ Colors that are roughly the right colors
- ✓ Copy sitting in the right places
- ✓ Something you could screenshot and post

WHAT YOU NEVER GET UNLESS YOU ASK

- ✗ Spacing that holds the scale instead of drifting
- ✗ Hierarchy that survives real content lengths
- ✗ The states nobody drew
- ✗ A visible focus ring and a usable target size

The right column is your job. It is also the part that is not automated.

Six Passes

01 Tokens

Is every value coming from the system, or has something been hardcoded?

03 Hierarchy

Does the eye land where the design sent it, with real content in place?

05 Responsive

What breaks at 390 pixels wide, and what silently overflows?

02 Structure

Are these your named components, or lookalikes rebuilt from scratch?

04 States

Hover, focus, disabled, empty, loading, error. All six, every time.

06 Accessibility floor

Contrast, visible focus, target size, and semantics that match the meaning.

The Critique Prompt

Hand the model your checklist and make it audit its own work against the frame.

```
Compare the current build against the frame Inbox/Desktop.
```

```
Run these six passes, in order:
```

```
tokens • structure • hierarchy • states • responsive • accessibility
```

```
For each pass, list what fails and the exact file and line.
```

```
Do not fix anything yet. I will decide what gets fixed.
```

Separate finding from fixing. The finding can be delegated. The decision cannot.

The Two Traps

TRAP ONE

- ❌ A component named `Group 12`
- ❌ It compiled. It rendered. It looks correct on screen, and nobody on your team can reference it, extend it or find it again.

TRAP TWO

- ❌ One card using `#2E7D32` instead of a token
- ❌ It survived build four untouched. Every other card followed the change. That one card is now permanently wrong.

Neither of these is a model failure. Both are handoff failures, and both were yours to catch.

Run The Six Passes

- 1 Run the critique prompt against your own build. Read the whole list before you touch anything.
- 2 Fix passes one and two only. Tokens and structure. Leave the surface alone.
- 3 Re-run the pass. Notice how many surface problems fixed themselves.



CHAPTER 5

What's Next

What You Take Home

Sent within 48 hours. Keep the files and reuse them after tonight.

The starter Figma file · design system, components, all states

The rules file template · sources of truth, constraints, never

The four build prompts · one for each build

The six-pass critique checklist · plus the critique prompt

The troubleshooting guide · the eight failures we saw tonight

After Tonight

01 Pick a screen you already designed

Not a new idea. Something shipped, something real, something you already know is right.

02 Rename it properly and write the rules file

One hour, no code. This is the part everyone skips and the part that decides the result.

03 Build one component, then ask for the change request

If the change propagates, your system is real. If it does not, you found the leak in an hour instead of a quarter.

If step two feels slow, that is the work. It is also the return.

Questions.

What is **Co-Work &**?

A Berlin-based community for ambitious people who want to work, connect & grow, together.

✦ Started 3 months ago

✦ 200+ in the community

What we do

- Deep work & focus sprints
- Pomodoro + productivity techniques
- Co-working paired with an experience or activity
- Workshops & Co-Working



Coming up

Upcoming workshops.



Friday, 9 October 2026



Friday, 16 October 2026



Corporate events.

We now run **private sessions for companies**. If you or your team want to learn Claude Code, **connect me with your L&D department** and we'll get your team fully Claude-equipped. 🚀

Stay Connected.



Join the community

Scan to join our **WhatsApp group** and stay in the loop — dates, resources & early-bird links drop there first.



Subscribe to our Luma calendar

Follow **Co-Work &** on Luma and never miss an event.

luma.com/co-workand