Computer Graphics, Lab Assignment 10

Handed out: May 20, 2020

Due: 23:59, May 20, 2020 (NO SCORE for late submissions!)

- Only accept answers submitted via git push to this course project for you at https://hconnect.hanyang.ac.kr (<Year>_<Course no.>_<Class code>/<Year>_<Course no.>_<Student ID>.git).
- Place your files under the directory structure <Assignment name>/<Problem no.>/<your file> just like the following example.

```
+ 2020_ITE0000_2019000001

+ LabAssignment2/

+ 1/

- 1.py

+ 2/

- 2.py

+ 3/

- 3.py
```

- The submission time is determined not when the commit is made but when the git push is made.
- 1. Write down a Python program to compare 4 orientation interpolation methods.
 - A. First, implement following functions:
 - B. exp & log functions

i. exp(rv)

- 1. Converts a rotation vector to a rotation matrix
- 2. You can use Rodrigues' rotation formula or the method in 10-Animation slides.
- 3. Returns a rotation matrix

ii. log(R)

1. Converts a rotation matrix to a rotation vector

- 2. You can use the method in 10-Animation slides.
- 3. Returns a rotation vector (the length of the vector is the rotation angle)
- C. Interpolation functions:
 - i. slerp(R1, R2, t) slerp
 - 1. R1 & R2: rotation matrices for start & end orientations
 - ii. interpolateRotVec(rv1, rv2, t) interpolate each element of two vectors
 - 1. rv1 & rv2: rotation vectors for start & end orientations
 - iii. **interpolateZYXEulerAngles(euler1, euler2, t)** interpolate each element of two euler angle tuples
 - 1. euler1 & euler2: tuples of ZYX Euler angles for start & end orientations (euler1[0]: xang, euler1[1]: yang, euler1[2]: zang)
 - iv. interpolateRotMat(R1, R2, t) interpolate each element of two matrices
 - 1. R1 & R2: rotation matrices for start & end orientations
- D. For all interpolation functions:
 - i. All interpolation functions return a rotation matrix
 - ii. The parameter t ranges from 0.0 to 1.0
- E. Start from the uploaded code skeleton (LabAssignment10-1-code-skeleton.py).
- F. You will need to use
 - i. The given lerp() for interpolateRotVec(), interpolateZYXEuler(), interpolateRotMat()
 - ii. The given ZYXEulerToRotMat() for interpolateZYXEuler()
 - iii. Your exp(), log() implementation for slerp(), interpolateRotVec()
- G. Program usage (already implemented in the code skeleton):
 - i. When the program is run, only slerp() result is visible
 - ii. A key: Toggle slerp() result
 - iii. S key: Toggle interpolateRotVec() result
 - iv. D key: Toggle interpolateZYXEuler() result

- v. F key: Toggle interpolateRotMat() result
- vi. Z key: Hide all results
- vii. X key: Show all results
- H. Set the window title to **your student ID** and the window size to (480,480).
- I. Expected result: Uploaded LabAssignment10-1.mp4
- J. Files to submit: A Python source file (Name the file whatever you want (in English). Extension should be .py)