

# **NOTES OF MICROECONOMIC THEORY**

**By Mas-Colell Whinston And Green**

**Huyi Chen**

Copyright © 2017 Huyi Chen

PUBLISHED BY PUBLISHER

BOOK-WEBSITE.COM

Licensed under the Creative Commons Attribution-NonCommercial 3.0 Unported License (the “License”). You may not use this file except in compliance with the License. You may obtain a copy of the License at <http://creativecommons.org/licenses/by-nc/3.0>. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*First printing, March 2013*

# Contents

I

## Part One: Individual Decision Making

<b>1</b>	<b>Preference and Choice</b>	<b>9</b>
1.1	Preference-based Approach	9
1.2	Choice-based Approach	9
1.3	<b>The Relationship between Preference Relations and Choice Rules</b>	10
1.3.1	Rationality Implies WARP	10
1.3.2	WARP does NOT Implies Rationality	10
<b>2</b>	<b>Consumer Choice</b>	<b>13</b>
2.1	Preference-based Approach	13
<b>3</b>	<b>Classical Demand Theory</b>	<b>15</b>
3.1	Preference Relation: Basic Properties	15
3.2	Preference and Utility	16
3.3	The Utility Maximization Problem	17
3.4	The Expenditure Minimization Problem	19
3.5	Relationships between Demand, Indirect Utility, and Expenditure Functions	19

<b>4</b>	<b>Text Chapter .....</b>	<b>23</b>
4.1	Paragraphs of Text	23
4.2	Citation	24
4.3	Lists	24
4.3.1	Numbered List .....	24
4.3.2	Bullet Points .....	24
4.3.3	Descriptions and Definitions .....	24
<b>5</b>	<b>In-text Elements .....</b>	<b>25</b>
5.1	Theorems	25
5.1.1	Several equations .....	25
5.1.2	Single Line .....	25
5.2	Definitions	25
5.3	Notations	26
5.4	Remarks	26
5.5	Corollaries	26
5.6	Propositions	26
5.6.1	Several equations .....	26
5.6.2	Single Line .....	26
5.7	Examples	26
5.7.1	Equation and Text .....	26
5.7.2	Paragraph of Text .....	27
5.8	Exercises	27
5.9	Problems	27
5.10	Vocabulary	27
<b>6</b>	<b>Presenting Information .....</b>	<b>29</b>
6.1	Table	29
6.2	Figure	29

<b>7</b>	<b>Limit of function .....</b>	<b>33</b>
7.1	Equivalent Infinitesimal	33

<b>Bibliography .....</b>	<b>37</b>
Books	37
Articles	37

<b>Index</b>	.....	<b>39</b>
--------------	-------	-----------



# Part One: Individual Decision Making

<b>1</b>	<b>Preference and Choice .....</b>	<b>9</b>
1.1	Preference-based Approach	
1.2	Choice-based Approach	
1.3	The Relationship between Preference Relations and Choice Rules	
<b>2</b>	<b>Consumer Choice .....</b>	<b>13</b>
2.1	Preference-based Approach	
<b>3</b>	<b>Classical Demand Theory .....</b>	<b>15</b>
3.1	Preference Relation: Basic Properties	
3.2	Preference and Utility	
3.3	The Utility Maximization Problem	
3.4	The Expenditure Minimization Problem	
3.5	Relationships between Demand, Indirect Utility, and Expenditure Functions	





# 1. Preference and Choice

## 1.1 Preference-based Approach

**Definition 1.1.1 — Preference Relation.** Preference relation  $\lesssim$  is a binary relation defined on the set of alternatives  $X$ .

**Definition 1.1.2 — Rational.** The preference relation  $\lesssim$  is *rational* if it possesses the following two properties:

1. Completeness:  $\forall x, y \in X, x \lesssim y$  or  $y \lesssim x$ .
2. Transitivity:  $\forall x, y, z \in X, x \lesssim y$  and  $y \lesssim z \implies x \lesssim z$ .

**Definition 1.1.3 — Strict Preference Relation.** Define the *strict preference relation*  $\succ$  as follows:

$$x \succ y \iff x \lesssim y \text{ but not } y \lesssim x.$$

**Definition 1.1.4 — Indifference Relation.** Define the *indifference relation*  $\sim$  as follows:

$$x \sim y \iff x \lesssim y \text{ and } y \lesssim x.$$

**Definition 1.1.5 — Utility Function.** A function  $u : X \rightarrow \mathbb{R}$  is a *utility function representing preference relation*  $\lesssim$  if

$$\forall x, y \in X, x \succ y \iff u(x) \geq u(y).$$

**Proposition 1.1.1** If there is a utility function that represents a preference relation  $\lesssim$ , then  $\lesssim$  must be rational.

## 1.2 Choice-based Approach

**Definition 1.2.1 — Choice Structure.** A *choice structure* is a binary tuple  $(\mathcal{B}, C(\cdot))$ , where the set  $\mathcal{B} \subset 2^X / \{\emptyset\}$  is a family of nonempty subsets of  $X$  and the mapping  $C : \mathcal{B} \rightarrow \mathcal{B}$  assigns

a nonempty set of chosen elements  $C(B) \subset B$  for every budget set  $B \in \mathcal{B}$ .

**Definition 1.2.2 — Revealed Preference Relation.** Given a choice structure  $(\mathcal{B}, C(\cdot))$  the *revealed preference relation*  $\succsim^*$  is a binary relation on  $X$  defined by

$$x \succsim^* y \iff \exists B \in \mathcal{B}, x, y \in B \text{ and } x \in C(B).$$

**R** For convenience we define a binary relation  $\succ^*$  on  $X$  informally as follows

$$x \succ^* y \iff \exists B \in \mathcal{B}, x, y \in B \text{ and } x \in C(B) \text{ and } y \notin C(B).$$

We will say " $x$  is revealed preferred to  $y$ " if  $x \succ^* y$ .

**Definition 1.2.3 — Weak Axiom of Revealed Preference.** The choice structure  $(\mathcal{B}, C(\cdot))$  satisfies the *weak axiom of revealed preference* if the following property

$$B, B' \in \mathcal{B} \text{ and } x, y \in B \text{ and } x, y \in B' \text{ and } x \in C(B) \text{ and } y \in C(B') \implies x \in C(B')$$

or equivalently

$$\forall x, y \in X, x \succsim^* y \implies \text{not } y \succ^* x$$

holds.

## 1.3 The Relationship between Preference Relations and Choice Rules

### 1.3.1 Rationality Implies WARP

**Definition 1.3.1** Define the correspondence  $C^*(\cdot, \succsim) : \mathcal{B} \rightarrow 2^X$  as

$$C^*(B, \succsim) = \{x \in B \mid \forall y \in B, x \succsim y\}.$$

We say the preference  $\succsim$  generates the choice structure  $(\mathcal{B}, C^*(\cdot, \succsim))$  if  $C^*(B, \succsim) \neq \emptyset$  for all  $B \in \mathcal{B}$ .

**R** If  $X$  is finite, then  $C^*(B, \succsim)$  will be nonempty. From now on, we will consider only preferences  $\succsim$  and families of budget sets  $\mathcal{B}$  such that  $C^*(B, \succsim)$  is nonempty for all  $B \in \mathcal{B}$ .

**Proposition 1.3.1 — Rationality Implies WARP.** Suppose that  $\succsim$  is a rational preference relation. Then the choice structure generated by  $\succsim$ ,  $(\mathcal{B}, C^*(\cdot, \succsim))$ , satisfies the weak axiom of revealed preference.

### 1.3.2 WARP does NOT Implies Rationality

**Definition 1.3.2 — Rationalization.** Given a choice structure  $(\mathcal{B}, C(\cdot))$ , we say that the rational preference relation  $\succsim$  rationalizes  $C(\cdot)$  relative to  $\mathcal{B}$  if

$$\forall B \in \mathcal{B}, C^*(B, \succsim) = C(B),$$

that is, if the choice structure  $(\mathcal{B}, C^*(\cdot, \succsim))$  generated by  $\succsim$  is identical with  $(\mathcal{B}, C(\cdot))$ .

**Proposition 1.3.2** If  $(\mathcal{B}, C(\cdot))$  is a choice structure such that

- (i) the weak axiom is satisfied,

(ii)  $\mathcal{B}$  includes all subsets of  $X$  of up to three elements, then there is a rational preference relation  $\succsim$  that rationalizes  $C(\cdot)$  relative to  $\mathcal{B}$ ; that is,  $C^*(B, \succsim) = C(B)$  for all  $B \in \mathcal{B}$ . Furthermore, this rational preference relation is the only preference relation that does so.





## 2. Consumer Choice

### 2.1 Preference-based Approach



## 3. Classical Demand Theory

### 3.1 Preference Relation: Basic Properties

To start with, let's introduce some notations for convenience. Supposing that  $x, y \in \mathbb{R}_+^L$ , then  $x$  and  $y$  can have the following relations:

1.  $y \gg x \iff y_i > x_i \ (i = 1, 2, \dots, L);$
2.  $y \geq x \iff y_i \geq x_i \ (i = 1, 2, \dots, L);$
3.  $y > x \iff y \geq x \text{ and } y \neq x.$

Given a preference relation  $\succsim$  on consumption set  $X$ , these sets are common to meet:

1. upper contour set:  $R(x) = \{y \in X | y \succsim x\};$
2. lower contour set:  $R^{-1}(x) = \{y \in X | x \succsim y\};$
3.  $P(x) = \{y \in X | y \succ x\};$
4.  $P^{-1}(x) = \{y \in X | x \succ y\}.$

We assume throughout that the preference relation  $\succsim$  is rational in the sense introduced in Section 1.1, that is,  $\succsim$  is complete and transitive.

**Definition 3.1.1 — Local Nonsatiation.** A preference relation  $\succsim$  on  $X$  is *locally nonsatiated* if

$$\forall x \in X, \forall \epsilon > 0, \exists y \in X, \|y - x\| \leq \epsilon \text{ and } y \succ x$$

or equivalently

$$\forall x \in X, \forall \epsilon > 0, B(x, \epsilon) \cap P(x) \neq \emptyset.$$

**Definition 3.1.2 — Monotonicity.** A preference relation  $\succsim$  on  $X$  is *monotone* if

$$\forall x, y \in X, y \gg x \implies y \succ x$$

or equivalently

$$\forall x \in X, \{y \in X | y \gg x\} \subset P(x).$$

**Definition 3.1.3 — Strong Monotonicity.** A preference relation  $\succsim$  on  $X$  is *strongly monotone* if

$$\forall x, y \in X, y \geq x \text{ and } y \neq x \implies y \succ x$$

or equivalently

$$\forall x \in X, \{y \in X | y > x\} \subset P(x).$$

**Proposition 3.1.1** Let  $\succsim$  be a preference relation on  $X$ .

1. If  $\succsim$  is strongly monotone, then it is monotone.
2. If  $\succsim$  is monotone, then it is locally nonsatiated.

**Definition 3.1.4 — Convexity.** A preference relation  $\succsim$  on  $X$  is *convex* if for all  $x, y, z \in X$ ,

$$y \succsim x \text{ and } z \succsim x \implies \forall \alpha \in [0, 1], \alpha y + (1 - \alpha) z \succsim x$$

or equivalently

$$\forall x \in X, R(x) \text{ is a convex set.}$$

**Definition 3.1.5 — Strict Convexity.** A preference relation  $\succsim$  on  $X$  is *strictly convex* if for all  $x, y, z \in X$ ,

$$y \succsim x \text{ and } z \succsim x \text{ and } y \neq z \implies \forall \alpha \in (0, 1), \alpha y + (1 - \alpha) z \succ x$$

or equivalently for all  $x \in X$ ,

$$\forall y, z \in R(x), y \neq z \implies \forall \alpha \in (0, 1), \alpha y + (1 - \alpha) z \in P(x).$$

**Proposition 3.1.2** Let  $\succsim$  be a preference relation on  $X$ . If  $\succsim$  is strictly convex, then it is convex.

**Definition 3.1.6 — Homothetic Preference.** A monotone preference relation  $\succsim$  on  $X = \mathbb{R}_+^L$  is *homothetic* if for all  $x, y \in X$ ,

$$x \sim y \implies \forall \alpha \geq 0, \alpha x \sim \alpha y.$$

**Definition 3.1.7 — Quasilinear Preference.** The preference relation  $\succsim$  on  $X = (-\infty, +\infty) \times \mathbb{R}_+^{L-1}$  is *quasilinear* with respect to commodity 1 (called, in this case, the numeraire commodity) if

1. All the indifference sets are parallel displacements of each other along the axis of commodity 1. That is, if  $x \sim y$ , then  $(x + \alpha e_1) \sim (y + \alpha e_1)$  for  $e_1 = (1, 0, \dots, 0)$  and any  $\alpha \in \mathbb{R}$ .
2. Commodity 1 is desirable; that is,  $x + \alpha e_1 \succ x$  for all  $x \in X$  and  $\alpha > 0$ .

## 3.2 Preference and Utility

**Definition 3.2.1 — Continuity.** The preference relation  $\succsim$  on  $X$  is *continuous* if it is preserved under limits, that is, for any sequence of pairs  $\{(x_n, y_n)\}_{n=1}^\infty$  with  $x_n \succsim y_n$  for all  $n \in \mathbb{N}^*$ ,

$$\left. \begin{array}{l} \lim_{n \rightarrow \infty} x_n = x \\ \lim_{n \rightarrow \infty} y_n = y \end{array} \right\} \implies x \succsim y,$$

or alternatively

$$\forall x \in X, R(x) \text{ and } R^{-1}(x) \text{ are closed set.}$$

**Theorem 3.2.1** Suppose that the rational preference relation  $\succsim$  on  $X = \mathbb{R}_+^L$  is continuous. Then there is a continuous utility function  $u(x)$  that represents  $\succsim$ .

**Definition 3.2.2 — Quasiconcavity.** The utility function  $u(x)$  is *quasiconcave* if

$$\forall x \in \mathbb{R}_+^L, \{y \in \mathbb{R}_+^L | u(y) \geq u(x)\} \text{ is convex}$$

or alternatively

$$\forall x, y \in \mathbb{R}_+^L, \forall \alpha \in [0, 1], u(\alpha x + (1 - \alpha)y) \geq \min\{u(x), u(y)\}.$$

**Proposition 3.2.2** The utility function  $u(\cdot)$  is quasiconcave if and only if it represents a convex preference.

**Definition 3.2.3 — Strict Quasiconcavity.** The utility function  $u(x)$  is *strictly quasiconcave* if

$$\forall x \in \mathbb{R}_+^L, \{y \in \mathbb{R}_+^L | u(y) \geq u(x)\} \text{ is strictly convex}$$

or alternatively

$$\forall x, y \in \mathbb{R}_+^L, \forall \alpha \in (0, 1), x \neq y \implies u(\alpha x + (1 - \alpha)y) > \min\{u(x), u(y)\}.$$

**Proposition 3.2.3** The utility function  $u(\cdot)$  is strictly quasiconcave if and only if it represents a strictly convex preference.

**Proposition 3.2.4** If the utility function  $u(\cdot)$  is strictly quasiconcave, then it is quasiconcave.

### 3.3 The Utility Maximization Problem

Assume there exists a rational, continuous and locally nonsatiated preference relation  $\succsim$  on  $X = \mathbb{R}_+^L$ , which is represented by a continuous utility function  $u(x)$ .

The consumer's problem of choosing her most preferred consumption bundle given prices  $p \gg 0$  and wealth level  $w > 0$  can now be stated as the following utility maximization problem (UMP):

$$\begin{aligned} \max_{x \geq 0} \quad & u(x) \\ \text{s.t.} \quad & p \cdot x \leq w. \end{aligned}$$

**Proposition 3.3.1** If  $p \gg 0$  and  $u(\cdot)$  is continuous, then the utility maximization problem has a solution.

**Definition 3.3.1 — Walrasian Demand Correspondence/Function.** The rule that assigns the set of optimal consumption vectors in the UMP to each price wealth situation  $(p, w) \gg 0$  is denoted by  $x(p, w)$  and is known as the *Walrasian demand correspondence*. That is

$$x(\cdot, \cdot) : (p, w) \mapsto \{x^* \in \mathbb{R}_+^L | u(x^*) = \max_{x \geq 0} u(x) \text{ s.t. } p \cdot x \leq w\}$$

When  $x(p, w)$  is single-valued for all  $(p, w)$ , we refer to it as the *Walrasian demand function*.

**Proposition 3.3.2** Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X = \mathbb{R}_+^L$ . Then the Walrasian demand correspondence  $x(p, w)$  possesses the following properties:

1. Homogeneity of degree zero in  $(p, w)$ :  $x(\alpha p, \alpha w) = x(p, w)$  for any  $p, w$  and scalar  $\alpha > 0$ .
2. Walras' law:  $p \cdot x = w$  for all  $x \in x(p, w)$ .
3. Convexity/uniqueness:  
If  $\succsim$  is convex, so that  $u(\cdot)$  is quasiconcave, then  $x(p, w)$  is a convex set.  
If  $\succsim$  is strictly convex, so that  $u(\cdot)$  is strictly quasiconcave, then  $x(p, w)$  consists of a single element.

**Theorem 3.3.3 — Kuhn Tucker Conditions in UMP.** if  $x^* \in x(p, w)$  is a solution to the UMP and  $u(x)$  is continuously differentiable, then there exists a Lagrange multiplier  $\lambda \geq 0$  such that for all  $l = 1, \dots, L$ :

$$\frac{\partial u(x^*)}{\partial x_l} \leq \lambda p_l, \text{ with equality if } x_l^* > 0,$$

or equivalently in matrix notation, where  $\nabla u(x) = \left[ \frac{\partial u(x)}{\partial x_1}, \frac{\partial u(x)}{\partial x_2}, \dots, \frac{\partial u(x)}{\partial x_L} \right]^T$ ,

$$\begin{aligned} \nabla u(x^*) &\leq \lambda p, \\ x_l^* \left( \frac{\partial u(x^*)}{\partial x_l} - \lambda p_l \right) &= 0. \end{aligned}$$

The Lagrange multiplier  $\lambda$  in the first-order conditions gives the shadow value of relaxing the constraint in the UMP. It therefore equals the consumer's marginal utility value of wealth at the optimum. To see this directly, consider for simplicity the case where  $x(p, w)$  is a differentiable function and  $x(p, w) \gg 0$ . Thus we have

$$D_w u(x(p, w)) = \nabla u(x(p, w)) \cdot D_w x(p, w) = \lambda p \cdot D_w x(p, w) = \lambda,$$

where the last equality follows because  $p \cdot x(p, w) = w$  holds for all  $w$  and differentiate it with respect to  $w$  shows  $p \cdot D_w x(p, w) = 1$ .

**Definition 3.3.2 — Indirect Utility Function.** For each  $(p, w) \gg 0$ , the utility value of the UMP is denoted  $v(p, w) \in \mathbb{R}$ . It is equal to  $u(x^*)$  for any  $x^* \in x(p, w)$ , denoted as

$$v(p, w) = u(x(p, w)).$$

**Proposition 3.3.4** Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X = \mathbb{R}_+^L$ . The indirect utility function  $v(p, w)$  is

1. Homogeneous of degree zero.
2. Strictly increasing in  $w$  and nonincreasing in  $p_l$  for any  $l$ .
3. Quasiconvex: the set  $\{(p, w) | v(p, w) \leq \bar{v}\}$  is convex for any  $\bar{v}$ .
4. Continuous in  $p$  and  $w$ .

### 3.4 The Expenditure Minimization Problem

In this section, we study the following expenditure minimization problem (EMP) for  $p \gg 0$  and  $u > u(0)$ :

$$\begin{aligned} \min_{x \geq 0} \quad & p \cdot x \\ \text{s.t.} \quad & u(x) \leq u. \end{aligned}$$

**Proposition 3.4.1** Proposition 3.E.1: Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X = \mathbb{R}_+^L$  and that the price vector is  $p \gg 0$ . We have (i) If  $x^*$  is optimal in the UMP when wealth is  $w > 0$ , then  $x^*$  is optimal in the EMP when the required utility level is  $u(x^*)$ . Moreover, the minimized expenditure level in this EMP is exactly  $w$ . (ii) If  $x^*$  is optimal in the EMP when the required utility level is  $u > u(O)$ , then  $x^*$  is optimal in the UMP when wealth is  $p \cdot x^*$ . Moreover, the maximized utility level in this UMP is exactly  $u$ .

**Definition 3.4.1 — Hicksian Demand Correspondence/Function.** The set of optimal commodity vectors in the EMP is denoted  $h(p, u) \subset \mathbb{R}_+^L$  and is known as the Hicksian compensated demand correspondence, or function if single-valued. That is

$$h(\cdot, \cdot) : (p, u) \mapsto \{x^* \in \mathbb{R}_+^L \mid p \cdot x^* = \min_{x \geq 0} p \cdot x \text{ s.t. } u(x) \leq u\}$$

**Proposition 3.4.2** Suppose that  $u(\cdot)$  is a continuous utility function representing a locally nonsatiated preference relation  $\succsim$  defined on the consumption set  $X = \mathbb{R}_+^L$ . Then for any  $p \gg 0$ , the Hicksian demand correspondence  $h(p, u)$  possesses the following properties:

1. Homogeneity of degree zero in  $p$ :  $h(a p, u) = h(p, u)$  for any  $p, u$  and  $a > 0$ .
2. No excess utility: For any  $x \in h(p, u)$ ,  $u(x) = u$ .
3. Convexity/uniqueness: If  $u(\cdot)$  is convex, then  $h(p, u)$  is a convex set; and if  $u(\cdot)$  is strictly convex, so that  $u(\cdot)$  is strictly quasiconcave, then there is a unique element in  $h(p, u)$ .

**Theorem 3.4.3 — Kuhn-Tucker Conditions in EMP.** If  $x^* \in h(p, w)$  is a solution to the EMP and  $u(x)$  is continuously differentiable, then there exists a Lagrange multiplier  $\lambda \geq 0$  such that for all  $l = 1, \dots, L$ :

$$p_l \geq \lambda \frac{\partial u(x^*)}{\partial x_l}, \text{ with equality if } x_l^* > 0,$$


or equivalently in matrix notation, where  $\nabla u(x) = \left[ \frac{\partial u(x)}{\partial x_1}, \frac{\partial u(x)}{\partial x_2}, \dots, \frac{\partial u(x)}{\partial x_L} \right]^T$ ,

$$\begin{aligned} p &\geq \lambda \nabla u(x^*), \\ x_l^* \left( p_l - \lambda \frac{\partial u(x^*)}{\partial x_l} \right) &= 0. \end{aligned}$$

### 3.5 Relationships between Demand, Indirect Utility, and Expenditure Functions



# Part X



<b>4</b>	<b>Text Chapter .....</b>	<b>23</b>
4.1	Paragraphs of Text	
4.2	Citation	
4.3	Lists	
<b>5</b>	<b>In-text Elements .....</b>	<b>25</b>
5.1	Theorems	
5.2	Definitions	
5.3	Notations	
5.4	Remarks	
5.5	Corollaries	
5.6	Propositions	
5.7	Examples	
5.8	Exercises	
5.9	Problems	
5.10	Vocabulary	
<b>6</b>	<b>Presenting Information .....</b>	<b>29</b>
6.1	Table	
6.2	Figure	





## 4. Text Chapter

### 4.1 Paragraphs of Text

  Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

  Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

  Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

  Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim.

Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

## 4.2 Citation

This statement requires citation [book\_key]; this one is more specific [article\_key].

## 4.3 Lists

Lists are useful to present information in a concise and/or ordered way<sup>1</sup>.

### 4.3.1 Numbered List

1. The first item
2. The second item
3. The third item

### 4.3.2 Bullet Points

- The first item
- The second item
- The third item

### 4.3.3 Descriptions and Definitions

**Name** Description

**Word** Definition

**Comment** Elaboration

---

<sup>1</sup>Footnote example...

## 5. In-text Elements

### 5.1 Theorems

This is an example of theorems.

#### 5.1.1 Several equations

This is a theorem consisting of several equations.

**Theorem 5.1.1 — Name of the theorem.** In  $E = \mathbb{R}^n$  all norms are equivalent. It has the properties:

$$|||x|| - ||y||| \leq ||x - y|| \quad (5.1)$$

$$||\sum_{i=1}^n x_i|| \leq \sum_{i=1}^n ||x_i|| \quad \text{where } n \text{ is a finite integer} \quad (5.2)$$

#### 5.1.2 Single Line

This is a theorem consisting of just one line.

**Theorem 5.1.2** A set  $\mathcal{D}(G)$  is dense in  $L^2(G)$ ,  $|\cdot|_0$ .

### 5.2 Definitions

This is an example of a definition. A definition could be mathematical or it could define a concept.

**Definition 5.2.1 — Definition name.** Given a vector space  $E$ , a norm on  $E$  is an application, denoted  $||\cdot||$ ,  $E$  in  $\mathbb{R}^+ = [0, +\infty[$  such that:

$$||x|| = 0 \Rightarrow x = \mathbf{0} \quad (5.3)$$

$$||\lambda x|| = |\lambda| \cdot ||x|| \quad (5.4)$$

$$||x + y|| \leq ||x|| + ||y|| \quad (5.5)$$

### 5.3 Notations

**Notation 5.1.** Given an open subset  $G$  of  $\mathbb{R}^n$ , the set of functions  $\varphi$  are:

1. Bounded support  $G$ ;
2. Infinitely differentiable;

a vector space is denoted by  $\mathcal{D}(G)$ .

### 5.4 Remarks

This is an example of a remark.



The concepts presented here are now in conventional employment in mathematics. Vector spaces are taken over the field  $\mathbb{K} = \mathbb{R}$ , however, established properties are easily extended to  $\mathbb{K} = \mathbb{C}$ .

### 5.5 Corollaries

This is an example of a corollary.

**Corollary 5.5.1 — Corollary name.** The concepts presented here are now in conventional employment in mathematics. Vector spaces are taken over the field  $\mathbb{K} = \mathbb{R}$ , however, established properties are easily extended to  $\mathbb{K} = \mathbb{C}$ .

### 5.6 Propositions

This is an example of propositions.

#### 5.6.1 Several equations

**Proposition 5.6.1 — Proposition name.** It has the properties:

$$|||\mathbf{x}|| - ||\mathbf{y}||| \leq ||\mathbf{x} - \mathbf{y}|| \quad (5.6)$$

$$||\sum_{i=1}^n \mathbf{x}_i|| \leq \sum_{i=1}^n ||\mathbf{x}_i|| \quad \text{where } n \text{ is a finite integer} \quad (5.7)$$

#### 5.6.2 Single Line

**Proposition 5.6.2** Let  $f, g \in L^2(G)$ ; if  $\forall \varphi \in \mathcal{D}(G)$ ,  $(f, \varphi)_0 = (g, \varphi)_0$  then  $f = g$ .

### 5.7 Examples

This is an example of examples.

#### 5.7.1 Equation and Text

■ **Example 5.1** Let  $G = \{x \in \mathbb{R}^2 : |x| < 3\}$  and denoted by:  $x^0 = (1, 1)$ ; consider the function:

$$f(x) = \begin{cases} e^{|x|} & \text{si } |x - x^0| \leq 1/2 \\ 0 & \text{si } |x - x^0| > 1/2 \end{cases} \quad (5.8)$$

The function  $f$  has bounded support, we can take  $A = \{x \in \mathbb{R}^2 : |x - x^0| \leq 1/2 + \varepsilon\}$  for all  $\varepsilon \in ]0; 5/2 - \sqrt{2}[$ . ■

### 5.7.2 Paragraph of Text

■ **Example 5.2 — Example name.** Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

■

### 5.8 Exercises

This is an example of an exercise.

**Exercise 5.1** This is a good place to ask a question to test learning progress or further cement ideas into students' minds.

■

### 5.9 Problems

**Problem 5.1** What is the average airspeed velocity of an unladen swallow?

### 5.10 Vocabulary

Define a word to improve a students' vocabulary.

**Vocabulary 5.1 — Word.** Definition of word.



## 6. Presenting Information

### 6.1 Table

Treatments	Response 1	Response 2
Treatment 1	0.0003262	0.562
Treatment 2	0.0015681	0.910
Treatment 3	0.0009271	0.296


Table 6.1: Table caption

### 6.2 Figure



Figure 6.1: Figure caption





## Part Two





## 7. Limit of function

### 7.1 Equivalent Infinitesimal

**Definition 7.1.1** If the relation  $f(x) = \gamma(x)g(x)$  holds ultimately over  $\mathcal{B}$  where  $\lim_{\mathcal{B}} \gamma(x) = 1$ , we say that *the function f behaves asymptotically like g over  $\mathcal{B}$* , or, more briefly, that *f is equivalent to g over  $\mathcal{B}$* .



# Part N



Bibliography .....	37
Books	
Articles	
Index .....	39





## Bibliography

**Books**

**Articles**





# Index

Citation, 8  
Corollaries, 10  
Definitions, 9  
Examples, 10

- Equation and Text, 10
- Paragraph of Text, 11

Exercises, 11  
Figure, 13  
Lists, 8

- Bullet Points, 8
- Descriptions and Definitions, 8
- Numbered List, 8

Notations, 10  
Paragraphs of Text, 7  
Problems, 11  
Propositions, 10

- Several Equations, 10
- Single Line, 10

Remarks, 10  
Table, 13  
Theorems, 9

- Several Equations, 9
- Single Line, 9

Vocabulary, 11