

MODEL PREDICTIVE CONTROL

LINEAR TIME-VARYING AND NONLINEAR MPC

Alberto Bemporad

`imt.lu/ab`

✓ Basic concepts of model predictive control (MPC) and linear MPC

- Linear time-varying and nonlinear MPC
- MPC computations: quadratic programming (QP), explicit MPC
- Hybrid MPC
- Stochastic MPC
- Data-driven MPC

Course page:

http://cse.lab.imtlucca.it/~bemporad/mpc_course.html

LINEAR TIME-VARYING MODEL PREDICTIVE CONTROL

- **Linear Parameter-Varying (LPV)** model

$$\begin{cases} x_{k+1} &= A(p(t))x_k + B(p(t))u_k + B_v(p(t))v_k \\ y_k &= C(p(t))x_k + D_v(p(t))v_k \end{cases}$$

that depends on a vector $p(t)$ of parameters

- The weights in the quadratic performance index can also be LPV
- The resulting optimization problem is still a QP

$$\begin{aligned} \min_z \quad & \frac{1}{2} z' H(p(t)) z + \begin{bmatrix} x(t) \\ r(t) \\ u(t-1) \end{bmatrix}' F(p(t))' z \\ \text{s.t.} \quad & G(p(t)) z \leq W(p(t)) + S(p(t)) \begin{bmatrix} x(t) \\ r(t) \\ u(t-1) \end{bmatrix} \end{aligned}$$

- The QP matrices must be constructed online, contrarily to the LTI case

LINEARIZING A NONLINEAR MODEL: LPV CASE

- An LPV model can be obtained by linearizing the **nonlinear model**

$$\begin{cases} \frac{dx_c(t)}{dt} &= f(x_c(t), u_c(t), p_c(t)) \\ y_c(t) &= g(x_c(t), p_c(t)) \end{cases}$$

- $p_c \in \mathbb{R}^{n_p}$ = a vector of exogenous signals (e.g., ambient conditions)
- At time t , let $\bar{x}_c(t)$, $\bar{u}_c(t)$, $\bar{p}_c(t)$ be **nominal values**, that we assume constant in prediction, and linearize

$$\begin{aligned} \frac{d}{d\tau}(x_c(t+\tau) - \bar{x}_c(t)) &= \frac{d}{d\tau}(x_c(t+\tau)) \simeq \underbrace{\frac{\partial f}{\partial x} \Big|_{\bar{x}_c(t), \bar{u}_c(t), \bar{p}_c(t)}}_{A_c(t)} (x_c(t+\tau) - \bar{x}_c(t)) + \\ &\underbrace{\frac{\partial f}{\partial u} \Big|_{\bar{x}_c(t), \bar{u}_c(t), \bar{p}_c(t)}}_{B_c(t)} (u_c(t+\tau) - \bar{u}_c(t)) + \underbrace{f(\bar{x}_c(t), \bar{u}_c(t), \bar{p}_c(t)) \cdot 1}_{B_{vc}(t)} \end{aligned}$$

- Convert $(A_c, [B_c \ B_{vc}])$ to discrete-time and get prediction model $(A, [B \ B_v])$
- Same thing for the output equation to get matrices C and D_v

- **Linear Time-Varying (LTV)** model

$$\begin{cases} x_{k+1} &= A_{\mathbf{k}}(t)x_k + B_{\mathbf{k}}(t)u_k \\ y_k &= C_{\mathbf{k}}(t)x_k \end{cases}$$

- At each time t the model can also change over the prediction horizon k
- The measured disturbance is embedded in the model
- The resulting optimization problem is still a QP

$$\begin{aligned} \min_z \quad & \frac{1}{2} z' H(\mathbf{t}) z + \begin{bmatrix} x(\mathbf{t}) \\ r(\mathbf{t}) \\ u(\mathbf{t}-1) \end{bmatrix}' F(\mathbf{t})' z \\ \text{s.t.} \quad & G(\mathbf{t}) z \leq W(\mathbf{t}) + S(\mathbf{t}) \begin{bmatrix} x(\mathbf{t}) \\ r(\mathbf{t}) \\ u(\mathbf{t}-1) \end{bmatrix} \end{aligned}$$

- As for LPV-MPC, the QP matrices must be constructed online

LINEARIZING A NONLINEAR MODEL: LTV CASE

- LPV/LTV models can be obtained by linearizing **nonlinear models**

$$\begin{cases} \frac{dx_c(t)}{dt} &= f(x_c(t), u_c(t), p_c(t)) \\ y_c(t) &= g(x_c(t), p_c(t)) \end{cases}$$

- At time t , consider **nominal trajectories**

$$U = \{\bar{u}_c(t), \bar{u}_c(t + T_s), \dots, \bar{u}_c(t + (N - 1)T_s)\}$$

(example: U = shifted previous optimal sequence or input ref. trajectory)

$$P = \{\bar{p}_c(t), \bar{p}_c(t + T_s), \dots, \bar{p}_c(t + (N - 1)T_s)\}$$

(no preview: $\bar{p}_c(t + k) \equiv \bar{p}_c(t)$)

- Integrate** the model and get nominal state/output trajectories

$$X = \{\bar{x}_c(t), \bar{x}_c(t + T_s), \dots, \bar{x}_c(t + (N - 1)T_s)\}$$

$$Y = \{\bar{y}_c(t), \bar{y}_c(t + T_s), \dots, \bar{y}_c(t + (N - 1)T_s)\}$$

- Examples: $\bar{x}_c(t)$ = current state / equilibrium state / reference state

LINEARIZING A NONLINEAR MODEL: LTV CASE

- While integrating, also compute the **sensitivities**

$$A_k(t) = \frac{\partial \bar{x}_c(t + (k+1)T_s)}{\partial \bar{x}_c(t + kT_s)}$$

$$B_k(t) = \frac{\partial \bar{x}_c(t + (k+1)T_s)}{\partial \bar{u}_c(t + kT_s)}$$

$$C_k(t) = \frac{\partial \bar{y}_c(t + kT_s)}{\partial \bar{x}_c(t + kT_s)}$$

- Approximate the NL model as the LTV model

$$\left\{ \begin{array}{l} \overbrace{x_c(k+1) - \bar{x}_c(k+1)}^{x_{k+1}} = A_k(t) \overbrace{(x_c(k) - \bar{x}_c(k))}^{x_k} + B_k(t) \overbrace{(u_c(k) - \bar{u}_c(k))}^{u_k} \\ \underbrace{y_c(k) - \bar{y}_c(k)}_{y_k} = C_k(t) \underbrace{(x_c(k) - \bar{x}_c(k))}_{x_k} \end{array} \right.$$

(the notation “ (k) ” is a shortcut for “ $(t + kT_s)$ ”)

LINEARIZATION AND TIME-DISCRETIZATION

- Getting the discrete-time LTV model $A_k(t), B_k(t), C_k(t)$ requires **linearizing** and **discretizing** in time the nonlinear continuous-time dynamical model

$$\frac{dx_c(t)}{dt} = f(x_c, u_c, p_c) \approx \underbrace{f(\bar{x}_c, \bar{u}_c, \bar{p}_c)}_{\frac{d\bar{x}_c}{dt}} + \underbrace{\left. \frac{\partial f}{\partial x_c} \right|_{\bar{x}_c, \bar{u}_c, \bar{p}_c}}_{\text{Jacobian matrix } A_c} (x_c - \bar{x}_c) + \underbrace{\left. \frac{\partial f}{\partial u_c} \right|_{\bar{x}_c, \bar{u}_c, \bar{p}_c}}_{\text{Jacobian matrix } B_c} (u_c - \bar{u}_c)$$

- Let $x = x_c - \bar{x}_c, u = u_c - \bar{u}_c$. We get the continuous-time linear system

$$\frac{dx}{dt} = A_c x + B_c u$$

- Similarly, we linearize the output equation and get

$$y = y_c - \bar{y}_c \approx \underbrace{\left. \frac{\partial g}{\partial x_c} \right|_{\bar{x}_c, \bar{u}_c, \bar{p}_c}}_{\text{Jacobian matrix } C} x$$

- The continuous-time linear system (A_c, B_c, C) can be converted to a discrete-time system (A, B, C) with sample time T_s

INTEGRATION, LINEARIZATION, AND TIME DISCRETIZATION

- **Forward Euler method**

$$\begin{aligned}\bar{x}_c(k+1) &= \bar{x}_c(k) + T_s f(\bar{x}_c(k), \bar{u}_c(k), \bar{p}_c(k)) \\ A(k) &= I + T_s A_c(k) \\ B(k) &= T_s B_c(k)\end{aligned}$$



Leonhard Paul Euler
(1707-1783)

- For improved accuracy we can use smaller integration steps $\frac{T_s}{N}$, $N \geq 1$:

1. $x = \bar{x}_c(k)$, $A = I$, $B = 0$

2. for $n = 1$ to N do

- $A \leftarrow \left(I + \frac{T_s}{N} \frac{\partial f}{\partial x_c}(x, \bar{u}_c(k), \bar{p}_c(k)) \right) A$
- $B \leftarrow \left(I + \frac{T_s}{N} \frac{\partial f}{\partial x_c}(x, \bar{u}_c(k), \bar{p}_c(k)) \right) B + \frac{T_s}{N} \frac{\partial f}{\partial u}(x, \bar{u}_c(k), \bar{p}_c(k))$
- $x \leftarrow x + \frac{T_s}{N} f(x, \bar{u}_c(k), \bar{p}_c(k))$


3. return $\bar{x}_c(k+1) \approx x$ and matrices $A(k) = A$, $B(k) = B$

- Note that integration, linearization, and time-discretization are combined
- See also references in (Gros, Zanon, Quirynen, Bemporad, Diehl, 2020)

LTV-MPC EXAMPLE

- Process model is LTV

$$\frac{d^3 y}{dt^3} + 3 \frac{d^2 y}{dt^2} + 2 \frac{dy}{dt} + (6 + \sin(5t))y = 5 \frac{du}{dt} + \left(5 + 2 \cos\left(\frac{5}{2}t\right)\right) u$$



- LTI-MPC cannot track the setpoint, LPV-MPC tries to catch-up with time-varying model, LTV-MPC has preview on future model values

```
>> openExample('mpc/TimeVaryingMPCControlOfATimeVaryingLinearSystemExample')
```

LTV-MPC EXAMPLE

- Define LTV model

```
Models = tf; ct = 1;
for t = 0:0.1:10
    Models(:, :, ct) = tf([5 5+2*cos(2.5*t)], [1 3 2 6+sin(5*t)]);
    ct = ct + 1;
end

Ts = 0.1; % sampling time
Models = ss(c2d(Models, Ts));
```

- Design MPC controller

```
sys = ss(c2d(tf([5 5], [1 3 2 6]), Ts)); % average model time
p = 3; % prediction horizon
m = 3; % control horizon
mpcobj = mpc(sys, Ts, p, m);

mpcobj.MV = struct('Min', -2, 'Max', 2); % input constraints
mpcobj.Weights = struct('MV', 0, 'MVRate', 0.01, 'Output', 1);
```

LTV-MPC EXAMPLE

- Simulate LTV system with **LTI-MPC** controller

```
for ct = 1:(Tstop/Ts+1)
    real_plant = Models(:,:,ct); % Get the current plant
    y = real_plant.C*x;
    u = mpcmove(mpcobj,xmpc,y,1); % Apply LTI MPC
    x = real_plant.A*x + real_plant.B*u;
end
```

- Simulate LTV system with **LPV-MPC** controller


```
for ct = 1:(Tstop/Ts+1)
    real_plant = Models(:,:,ct); % Get the current plant
    y = real_plant.C*x;
    u = mpcmoveAdaptive(mpcobj,xmpc,real_plant,nominal,y,1);
    x = real_plant.A*x + real_plant.B*u;
end
```

LTV-MPC EXAMPLE

- Simulate LTV system with **LTV-MPC** controller

```
for ct = 1:(Tstop/Ts+1)
    real_plant = Models(:,:,ct); % Get the current plant
    y = real_plant.C*x;
    u = mpcmoveAdaptive(mpcobj,xmpc,Models(:,:,ct:ct+p), ...
        Nominals,y,1);
    x = real_plant.A*x + real_plant.B*u;
end
```

- Simulate in Simulink



LTV-MPC EXAMPLE

- Simulink block

need to provide 3D array
of future models



`mpc_timevarying.mdl`

Block Parameters: Adaptive MPC Controller

Adaptive MPC (mask) (link)

The Adaptive MPC Controller block lets you design and simulate an adaptive model predictive controller defined in the Model Predictive Control Toolbox.

Parameters

Adaptive MPC Controller

Initial Controller State

General Online Features Others

Prediction Model

☒ Linear Time-Varying (LTV) plants (model expects 3-D signals)

Constraints

☐ Lower MV limits (umin) ☐ Upper MV limits (umax)

☐ Lower OV limits (ymin) ☐ Upper OV limits (ymax)

☐ Custom constraints (E, F, G, S)

Weights

☐ OV weights (y.wt) ☐ MV weights (u.wt)

☐ MVRate weights (du.wt) ☐ Slack variable weight (ecr.wt)

Prediction and Control Horizons

☐ Adjust prediction horizon (p) and control horizon (m) at run time


Maximum prediction horizon

OK Cancel Help Apply

EXAMPLE: LPV-MPC OF A NONLINEAR CSTR SYSTEM

- MPC control of a diabatic **continuous stirred tank reactor (CSTR)**
- Process model is nonlinear

$$\begin{aligned}\frac{dC_A}{dt} &= \frac{F}{V}(C_{Af} - C_A) - C_A k_0 e^{-\frac{\Delta E}{RT}} \\ \frac{dT}{dt} &= \frac{F}{V}(T_f - T) + \frac{UA}{\rho C_p V}(T_j - T) - \frac{\Delta H}{\rho C_p} C_A k_0 e^{-\frac{\Delta E}{RT}}\end{aligned}$$



- T : temperature inside the reactor $[K]$ (state)
- C_A : concentration of the reactant in the reactor $[kgmol/m^3]$ (state)
- T_j : jacket temperature $[K]$ (input)
- T_f : feedstream temperature $[K]$ (measured disturbance)
- C_{Af} : feedstream concentration $[kgmol/m^3]$ (measured disturbance)
- Objective: **manipulate** T_j to **regulate** C_A on desired setpoint


```
>> edit ampcstr_linearization
```

(MPC Toolbox)

EXAMPLE: LPV-MPC OF A NONLINEAR CSTR SYSTEM

Process model:

```
>> mpc_cstr_plant
```



```
% Create operating point specification.
plant_md1 = 'mpc_cstr_plant';
op =operspec(plant_md1);

op.Inputs(1).u = 10; % Feed concentration known @initial condition
op.Inputs(1).Known = true;
op.Inputs(2).u = 298.15; % Feed concentration known @initial condition
op.Inputs(2).Known = true;
op.Inputs(3).u = 298.15; % Coolant temperature known @initial condition
op.Inputs(3).Known = true;

[op_point, op_report] = findop(plant_md1,op); % Compute initial condition

x0 = [op_report.States(1).x;op_report.States(2).x];
y0 = [op_report.Outputs(1).y;op_report.Outputs(2).y];
u0 = [op_report.Inputs(1).u;op_report.Inputs(2).u;op_report.Inputs(3).u];

% Obtain linear plant model at the initial condition.
sys = linearize(plant_md1, op_point);
sys = sys(:,2:3); % First plant input CAi dropped because not used by MPC
```

EXAMPLE: LPV-MPC OF A NONLINEAR CSTR SYSTEM

- MPC design

```
% Discretize the plant model
Ts = 0.5; % hours
plant = c2d(sys,Ts);

% Design MPC Controller

% Specify signal types used in MPC
plant.InputGroup.MeasuredDisturbances = 1;
plant.InputGroup.ManipulatedVariables = 2;
plant.OutputGroup.Measured = 1;
plant.OutputGroup.Unmeasured = 2;
plant.InputName = 'Ti','Tc';
plant.OutputName = 'T','CA';

% Create MPC controller with default prediction and control horizons
mpcobj = mpc(plant);

% Set nominal values in the controller
mpcobj.Model.Nominal = struct('X', x0, 'U', u0(2:3), 'Y', y0, 'DX', [0 0]);
```

EXAMPLE: LPV-MPC OF A NONLINEAR CSTR SYSTEM

- MPC design (cont'd)


```
% Set scale factors because plant input and output signals have different
% orders of magnitude
Uscale = [30 50];
Yscale = [50 10];
mpcobj.DV(1).ScaleFactor = Uscale(1);
mpcobj.MV(1).ScaleFactor = Uscale(2);
mpcobj.OV(1).ScaleFactor = Yscale(1);
mpcobj.OV(2).ScaleFactor = Yscale(2);

% Let reactor temperature T float (i.e. with no setpoint tracking error
% penalty), because the objective is to control reactor concentration CA
% and only one manipulated variable (coolant temperature Tc) is available.
mpcobj.Weights.OV = [0 1];

% Due to the physical constraint of coolant jacket, Tc rate of change is
% bounded by degrees per minute.
mpcobj.MV.RateMin = -2;
mpcobj.MV.RateMax = 2;
```

EXAMPLE: LPV-MPC OF A NONLINEAR CSTR SYSTEM

- Simulink diagram







Copyright 1990-2014 The MathWorks, Inc.

```
>> edit ampc_cstr_linearization
```


EXAMPLE: LPV-MPC OF A NONLINEAR CSTR SYSTEM

• Closed-loop results







EXAMPLE: LTI-MPC OF A NONLINEAR CSTR SYSTEM

- Closed-loop results with **LTI-MPC**, same tuning




EXAMPLE: LTI-MPC OF A NONLINEAR CSTR SYSTEM

• Closed-loop results



AUTONOMOUS DRIVING EXAMPLE

- **Goal:** Control **longitudinal acceleration** and **steering angle** of the vehicle simultaneously for **autonomous driving** with **obstacle avoidance**
- **Approach:** MPC based on a **bicycle-like kinematic model** of the vehicle in **Cartesian coordinates**



$$\begin{cases} \dot{x} &= v \cos(\theta + \delta) \\ \dot{y} &= v \sin(\theta + \delta) \\ \dot{\theta} &= \frac{v}{L} \sin(\delta) \end{cases}$$

(x, y)	Cartesian position of front wheel
θ	vehicle orientation
L	vehicle length = 4.5 m

v	velocity at front wheel
δ	steering input

AUTONOMOUS DRIVING EXAMPLE

- Let $x_n, y_n, \theta_n, v_n, \delta_n$ nominal states/inputs satisfying

$$\begin{bmatrix} \dot{x}_n \\ \dot{y}_n \\ \dot{\theta}_n \end{bmatrix} = \begin{bmatrix} v_n \cos(\theta_n + \delta_n) \\ v_n \sin(\theta_n + \delta_n) \\ \frac{v_n}{L} \sin(\delta_n) \end{bmatrix} \quad \text{feasible nominal trajectory}$$

- Linearize the model around the nominal trajectory:

$$\begin{bmatrix} \dot{x} \\ \dot{y} \\ \dot{\theta} \end{bmatrix} \approx \begin{bmatrix} \dot{x}_n \\ \dot{y}_n \\ \dot{\theta}_n \end{bmatrix} + A_c \begin{bmatrix} x - x_n \\ y - y_n \\ \theta - \theta_n \end{bmatrix} + B_c \begin{bmatrix} v - v_n \\ \delta - \delta_n \end{bmatrix} \quad \text{linearized model}$$

where A_c, B_c are the **Jacobian matrices**

$$A_c = \begin{bmatrix} 0 & 0 & -v_n \sin(\theta_n + \delta_n) \\ 0 & 0 & v_n \cos(\theta_n + \delta_n) \\ 0 & 0 & 0 \end{bmatrix} \quad B_c = \begin{bmatrix} \cos(\theta_n + \delta_n) & -v_n \sin(\theta_n + \delta_n) \\ \sin(\theta_n + \delta_n) & v_n \cos(\theta_n + \delta_n) \\ \frac{1}{L} \sin(\delta_n) & \frac{v_n}{L} \cos(\delta_n) \end{bmatrix}$$

- Use first-order Euler method to discretize model:

$$A = I + T_s A_c, \quad B = T_s B_c, \quad T_s = 50 \text{ ms}$$

AUTONOMOUS DRIVING EXAMPLE

- Constraints on inputs and input variations $\Delta v_k = v_k - v_{k-1}$, $\Delta \delta_k = \delta_k - \delta_{k-1}$:

$$-20 \leq v \leq 70 \quad \text{km/h} \quad \text{velocity constraint}$$

$$-45 \leq \delta \leq 45 \quad \text{deg} \quad \text{steering angle}$$

$$-5 \leq \Delta \delta \leq 5 \quad \text{deg} \quad \text{steering angle rate}$$


- Stage cost to minimize:

$$(x - x_{\text{ref}})^2 + (y - y_{\text{ref}})^2 + \Delta v^2 + \Delta \delta^2$$

- Prediction horizon: $N = 30$ (prediction distance = $NT_s v$, for example 25 m at 60 km/h)
- Control horizon: $N_u = 4$
- Preview on reference signals available


AUTONOMOUS DRIVING EXAMPLE

- Closed-loop simulation results



▶ LPV-MPC

Model linearized @ t




▶ LTV-MPC

Model linearized @ $t + k, k = 0, \dots, N - 1$


AUTONOMOUS DRIVING EXAMPLE

- Add position constraint $y \geq 0$ m



▶ LPV-MPC

Model linearized @ t



▶ LTV-MPC

Model linearized @ $t + k, k = 0, \dots, N - 1$

- Process model = **LTV model with noise**

$$\begin{aligned}x(k+1) &= A(k)x(k) + B(k)u(k) + G(k)\xi(k) \\ y(k) &= C(k)x(k) + \zeta(k)\end{aligned}$$

$\xi(k) \in \mathbb{R}^q$ = zero-mean white **process noise** with covariance $Q(k) \succeq 0$

$\zeta(k) \in \mathbb{R}^p$ = zero-mean white **measurement noise** with covariance $R(k) \succ 0$

- measurement update:**

$$\begin{aligned}M(k) &= P(k|k-1)C(k)'[C(k)P(k|k-1)C(k)' + R(k)]^{-1} \\ \hat{x}(k|k) &= \hat{x}(k|k-1) + M(k)(y(k) - C(k)\hat{x}(k|k-1)) \\ P(k|k) &= (I - M(k)C(k))P(k|k-1)\end{aligned}$$

- time update:**

$$\begin{aligned}\hat{x}(k+1|k) &= A(k)\hat{x}(k|k) + B(k)u(k) \\ P(k+1|k) &= A(k)P(k|k)A(k)' + G(k)Q(k)G(k)'\end{aligned}$$

- Note that here the observer gain $L(k) = A(k)M(k)$

EXTENDED KALMAN FILTER

- Process model = **nonlinear model with noise**

$$\begin{aligned}x(k+1) &= f(x(k), u(k), \xi(k)) \\ y(k) &= g(x(k), u(k)) + \zeta(k)\end{aligned}$$

- measurement update:**

$$\begin{aligned}C(k) &= \frac{\partial g}{\partial x}(\hat{x}_{k|k-1}, u(k)) \\ M(k) &= P(k|k-1)C(k)'[C(k)P(k|k-1)C(k)' + R(k)]^{-1} \\ \hat{x}(k|k) &= \hat{x}(k|k-1) + M(k)(y(k) - g(\hat{x}(k|k-1), u(k))) \\ P(k|k) &= (I - M(k)C(k))P(k|k-1)\end{aligned}$$

- time update:**

$$\begin{aligned}\hat{x}(k+1|k) &= f(\hat{x}(k|k), u(k)) \\ A(k) &= \frac{\partial f}{\partial x}(\hat{x}_{k|k}, u(k), E[\xi(k)]), \quad G(k) = \frac{\partial f}{\partial \xi}(\hat{x}_{k|k}, u(k), E[\xi(k)]) \\ P(k+1|k) &= A(k)P(k|k)A(k)' + G(k)Q(k)G(k)'\end{aligned}$$

NONLINEAR MODEL PREDICTIVE CONTROL

- Nonlinear prediction model

$$\begin{cases} x_{k+1} &= f(x_k, u_k) \\ y_k &= g(x_k, u_k) \end{cases}$$

- Nonlinear constraints $h(x_k, u_k) \leq 0$
- Nonlinear performance index $\min \ell_N(x_N) + \sum_{k=0}^{N-1} \ell(x_k, u_k)$
- Optimization problem: **nonlinear programming problem (NLP)**

$$\begin{array}{ll} \min_z & F(z, \mathbf{x}(t)) \\ \text{s.t.} & G(z, \mathbf{x}(t)) \leq 0 \\ & H(z, \mathbf{x}(t)) = 0 \end{array}$$

$$z = \begin{bmatrix} u_0 \\ \vdots \\ u_{N-1} \\ x_1 \\ \vdots \\ x_N \end{bmatrix}$$

- (Nonconvex) NLP is harder to solve than QP
- Convergence to a **global optimum** may not be guaranteed
- Several NLP solvers exist (such as **Sequential Quadratic Programming (SQP)**)
(Nocedal, Wright, 2006)
- NLP can be useful to deal with strong dynamical nonlinearities and/or nonlinear constraints/costs
- NL-MPC is less used in practice than linear MPC

- **Fast MPC**: exploit **sensitivity analysis** to compensate for the computational delay caused by solving the NLP
- **Key idea**: pre-solve the NLP between time $t - 1$ and t based on the predicted state $x^*(t) = f(x(t - 1), u(t - 1))$ in background
- Get $u^*(t)$ and sensitivity $\left. \frac{\partial u^*}{\partial x} \right|_{x^*(t)}$ within sample interval $[(t - 1)T_s, tT_s)$
- At time t , get $x(t)$ and compute

$$u(t) = u^*(t) + \frac{\partial u^*}{\partial x}(x(t) - x^*(t))$$

- A.k.a. **advanced-step MPC** (Zavala, Biegler, 2009)
- Note that still one NLP must be solved within the sample interval

FROM LTV-MPC TO NONLINEAR MPC

- **Key idea:** Solve a **sequence of LTV-MPC** problems at each time t


For $h = 0$ to $h_{\max} - 1$ do:

1. **Simulate** from $x(t)$ with inputs U_h and get state trajectory X_h
2. **Linearize** around (X_h, U_h) and **discretize** in time
3. Get $U_{h+1}^* = \text{QP solution}$ of corresponding LTV-MPC problem
4. **Line search:** find optimal step size $\alpha_h \in (0, 1]$;
5. Set $U_{h+1} = (1 - \alpha_h)U_h + \alpha_h U_{h+1}^*$;

Return solution $U_{h_{\max}}$

- The above method is a form of **Sequential Quadratic Programming** (SQP) applied to solve the full nonlinear MPC problem
- Special case: just solve one iteration with $\alpha = 1$ (a.k.a. **Real-Time Iteration**)
(Diehl, Bock, Schlöder, Findeisen, Nagy, Allgower, 2002) = LTV-MPC

- Example



SEQUENTIAL QUADRATIC PROGRAMMING

- The (unconstrained) NLMPC problem can be rephrased as

$$\begin{array}{ll} \min_{X,U} & \frac{1}{2} \begin{bmatrix} X \\ U \end{bmatrix}' H \begin{bmatrix} X \\ U \end{bmatrix} + c' \begin{bmatrix} X \\ U \end{bmatrix} \\ \text{s.t.} & G(X, U) = 0 \end{array} \quad X = \begin{bmatrix} x_1 \\ \vdots \\ x_N \end{bmatrix}, U = \begin{bmatrix} u_0 \\ \vdots \\ u_{N-1} \end{bmatrix}$$

$G(X, U) = 0$ summarizes the **nonlinear dynamics** $x_{k+1} = f_k(x_k, u_k)$ for all k

- Given the simulated nominal trajectories \bar{X}^0, \bar{U}^0 , let us **linearize**

$$G(X, U) \approx \underbrace{G(\bar{X}^0, \bar{U}^0)}_{0 \text{ by construction}} + \underbrace{\nabla G(\bar{X}^0, \bar{U}^0) \begin{bmatrix} \Delta X \\ \Delta U \end{bmatrix}}_{\text{LTV model equations}} = 0 \quad \begin{array}{l} \Delta X = X - \bar{X}^0 \\ \Delta U = U - \bar{U}^0 \end{array}$$


and solve the **quadratic program**

$$\begin{array}{ll} \begin{bmatrix} \Delta X^1 \\ \Delta U^1 \end{bmatrix} = \arg \min_{\Delta X, \Delta U} & \frac{1}{2} \begin{bmatrix} \Delta X \\ \Delta U \end{bmatrix}' H \begin{bmatrix} \Delta X \\ \Delta U \end{bmatrix} + \left(H \begin{bmatrix} \bar{X}^0 \\ \bar{U}^0 \end{bmatrix} + c \right)' \begin{bmatrix} \Delta X \\ \Delta U \end{bmatrix} \\ \text{s.t.} & \nabla G(\bar{X}^0, \bar{U}^0) \begin{bmatrix} \Delta X \\ \Delta U \end{bmatrix} = 0 \end{array}$$

(we have neglected $\nabla^2 G(X, U)$ in formulating the above QP)

SEQUENTIAL QUADRATIC PROGRAMMING

- Set $U^1 = U^0 + \alpha_1 \Delta U^1$ and **simulate the NL model** to get new states X^1 , where $0 \leq \alpha_1 \leq 1$ (ideally, $\alpha_1 = 1$)
- The **step-size** α_1 is chosen by **line search**, to ensure the cost fcn decreases
- Linearize again around X^1, U^1 and solve a new QP to get the optimal ΔU^2 . And so on ...
- After solving M QPs, we have the optimal solution $U^* = U^{M-1} + \alpha_M \Delta U^M$
- Linear inequality constraints $AX + BU \leq f$ are also included (if they appear in NLMPC)







ADVANTAGES OF NONLINEAR MPC

- Better exploits **nonlinear prediction models** than LTV-MPC
 - **Physics-based** models (= white-box models)
 - **Machine-learned** models (= black-box models, e.g., neural networks)
- Can handle **nonlinear inequality constraints** (and nonlinear cost functions)

$$g(x) \leq 0$$



$$g(x_k) + \nabla g(x_k)(x - x_k) \leq 0$$



ODYS EMBEDDED MPC TOOLSET



- **ODYS Embedded MPC** is a software toolchain for design and deployment of MPC solutions in industrial production
- Support for **linear & nonlinear MPC** and **extended Kalman filtering**
- Extremely flexible, all MPC parameters can be changed at runtime (models, cost function, horizons, constraints, ...)
- Integrated with **ODYS QP Solver** for max speed, low memory footprint, and robustness (also in single precision) `odys.it/qp`
- Library-free C code, **MISRA-C 2012 compliant**
- Currently used worldwide by several automotive OEMs in R&D and production
- Support for **neural networks** as prediction models (**ODYS Deep Learning**) `odys.it/embedded-mpc`