

WINDOWS SECURITY ASSESSMENT REPORT

Al Shad Real Estate

Client Security Assessment

PREPARED BY | MD ARIFUL HOQUE

Purpose

Demonstrate practical Windows security assessment, PowerShell automation, evidence handling and risk-based reporting in a controlled client environment.

Document item	Value
Assessment type	Read-only Windows endpoint security assessment
Assessment date	11 September 2026
Platform	Windows 10 Home, Build 19045, 64-bit
PowerShell	Windows PowerShell 5.1.19041.2364
Toolkit	10 modules / 50 exported audit functions
Execution	50 checks completed; CSV, JSON and HTML outputs generated
Portfolio status	Client environment - assessment limited to one endpoint

Important scope statement

ISO/IEC 27001:2022 references are used only as control/evidence-mapping themes. This report is not an ISO certification, conformity assessment or organisational ISMS audit.

1. Executive Summary

A read-only Windows endpoint security assessment was conducted using Windows PowerShell 5.1. The toolkit was independently validated as 10 modules with exactly 50 exported audit functions and then executed against one Windows 10 client endpoint. The run completed and produced structured CSV, JSON and HTML reporting outputs.

The assessment identified configuration areas requiring review across privileged access, host firewall configuration, disk encryption, SMB hardening and Windows audit-policy coverage. Endpoint-protection and selected event-log checks included collection limitations; these are explicitly separated from confirmed security observations.

Measure	Observed result
Toolkit	10 modules / 50 exported functions
Checks executed	50
PASS	12
WARN	8
INFO	22
ERROR / collection limitation	8

2. Assessment Objectives

- Validate a repeatable PowerShell-based Windows endpoint assessment workflow.
- Collect evidence from native Windows security and administration interfaces.
- Assess identity, logging, endpoint protection visibility, firewall, network exposure and hardening controls.
- Produce structured outputs for review, evidence collection and remediation planning.
- Demonstrate practical capability through a structured, evidence-based client assessment.

3. Scope and Methodology

Scope was intentionally limited to one Windows 10 endpoint. The toolkit uses native Windows and PowerShell interfaces and performs read-only assessment actions. No exploitation, password changes, firewall modification or destructive configuration changes were used.

Assessment domains included system baseline, local accounts, RBAC, Security Event Logs, endpoint-protection visibility, Windows Firewall, network exposure, services, hardening controls and security-policy evidence. Each module exports five checks for a total of 50 audit functions.

4. Technical Environment

Component	Observed configuration
Operating system	Microsoft Windows 10 Home, Build 19045
Architecture	64-bit OS / 64-bit PowerShell process
PowerShell	5.1.19041.2364
Execution host	Single Windows endpoint
Tooling	Windows PowerShell + native Windows security interfaces

Assessment principle

Observed output is collected and interpreted before a risk statement is made. A collection limitation is not automatically treated as a security vulnerability.

5. Verification Evidence

The implementation was validated on the stated Windows platform before the assessment run. The validation confirms 10 module files, five exported audit functions per module and 50 exported audit functions in total.




Figure 1. 10-module / 50-function validation.




Figure 2. Local user and Administrators evidence.

6. Security Event Log Analysis

The Windows Security log was queried for authentication events. The collected evidence shows successful logon events (Event ID 4624). The project does not manufacture failed events; absence of a queried event type is recorded as an evidence limitation or informational result where appropriate.

```
Administrator: Windows PowerShell
PS C:\Users\Administrator\Desktop\windows-security-audit-powershell-v2> Get-WinEvent -FilterHashtable @{
>>   LogName = "Security"
>>   Id = 4624,4625
>> } -MaxEvents 20 |
>>   Select-Object TimeCreated,Id,ProviderName

TimeCreated      Id ProviderName
-----
9/11/2026 11:35:06 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:23:18 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:23:12 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:19:52 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:19:45 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:07:01 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:01:03 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 11:01:03 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:55:23 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:55:01 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:54:46 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:54:39 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:54:39 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:52:54 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:52:11 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:37:03 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:36:50 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:34:17 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:31:05 AM 4624 Microsoft-Windows-Security-Auditing
9/11/2026 10:30:46 AM 4624 Microsoft-Windows-Security-Auditing

PS C:\Users\Administrator\Desktop\windows-security-audit-powershell-v2>
```

Figure 3. Windows Security Event Log query showing observed authentication telemetry.

Evidence handling

Public portfolio copies should remove machine-specific identifiers. Raw evidence remains available locally for technical demonstration and interview discussion.

7. Key Findings and Remediation - Part 1

ID	Finding	Severity	Observation	Recommended action
F-01	Local administrative access	Medium	Two members were present in the local Administrators group. Validate each membership against approved business need and least privilege.	Review and remove unnecessary administrative access.
F-02	Windows Firewall profiles disabled	High	Domain, Private and Public profiles were reported disabled. Confirm whether an approved alternative host firewall is protecting the endpoint.	Enable and baseline Windows Firewall where no compensating control exists.
F-03	System volume not encrypted	High	The C: volume was reported FullyDecrypted, ProtectionStatus Off and 0% encrypted.	Enable full-disk encryption where supported and establish recovery-key controls.

8. Technical Control Interpretation

F-01 is a privilege-governance review item rather than proof of unauthorised access. F-02 should be interpreted with any compensating endpoint-security controls in scope. F-03 is a direct hardening observation based on the reported encryption state.

9. Evidence Chain

Each finding is traceable to command output or a generated audit result. The project therefore demonstrates a practical assessment chain: collection -> verification -> interpretation -> risk statement -> remediation.

7. Key Findings and Remediation - Part 2

ID	Finding	Severity	Observation	Recommended action
F-04	SMB hardening gaps	High	SMBv1 was reported enabled, insecure guest logons enabled and SMB signing not required.	Disable SMBv1, remove insecure guest access and require signing where compatible.
F-05	Windows audit-policy coverage requires review	Medium	Multiple audit subcategories were reported as No Auditing.	Define and implement an approved Windows audit-policy baseline for required Success/Failure events.
F-06	Endpoint protection collection limitation	Informational	Defender PowerShell/service interfaces were unavailable in the audit session.	Verify the installed endpoint security product and collect protection status through the supported management interface.

```
PS C:\Users\Administrator\Desktop\windows-security-audit-powershell-v2>
PS Import-Csv .\audit-findings.csv -Delimiter ';' | Where-Object Status -ne "PASS" | Select-Object Status, Function, Description
Status Function Description
-----
ERROR Test-ASREACAccountManagementEvents
WARN Test-ASREAdmininistratorAccount
INFO Test-ASREAutomaticRunningServices
INFO Test-ASREBackupOperatorGroup
WARN Test-ASREBitLockerStatus
INFO Test-ASRECriticalServices
ERROR Test-ASREDefenderAntivirus
ERROR Test-ASREDefenderService
ERROR Test-ASREDefenderSignatures
ERROR Test-ASREDefenderTamperProtection
INFO Test-ASREDIServer
INFO Test-ASREIISDefaultManifest
ERROR Test-ASREFailedLogons
WARN Test-ASREFirewallProfiles
INFO Test-ASREInboundRules
INFO Test-ASREInboundRules
INFO Test-ASREIPConfiguration
INFO Test-ASREListeningPorts
INFO Test-ASRELocalives
INFO Test-ASRELockoutPolicy
INFO Test-ASRENetworkProfiles
INFO Test-ASREPasswordPolicy
INFO Test-ASREPowerUsersGroup
INFO Test-ASREPrivilegedGroups
INFO Test-ASREProcessCreationEvents
WARN Test-ASREPublicFirewallProfile
INFO Test-ASRERemoteDesktopFirewallRules
INFO Test-ASRERemoteDesktopGroup
ERROR Test-ASRETPStatus
WARN Test-ASREScreenLockConfiguration
INFO Test-ASRESecureBoot
WARN Test-ASRESecClientConfiguration
INFO Test-ASRESmbFirewallRules
WARN Test-ASRESmbv1
INFO Test-ASRESuccessFullLogons
INFO Test-ASRESysmon
ERROR Test-ASRESysmonUptime
WARN Test-ASRETimeConfiguration
```

Figure 4. Completed audit findings output.

Important interpretation

Five Defender interface errors, two no-match event queries and one uptime conversion error were recorded as collection/implementation limitations. They are not automatically promoted to security vulnerabilities.

10. Evidence and Reporting Outputs

Artefact	Purpose
audit_report.csv	Machine-readable control results
audit_report.json	Structured result set for review or automation
summary.json	Assessment metadata and result counts
audit_report.html	Human-readable audit output
manifest.json	Collection/output manifest
audit-policy.txt	Windows audit-policy evidence
security-policy.inf	Exported local security-policy evidence

11. Limitations and Professional Use

- The exercise assessed one endpoint and does not represent an enterprise-wide security review.
- ISO/IEC 27001:2022 references are evidence-mapping themes only; this project cannot establish organisational conformity or certification.
- Defender status could not be assessed through the expected audit-session interface; this is presented as a collection limitation.
- Event-log findings are constrained by telemetry present on the endpoint at collection time.
- Al Shad Real Estate was the client organisation within the scope of this assessment.

12. Conclusion

The completed assessment demonstrates a reproducible Windows security-assessment workflow: validate the tool, collect evidence, interpret observed configuration, distinguish confirmed observations from collection limitations and produce remediation-oriented reporting. The implementation was scoped to a single endpoint and completed as a focused two-day assessment engagement.