

Presentation Title

Subtitle or Course Name

Your name (12345678)
Supervisor: Prof. Supervisor

City University of Hong Kong

May 15, 2026



香港城市大學
City University of Hong Kong

Outline

- 1 Introduction
- 2 Methodology
- 3 Experiments
- 4 Discussion

Context

- Briefly describe the topic area.
- Explain why this problem matters.
- Provide key terms or definitions.

Problem statement: summarize the core question in one sentence.

Motivation and Objectives

Motivation

- Why now?
- Who benefits?
- What gap does this work address?

Objectives

- Objective 1
- Objective 2
- Objective 3

High-level pipeline

- Step 1
- Step 2
- Step 3

Key components

- Component A
- Component B
- Component C

Architecture summary

- ➊ Input / data source
- ➋ Processing / method
- ➌ Output / evaluation
- ➍ Deployment / usage

General objective

$$\mathcal{L}(\theta) = \frac{1}{N} \sum_{i=1}^N \ell(f_{\theta}(x_i), y_i) + \lambda \Omega(\theta) \quad (1)$$

Symbol definitions

- x_i : input sample, y_i : target label.
- $f_{\theta}(\cdot)$: model with parameters θ .
- $\ell(\cdot)$: task loss, $\Omega(\theta)$: regularization term.

State transition and parameter update

$$h_t = \phi(W_h h_{t-1} + W_x x_t + b), \quad (2)$$

$$\hat{y}_t = g(W_o h_t), \quad (3)$$

$$\theta_{t+1} = \theta_t - \eta \nabla_{\theta} \mathcal{L}(\theta_t) \quad (4)$$

How to reuse this slide

- Replace functions ϕ, g with your method-specific operators.
- Keep notation consistent with your earlier problem definition.

Multiline Equation Example: MLE Derivation

Assume i.i.d. Gaussian samples: $x_i \sim \mathcal{N}(\mu, \sigma^2)$


$$L(\mu) = \prod_{i=1}^n \frac{1}{\sqrt{2\pi\sigma^2}} \exp\left(-\frac{(x_i - \mu)^2}{2\sigma^2}\right), \quad (5)$$

$$\ell(\mu) = \log L(\mu) = -\frac{n}{2} \log(2\pi\sigma^2) - \frac{1}{2\sigma^2} \sum_{i=1}^n (x_i - \mu)^2, \quad (6)$$

$$\frac{\partial \ell}{\partial \mu} = \frac{1}{\sigma^2} \sum_{i=1}^n (x_i - \mu) = 0 \Rightarrow \hat{\mu}_{\text{MLE}} = \frac{1}{n} \sum_{i=1}^n x_i. \quad (7)$$

Commutative Graph in Commute Algebra


Commutative square of maps



Commutation condition: $h \circ f = k \circ g$

Ring Signature Graph

Signer anonymity within a public ring



Idea: anyone in ring $\mathcal{R} = \{P_1, \dots, P_5\}$ could have produced signature σ .

Figure and Table Overview



Figure 1: Lenna sample image for visualization template

Table 1: Performance comparison across methods

Method	Acc. (%)	Lat. (ms)	F1
Baseline	84.2	72	0.83
Method A	88.7	65	0.88
Method B	90.1	61	0.90

- Dataset description
- Hardware / software environment
- Metrics and baselines

Protocol

- Explain how experiments are run.
- Explain how results are compared.

Main quantitative findings

- Result 1
- Result 2
- Result 3

Interpretation

- What worked well?
- What did not work as expected?

Takeaways

- Core insight 1
- Core insight 2
- Core insight 3

Limitations

- Limitation 1
- Limitation 2

Conclusion

- One-sentence conclusion.
- Practical implication.

Future work

- Next step 1
- Next step 2

Optional extra material

- Additional charts
- Extra derivations
- Q&A notes

References I

- [1] Avery Lin and Jordan Pike. “Probabilistic Routing for Floating Campus Networks”. In: *Journal of Imaginary Systems* 12.3 (2021), pp. 101–118.
- [2] Mina Zhou and Rafael Ortiz. “Adaptive Schedulers for Quantum-Adjacent Workloads”. In: *Proceedings of the Fictional Conference on Next Computing*. 2020, pp. 44–56.
- [3] Elena Marsh. *Foundations of Synthetic Data Narratives*. Arcadia: North Harbor Press, 2019.
- [4] Noah Ibrahim and Claire Dunn. “Latency Bounds in Elastic Edge Swarms”. In: *Transactions on Speculative Engineering* 7.1 (2022), pp. 9–27.
- [5] Priya Kale and Tomas Weber. “Visual Debugging of Autonomous Build Pipelines”. In: *International Symposium on Practical Tooling*. 2018, pp. 210–223.
- [6] Hugo Pereira. “Compressed Knowledge Graphs for Small Devices”. In: *Annals of Compact Intelligence* 5.2 (2023), pp. 77–95.

- [7] Sanae Morimoto and Victor Hale. *Design Patterns for Ambient Interfaces*. Lakeside: Blue Meridian, 2017.
- [8] Iris Bennett and Omar Farid. “A Benchmark Suite for Cooperative Learning Agents”. In: *Workshop on Collaborative AI Evaluation*. 2021, pp. 12–25.
- [9] Gavin Holt and Nia Serrano. “Energy-Aware Compilation for Micro-Clusters”. In: *Review of Applied Compilation* 3.4 (2024), pp. 301–320.
- [10] Leah Kim. “Human-Centered Metrics for Explainable Automation”. In: *Journal of Responsible Toolchains* 11.2 (2020), pp. 55–73.